

wwPDB EM Map/Model Validation Report ⓘ

Apr 10, 2016 – 02:10 PM BST

PDB ID : 5A1U
EMDB ID: : EMD-2985
Title : The structure of the COPI coat triad
Authors : Dodonova, S.O.; Diestelkoetter-Bachert, P.; von Appen, A.; Hagen, W.J.H.; Beck, R.; Beck, M.; Wieland, F.; Briggs, J.A.G.
Deposited on : 2015-05-06
Resolution : 13.00 Å(reported)

This is a wwPDB EM Map/Model Validation Report for a publicly released PDB/EMDB entry.
For rigid body fitted models, validation errors reported here could stem from errors in the original structure(s) used in the fitting.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/EMValidationReportHelp>

MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : trunk27241


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 13.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	114402	924
Ramachandran outliers	111179	726

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	181	88% 12%
1	B	181	88% 12%
2	C	1262	59% 5% 36%
3	D	905	80% 9% 11%
4	E	874	88% 5% • 6%
5	F	177	75% • 21%
6	G	968	73% 10% • 16%
7	H	511	25% • 74%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 15372 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ADP-RIBOSYLATION FACTOR 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	A	159	Total	C	N	O	0	0
			636	318	159	159		
1	B	159	Total	C	N	O	0	0
			636	318	159	159		

- Molecule 2 is a protein called COATOMER SUBUNIT ALPHA.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	C	813	Total	C	N	O	0	0
			3251	1626	813	812		

There are 38 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	1225	LEU	-	EXPRESSION TAG	UNP Q8CIE6
C	1226	GLU	-	EXPRESSION TAG	UNP Q8CIE6
C	1227	VAL	-	EXPRESSION TAG	UNP Q8CIE6
C	1228	LEU	-	EXPRESSION TAG	UNP Q8CIE6
C	1229	PHE	-	EXPRESSION TAG	UNP Q8CIE6
C	1230	GLN	-	EXPRESSION TAG	UNP Q8CIE6
C	1231	GLY	-	EXPRESSION TAG	UNP Q8CIE6
C	1232	PRO	-	EXPRESSION TAG	UNP Q8CIE6
C	1233	SER	-	EXPRESSION TAG	UNP Q8CIE6
C	1234	ALA	-	EXPRESSION TAG	UNP Q8CIE6
C	1235	TRP	-	EXPRESSION TAG	UNP Q8CIE6
C	1236	SER	-	EXPRESSION TAG	UNP Q8CIE6
C	1237	HIS	-	EXPRESSION TAG	UNP Q8CIE6
C	1238	PRO	-	EXPRESSION TAG	UNP Q8CIE6
C	1239	GLN	-	EXPRESSION TAG	UNP Q8CIE6
C	1240	PHE	-	EXPRESSION TAG	UNP Q8CIE6
C	1241	GLU	-	EXPRESSION TAG	UNP Q8CIE6
C	1242	LYS	-	EXPRESSION TAG	UNP Q8CIE6
C	1243	GLY	-	EXPRESSION TAG	UNP Q8CIE6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1244	GLY	-	EXPRESSION TAG	UNP Q8CIE6
C	1245	GLY	-	EXPRESSION TAG	UNP Q8CIE6
C	1246	SER	-	EXPRESSION TAG	UNP Q8CIE6
C	1247	GLY	-	EXPRESSION TAG	UNP Q8CIE6
C	1248	GLY	-	EXPRESSION TAG	UNP Q8CIE6
C	1249	GLY	-	EXPRESSION TAG	UNP Q8CIE6
C	1250	SER	-	EXPRESSION TAG	UNP Q8CIE6
C	1251	GLY	-	EXPRESSION TAG	UNP Q8CIE6
C	1252	GLY	-	EXPRESSION TAG	UNP Q8CIE6
C	1253	SER	-	EXPRESSION TAG	UNP Q8CIE6
C	1254	ALA	-	EXPRESSION TAG	UNP Q8CIE6
C	1255	TRP	-	EXPRESSION TAG	UNP Q8CIE6
C	1256	SER	-	EXPRESSION TAG	UNP Q8CIE6
C	1257	HIS	-	EXPRESSION TAG	UNP Q8CIE6
C	1258	PRO	-	EXPRESSION TAG	UNP Q8CIE6
C	1259	GLN	-	EXPRESSION TAG	UNP Q8CIE6
C	1260	PHE	-	EXPRESSION TAG	UNP Q8CIE6
C	1261	GLU	-	EXPRESSION TAG	UNP Q8CIE6
C	1262	LYS	-	EXPRESSION TAG	UNP Q8CIE6

- Molecule 3 is a protein called COATOMER SUBUNIT BETA'.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	D	803	Total	C	N	O	0	0
			3211	1606	803	802		

- Molecule 4 is a protein called COATOMER SUBUNIT GAMMA-1.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	E	824	Total	C	N	O	0	0
			3294	1648	824	822		

- Molecule 5 is a protein called COATOMER SUBUNIT ZETA-1.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	F	139	Total	C	N	O	0	0
			555	278	139	138		

- Molecule 6 is a protein called COATOMER SUBUNIT BETA.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	G	813	Total	C	N	O	0	0
			3250	1626	813	811		


There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	-14	MET	-	EXPRESSION TAG	UNP Q9JIF7
G	-13	HIS	-	EXPRESSION TAG	UNP Q9JIF7
G	-12	HIS	-	EXPRESSION TAG	UNP Q9JIF7
G	-11	HIS	-	EXPRESSION TAG	UNP Q9JIF7
G	-10	HIS	-	EXPRESSION TAG	UNP Q9JIF7
G	-9	HIS	-	EXPRESSION TAG	UNP Q9JIF7
G	-8	HIS	-	EXPRESSION TAG	UNP Q9JIF7
G	-7	GLU	-	EXPRESSION TAG	UNP Q9JIF7
G	-6	ASN	-	EXPRESSION TAG	UNP Q9JIF7
G	-5	LEU	-	EXPRESSION TAG	UNP Q9JIF7
G	-4	TYR	-	EXPRESSION TAG	UNP Q9JIF7
G	-3	PHE	-	EXPRESSION TAG	UNP Q9JIF7
G	-2	GLN	-	EXPRESSION TAG	UNP Q9JIF7
G	-1	GLY	-	EXPRESSION TAG	UNP Q9JIF7
G	0	HIS	-	EXPRESSION TAG	UNP Q9JIF7


- Molecule 7 is a protein called COATOMER SUBUNIT DELTA.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	H	135	Total	C	N	O	0	0
			539	270	135	134		


• Molecule 1: ADP-RIBOSYLATION FACTOR 1



- Chain B: 88% 12%



- Chain C:  59% 5% 36%



4 Experimental information

Property	Value	Source
Reconstruction method	TOMOGRAPHY	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of images	Not provided	Depositor
Resolution determination method	Not provided	Depositor
CTF correction method	PHASE FLIPPING OF INDIVIDUAL TILTS	Depositor
Microscope	OTHER	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	42000	Depositor
Image detector	GATAN MULTISCAN	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 2$	RMSZ	# $ Z > 2$
1	A	0.43	0/635	0.69	0/792
1	B	0.43	0/635	0.69	0/792
2	C	1.55	8/3250 (0.2%)	1.71	14/4061 (0.3%)
3	D	1.60	17/3210 (0.5%)	1.72	24/4011 (0.6%)
4	E	1.52	4/3292 (0.1%)	1.63	19/4112 (0.5%)
5	F	1.55	1/554 (0.2%)	1.74	3/691 (0.4%)
6	G	1.50	7/3248 (0.2%)	1.71	23/4057 (0.6%)
7	H	1.46	0/538	1.76	7/671 (1.0%)
All	All	1.48	37/15362 (0.2%)	1.64	90/19187 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	4
3	D	0	2
4	E	0	4
5	F	0	1
6	G	0	14
All	All	0	25

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	621	VAL	C-N	6.93	1.45	1.33
3	D	330	MET	N-CA	-6.80	1.32	1.46
4	E	198	GLY	CA-C	-6.43	1.41	1.51
3	D	378	TYR	N-CA	-6.38	1.33	1.46
3	D	537	THR	N-CA	-6.33	1.33	1.46
3	D	723	GLY	CA-C	-6.28	1.41	1.51
6	G	118	GLY	CA-C	-6.28	1.41	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	799	PRO	C-N	6.20	1.44	1.33
3	D	464	GLN	N-CA	-6.09	1.34	1.46
4	E	123	PRO	N-CA	-5.96	1.37	1.47
3	D	186	LYS	C-N	5.94	1.43	1.33
2	C	631	LYS	N-CA	-5.90	1.34	1.46
3	D	331	GLY	CA-C	-5.87	1.42	1.51
2	C	204	HIS	N-CA	-5.75	1.34	1.46
3	D	227	GLY	CA-C	-5.73	1.42	1.51
4	E	837	GLY	N-CA	-5.71	1.37	1.46
3	D	373	GLY	N-CA	-5.71	1.37	1.46
6	G	509	GLY	CA-C	-5.61	1.42	1.51
2	C	259	PRO	CA-C	-5.44	1.42	1.52
2	C	186	GLY	N-CA	-5.44	1.37	1.46
6	G	539	ARG	C-N	5.43	1.44	1.34
5	F	132	GLY	N-CA	-5.31	1.38	1.46
4	E	613	PHE	N-CA	-5.31	1.35	1.46
6	G	57	GLY	N-CA	5.27	1.53	1.46
2	C	740	GLY	CA-C	-5.23	1.43	1.51
3	D	466	LYS	N-CA	-5.22	1.35	1.46
6	G	160	TYR	N-CA	-5.20	1.35	1.46
2	C	353	ALA	N-CA	-5.17	1.36	1.46
3	D	509	GLY	N-CA	-5.15	1.38	1.46
2	C	130	VAL	C-N	5.15	1.45	1.34
3	D	504	GLY	N-CA	5.13	1.53	1.46
3	D	310	ALA	N-CA	-5.13	1.36	1.46
3	D	586	SER	N-CA	-5.11	1.36	1.46
6	G	857	GLN	N-CA	-5.06	1.36	1.46
3	D	371	GLY	CA-C	-5.06	1.43	1.51
6	G	565	ALA	N-CA	-5.01	1.36	1.46
3	D	74	THR	C-O	-5.00	1.13	1.23

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	G	496	GLU	N-CA-C	7.82	132.11	111.00
4	E	302	ALA	C-N-CA	7.05	139.33	121.70
2	C	54	VAL	N-CA-C	-6.91	92.35	111.00
6	G	486	ILE	O-C-N	-6.80	108.18	121.10
6	G	869	THR	N-CA-C	-6.72	92.85	111.00
4	E	756	LEU	N-CA-C	-6.71	92.87	111.00
3	D	490	TYR	N-CA-C	-6.64	93.08	111.00
6	G	486	ILE	CA-C-N	6.60	135.58	117.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	286	VAL	N-CA-C	-6.52	93.40	111.00
6	G	792	LEU	N-CA-C	-6.42	93.65	111.00
7	H	90	ILE	CA-C-N	6.42	135.09	117.10
3	D	461	ILE	N-CA-C	-6.41	93.69	111.00
4	E	254	PHE	N-CA-C	-6.41	93.70	111.00
4	E	324	ALA	N-CA-C	6.31	128.03	111.00
3	D	642	GLU	O-C-N	6.29	132.76	122.70
5	F	69	TYR	O-C-N	6.28	132.75	122.70
3	D	204	SER	N-CA-C	-6.26	94.10	111.00
2	C	400	ALA	N-CA-C	-6.24	94.16	111.00
7	H	66	MET	N-CA-C	-6.22	94.21	111.00
3	D	78	ASP	C-N-CA	6.20	137.19	121.70
3	D	196	GLY	CA-C-O	6.19	131.74	120.60
3	D	573	LEU	N-CA-C	-6.18	94.31	111.00
3	D	613	ILE	N-CA-C	-6.18	94.33	111.00
3	D	469	PHE	N-CA-C	-6.11	94.50	111.00
7	H	56	TYR	N-CA-C	-6.00	94.80	111.00
6	G	376	THR	N-CA-C	-5.90	95.08	111.00
4	E	738	ASN	N-CA-C	-5.88	95.12	111.00
2	C	223	GLY	N-CA-C	-5.87	98.42	113.10
4	E	709	LEU	N-CA-C	-5.83	95.27	111.00
2	C	732	HIS	C-N-CA	5.70	135.95	121.70
2	C	105	TYR	N-CA-C	-5.68	95.65	111.00
4	E	759	THR	N-CA-C	-5.68	95.66	111.00
5	F	80	ILE	N-CA-C	-5.68	95.67	111.00
4	E	550	GLY	C-N-CA	5.65	135.83	121.70
6	G	499	GLU	N-CA-C	5.65	126.26	111.00
4	E	222	GLY	N-CA-C	-5.64	99.00	113.10
3	D	75	GLY	N-CA-C	-5.63	99.02	113.10
3	D	182	GLU	N-CA-C	-5.61	95.85	111.00
2	C	15	LEU	N-CA-C	-5.60	95.88	111.00
6	G	818	ILE	N-CA-C	-5.60	95.89	111.00
4	E	391	PRO	N-CA-C	5.58	126.62	112.10
6	G	503	GLU	N-CA-C	-5.57	95.97	111.00
6	G	196	MET	N-CA-C	-5.54	96.04	111.00
6	G	170	ILE	CA-C-N	5.51	132.53	117.10
3	D	429	GLY	N-CA-C	-5.51	99.33	113.10
4	E	733	LYS	N-CA-C	-5.50	96.14	111.00
6	G	195	MET	N-CA-C	-5.50	96.16	111.00
2	C	630	GLN	N-CA-C	-5.47	96.23	111.00
5	F	110	GLU	N-CA-C	-5.47	96.24	111.00
4	E	847	LEU	N-CA-C	-5.46	96.25	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	115	LEU	N-CA-C	-5.43	96.34	111.00
6	G	558	ALA	N-CA-C	-5.41	96.39	111.00
4	E	736	ASP	CA-C-O	-5.41	108.75	120.10
4	E	845	ARG	N-CA-C	-5.40	96.43	111.00
2	C	273	ILE	N-CA-C	-5.39	96.44	111.00
2	C	226	ASP	N-CA-C	-5.38	96.48	111.00
3	D	642	GLU	CA-C-O	-5.38	108.81	120.10
4	E	285	LEU	O-C-N	-5.34	114.15	122.70
6	G	318	LEU	N-CA-C	5.34	125.42	111.00
7	H	90	ILE	CA-C-O	-5.33	108.90	120.10
4	E	647	VAL	N-CA-C	-5.32	96.64	111.00
7	H	49	VAL	N-CA-C	-5.30	96.70	111.00
3	D	441	VAL	N-CA-C	-5.29	96.71	111.00
3	D	394	PHE	N-CA-C	-5.21	96.92	111.00
6	G	64	ARG	N-CA-C	5.20	125.05	111.00
7	H	19	ARG	C-N-CA	5.19	134.68	121.70
2	C	423	ARG	C-N-CA	5.18	134.65	121.70
3	D	268	ASN	N-CA-C	-5.16	97.06	111.00
7	H	48	PHE	N-CA-C	-5.16	97.06	111.00
4	E	663	PHE	N-CA-C	-5.15	97.09	111.00
3	D	21	VAL	N-CA-C	-5.15	97.10	111.00
2	C	200	VAL	O-C-N	5.14	130.92	122.70
6	G	775	LEU	N-CA-C	-5.13	97.15	111.00
6	G	169	LEU	N-CA-C	-5.12	97.17	111.00
6	G	229	GLU	C-N-CA	5.12	134.49	121.70
6	G	868	VAL	N-CA-C	-5.11	97.19	111.00
3	D	104	CYS	C-N-CA	5.10	134.45	121.70
2	C	168	ARG	N-CA-C	-5.08	97.27	111.00
3	D	543	LEU	O-C-N	-5.08	114.58	122.70
3	D	114	ILE	N-CA-C	-5.07	97.30	111.00
4	E	447	GLU	C-N-CA	5.07	134.37	121.70
4	E	248	ASP	O-C-N	-5.05	114.62	122.70
2	C	684	GLN	C-N-CA	5.04	132.88	122.30
6	G	165	ASN	C-N-CA	5.04	134.30	121.70
6	G	797	PHE	N-CA-C	-5.04	97.39	111.00
6	G	805	LYS	N-CA-C	-5.03	97.41	111.00
3	D	20	SER	C-N-CA	5.03	134.27	121.70
3	D	218	ASN	O-C-N	5.01	130.72	122.70
6	G	42	LEU	O-C-N	-5.01	114.68	122.70
2	C	709	ILE	C-N-CA	5.01	134.22	121.70

There are no chirality outliers.

All (25) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	317	PHE	Mainchain
2	C	380	CYS	Mainchain
2	C	559	GLY	Mainchain
2	C	63	GLN	Peptide
3	D	119	ASP	Mainchain
3	D	44	HIS	Mainchain
4	E	309	ARG	Peptide
4	E	323	THR	Peptide
4	E	442	PHE	Peptide
4	E	447	GLU	Peptide
5	F	59	ILE	Mainchain
6	G	235	CYS	Peptide
6	G	254	GLN	Peptide
6	G	274	ALA	Peptide
6	G	309	LYS	Peptide
6	G	311	HIS	Peptide
6	G	329	LEU	Peptide
6	G	331	THR	Peptide
6	G	348	VAL	Peptide
6	G	471	ASP	Peptide
6	G	499	GLU	Mainchain
6	G	581	PHE	Peptide
6	G	65	PHE	Mainchain
6	G	897	LYS	Peptide
6	G	91	ASP	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	636	0	181	0	0
1	B	636	0	181	0	0
2	C	3251	0	869	0	0
3	D	3211	0	880	0	0
4	E	3294	0	852	1	0
5	F	555	0	148	0	0
6	G	3250	0	833	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	H	539	0	142	0	0
All	All	15372	0	4086	1	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (1) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:249:SER:C	4:E:251:LEU:H	2.23	0.42

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	157/181 (87%)	153 (98%)	4 (2%)	0	100	100
1	B	157/181 (87%)	153 (98%)	4 (2%)	0	100	100
2	C	811/1262 (64%)	671 (83%)	97 (12%)	43 (5%)	2	29
3	D	801/905 (88%)	700 (87%)	64 (8%)	37 (5%)	3	33
4	E	820/874 (94%)	749 (91%)	40 (5%)	31 (4%)	4	37
5	F	137/177 (77%)	128 (93%)	7 (5%)	2 (2%)	13	57
6	G	809/968 (84%)	658 (81%)	84 (10%)	67 (8%)	1	18
7	H	133/511 (26%)	116 (87%)	16 (12%)	1 (1%)	24	69
All	All	3825/5059 (76%)	3328 (87%)	316 (8%)	181 (5%)	5	32

All (181) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	11	ARG
2	C	227	ARG
2	C	526	GLU
2	C	572	ARG
2	C	686	ASN
3	D	6	ASP
3	D	284	ASN
3	D	329	ALA
3	D	336	LYS
3	D	350	SER
3	D	484	SER
3	D	513	ALA
3	D	615	LYS
3	D	791	PRO
3	D	795	GLU
4	E	117	GLU
4	E	280	CYS
4	E	309	ARG
4	E	323	THR
4	E	324	ALA
4	E	391	PRO
4	E	393	LYS
4	E	413	TYR
4	E	448	PHE
4	E	549	ASN
5	F	36	PRO
6	G	55	LEU
6	G	69	LEU
6	G	85	VAL
6	G	90	PRO
6	G	173	ALA
6	G	181	LEU
6	G	197	LEU
6	G	237	ALA
6	G	253	LEU
6	G	275	PRO
6	G	331	THR
6	G	499	GLU
6	G	506	ILE
6	G	508	VAL
6	G	523	THR
6	G	543	ARG
6	G	770	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	G	785	GLU
6	G	792	LEU
6	G	814	ILE
6	G	826	ALA
6	G	939	THR
6	G	959	ILE
2	C	137	TYR
2	C	226	ASP
2	C	425	ARG
2	C	441	LYS
2	C	498	ALA
2	C	538	SER
2	C	546	SER
2	C	621	VAL
2	C	630	GLN
2	C	642	VAL
3	D	17	ARG
3	D	59	PRO
3	D	273	ARG
3	D	410	SER
3	D	426	PRO
3	D	630	PHE
3	D	739	ASP
4	E	263	HIS
4	E	310	THR
4	E	313	LYS
4	E	373	ASP
4	E	442	PHE
4	E	484	HIS
4	E	551	LEU
4	E	739	THR
4	E	741	GLU
6	G	83	GLU
6	G	103	ASP
6	G	174	PRO
6	G	307	GLU
6	G	554	ALA
6	G	558	ALA
6	G	879	ASP
2	C	205	ASP
2	C	337	LYS
2	C	345	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	348	SER
2	C	349	SER
2	C	387	GLU
2	C	469	ALA
2	C	594	PRO
2	C	619	LYS
2	C	624	SER
2	C	627	ALA
2	C	790	PRO
3	D	140	GLY
3	D	260	THR
3	D	272	GLU
3	D	571	ASN
3	D	601	ARG
3	D	662	VAL
3	D	694	GLN
3	D	735	GLN
4	E	256	GLU
4	E	353	SER
4	E	522	ASN
4	E	569	PRO
5	F	55	THR
6	G	18	SER
6	G	22	SER
6	G	194	PHE
6	G	257	SER
6	G	259	ALA
6	G	308	LEU
6	G	318	LEU
6	G	487	PRO
6	G	501	LYS
6	G	528	SER
6	G	817	ASN
6	G	904	GLY
7	H	45	GLN
2	C	133	GLY
2	C	193	THR
2	C	271	LYS
2	C	423	ARG
2	C	452	ASN
2	C	731	GLY
3	D	89	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	318	LYS
3	D	577	ASP
3	D	734	LEU
3	D	740	ALA
3	D	787	SER
3	D	788	LEU
4	E	40	ASN
4	E	251	LEU
4	E	464	PRO
6	G	332	PRO
6	G	446	PHE
6	G	537	GLU
6	G	583	ALA
6	G	876	ASP
6	G	916	PHE
2	C	470	ASP
2	C	698	LYS
2	C	793	LYS
2	C	812	THR
4	E	221	HIS
4	E	311	LEU
4	E	410	GLY
6	G	32	LYS
6	G	99	ILE
6	G	262	TYR
6	G	330	SER
6	G	372	GLU
6	G	794	PRO
6	G	894	THR
6	G	898	ALA
6	G	900	SER
6	G	962	SER
2	C	442	ASN
2	C	781	GLU
3	D	391	ALA
6	G	21	PRO
6	G	102	CYS
6	G	230	LEU
6	G	503	GLU
3	D	790	ASP
6	G	216	VAL
6	G	238	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	780	PRO
2	C	799	ALA
3	D	355	PRO
6	G	540	PRO
3	D	762	LEU
4	E	278	PRO
6	G	531	ARG
4	E	556	PRO
6	G	317	VAL
2	C	247	GLY
2	C	488	ILE
3	D	200	PRO

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.