



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:27 AM GMT

PDB ID : 2AF6
Title : Crystal structure of Mycobacterium tuberculosis Flavin dependent thymidylate synthase (Mtb ThyX) in the presence of co-factor FAD and substrate analog 5-Bromo-2'-Deoxyuridine-5'-Monophosphate (BrdUMP)
Authors : Sampathkumar, P.; Turley, S.; Ulmer, J.E.; Rhie, H.G.; Sibley, C.H.; Hol, W.G.
Deposited on : 2005-07-25
Resolution : 2.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	258	<div><div>8%</div><div>77%17%5%</div></div>
1	B	258	<div><div>5%</div><div>78%16%5%</div></div>
1	C	258	<div><div>6%</div><div>80%13%6%</div></div>
1	D	258	<div><div>9%</div><div>79%13%6%</div></div>
1	E	258	<div><div>9%</div><div>80%12%6%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	258	
1	G	258	
1	H	258	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	IOD	A	3001	-	-	X	-
2	IOD	D	3002	-	-	X	-
2	IOD	D	3004	-	-	X	X
2	IOD	E	3006	-	-	X	-
2	IOD	F	3005	-	-	X	-
2	IOD	F	3010	-	-	X	-
4	GOL	A	2001	-	-	X	-
4	GOL	A	2013	-	-	-	X
4	GOL	B	2002	-	-	X	X
4	GOL	B	2008	-	-	X	X
4	GOL	C	2003	-	-	X	X
4	GOL	D	2012	-	-	X	X
4	GOL	E	2004	-	-	X	X
4	GOL	E	2011	-	-	X	X
4	GOL	F	2014	-	-	-	X
4	GOL	G	2005	-	-	X	X
4	GOL	H	2006	-	-	X	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 16789 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thymidylate synthase thyX.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	245	Total	C	N	O	S	Se	0	1	0
			1890	1187	342	353	3	5			
1	B	245	Total	C	N	O	S	Se	0	1	0
			1904	1196	346	354	3	5			
1	C	242	Total	C	N	O	S	Se	0	1	0
			1877	1179	339	351	3	5			
1	D	242	Total	C	N	O	S	Se	0	1	0
			1882	1182	341	351	3	5			
1	E	243	Total	C	N	O	S	Se	0	1	0
			1882	1182	340	352	3	5			
1	F	242	Total	C	N	O	S	Se	0	1	0
			1886	1185	342	351	3	5			
1	G	246	Total	C	N	O	S	Se	0	1	0
			1909	1200	345	356	3	5			
1	H	243	Total	C	N	O	S	Se	0	1	0
			1884	1184	340	352	3	5			

There are 104 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	MODIFIED RESIDUE	UNP P66930
A	65	MSE	ILE	ENGINEERED	UNP P66930
A	122	MSE	MET	MODIFIED RESIDUE	UNP P66930
A	175	MSE	LEU	ENGINEERED	UNP P66930
A	198	MSE	MET	MODIFIED RESIDUE	UNP P66930
A	251	LEU	-	CLONING ARTIFACT	UNP P66930
A	252	GLU	-	CLONING ARTIFACT	UNP P66930
A	253	HIS	-	EXPRESSION TAG	UNP P66930
A	254	HIS	-	EXPRESSION TAG	UNP P66930
A	255	HIS	-	EXPRESSION TAG	UNP P66930
A	256	HIS	-	EXPRESSION TAG	UNP P66930
A	257	HIS	-	EXPRESSION TAG	UNP P66930
A	258	HIS	-	EXPRESSION TAG	UNP P66930

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MSE	MET	MODIFIED RESIDUE	UNP P66930
B	65	MSE	ILE	ENGINEERED	UNP P66930
B	122	MSE	MET	MODIFIED RESIDUE	UNP P66930
B	175	MSE	LEU	ENGINEERED	UNP P66930
B	198	MSE	MET	MODIFIED RESIDUE	UNP P66930
B	251	LEU	-	CLONING ARTIFACT	UNP P66930
B	252	GLU	-	CLONING ARTIFACT	UNP P66930
B	253	HIS	-	EXPRESSION TAG	UNP P66930
B	254	HIS	-	EXPRESSION TAG	UNP P66930
B	255	HIS	-	EXPRESSION TAG	UNP P66930
B	256	HIS	-	EXPRESSION TAG	UNP P66930
B	257	HIS	-	EXPRESSION TAG	UNP P66930
B	258	HIS	-	EXPRESSION TAG	UNP P66930
C	1	MSE	MET	MODIFIED RESIDUE	UNP P66930
C	65	MSE	ILE	ENGINEERED	UNP P66930
C	122	MSE	MET	MODIFIED RESIDUE	UNP P66930
C	175	MSE	LEU	ENGINEERED	UNP P66930
C	198	MSE	MET	MODIFIED RESIDUE	UNP P66930
C	251	LEU	-	CLONING ARTIFACT	UNP P66930
C	252	GLU	-	CLONING ARTIFACT	UNP P66930
C	253	HIS	-	EXPRESSION TAG	UNP P66930
C	254	HIS	-	EXPRESSION TAG	UNP P66930
C	255	HIS	-	EXPRESSION TAG	UNP P66930
C	256	HIS	-	EXPRESSION TAG	UNP P66930
C	257	HIS	-	EXPRESSION TAG	UNP P66930
C	258	HIS	-	EXPRESSION TAG	UNP P66930
D	1	MSE	MET	MODIFIED RESIDUE	UNP P66930
D	65	MSE	ILE	ENGINEERED	UNP P66930
D	122	MSE	MET	MODIFIED RESIDUE	UNP P66930
D	175	MSE	LEU	ENGINEERED	UNP P66930
D	198	MSE	MET	MODIFIED RESIDUE	UNP P66930
D	251	LEU	-	CLONING ARTIFACT	UNP P66930
D	252	GLU	-	CLONING ARTIFACT	UNP P66930
D	253	HIS	-	EXPRESSION TAG	UNP P66930
D	254	HIS	-	EXPRESSION TAG	UNP P66930
D	255	HIS	-	EXPRESSION TAG	UNP P66930
D	256	HIS	-	EXPRESSION TAG	UNP P66930
D	257	HIS	-	EXPRESSION TAG	UNP P66930
D	258	HIS	-	EXPRESSION TAG	UNP P66930
E	1	MSE	MET	MODIFIED RESIDUE	UNP P66930
E	65	MSE	ILE	ENGINEERED	UNP P66930
E	122	MSE	MET	MODIFIED RESIDUE	UNP P66930

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	175	MSE	LEU	ENGINEERED	UNP P66930
E	198	MSE	MET	MODIFIED RESIDUE	UNP P66930
E	251	LEU	-	CLONING ARTIFACT	UNP P66930
E	252	GLU	-	CLONING ARTIFACT	UNP P66930
E	253	HIS	-	EXPRESSION TAG	UNP P66930
E	254	HIS	-	EXPRESSION TAG	UNP P66930
E	255	HIS	-	EXPRESSION TAG	UNP P66930
E	256	HIS	-	EXPRESSION TAG	UNP P66930
E	257	HIS	-	EXPRESSION TAG	UNP P66930
E	258	HIS	-	EXPRESSION TAG	UNP P66930
F	1	MSE	MET	MODIFIED RESIDUE	UNP P66930
F	65	MSE	ILE	ENGINEERED	UNP P66930
F	122	MSE	MET	MODIFIED RESIDUE	UNP P66930
F	175	MSE	LEU	ENGINEERED	UNP P66930
F	198	MSE	MET	MODIFIED RESIDUE	UNP P66930
F	251	LEU	-	CLONING ARTIFACT	UNP P66930
F	252	GLU	-	CLONING ARTIFACT	UNP P66930
F	253	HIS	-	EXPRESSION TAG	UNP P66930
F	254	HIS	-	EXPRESSION TAG	UNP P66930
F	255	HIS	-	EXPRESSION TAG	UNP P66930
F	256	HIS	-	EXPRESSION TAG	UNP P66930
F	257	HIS	-	EXPRESSION TAG	UNP P66930
F	258	HIS	-	EXPRESSION TAG	UNP P66930
G	1	MSE	MET	MODIFIED RESIDUE	UNP P66930
G	65	MSE	ILE	ENGINEERED	UNP P66930
G	122	MSE	MET	MODIFIED RESIDUE	UNP P66930
G	175	MSE	LEU	ENGINEERED	UNP P66930
G	198	MSE	MET	MODIFIED RESIDUE	UNP P66930
G	251	LEU	-	CLONING ARTIFACT	UNP P66930
G	252	GLU	-	CLONING ARTIFACT	UNP P66930
G	253	HIS	-	EXPRESSION TAG	UNP P66930
G	254	HIS	-	EXPRESSION TAG	UNP P66930
G	255	HIS	-	EXPRESSION TAG	UNP P66930
G	256	HIS	-	EXPRESSION TAG	UNP P66930
G	257	HIS	-	EXPRESSION TAG	UNP P66930
G	258	HIS	-	EXPRESSION TAG	UNP P66930
H	1	MSE	MET	MODIFIED RESIDUE	UNP P66930
H	65	MSE	ILE	ENGINEERED	UNP P66930
H	122	MSE	MET	MODIFIED RESIDUE	UNP P66930
H	175	MSE	LEU	ENGINEERED	UNP P66930
H	198	MSE	MET	MODIFIED RESIDUE	UNP P66930
H	251	LEU	-	CLONING ARTIFACT	UNP P66930

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	252	GLU	-	CLONING ARTIFACT	UNP P66930
H	253	HIS	-	EXPRESSION TAG	UNP P66930
H	254	HIS	-	EXPRESSION TAG	UNP P66930
H	255	HIS	-	EXPRESSION TAG	UNP P66930
H	256	HIS	-	EXPRESSION TAG	UNP P66930
H	257	HIS	-	EXPRESSION TAG	UNP P66930
H	258	HIS	-	EXPRESSION TAG	UNP P66930

- Molecule 2 is IODIDE ION (three-letter code: IOD) (formula: I).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	1	Total I 1 1	0	0
2	D	2	Total I 2 2	0	0
2	E	2	Total I 2 2	0	0
2	C	1	Total I 1 1	0	0
2	A	2	Total I 2 2	0	0
2	F	2	Total I 2 2	0	0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: BRU, FAD) (formula: $C_9H_{12}BrN_2O_8P$, $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	D	2	Total	Br	C	N	O	P	0	0
			74	1	36	11	23	3		
3	C	2	Total	Br	C	N	O	P	0	0
			74	1	36	11	23	3		
3	B	2	Total	Br	C	N	O	P	0	0
			74	1	36	11	23	3		
3	A	2	Total	Br	C	N	O	P	0	0
			74	1	36	11	23	3		
3	H	2	Total	Br	C	N	O	P	0	0
			74	1	36	11	23	3		
3	G	2	Total	Br	C	N	O	P	0	0
			74	1	36	11	23	3		
3	F	2	Total	Br	C	N	O	P	0	0
			74	1	36	11	23	3		
3	E	2	Total	Br	C	N	O	P	0	0
			74	1	36	11	23	3		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	G	1	Total	C	O	0	0
			6	3	3		
4	H	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	135	Total	O	0	0
			135	135		
5	B	129	Total	O	0	0
			129	129		
5	C	116	Total	O	0	0
			116	116		
5	D	120	Total	O	0	0
			120	120		
5	E	130	Total	O	0	0
			130	130		
5	F	106	Total	O	0	0
			106	106		
5	G	114	Total	O	0	0
			114	114		
5	H	139	Total	O	0	0
			139	139		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Thymidylate synthase thyX




• Molecule 1: Thymidylate synthase thyX



• Molecule 1: Thymidylate synthase thyX





• Molecule 1: Thymidylate synthase thyX







• Molecule 1: Thymidylate synthase thyX





• Molecule 1: Thymidylate synthase thyX





HIS

• Molecule 1: Thymidylate synthase thyX



• Molecule 1: Thymidylate synthase thyX



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.09 Å 78.30 Å 168.72 Å 90.00° 96.80° 90.00°	Depositor
Resolution (Å)	44.95 – 2.01 44.95 – 2.01	Depositor EDS
% Data completeness (in resolution range)	95.5 (44.95-2.01) 95.4 (44.95-2.01)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.23 (at 2.01 Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.195 , 0.243 0.197 , 0.245	Depositor DCC
R_{free} test set	6506 reflections (5.15%)	DCC
Wilson B-factor (Å ²)	21.5	Xtriage
Anisotropy	0.054	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 50.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 132836 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	16789	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, BRU, IOD, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/1931	0.62	1/2626 (0.0%)
1	B	0.48	0/1947	0.61	2/2648 (0.1%)
1	C	0.49	0/1918	0.63	2/2607 (0.1%)
1	D	0.47	0/1924	0.63	3/2615 (0.1%)
1	E	0.49	0/1923	0.63	3/2614 (0.1%)
1	F	0.48	0/1928	0.62	2/2619 (0.1%)
1	G	0.46	0/1952	0.60	2/2655 (0.1%)
1	H	0.48	0/1926	0.64	3/2619 (0.1%)
All	All	0.48	0/15449	0.62	18/21003 (0.1%)

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	87	ARG	NE-CZ-NH2	-8.69	115.96	120.30
1	E	87	ARG	NE-CZ-NH2	-6.82	116.89	120.30
1	H	87	ARG	NE-CZ-NH2	-6.76	116.92	120.30
1	E	172	ARG	NE-CZ-NH2	-6.70	116.95	120.30
1	B	172	ARG	NE-CZ-NH2	-6.56	117.02	120.30
1	D	172	ARG	NE-CZ-NH2	-6.50	117.05	120.30
1	D	87	ARG	NE-CZ-NH2	-6.28	117.16	120.30
1	F	87	ARG	NE-CZ-NH2	-6.15	117.22	120.30
1	G	172	ARG	NE-CZ-NH2	-6.10	117.25	120.30
1	G	87	ARG	NE-CZ-NH2	-6.10	117.25	120.30
1	B	87	ARG	NE-CZ-NH2	-5.93	117.33	120.30
1	C	172	ARG	NE-CZ-NH2	-5.92	117.34	120.30
1	A	172	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	H	172	ARG	NE-CZ-NH2	-5.71	117.44	120.30
1	F	172	ARG	NE-CZ-NH2	-5.60	117.50	120.30
1	E	245	PRO	N-CA-CB	5.48	109.88	103.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	104	LEU	CA-CB-CG	5.26	127.40	115.30
1	H	28	ASP	N-CA-CB	-5.24	101.17	110.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1890	0	1851	54	0
1	B	1904	0	1863	50	0
1	C	1877	0	1835	37	0
1	D	1882	0	1840	48	0
1	E	1882	0	1836	48	0
1	F	1886	0	1851	38	0
1	G	1909	0	1870	38	0
1	H	1884	0	1842	50	0
2	A	2	0	0	2	0
2	C	1	0	0	0	0
2	D	2	0	0	11	0
2	E	2	0	0	3	0
2	F	2	0	0	4	0
2	G	1	0	0	1	0
3	A	74	0	41	12	0
3	B	74	0	41	8	0
3	C	74	0	41	5	0
3	D	74	0	41	8	0
3	E	74	0	41	6	0
3	F	74	0	41	6	0
3	G	74	0	41	7	0
3	H	74	0	41	7	0
4	A	18	0	24	8	0
4	B	12	0	16	15	0
4	C	6	0	8	9	0
4	D	12	0	16	11	0
4	E	12	0	16	27	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	F	12	0	14	1	0
4	G	6	0	8	9	0
4	H	6	0	8	12	0
5	A	135	0	0	3	0
5	B	129	0	0	2	0
5	C	116	0	0	0	0
5	D	120	0	0	10	0
5	E	130	0	0	2	0
5	F	106	0	0	4	0
5	G	114	0	0	3	0
5	H	139	0	0	2	0
All	All	16789	0	15226	336	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (336) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:222:VAL:CG1	2:D:3004:IOD:I	2.54	1.25
2:D:3004:IOD:I	5:D:3123:HOH:O	2.20	1.24
2:D:3004:IOD:I	5:D:3122:HOH:O	2.23	1.19
4:E:2011:GOL:H31	1:H:177:ASN:ND2	1.66	1.09
1:F:199:ARG:HH12	3:F:7603:BRU:HN3	1.04	1.04
1:G:32:GLY:H	4:G:2005:GOL:H31	1.13	1.03
1:F:27:THR:HG21	1:F:37:GLU:OE1	1.58	1.03
1:H:14:LYS:HB2	4:H:2006:GOL:H2	1.40	1.03
1:D:222:VAL:HG13	2:D:3004:IOD:I	2.30	1.01
1:G:199:ARG:HH12	3:G:6603:BRU:HN3	1.02	1.00
4:D:2012:GOL:O2	5:D:3117:HOH:O	1.70	0.99
1:H:199:ARG:HH12	3:H:5603:BRU:HN3	1.08	0.99
1:B:3:GLU:HA	1:B:3:GLU:OE1	1.64	0.96
1:B:199:ARG:HH12	3:B:3603:BRU:HN3	1.11	0.96
1:D:222:VAL:HG11	2:D:3004:IOD:I	2.33	0.95
1:E:14:LYS:HB2	4:E:2004:GOL:H2	1.49	0.94
1:E:87:ARG:HD2	4:E:2011:GOL:H32	1.49	0.93
1:C:199:ARG:HH12	3:C:2603:BRU:HN3	1.11	0.93
1:G:14:LYS:HB2	4:G:2005:GOL:H2	1.48	0.93
1:D:199:ARG:HH12	3:D:1603:BRU:HN3	1.05	0.93
1:E:222:VAL:HG13	4:E:2004:GOL:O2	1.67	0.93
1:D:41:ARG:HH12	4:D:2009:GOL:H32	1.32	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:ARG:HH12	3:A:4603:BRU:HN3	1.08	0.91
1:E:222:VAL:CG1	4:E:2004:GOL:O2	2.18	0.91
1:E:199:ARG:HH12	3:E:8603:BRU:HN3	1.13	0.90
1:H:32:GLY:H	4:H:2006:GOL:C1	1.85	0.89
1:C:222:VAL:CG1	4:C:2003:GOL:O2	2.19	0.89
1:A:15:THR:HB	4:A:2001:GOL:H31	1.54	0.87
1:D:69:HIS:HA	4:D:2012:GOL:H31	1.58	0.85
4:E:2011:GOL:H31	1:H:177:ASN:HD21	1.41	0.85
1:C:222:VAL:HG13	4:C:2003:GOL:O2	1.78	0.82
1:F:87:ARG:NH2	3:G:6603:BRU:OP3	2.12	0.82
1:E:23:VAL:HG23	2:E:3006:IOD:I	2.50	0.82
1:H:27:THR:HG22	1:H:28:ASP:H	1.43	0.82
1:H:222:VAL:HG13	4:H:2006:GOL:O3	1.80	0.81
1:D:175:MSE:HE2	1:D:175:MSE:HA	1.61	0.81
1:E:23:VAL:CG2	2:E:3006:IOD:I	2.99	0.81
1:A:69:HIS:HA	4:A:2013:GOL:H12	1.62	0.81
1:H:27:THR:HG21	1:H:37:GLU:OE1	1.80	0.81
1:E:26:THR:O	1:E:49:LYS:NZ	2.15	0.80
1:H:25:TRP:CZ2	1:H:27:THR:OG1	2.34	0.80
1:A:198[B]:MSE:HE1	3:A:4600:FAD:O4'	1.80	0.80
1:D:69:HIS:CD2	4:D:2012:GOL:O2	2.35	0.79
4:E:2011:GOL:C3	1:H:177:ASN:ND2	2.44	0.79
1:D:140:ARG:HH11	1:D:140:ARG:HG3	1.47	0.78
4:E:2011:GOL:H31	1:H:177:ASN:HD22	1.49	0.78
1:F:5:ALA:HB2	1:F:115:ARG:HD2	1.64	0.78
1:A:175:MSE:HE2	1:A:175:MSE:HA	1.66	0.77
4:E:2011:GOL:C3	1:H:177:ASN:HD21	1.99	0.76
1:C:14:LYS:HB2	4:C:2003:GOL:H12	1.67	0.75
1:H:32:GLY:H	4:H:2006:GOL:H12	1.52	0.75
1:H:194:HIS:HE1	3:H:5600:FAD:O2P	1.71	0.74
2:D:3004:IOD:I	5:D:3124:HOH:O	2.74	0.74
1:H:209:ARG:HH11	1:H:239:THR:HG21	1.54	0.73
1:C:194:HIS:HE1	3:C:2600:FAD:O2P	1.70	0.73
1:E:87:ARG:HD2	4:E:2011:GOL:C3	2.18	0.73
1:G:189:TYR:OH	4:G:2005:GOL:H11	1.89	0.73
1:D:222:VAL:HG12	2:D:3004:IOD:I	2.59	0.73
1:B:194:HIS:HE1	3:B:3600:FAD:O2P	1.72	0.72
1:F:45:GLN:HG2	1:H:104:LEU:HD13	1.70	0.72
1:F:14:LYS:HB2	2:F:3005:IOD:I	2.60	0.71
1:G:98:HIS:HE1	1:H:98:HIS:HE1	1.36	0.71
1:E:177:ASN:HD22	4:E:2011:GOL:H11	1.55	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:189:TYR:OH	4:H:2006:GOL:H32	1.91	0.71
1:B:217:ARG:HA	4:B:2008:GOL:O3	1.90	0.71
1:G:32:GLY:N	4:G:2005:GOL:H31	1.98	0.71
1:C:123:GLU:O	1:C:129:ARG:NH1	2.24	0.70
1:A:172:ARG:NH2	3:D:1603:BRU:OP3	2.24	0.70
1:A:98:HIS:HE1	1:B:98:HIS:HE1	1.39	0.70
1:A:174:VAL:HG23	1:A:175:MSE:HE3	1.73	0.70
1:A:87:ARG:NH2	3:D:1603:BRU:OP3	2.23	0.70
1:E:23:VAL:HG22	2:E:3006:IOD:I	2.62	0.69
1:G:56:THR:HG23	1:G:59:GLY:H	1.56	0.69
1:A:64:ILE:HD13	1:A:72:VAL:HG21	1.75	0.69
2:G:3003:IOD:I	5:G:6715:HOH:O	2.81	0.68
1:G:98:HIS:CE1	1:H:98:HIS:HE1	2.12	0.68
3:B:3603:BRU:OP3	1:C:172:ARG:NH2	2.26	0.68
1:E:177:ASN:ND2	4:E:2011:GOL:H11	2.09	0.68
1:A:170:ALA:HB1	1:D:122:MSE:HE3	1.74	0.68
1:E:98:HIS:HE1	1:F:98:HIS:HE1	1.43	0.67
1:D:157:GLN:HE21	1:D:159:ASN:H	1.41	0.66
1:C:194:HIS:CE1	3:C:2600:FAD:O2P	2.49	0.66
1:A:98:HIS:CE1	1:B:98:HIS:HE1	2.13	0.66
1:A:104:LEU:CD1	1:A:109:VAL:HG21	2.26	0.66
1:C:69:HIS:O	1:C:72:VAL:HG12	1.97	0.65
1:G:98:HIS:HE1	1:H:98:HIS:CE1	2.13	0.65
1:D:49:LYS:HB2	5:D:3119:HOH:O	1.97	0.65
1:D:50:PRO:HD2	4:D:2009:GOL:H31	1.78	0.65
1:A:104:LEU:HD11	1:A:109:VAL:HG21	1.79	0.65
1:B:111:GLU:HG2	5:B:3688:HOH:O	1.97	0.64
1:H:32:GLY:H	4:H:2006:GOL:H11	1.60	0.64
1:A:159:ASN:HD22	1:A:162:LEU:H	1.45	0.64
1:A:172:ARG:HH22	3:D:1603:BRU:P	2.20	0.64
1:A:104:LEU:HD13	1:C:45:GLN:HG2	1.79	0.64
1:B:32:GLY:H	4:B:2002:GOL:H12	1.63	0.64
1:D:69:HIS:HB3	4:D:2012:GOL:H12	1.78	0.64
1:H:32:GLY:N	4:H:2006:GOL:H11	2.13	0.63
1:A:194:HIS:HE1	3:A:4600:FAD:O2P	1.81	0.63
1:H:222:VAL:CG1	4:H:2006:GOL:C3	2.77	0.63
1:B:77:SER:O	4:B:2002:GOL:O3	2.15	0.63
1:B:87:ARG:NH2	3:C:2603:BRU:OP3	2.31	0.63
1:E:98:HIS:CE1	1:F:98:HIS:HE1	2.16	0.63
1:E:87:ARG:NH1	4:E:2011:GOL:O3	2.28	0.63
1:H:222:VAL:HG13	4:H:2006:GOL:C3	2.27	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:41:ARG:NH1	4:D:2009:GOL:H32	2.11	0.62
1:G:98:HIS:CE1	1:H:98:HIS:CE1	2.87	0.62
1:C:98:HIS:HE1	1:D:98:HIS:HE1	1.45	0.62
1:A:198[B]:MSE:CE	3:A:4600:FAD:O4'	2.48	0.62
1:E:98:HIS:HE1	1:F:98:HIS:CE1	2.17	0.61
3:A:4603:BRU:OP3	1:D:172:ARG:NH2	2.32	0.61
1:A:247:ALA:HB2	2:A:3001:IOD:I	2.69	0.61
1:A:98:HIS:HE1	1:B:98:HIS:CE1	2.17	0.61
1:F:69:HIS:HA	4:F:2007:GOL:H2	1.81	0.61
1:E:172:ARG:NH2	3:H:5603:BRU:OP3	2.34	0.61
1:B:194:HIS:CE1	3:B:3600:FAD:O2P	2.54	0.61
1:C:98:HIS:CE1	1:D:98:HIS:HE1	2.19	0.61
1:C:14:LYS:HB2	4:C:2003:GOL:C1	2.31	0.61
1:E:189:TYR:OH	4:E:2004:GOL:H11	1.99	0.61
1:F:50:PRO:HD2	2:F:3010:IOD:I	2.71	0.60
1:D:65:MSE:HG3	1:D:70:PHE:HE2	1.65	0.60
1:H:209:ARG:NH1	1:H:239:THR:HG21	2.16	0.60
1:F:178:ALA:HB2	1:G:173:ALA:HB1	1.84	0.60
1:D:194:HIS:HE1	3:D:1600:FAD:O2P	1.84	0.59
1:G:32:GLY:HA3	4:G:2005:GOL:H12	1.84	0.59
1:G:194:HIS:CE1	3:G:6600:FAD:O2P	2.55	0.59
1:G:194:HIS:HE1	3:G:6600:FAD:O2P	1.84	0.59
1:E:87:ARG:NH2	3:H:5603:BRU:OP3	2.30	0.59
1:G:32:GLY:H	4:G:2005:GOL:C3	2.02	0.59
1:H:32:GLY:N	4:H:2006:GOL:C1	2.61	0.59
1:B:222:VAL:CG1	4:B:2002:GOL:O2	2.51	0.59
1:E:157:GLN:HE21	1:E:159:ASN:H	1.47	0.59
1:B:189:TYR:CE1	4:B:2002:GOL:H32	2.38	0.59
1:H:239:THR:HG23	5:H:5638:HOH:O	2.02	0.58
3:B:3603:BRU:P	1:C:172:ARG:HH22	2.26	0.58
2:D:3002:IOD:I	4:D:2012:GOL:C3	3.22	0.58
1:A:98:HIS:CE1	1:B:98:HIS:CE1	2.92	0.58
1:C:157:GLN:HE21	1:C:159:ASN:H	1.51	0.58
1:G:77:SER:O	4:G:2005:GOL:O1	2.21	0.58
1:A:14:LYS:HB2	4:A:2001:GOL:H11	1.85	0.58
1:H:65:MSE:HG3	1:H:70:PHE:HE2	1.69	0.58
1:C:98:HIS:HE1	1:D:98:HIS:CE1	2.22	0.57
1:E:177:ASN:ND2	4:E:2011:GOL:C1	2.67	0.57
1:H:222:VAL:HG11	4:H:2006:GOL:H31	1.86	0.57
1:D:69:HIS:NE2	5:D:3117:HOH:O	2.32	0.57
1:F:27:THR:HG22	5:F:7655:HOH:O	2.03	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:HIS:CE1	3:A:4600:FAD:O2P	2.57	0.57
1:A:198[B]:MSE:HE3	3:A:4600:FAD:HM81	1.87	0.57
1:H:127:ASP:HB2	5:H:5713:HOH:O	2.04	0.57
1:F:173:ALA:HB1	1:G:178:ALA:HB2	1.87	0.56
1:H:65:MSE:HG3	1:H:70:PHE:CE2	2.41	0.56
1:D:140:ARG:HG3	1:D:140:ARG:NH1	2.20	0.56
1:C:222:VAL:CG1	4:C:2003:GOL:HO2	2.19	0.56
1:H:194:HIS:CE1	3:H:5600:FAD:O2P	2.57	0.56
1:E:32:GLY:HA3	4:E:2004:GOL:H12	1.87	0.55
1:B:104:LEU:HD13	1:D:45:GLN:HG2	1.88	0.55
1:B:56:THR:HG21	1:F:22:ASP:HB3	1.88	0.55
1:A:25:TRP:HB2	1:A:47:TRP:HB3	1.87	0.55
1:D:71:SER:HB3	2:D:3002:IOD:I	2.76	0.55
1:F:199:ARG:NH1	3:F:7603:BRU:HN3	1.89	0.55
1:A:15:THR:CB	4:A:2001:GOL:H31	2.33	0.55
1:E:98:HIS:CE1	1:F:98:HIS:CE1	2.92	0.55
3:A:4603:BRU:OP3	1:D:87:ARG:NH2	2.38	0.55
1:F:118:VAL:HG13	1:F:122:MSE:HE2	1.89	0.55
1:E:177:ASN:HD22	4:E:2011:GOL:C1	2.20	0.55
1:B:32:GLY:HA3	4:B:2002:GOL:H31	1.88	0.55
3:E:8603:BRU:OP3	1:H:172:ARG:NH2	2.40	0.54
1:D:189:TYR:OH	2:D:3004:IOD:I	2.96	0.54
1:B:14:LYS:HB2	4:B:2002:GOL:H11	1.88	0.54
2:D:3002:IOD:I	4:D:2012:GOL:H32	2.77	0.54
1:B:178:ALA:HB2	1:C:173:ALA:HB1	1.90	0.54
1:F:189:TYR:OH	2:F:3005:IOD:I	2.90	0.54
1:B:61:LEU:O	1:B:65:MSE:HG2	2.08	0.54
1:D:175:MSE:CE	1:D:175:MSE:HA	2.35	0.53
1:B:108:TYR:HE1	1:B:165:LYS:HE2	1.74	0.53
1:F:165:LYS:NZ	5:F:7640:HOH:O	2.38	0.53
1:B:3:GLU:CA	1:B:3:GLU:OE1	2.45	0.52
1:C:98:HIS:CE1	1:D:98:HIS:CE1	2.96	0.52
1:A:10:GLN:HG3	5:A:4618:HOH:O	2.10	0.52
1:H:65:MSE:HE1	1:H:226:VAL:HA	1.92	0.52
1:D:65:MSE:HG3	1:D:70:PHE:CE2	2.44	0.52
1:E:194:HIS:HE1	3:E:8600:FAD:O2P	1.92	0.52
1:F:54:THR:OG1	2:F:3010:IOD:I	2.91	0.51
3:E:8603:BRU:OP3	1:H:87:ARG:NH2	2.42	0.51
1:F:64:ILE:HD13	1:F:72:VAL:HG11	1.90	0.51
1:B:216:LEU:HG	4:B:2008:GOL:C3	2.41	0.51
1:D:116:VAL:HG13	1:D:178:ALA:HB1	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:HIS:CE1	1:A:198[B]:MSE:HE2	2.46	0.51
1:D:65:MSE:HE1	1:D:226:VAL:HA	1.93	0.51
1:B:216:LEU:HG	4:B:2008:GOL:H32	1.91	0.51
1:E:118:VAL:HG13	1:E:122:MSE:HE2	1.91	0.51
1:G:169:GLN:O	1:G:172:ARG:HG2	2.10	0.51
1:H:209:ARG:HH11	1:H:239:THR:CG2	2.23	0.51
1:B:189:TYR:CZ	4:B:2002:GOL:H32	2.47	0.50
1:B:60:TYR:CE2	1:B:64:ILE:HD11	2.46	0.50
1:F:67:VAL:HG13	1:F:69:HIS:CD2	2.46	0.50
1:A:32:GLY:HA3	4:A:2001:GOL:H32	1.94	0.50
1:C:104:LEU:CD1	1:C:109:VAL:HG21	2.42	0.50
1:A:98:HIS:HD2	5:D:3056:HOH:O	1.94	0.50
1:A:165:LYS:NZ	5:A:4710:HOH:O	2.44	0.50
1:G:104:LEU:CD1	1:G:109:VAL:HG21	2.42	0.50
1:C:189:TYR:OH	4:C:2003:GOL:H2	2.12	0.49
1:F:45:GLN:CG	1:H:104:LEU:HD13	2.40	0.49
1:E:172:ARG:HH22	3:H:5603:BRU:P	2.35	0.49
1:F:98:HIS:HD2	5:F:7708:HOH:O	1.96	0.49
1:G:157:GLN:HE21	1:G:159:ASN:H	1.60	0.49
1:G:193:ARG:HH21	1:G:248:THR:HG21	1.77	0.49
1:D:194:HIS:CE1	3:D:1600:FAD:O2P	2.65	0.49
1:B:13:ALA:HB3	1:B:79:SER:HB2	1.93	0.49
1:D:69:HIS:CA	4:D:2012:GOL:H31	2.37	0.49
1:C:50:PRO:O	1:C:52:PRO:HD3	2.13	0.48
1:B:199:ARG:NH1	3:B:3603:BRU:HN3	1.95	0.48
1:F:60:TYR:HE2	1:F:64:ILE:HD11	1.78	0.48
1:B:32:GLY:H	4:B:2002:GOL:C1	2.26	0.48
1:G:69:HIS:O	1:G:72:VAL:HG12	2.13	0.48
1:B:60:TYR:HE2	1:B:64:ILE:HD11	1.77	0.48
1:B:115:ARG:NH2	5:B:3661:HOH:O	2.31	0.48
1:D:199:ARG:NH1	3:D:1603:BRU:HN3	1.90	0.48
1:B:91:HIS:HE1	1:C:90:THR:OG1	1.96	0.48
1:A:104:LEU:HD12	1:A:109:VAL:HG21	1.95	0.47
1:G:64:ILE:HD13	1:G:72:VAL:HG11	1.95	0.47
1:A:128:LEU:HD21	1:D:149:LYS:HB3	1.94	0.47
1:E:22:ASP:HB2	5:E:8710:HOH:O	2.14	0.47
1:G:205:ASP:OD2	5:G:6675:HOH:O	2.19	0.47
1:G:189:TYR:CZ	4:G:2005:GOL:H11	2.48	0.47
1:E:15:THR:O	4:E:2004:GOL:O3	2.32	0.47
3:A:4603:BRU:P	1:D:172:ARG:HH22	2.38	0.47
1:A:32:GLY:HA3	4:A:2001:GOL:C3	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198[B]:MSE:HB3	1:A:198[B]:MSE:HE3	1.78	0.47
1:A:189:TYR:OH	4:A:2001:GOL:H32	2.15	0.47
1:B:64:ILE:HA	1:B:69:HIS:CE1	2.50	0.46
1:E:189:TYR:OH	4:E:2004:GOL:C1	2.63	0.46
1:E:222:VAL:CG1	4:E:2004:GOL:HO2	2.28	0.46
1:E:87:ARG:HB3	4:E:2011:GOL:H32	1.97	0.46
3:E:8603:BRU:BR	1:H:108:TYR:CE2	3.24	0.46
1:A:90:THR:OG1	1:D:91:HIS:HE1	1.99	0.46
1:A:27:THR:HG23	1:A:29:ALA:H	1.79	0.46
1:E:13:ALA:HB3	1:E:79:SER:HB2	1.96	0.46
1:E:222:VAL:HG11	4:E:2004:GOL:O2	2.07	0.46
1:H:60:TYR:CE2	1:H:64:ILE:HD11	2.51	0.46
1:D:69:HIS:CG	4:D:2012:GOL:O2	2.68	0.46
1:E:194:HIS:CE1	3:E:8600:FAD:O2P	2.68	0.46
1:D:48:SER:O	1:D:50:PRO:HD3	2.15	0.46
1:D:60:TYR:CE2	1:D:64:ILE:HD11	2.51	0.46
1:C:189:TYR:CE1	4:C:2003:GOL:H31	2.51	0.45
1:A:247:ALA:CB	2:A:3001:IOD:I	3.35	0.45
1:A:68:GLY:HA2	1:A:70:PHE:CE1	2.52	0.45
1:F:172:ARG:NH2	3:G:6603:BRU:OP1	2.44	0.45
1:B:27:THR:HG23	1:B:29:ALA:H	1.81	0.45
1:F:65:MSE:HE1	1:F:226:VAL:HA	1.98	0.45
1:C:14:LYS:HB2	4:C:2003:GOL:H32	1.98	0.45
1:C:60:TYR:HE2	1:C:64:ILE:HD11	1.82	0.45
1:B:65:MSE:HE1	1:B:193:ARG:CZ	2.48	0.44
1:F:217:ARG:HH22	1:F:240:GLU:CD	2.21	0.44
1:E:108:TYR:HE1	1:E:165:LYS:HE2	1.82	0.44
1:A:111:GLU:HG2	5:A:4694:HOH:O	2.16	0.44
1:A:96:HIS:HE1	1:A:198[B]:MSE:HE2	1.82	0.44
1:C:98:HIS:HD2	5:D:3060:HOH:O	2.00	0.44
1:G:209:ARG:HD3	1:G:241:VAL:HG12	1.99	0.44
1:E:60:TYR:CE2	1:E:64:ILE:HD11	2.53	0.44
1:A:20:PRO:HA	1:A:21:PRO:HD3	1.85	0.44
1:H:222:VAL:CG1	4:H:2006:GOL:H31	2.46	0.44
1:E:37:GLU:HG3	1:E:60:TYR:CD2	2.52	0.44
1:G:61:LEU:HD12	1:G:225:ALA:HB3	1.98	0.44
1:H:27:THR:HG22	1:H:28:ASP:N	2.21	0.44
1:B:157:GLN:O	1:B:163:ARG:NH2	2.42	0.44
1:C:60:TYR:CE2	1:C:64:ILE:HD11	2.53	0.44
1:A:13:ALA:HB3	1:A:79:SER:HB2	1.99	0.43
1:A:172:ARG:NH2	3:D:1603:BRU:OP1	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:4600:FAD:H9	3:A:4600:FAD:H2'	1.99	0.43
1:A:159:ASN:HB3	1:A:162:LEU:HB2	2.00	0.43
1:B:189:TYR:OH	4:B:2002:GOL:H32	2.18	0.43
1:F:194:HIS:HE1	3:F:7600:FAD:O2P	2.00	0.43
1:G:199:ARG:NH1	3:G:6603:BRU:HN3	1.87	0.43
1:H:104:LEU:CD1	1:H:109:VAL:HG21	2.49	0.43
1:B:222:VAL:HG13	4:B:2002:GOL:O2	2.17	0.43
1:D:20:PRO:HA	1:D:21:PRO:HD3	1.88	0.43
1:E:87:ARG:HH11	4:E:2011:GOL:HO3	1.58	0.43
1:F:172:ARG:NH2	5:G:6624:HOH:O	2.47	0.43
1:A:173:ALA:HB1	1:D:178:ALA:HB2	2.00	0.43
1:H:60:TYR:HE2	1:H:64:ILE:HD11	1.84	0.43
3:F:7603:BRU:OP3	1:G:172:ARG:NH2	2.52	0.43
1:B:20:PRO:HA	1:B:21:PRO:HD3	1.89	0.43
1:A:69:HIS:O	1:A:72:VAL:HG22	2.19	0.43
1:A:139:ALA:C	1:A:175:MSE:HE1	2.38	0.43
1:E:69:HIS:O	1:E:72:VAL:HG12	2.18	0.43
1:C:13:ALA:HB3	1:C:79:SER:HB2	2.00	0.43
1:G:108:TYR:HE1	1:G:165:LYS:HE2	1.83	0.43
1:A:32:GLY:H	4:A:2001:GOL:H12	1.84	0.43
1:A:198[B]:MSE:CE	3:A:4600:FAD:HM81	2.48	0.43
1:B:122:MSE:HE3	1:C:170:ALA:HB1	2.00	0.42
1:E:87:ARG:CD	4:E:2011:GOL:H32	2.35	0.42
1:E:77:SER:O	4:E:2004:GOL:O1	2.36	0.42
1:C:20:PRO:HA	1:C:21:PRO:HD3	1.95	0.42
1:F:90:THR:O	1:F:94:ILE:HG12	2.19	0.42
1:E:123:GLU:O	1:E:129:ARG:NH1	2.52	0.42
1:C:108:TYR:HE1	1:C:165:LYS:HE2	1.84	0.42
1:D:206:VAL:HG12	1:D:209:ARG:NH1	2.34	0.42
3:B:3603:BRU:H5''	1:C:105:SER:HA	2.00	0.42
1:A:118:VAL:HG13	1:A:122:MSE:HE2	2.01	0.42
1:H:57:ASN:O	1:H:61:LEU:HG	2.19	0.42
1:H:199:ARG:NH1	3:H:5603:BRU:HN3	1.92	0.42
1:C:64:ILE:HD13	1:C:72:VAL:HG11	2.01	0.42
1:F:177:ASN:HD22	1:F:177:ASN:HA	1.71	0.42
1:D:69:HIS:CD2	5:D:3117:HOH:O	2.72	0.42
1:H:108:TYR:HE1	1:H:165:LYS:HE2	1.84	0.42
1:B:189:TYR:OH	4:B:2002:GOL:C3	2.68	0.42
3:F:7603:BRU:BR	1:G:107:ARG:HD3	2.75	0.42
1:C:189:TYR:OH	4:C:2003:GOL:C2	2.68	0.42
1:H:155:ALA:C	1:H:157:GLN:H	2.24	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:ILE:HG12	1:B:69:HIS:HE1	1.85	0.41
1:F:114:SER:HB2	5:F:7652:HOH:O	2.19	0.41
1:B:87:ARG:NH2	3:C:2603:BRU:H5'	2.35	0.41
1:B:64:ILE:HG12	1:B:69:HIS:CE1	2.55	0.41
1:E:45:GLN:HG2	1:G:104:LEU:HD13	2.02	0.41
1:G:28:ASP:OD1	1:G:28:ASP:N	2.52	0.41
3:A:4603:BRU:H5''	1:D:105:SER:HA	2.01	0.41
1:F:65:MSE:HG3	1:F:70:PHE:HE2	1.85	0.41
3:F:7603:BRU:OP3	1:G:87:ARG:NH2	2.48	0.41
1:E:189:TYR:CZ	4:E:2004:GOL:H11	2.56	0.41
1:E:60:TYR:HE2	1:E:64:ILE:HD11	1.85	0.41
1:B:104:LEU:CD1	1:B:109:VAL:HG21	2.50	0.41
1:A:91:HIS:HE1	1:D:90:THR:OG1	2.04	0.41
1:F:122:MSE:HG2	1:F:128:LEU:HD13	2.03	0.41
1:G:20:PRO:HA	1:G:21:PRO:HD3	1.98	0.41
1:G:15:THR:O	4:G:2005:GOL:H32	2.20	0.41
1:F:172:ARG:NH2	3:G:6603:BRU:OP3	2.54	0.41
1:B:90:THR:OG1	1:C:91:HIS:HE1	2.04	0.41
1:E:14:LYS:CB	4:E:2004:GOL:H2	2.36	0.41
1:B:230:PHE:O	4:B:2008:GOL:C1	2.69	0.41
1:E:91:HIS:HE1	1:H:90:THR:OG1	2.03	0.41
3:B:3603:BRU:H4'	1:C:103:GLN:HB3	2.03	0.41
1:B:217:ARG:HH22	1:B:240:GLU:CD	2.24	0.40
1:F:150:LEU:HD11	1:G:122:MSE:HE2	2.03	0.40
1:B:23:VAL:HG23	5:D:3092:HOH:O	2.20	0.40
1:H:36:VAL:HG13	1:H:72:VAL:HG12	2.03	0.40
5:E:8684:HOH:O	1:G:98:HIS:HD2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	244/258 (95%)	239 (98%)	4 (2%)	1 (0%)	39	33
1	B	244/258 (95%)	241 (99%)	3 (1%)	0	100	100
1	C	241/258 (93%)	236 (98%)	5 (2%)	0	100	100
1	D	241/258 (93%)	236 (98%)	5 (2%)	0	100	100
1	E	242/258 (94%)	239 (99%)	3 (1%)	0	100	100
1	F	241/258 (93%)	235 (98%)	6 (2%)	0	100	100
1	G	245/258 (95%)	237 (97%)	7 (3%)	1 (0%)	39	33
1	H	242/258 (94%)	237 (98%)	4 (2%)	1 (0%)	39	33
All	All	1940/2064 (94%)	1900 (98%)	37 (2%)	3 (0%)	52	48

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	247	ALA
1	A	28	ASP
1	H	156	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	194/204 (95%)	191 (98%)	3 (2%)	72	75
1	B	196/204 (96%)	192 (98%)	4 (2%)	63	65
1	C	193/204 (95%)	189 (98%)	4 (2%)	61	63
1	D	194/204 (95%)	187 (96%)	7 (4%)	42	39
1	E	193/204 (95%)	188 (97%)	5 (3%)	54	54
1	F	195/204 (96%)	186 (95%)	9 (5%)	33	28
1	G	197/204 (97%)	191 (97%)	6 (3%)	48	47
1	H	194/204 (95%)	191 (98%)	3 (2%)	72	75
All	All	1556/1632 (95%)	1515 (97%)	41 (3%)	55	54

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	114	SER
1	A	201	SER
1	A	243	THR
1	B	3	GLU
1	B	87	ARG
1	B	116	VAL
1	B	201	SER
1	C	8	ARG
1	C	87	ARG
1	C	116	VAL
1	C	201	SER
1	D	18	LEU
1	D	65	MSE
1	D	104	LEU
1	D	113	ASP
1	D	114	SER
1	D	140	ARG
1	D	201	SER
1	E	122	MSE
1	E	156	ASP
1	E	198[A]	MSE
1	E	198[B]	MSE
1	E	222	VAL
1	F	16	ASP
1	F	27	THR
1	F	65	MSE
1	F	116	VAL
1	F	132	LEU
1	F	156	ASP
1	F	198[A]	MSE
1	F	198[B]	MSE
1	F	243	THR
1	G	18	LEU
1	G	26	THR
1	G	73	LEU
1	G	201	SER
1	G	224	PRO
1	G	243	THR
1	H	27	THR
1	H	65	MSE
1	H	87	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (59) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	GLN
1	A	57	ASN
1	A	91	HIS
1	A	98	HIS
1	A	157	GLN
1	A	159	ASN
1	A	166	GLN
1	A	177	ASN
1	A	194	HIS
1	B	45	GLN
1	B	57	ASN
1	B	91	HIS
1	B	98	HIS
1	B	177	ASN
1	B	194	HIS
1	C	10	GLN
1	C	45	GLN
1	C	51	ASN
1	C	57	ASN
1	C	91	HIS
1	C	98	HIS
1	C	157	GLN
1	C	177	ASN
1	C	194	HIS
1	D	45	GLN
1	D	57	ASN
1	D	69	HIS
1	D	91	HIS
1	D	98	HIS
1	D	157	GLN
1	D	177	ASN
1	D	194	HIS
1	E	45	GLN
1	E	57	ASN
1	E	91	HIS
1	E	98	HIS
1	E	157	GLN
1	E	177	ASN
1	E	194	HIS
1	F	45	GLN
1	F	57	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	69	HIS
1	F	98	HIS
1	F	177	ASN
1	F	194	HIS
1	G	45	GLN
1	G	57	ASN
1	G	91	HIS
1	G	98	HIS
1	G	157	GLN
1	G	177	ASN
1	G	194	HIS
1	H	45	GLN
1	H	57	ASN
1	H	91	HIS
1	H	98	HIS
1	H	157	GLN
1	H	177	ASN
1	H	194	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 40 ligands modelled in this entry, 10 are monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	A	2001	-	5,5,5	0.66	0	5,5,5	0.52	0
4	GOL	A	2010	-	5,5,5	0.28	0	5,5,5	0.28	0
4	GOL	A	2013	-	5,5,5	0.39	0	5,5,5	0.25	0
3	FAD	A	4600	-	48,58,58	1.35	6 (12%)	54,89,89	2.22	9 (16%)
3	BRU	A	4603	-	18,22,22	1.85	1 (5%)	22,33,33	2.33	3 (13%)
4	GOL	B	2002	-	5,5,5	0.45	0	5,5,5	1.32	1 (20%)
4	GOL	B	2008	-	5,5,5	0.41	0	5,5,5	0.52	0
3	FAD	B	3600	-	48,58,58	1.30	6 (12%)	54,89,89	2.18	9 (16%)
3	BRU	B	3603	-	18,22,22	1.98	1 (5%)	22,33,33	1.88	3 (13%)
4	GOL	C	2003	-	5,5,5	0.50	0	5,5,5	0.38	0
3	FAD	C	2600	-	48,58,58	1.19	4 (8%)	54,89,89	2.17	6 (11%)
3	BRU	C	2603	-	18,22,22	1.96	2 (11%)	22,33,33	2.29	4 (18%)
3	FAD	D	1600	-	48,58,58	1.29	6 (12%)	54,89,89	2.30	10 (18%)
3	BRU	D	1603	-	18,22,22	1.85	1 (5%)	22,33,33	1.96	2 (9%)
4	GOL	D	2009	-	5,5,5	0.40	0	5,5,5	0.28	0
4	GOL	D	2012	-	5,5,5	0.38	0	5,5,5	0.28	0
4	GOL	E	2004	-	5,5,5	0.51	0	5,5,5	0.48	0
4	GOL	E	2011	-	5,5,5	0.73	0	5,5,5	0.82	0
3	FAD	E	8600	-	48,58,58	1.22	6 (12%)	54,89,89	2.14	6 (11%)
3	BRU	E	8603	-	18,22,22	2.09	2 (11%)	22,33,33	2.12	3 (13%)
4	GOL	F	2007	-	5,5,5	0.41	0	5,5,5	0.40	0
4	GOL	F	2014	-	5,5,5	0.40	0	5,5,5	0.26	0
3	FAD	F	7600	-	48,58,58	1.32	6 (12%)	54,89,89	2.31	7 (12%)
3	BRU	F	7603	-	18,22,22	2.02	1 (5%)	22,33,33	2.14	3 (13%)
4	GOL	G	2005	-	5,5,5	0.55	0	5,5,5	0.47	0
3	FAD	G	6600	-	48,58,58	1.32	6 (12%)	54,89,89	2.25	9 (16%)
3	BRU	G	6603	-	18,22,22	2.08	1 (5%)	22,33,33	1.92	3 (13%)
4	GOL	H	2006	-	5,5,5	0.57	0	5,5,5	0.40	0
3	FAD	H	5600	-	48,58,58	1.21	4 (8%)	54,89,89	2.27	8 (14%)
3	BRU	H	5603	-	18,22,22	1.86	1 (5%)	22,33,33	1.90	3 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	2001	-	-	0/4/4/4	0/0/0/0
4	GOL	A	2010	-	-	0/4/4/4	0/0/0/0
4	GOL	A	2013	-	-	0/4/4/4	0/0/0/0
3	FAD	A	4600	-	-	0/30/50/50	0/6/6/6
3	BRU	A	4603	-	-	0/6/22/22	0/2/2/2
4	GOL	B	2002	-	-	0/4/4/4	0/0/0/0
4	GOL	B	2008	-	-	0/4/4/4	0/0/0/0
3	FAD	B	3600	-	-	0/30/50/50	0/6/6/6
3	BRU	B	3603	-	-	0/6/22/22	0/2/2/2
4	GOL	C	2003	-	-	0/4/4/4	0/0/0/0
3	FAD	C	2600	-	-	0/30/50/50	0/6/6/6
3	BRU	C	2603	-	-	0/6/22/22	0/2/2/2
3	FAD	D	1600	-	-	0/30/50/50	0/6/6/6
3	BRU	D	1603	-	-	0/6/22/22	0/2/2/2
4	GOL	D	2009	-	-	0/4/4/4	0/0/0/0
4	GOL	D	2012	-	-	0/4/4/4	0/0/0/0
4	GOL	E	2004	-	-	0/4/4/4	0/0/0/0
4	GOL	E	2011	-	-	0/4/4/4	0/0/0/0
3	FAD	E	8600	-	-	0/30/50/50	0/6/6/6
3	BRU	E	8603	-	-	0/6/22/22	0/2/2/2
4	GOL	F	2007	-	-	0/4/4/4	0/0/0/0
4	GOL	F	2014	-	-	0/4/4/4	0/0/0/0
3	FAD	F	7600	-	-	0/30/50/50	0/6/6/6
3	BRU	F	7603	-	-	0/6/22/22	0/2/2/2
4	GOL	G	2005	-	-	0/4/4/4	0/0/0/0
3	FAD	G	6600	-	-	0/30/50/50	0/6/6/6
3	BRU	G	6603	-	-	0/6/22/22	0/2/2/2
4	GOL	H	2006	-	-	0/4/4/4	0/0/0/0
3	FAD	H	5600	-	-	0/30/50/50	0/6/6/6
3	BRU	H	5603	-	-	0/6/22/22	0/2/2/2

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	8603	BRU	P-OP3	-2.08	1.47	1.54
3	C	2603	BRU	P-OP3	-2.05	1.47	1.54
3	D	1600	FAD	C1'-N10	2.17	1.50	1.48
3	A	4600	FAD	C2A-N1A	2.23	1.38	1.33
3	B	3600	FAD	C2A-N1A	2.26	1.38	1.33
3	D	1600	FAD	C2A-N1A	2.38	1.38	1.33
3	E	8600	FAD	C5X-N5	2.45	1.39	1.35
3	E	8600	FAD	C4-N3	2.46	1.37	1.33
3	C	2600	FAD	C5X-N5	2.47	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	6600	FAD	C2A-N1A	2.50	1.38	1.33
3	E	8600	FAD	C2A-N1A	2.51	1.38	1.33
3	F	7600	FAD	C2A-N1A	2.58	1.38	1.33
3	H	5600	FAD	C5X-N5	2.59	1.39	1.35
3	A	4600	FAD	C1'-N10	2.65	1.51	1.48
3	B	3600	FAD	C1'-N10	2.68	1.51	1.48
3	F	7600	FAD	C1'-N10	2.73	1.51	1.48
3	B	3600	FAD	C4-N3	2.74	1.38	1.33
3	H	5600	FAD	C4-N3	2.74	1.38	1.33
3	D	1600	FAD	C5X-N5	2.90	1.39	1.35
3	F	7600	FAD	C4-N3	2.90	1.38	1.33
3	G	6600	FAD	C4-N3	2.90	1.38	1.33
3	F	7600	FAD	C5X-N5	2.90	1.40	1.35
3	G	6600	FAD	C1'-N10	2.91	1.51	1.48
3	B	3600	FAD	C5X-N5	2.93	1.40	1.35
3	C	2600	FAD	C4X-N5	3.01	1.38	1.33
3	D	1600	FAD	C4-N3	3.05	1.38	1.33
3	A	4600	FAD	C4-N3	3.07	1.38	1.33
3	E	8600	FAD	C4X-N5	3.14	1.38	1.33
3	E	8600	FAD	C1'-N10	3.19	1.51	1.48
3	G	6600	FAD	C5X-N5	3.31	1.40	1.35
3	E	8600	FAD	C2A-N3A	3.33	1.38	1.32
3	D	1600	FAD	C2A-N3A	3.38	1.38	1.32
3	C	2600	FAD	C4-N3	3.44	1.39	1.33
3	A	4600	FAD	C2A-N3A	3.46	1.38	1.32
3	B	3600	FAD	C2A-N3A	3.49	1.38	1.32
3	C	2600	FAD	C2A-N3A	3.51	1.38	1.32
3	H	5600	FAD	C2A-N3A	3.53	1.38	1.32
3	G	6600	FAD	C2A-N3A	3.58	1.38	1.32
3	A	4600	FAD	C5X-N5	3.69	1.41	1.35
3	F	7600	FAD	C2A-N3A	3.78	1.38	1.32
3	B	3600	FAD	C4X-N5	3.79	1.39	1.33
3	A	4600	FAD	C4X-N5	3.80	1.39	1.33
3	H	5600	FAD	C4X-N5	3.83	1.39	1.33
3	F	7600	FAD	C4X-N5	3.86	1.39	1.33
3	G	6600	FAD	C4X-N5	3.95	1.39	1.33
3	D	1600	FAD	C4X-N5	4.34	1.40	1.33
3	A	4603	BRU	C4-C5	7.40	1.48	1.38
3	H	5603	BRU	C4-C5	7.44	1.48	1.38
3	D	1603	BRU	C4-C5	7.48	1.48	1.38
3	C	2603	BRU	C4-C5	7.55	1.48	1.38
3	B	3603	BRU	C4-C5	8.08	1.48	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	7603	BRU	C4-C5	8.19	1.49	1.38
3	G	6603	BRU	C4-C5	8.33	1.49	1.38
3	E	8603	BRU	C4-C5	8.37	1.49	1.38

All (89) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	7600	FAD	N3A-C2A-N1A	-13.06	118.89	128.89
3	H	5600	FAD	N3A-C2A-N1A	-12.99	118.95	128.89
3	A	4600	FAD	N3A-C2A-N1A	-12.57	119.27	128.89
3	E	8600	FAD	N3A-C2A-N1A	-12.41	119.39	128.89
3	C	2600	FAD	N3A-C2A-N1A	-12.37	119.42	128.89
3	D	1600	FAD	N3A-C2A-N1A	-12.21	119.55	128.89
3	G	6600	FAD	N3A-C2A-N1A	-12.16	119.59	128.89
3	B	3600	FAD	N3A-C2A-N1A	-11.88	119.80	128.89
3	E	8603	BRU	C5-C4-N3	-5.33	118.31	124.00
3	F	7603	BRU	C5-C4-N3	-5.29	118.35	124.00
3	A	4603	BRU	C5-C4-N3	-5.11	118.55	124.00
3	G	6603	BRU	C5-C4-N3	-4.96	118.70	124.00
3	C	2603	BRU	C5-C4-N3	-4.96	118.70	124.00
3	D	1603	BRU	C5-C4-N3	-4.95	118.71	124.00
3	B	3603	BRU	C5-C4-N3	-4.51	119.18	124.00
3	H	5603	BRU	C5-C4-N3	-4.35	119.36	124.00
3	F	7600	FAD	C4X-C4-N3	-3.36	119.00	123.59
3	B	3600	FAD	C4X-C4-N3	-3.14	119.29	123.59
3	C	2600	FAD	C4X-C4-N3	-2.97	119.53	123.59
3	A	4603	BRU	C2'-C1'-N1	-2.86	107.19	114.16
3	H	5600	FAD	C4X-C4-N3	-2.84	119.70	123.59
3	A	4600	FAD	C4X-C4-N3	-2.79	119.77	123.59
3	G	6600	FAD	C4X-C4-N3	-2.70	119.89	123.59
3	D	1600	FAD	C4X-C4-N3	-2.64	119.98	123.59
3	D	1600	FAD	C4-C4X-C10	-2.62	118.27	119.94
3	G	6600	FAD	C4A-C5A-N7A	-2.57	107.11	109.48
3	E	8600	FAD	C4X-C4-N3	-2.56	120.09	123.59
3	B	3600	FAD	P-O3P-PA	-2.22	126.49	132.73
3	D	1600	FAD	C4A-C5A-N7A	-2.14	107.51	109.48
3	A	4600	FAD	C4-C4X-C10	-2.01	118.66	119.94
3	H	5600	FAD	C4-C4X-N5	2.01	121.15	118.72
3	H	5603	BRU	O4'-C1'-N1	2.02	111.21	107.72
3	B	3603	BRU	OP2-P-OP1	2.07	117.25	110.58
3	C	2603	BRU	OP2-P-OP1	2.10	117.34	110.58
3	B	3600	FAD	C5X-C9A-N10	2.13	119.24	117.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	6603	BRU	OP2-P-OP1	2.14	117.46	110.58
3	C	2603	BRU	O4'-C1'-N1	2.15	111.43	107.72
3	F	7603	BRU	OP2-P-OP1	2.23	117.76	110.58
4	B	2002	GOL	O2-C2-C1	2.27	119.05	108.65
3	A	4600	FAD	C4X-C10-N10	2.35	121.91	120.52
3	E	8603	BRU	OP2-P-OP1	2.39	118.28	110.58
3	H	5600	FAD	C1'-N10-C9A	2.40	121.55	118.86
3	D	1600	FAD	C1'-N10-C9A	2.41	121.56	118.86
3	F	7600	FAD	C5X-C9A-N10	2.42	119.46	117.62
3	A	4600	FAD	C4X-N5-C5X	2.45	119.58	116.76
3	H	5600	FAD	C5X-C9A-N10	2.46	119.49	117.62
3	G	6600	FAD	C5X-C9A-N10	2.47	119.50	117.62
3	E	8600	FAD	C1'-N10-C9A	2.49	121.65	118.86
3	C	2600	FAD	C4-C4X-N5	2.49	121.74	118.72
3	F	7600	FAD	C1'-N10-C9A	2.50	121.67	118.86
3	G	6600	FAD	C1'-N10-C9A	2.53	121.70	118.86
3	A	4600	FAD	O3P-P-O5'	2.59	109.79	102.94
3	B	3600	FAD	O3P-P-O5'	2.70	110.10	102.94
3	F	7600	FAD	O3P-P-O5'	2.70	110.11	102.94
3	A	4600	FAD	C1'-N10-C9A	2.71	121.91	118.86
3	B	3600	FAD	C1'-N10-C9A	2.75	121.95	118.86
3	H	5600	FAD	O3P-P-O5'	2.85	110.50	102.94
3	D	1600	FAD	C5X-C9A-N10	2.88	119.81	117.62
3	G	6600	FAD	O3P-P-O5'	2.91	110.66	102.94
3	B	3600	FAD	C4-C4X-N5	2.93	122.27	118.72
3	C	2600	FAD	O3P-P-O5'	2.93	110.72	102.94
3	D	1600	FAD	O3P-P-O5'	3.00	110.90	102.94
3	G	6600	FAD	C4-C4X-N5	3.07	122.44	118.72
3	A	4600	FAD	C4-C4X-N5	3.07	122.44	118.72
3	D	1600	FAD	C4-C4X-N5	3.11	122.49	118.72
3	D	1600	FAD	C4X-N5-C5X	3.33	120.59	116.76
3	H	5600	FAD	C4X-N5-C5X	3.34	120.61	116.76
3	B	3600	FAD	C4X-N5-C5X	3.35	120.62	116.76
3	F	7600	FAD	C4X-N5-C5X	3.44	120.72	116.76
3	G	6600	FAD	C4X-N5-C5X	3.46	120.75	116.76
3	E	8600	FAD	C4X-N5-C5X	3.52	120.81	116.76
3	E	8600	FAD	O3P-P-O5'	3.56	112.38	102.94
3	C	2600	FAD	C4X-N5-C5X	3.97	121.33	116.76
3	E	8600	FAD	C4-N3-C2	4.20	118.88	115.25
3	H	5600	FAD	C4-N3-C2	5.28	119.81	115.25
3	C	2600	FAD	C4-N3-C2	5.47	119.98	115.25
3	A	4600	FAD	C4-N3-C2	5.66	120.14	115.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	3600	FAD	C4-N3-C2	5.90	120.34	115.25
3	H	5603	BRU	C4-N3-C2	6.40	120.78	115.25
3	F	7600	FAD	C4-N3-C2	6.47	120.84	115.25
3	B	3603	BRU	C4-N3-C2	6.49	120.86	115.25
3	G	6603	BRU	C4-N3-C2	6.51	120.87	115.25
3	G	6600	FAD	C4-N3-C2	6.53	120.89	115.25
3	D	1603	BRU	C4-N3-C2	6.94	121.24	115.25
3	D	1600	FAD	C4-N3-C2	6.95	121.25	115.25
3	E	8603	BRU	C4-N3-C2	7.34	121.59	115.25
3	F	7603	BRU	C4-N3-C2	7.44	121.68	115.25
3	C	2603	BRU	C4-N3-C2	8.43	122.53	115.25
3	A	4603	BRU	C4-N3-C2	8.46	122.56	115.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

28 monomers are involved in 151 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	2001	GOL	7	0
4	A	2013	GOL	1	0
3	A	4600	FAD	7	0
3	A	4603	BRU	5	0
4	B	2002	GOL	11	0
4	B	2008	GOL	4	0
3	B	3600	FAD	2	0
3	B	3603	BRU	6	0
4	C	2003	GOL	9	0
3	C	2600	FAD	2	0
3	C	2603	BRU	3	0
3	D	1600	FAD	2	0
3	D	1603	BRU	6	0
4	D	2009	GOL	3	0
4	D	2012	GOL	8	0
4	E	2004	GOL	12	0
4	E	2011	GOL	15	0
3	E	8600	FAD	2	0
3	E	8603	BRU	4	0
4	F	2007	GOL	1	0
3	F	7600	FAD	1	0
3	F	7603	BRU	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	2005	GOL	9	0
3	G	6600	FAD	2	0
3	G	6603	BRU	5	0
4	H	2006	GOL	12	0
3	H	5600	FAD	2	0
3	H	5603	BRU	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	241/258 (93%)	0.53	20 (8%)	14 15	10, 25, 41, 50	0
1	B	241/258 (93%)	0.30	13 (5%)	29 31	10, 24, 41, 50	1 (0%)
1	C	238/258 (92%)	0.27	16 (6%)	21 22	10, 25, 42, 51	0
1	D	238/258 (92%)	0.39	23 (9%)	10 10	11, 25, 42, 50	1 (0%)
1	E	239/258 (92%)	0.37	22 (9%)	11 12	10, 24, 42, 50	0
1	F	238/258 (92%)	0.39	22 (9%)	11 12	11, 25, 41, 51	1 (0%)
1	G	242/258 (93%)	0.40	16 (6%)	22 22	11, 25, 42, 51	1 (0%)
1	H	239/258 (92%)	0.14	6 (2%)	61 61	10, 24, 42, 50	0
All	All	1916/2064 (92%)	0.35	138 (7%)	18 20	10, 25, 42, 51	4 (0%)

All (138) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	50	PRO	7.3
1	D	52	PRO	6.7
1	B	52	PRO	6.5
1	A	160	ALA	6.4
1	B	247	ALA	6.4
1	A	52	PRO	6.3
1	F	113	ASP	5.9
1	D	236	ALA	5.7
1	E	52	PRO	5.4
1	C	156	ASP	5.3
1	F	112	LYS	5.3
1	G	248	THR	5.2
1	C	51	ASN	5.1
1	F	156	ASP	4.7
1	D	113	ASP	4.6
1	F	161	ILE	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	114	SER	4.4
1	D	50	PRO	4.3
1	A	155	ALA	4.1
1	F	158	PRO	4.0
1	C	235	LEU	4.0
1	F	155	ALA	4.0
1	H	48	SER	3.9
1	C	228	ALA	3.9
1	A	159	ASN	3.8
1	G	113	ASP	3.8
1	E	158	PRO	3.8
1	C	238	GLY	3.8
1	D	155	ALA	3.7
1	E	53	LYS	3.7
1	F	144	SER	3.7
1	D	238	GLY	3.6
1	A	158	PRO	3.6
1	F	114	SER	3.6
1	F	159	ASN	3.6
1	B	156	ASP	3.5
1	B	160	ALA	3.5
1	B	130	HIS	3.4
1	B	162	LEU	3.4
1	A	161	ILE	3.4
1	A	162	LEU	3.3
1	A	157	GLN	3.3
1	F	130	HIS	3.3
1	C	234	THR	3.3
1	D	156	ASP	3.3
1	F	111	GLU	3.3
1	F	236	ALA	3.3
1	B	50	PRO	3.3
1	C	236	ALA	3.2
1	D	235	LEU	3.2
1	D	53	LYS	3.2
1	E	236	ALA	3.2
1	D	111	GLU	3.2
1	F	160	ALA	3.2
1	B	21	PRO	3.2
1	G	127	ASP	3.1
1	E	54	THR	3.1
1	C	50	PRO	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	237	ASP	3.1
1	G	112	LYS	3.1
1	E	221	ALA	3.0
1	E	22	ASP	3.0
1	A	53	LYS	3.0
1	F	127	ASP	3.0
1	A	51	ASN	3.0
1	D	112	LYS	3.0
1	F	164	ARG	3.0
1	C	233	THR	2.9
1	D	161	ILE	2.9
1	D	134	GLU	2.9
1	E	156	ASP	2.9
1	F	157	GLN	2.8
1	G	130	HIS	2.8
1	C	124	ASP	2.8
1	C	231	GLU	2.8
1	G	124	ASP	2.8
1	E	235	LEU	2.8
1	A	156	ASP	2.7
1	D	124	ASP	2.7
1	C	54	THR	2.7
1	D	130	HIS	2.7
1	A	113	ASP	2.7
1	E	231	GLU	2.7
1	F	148	ALA	2.7
1	F	124	ASP	2.6
1	F	147	LEU	2.6
1	G	114	SER	2.6
1	G	156	ASP	2.6
1	G	154	PHE	2.6
1	G	140	ARG	2.6
1	B	155	ALA	2.6
1	D	157	GLN	2.5
1	G	132	LEU	2.5
1	A	55	ALA	2.5
1	E	228	ALA	2.5
1	A	163	ARG	2.5
1	H	228	ALA	2.5
1	E	49	LYS	2.5
1	A	148	ALA	2.5
1	B	69	HIS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	63	HIS	2.4
1	A	164	ARG	2.4
1	H	55	ALA	2.4
1	E	55	ALA	2.3
1	D	231	GLU	2.3
1	D	159	ASN	2.3
1	E	48	SER	2.3
1	A	28	ASP	2.3
1	F	154	PHE	2.3
1	D	54	THR	2.3
1	F	121	GLY	2.2
1	G	111	GLU	2.2
1	E	30	ASP	2.2
1	E	51	ASN	2.2
1	G	162	LEU	2.2
1	A	154	PHE	2.2
1	D	56	THR	2.2
1	G	134	GLU	2.2
1	B	126	ALA	2.2
1	C	155	ALA	2.2
1	B	158	PRO	2.2
1	H	245	PRO	2.2
1	B	22	ASP	2.2
1	E	162	LEU	2.1
1	F	238	GLY	2.1
1	A	93	LEU	2.1
1	G	159	ASN	2.1
1	C	123	GLU	2.1
1	D	228	ALA	2.1
1	E	238	GLY	2.1
1	A	208	ILE	2.1
1	G	247	ALA	2.1
1	E	234	THR	2.0
1	H	52	PRO	2.0
1	C	162	LEU	2.0
1	H	127	ASP	2.0
1	E	230	PHE	2.0
1	D	127	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	IOD	D	3004	1/1	0.76	0.26	11.95	66,66,66,66	1
4	GOL	D	2012	6/6	0.77	0.63	11.91	25,26,27,27	6
4	GOL	B	2008	6/6	0.86	0.24	6.60	29,35,36,38	0
4	GOL	H	2006	6/6	0.90	0.20	5.76	25,25,28,30	0
4	GOL	F	2014	6/6	0.94	0.18	4.25	24,25,26,27	6
4	GOL	A	2013	6/6	0.86	0.22	3.77	42,42,43,44	0
4	GOL	C	2003	6/6	0.95	0.26	3.70	28,28,29,33	0
4	GOL	B	2002	6/6	0.87	0.19	3.62	18,18,23,25	0
4	GOL	G	2005	6/6	0.89	0.22	3.36	25,27,27,30	0
4	GOL	E	2004	6/6	0.93	0.22	2.65	26,27,27,30	0
4	GOL	E	2011	6/6	0.91	0.21	2.50	19,25,29,30	0
4	GOL	A	2001	6/6	0.93	0.14	0.73	25,26,28,29	0
2	IOD	C	3009	1/1	0.97	0.14	0.62	20,20,20,20	1
2	IOD	A	3001	1/1	0.95	0.13	0.59	41,41,41,41	1
2	IOD	E	3007	1/1	0.99	0.14	0.48	16,16,16,16	1
4	GOL	D	2009	6/6	0.75	0.21	0.40	43,46,47,48	0
3	FAD	G	6600	53/53	0.95	0.14	0.40	13,23,26,28	0
3	FAD	F	7600	53/53	0.95	0.13	0.38	16,22,24,26	0
3	FAD	E	8600	53/53	0.96	0.14	0.15	13,16,23,27	0
2	IOD	G	3003	1/1	0.80	0.14	0.06	64,64,64,64	1
3	FAD	C	2600	53/53	0.96	0.14	-0.01	14,16,22,24	0
3	FAD	D	1600	53/53	0.95	0.13	-0.12	13,21,24,25	0
3	FAD	A	4600	53/53	0.97	0.13	-0.15	12,15,21,24	0
3	FAD	H	5600	53/53	0.96	0.13	-0.18	13,17,21,22	0
4	GOL	A	2010	6/6	0.82	0.16	-0.22	48,50,50,50	0
3	FAD	B	3600	53/53	0.96	0.13	-0.32	12,16,21,24	0
3	BRU	F	7603	21/21	0.97	0.10	-0.87	18,22,26,28	0
3	BRU	A	4603	21/21	0.98	0.09	-1.05	12,15,16,18	0
3	BRU	D	1603	21/21	0.97	0.09	-1.18	15,17,25,27	0
3	BRU	E	8603	21/21	0.98	0.11	-1.21	8,11,14,18	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	BRU	G	6603	21/21	0.99	0.08	-1.48	16,21,24,26	0
3	BRU	C	2603	21/21	0.99	0.10	-1.53	8,11,15,20	0
3	BRU	B	3603	21/21	0.99	0.10	-1.54	8,12,13,17	0
3	BRU	H	5603	21/21	0.99	0.09	-2.10	8,12,14,18	0
2	IOD	F	3005	1/1	0.97	0.04	-3.02	38,38,38,38	1
2	IOD	F	3010	1/1	0.98	0.04	-6.02	45,45,45,45	1
2	IOD	E	3006	1/1	0.95	0.14	-	37,37,37,37	1
4	GOL	F	2007	6/6	0.90	0.21	-	41,41,42,43	0
2	IOD	A	3008	1/1	0.97	0.09	-	34,34,34,34	1
2	IOD	D	3002	1/1	0.92	0.13	-	49,49,49,49	1

6.5 Other polymers [i](#)

There are no such residues in this entry.