



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:36 AM GMT

PDB ID : 3BGV
Title : Crystal structure of mRNA cap guanine-N7 methyltransferase in complex with SAH
Authors : Lunin, V.V.; Wu, H.; Zeng, H.; Antoshenko, T.; MacKenzie, F.; Weigelt, J.; Arrowsmith, C.H.; Edwards, A.M.; Bochkarev, A.; Min, J.; Plotnikov, A.N.; Structural Genomics Consortium (SGC)
Deposited on : 2007-11-27
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	313	 68% 17% • 14%
1	B	313	 67% 19% • 13%
1	C	313	 69% 16% • 14%
1	D	313	 75% 11% 14%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9359 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called mRNA cap guanine-N7 methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	269	2182	1413	352	399	18	0	1	0
1	B	271	2212	1430	360	403	19	0	1	0
1	C	270	2183	1413	351	401	18	0	0	0
1	D	268	2202	1419	363	401	19	0	2	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	EXPRESSION TAG	UNP O43148
B	0	GLY	-	EXPRESSION TAG	UNP O43148
C	0	GLY	-	EXPRESSION TAG	UNP O43148
D	0	GLY	-	EXPRESSION TAG	UNP O43148

- Molecule 2 is S-ADENOSYL-L-HOMOCYSTEINE (three-letter code: SAH) (formula: $C_{14}H_{20}N_6O_5S$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			S
2	C	4	104	56	24	20	4	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	128	Total	O	0	0
			128	128		
3	B	111	Total	O	0	0
			111	111		
3	C	120	Total	O	0	0
			120	120		
3	D	117	Total	O	0	0
			117	117		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: mRNA cap guanine-N7 methyltransferase



- Molecule 1: mRNA cap guanine-N7 methyltransferase




- Molecule 1: mRNA cap guanine-N7 methyltransferase



- Molecule 1: mRNA cap guanine-N7 methyltransferase

Chain D:



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	77.79Å 99.67Å 167.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.51 – 2.30 49.51 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.9 (49.51-2.30) 98.9 (49.51-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.08 (at 2.29Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.221 , 0.294 0.221 , 0.291	Depositor DCC
R_{free} test set	2942 reflections (5.33%)	DCC
Wilson B-factor (Å ²)	34.8	Xtrriage
Anisotropy	0.081	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 40.9	EDS
Estimated twinning fraction	No twinning to report.	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtrriage
Outliers	8 of 58148 reflections (0.014%)	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9359	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.83 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.2488e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.82	0/2228	0.82	1/2987 (0.0%)
1	B	0.90	0/2256	0.83	0/3024
1	C	0.82	0/2227	0.80	0/2986
1	D	0.87	1/2245 (0.0%)	0.81	0/3007
All	All	0.85	1/8956 (0.0%)	0.82	1/12004 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	72	CYS	CB-SG	-5.16	1.73	1.81

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	189	LEU	CB-CG-CD1	-5.23	102.11	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2182	0	2133	34	0
1	B	2212	0	2178	34	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2183	0	2120	35	0
1	D	2202	0	2159	22	0
2	C	104	0	76	2	0
3	A	128	0	0	2	0
3	B	111	0	0	1	0
3	C	120	0	0	1	0
3	D	117	0	0	3	0
All	All	9359	0	8666	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:34:ASP:OD1	1:D:57:ASN:HB2	1.60	1.00
1:D:10:ASN:HD21	1:D:251:MET:HB3	1.27	0.98
1:C:104:ILE:CD1	1:C:143:ARG:HD3	2.06	0.85
1:D:186:ASP:HA	3:D:368:HOH:O	1.79	0.82
1:C:230:THR:OG1	1:C:233:GLU:HG2	1.82	0.80
1:D:7:TYR:HD1	3:D:333:HOH:O	1.64	0.79
1:A:10:ASN:HD21	1:A:251:MET:HB3	1.49	0.77
1:A:99:SER:HB2	1:A:132:GLN:HB2	1.68	0.76
1:D:10:ASN:ND2	1:D:251:MET:HB3	2.02	0.75
1:C:104:ILE:HD11	1:C:143:ARG:HD3	1.70	0.74
1:D:216:GLU:OE2	1:D:219:LYS:NZ	2.20	0.73
1:B:216:GLU:OE2	1:B:219:LYS:NZ	2.22	0.72
1:D:81:ASN:ND2	3:D:354:HOH:O	2.22	0.71
1:C:67:VAL:O	1:C:71:GLN:HG3	1.90	0.71
1:B:169:THR:O	1:B:184:LYS:HE3	1.94	0.68
1:B:19:LEU:HD22	1:B:305:VAL:HG13	1.75	0.67
1:C:77:GLU:OE2	1:C:77:GLU:HA	1.96	0.66
1:A:224:LYS:HE2	3:A:413:HOH:O	1.96	0.65
1:B:193:LYS:HG2	1:B:207:PHE:CE2	2.32	0.64
1:B:41:GLY:HA3	1:B:122:VAL:HG21	1.80	0.64
1:C:104:ILE:HD12	1:C:143:ARG:HD3	1.80	0.64
1:B:57:ASN:OD1	3:B:405:HOH:O	2.15	0.64
1:C:222:ASN:ND2	1:C:311:GLN:HE21	1.96	0.63
1:C:10:ASN:HD21	1:C:251:MET:HB3	1.64	0.62
1:D:34:ASP:CG	1:D:35:ILE:H	2.02	0.62
1:D:193:LYS:HG2	1:D:207:PHE:CE2	2.34	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:230:THR:OG1	1:B:233:GLU:HG2	2.00	0.62
1:A:30:LYS:NZ	1:A:309:GLU:OE2	2.33	0.61
1:A:77:GLU:O	1:A:80:LYS:HB2	2.00	0.61
1:B:10:ASN:HD21	1:B:251:MET:HB3	1.66	0.61
1:A:44:LYS:HE2	1:A:71:GLN:HE22	1.66	0.60
1:A:99:SER:CB	1:A:132:GLN:HB2	2.33	0.58
1:D:109[A]:ASP:OD1	1:D:111:GLN:CD	2.41	0.58
1:B:47:ASP:OD2	1:B:50:LYS:HE2	2.04	0.57
1:B:48:LEU:HD12	1:B:75:ARG:HG2	1.88	0.56
1:C:232:LEU:O	1:C:236:GLU:HG2	2.05	0.56
1:C:19:LEU:HD22	1:C:305:VAL:HG23	1.89	0.54
1:D:15:MET:HE1	1:D:234:PHE:HB3	1.88	0.54
1:A:44:LYS:HE2	1:A:71:GLN:NE2	2.22	0.54
1:C:52:LYS:HD2	1:C:88:ILE:HD12	1.89	0.54
1:A:230:THR:OG1	1:A:233:GLU:HG3	2.08	0.54
1:B:29:GLN:OE1	1:B:29:GLN:HA	2.08	0.54
1:B:28:ARG:NH2	1:B:35:ILE:HD12	2.22	0.53
1:B:193:LYS:CG	1:B:207:PHE:CE2	2.92	0.53
1:A:111:GLN:O	1:A:111:GLN:HG2	2.09	0.52
1:C:44:LYS:HD3	1:C:68:SER:HA	1.92	0.51
1:A:48:LEU:HD12	1:A:75:ARG:HD2	1.92	0.51
1:A:144:LEU:O	1:A:310:LYS:HD2	2.11	0.50
1:A:49:LEU:O	1:A:53:LYS:HG3	2.10	0.50
1:A:23:PHE:O	1:A:27:VAL:HG23	2.10	0.50
1:B:237:GLU:OE2	1:B:238:LYS:HE2	2.11	0.50
1:B:161:ILE:HD11	1:B:208:LEU:HD21	1.94	0.49
1:B:133:ALA:O	1:B:137:LEU:HD23	2.13	0.49
1:C:5:ILE:N	3:C:467:HOH:O	2.45	0.49
1:C:247:LEU:O	1:C:251:MET:HG3	2.11	0.49
1:C:176:ILE:HG13	1:C:295:SER:HB3	1.95	0.48
1:A:41:GLY:HA3	1:A:122:VAL:HG21	1.94	0.48
1:C:196:PHE:C	1:C:196:PHE:CD1	2.86	0.48
1:B:248:LEU:HD21	1:B:291:THR:HG21	1.94	0.48
1:B:19:LEU:HD22	1:B:305:VAL:CG1	2.41	0.48
1:D:15:MET:CE	1:D:234:PHE:HD2	2.27	0.48
1:B:40:LEU:HD12	1:B:62:THR:CG2	2.43	0.47
1:A:119:CYS:SG	1:A:123:CYS:SG	3.10	0.47
1:B:159:GLU:OE1	1:B:163:ARG:NE	2.42	0.47
1:C:204:VAL:HG23	1:C:205:PRO:HD2	1.97	0.47
1:D:216:GLU:O	1:D:219:LYS:HB2	2.14	0.47
1:A:18:VAL:CG1	1:A:238:LYS:HD2	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:193:LYS:HG3	1:C:207:PHE:CE2	2.49	0.47
1:C:44:LYS:HD2	1:C:71:GLN:OE1	2.15	0.47
1:C:99:SER:C	1:C:135:MET:HG2	2.35	0.46
1:A:169:THR:OG1	1:A:170:GLU:N	2.48	0.46
1:C:40:LEU:HD12	1:C:62:THR:CG2	2.45	0.46
1:B:28:ARG:HH21	1:B:35:ILE:HD12	1.81	0.46
1:C:161:ILE:O	1:C:164:LEU:HB3	2.15	0.46
1:A:59:LEU:O	1:A:91:ALA:HA	2.14	0.46
1:B:44:LYS:HD2	1:B:71:GLN:NE2	2.31	0.46
1:C:222:ASN:HD21	1:C:311:GLN:HE21	1.63	0.46
1:C:120:GLN:O	1:C:122:VAL:HG23	2.16	0.46
1:A:13:ASN:ND2	3:A:414:HOH:O	2.48	0.45
1:A:169:THR:HG23	1:A:171:SER:H	1.80	0.45
1:C:109:ASP:OD1	1:C:111:GLN:HG3	2.17	0.45
1:B:66:ASP:O	1:B:70:LYS:HG2	2.17	0.45
1:C:19:LEU:HD13	1:C:305:VAL:HG21	1.99	0.45
1:D:142:GLU:HG3	1:D:143:ARG:HG2	1.98	0.45
1:B:169:THR:O	1:B:184:LYS:CE	2.61	0.45
1:D:99:SER:HB2	1:D:132:GLN:HB3	1.99	0.45
1:A:247:LEU:O	1:A:251:MET:HG3	2.17	0.45
1:A:235:TYR:CE1	1:A:239:ILE:HD12	2.52	0.44
1:C:161:ILE:HD11	1:C:208:LEU:HD21	1.97	0.44
1:B:174:ASN:ND2	1:B:295:SER:HB2	2.33	0.44
1:B:146:PRO:HB3	1:B:312:GLN:HG3	2.00	0.44
1:C:23:PHE:O	1:C:27:VAL:HG23	2.18	0.44
1:A:104:ILE:HD13	1:A:143:ARG:HD3	1.99	0.44
1:A:66:ASP:OD1	1:A:70:LYS:NZ	2.38	0.44
1:A:36:THR:HG22	1:A:114:PHE:CD2	2.52	0.44
1:A:111:GLN:CG	1:A:111:GLN:O	2.67	0.43
1:B:160:LEU:HD12	1:B:208:LEU:HD12	1.99	0.43
1:A:246:MET:HA	1:A:249:LYS:HE3	2.00	0.43
1:D:109[A]:ASP:OD1	1:D:111:GLN:OE1	2.37	0.43
1:A:65:ALA:O	1:A:69:VAL:HG23	2.18	0.43
1:B:25:GLU:O	1:B:29:GLN:HG2	2.18	0.43
1:D:85:SER:O	1:D:87:TYR:N	2.51	0.43
1:B:24:LEU:HD13	1:B:54:GLY:HA3	1.99	0.43
1:A:174:ASN:ND2	1:A:295:SER:HB2	2.34	0.43
1:C:40:LEU:HD12	1:C:62:THR:HG23	2.01	0.43
1:C:73:GLN:O	1:C:77:GLU:HG2	2.18	0.42
1:B:34:ASP:CB	1:B:57:ASN:OD1	2.67	0.42
1:C:201:VAL:HG12	1:C:203:ASP:OD1	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:211:PHE:CD2	1:C:228:LYS:HD3	2.54	0.42
1:B:211:PHE:CD2	1:B:228:LYS:HD3	2.54	0.42
1:A:242:ASN:ND2	1:A:245:LYS:NZ	2.67	0.42
1:B:99:SER:HB2	1:B:132:GLN:HB3	2.00	0.42
1:B:210:TYR:O	1:B:213:LEU:HB3	2.20	0.42
2:C:313:SAH:H4'	2:C:313:SAH:HB1	1.99	0.42
1:D:109[A]:ASP:O	1:D:112:MET:HB2	2.18	0.42
1:D:19:LEU:HD22	1:D:305:VAL:HG13	2.02	0.41
2:C:314:SAH:H4'	2:C:314:SAH:HB1	2.02	0.41
1:D:34:ASP:CG	1:D:35:ILE:N	2.71	0.41
1:C:234:PHE:CD1	1:C:305:VAL:HG11	2.56	0.41
1:A:171:SER:HA	1:A:179:VAL:O	2.21	0.41
1:A:129:SER:HB2	1:A:131[A]:GLU:OE2	2.19	0.41
1:A:44:LYS:CE	1:A:71:GLN:HE22	2.34	0.41
1:B:8:LEU:HA	1:B:8:LEU:HD12	1.87	0.41
1:C:302:ILE:CG2	1:C:302:ILE:O	2.67	0.41
1:D:30:LYS:NZ	1:D:309:GLU:OE2	2.54	0.40
1:D:109[B]:ASP:O	1:D:112:MET:HB2	2.22	0.40
1:C:70:LYS:HA	1:C:70:LYS:HD3	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/313 (83%)	247 (95%)	13 (5%)	0	100	100
1	B	264/313 (84%)	253 (96%)	10 (4%)	1 (0%)	39	48
1	C	260/313 (83%)	247 (95%)	13 (5%)	0	100	100
1	D	260/313 (83%)	247 (95%)	13 (5%)	0	100	100
All	All	1044/1252 (83%)	994 (95%)	49 (5%)	1 (0%)	56	68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	86	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/285 (82%)	229 (98%)	4 (2%)	68	83
1	B	239/285 (84%)	230 (96%)	9 (4%)	40	54
1	C	233/285 (82%)	227 (97%)	6 (3%)	54	71
1	D	238/285 (84%)	232 (98%)	6 (2%)	55	73
All	All	943/1140 (83%)	918 (97%)	25 (3%)	52	70

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	111	GLN
1	A	170	GLU
1	A	228	LYS
1	A	246	MET
1	B	75	ARG
1	B	112	MET
1	B	159	GLU
1	B	175	GLU
1	B	202	VAL
1	B	224	LYS
1	B	233	GLU
1	B	239	ILE
1	B	241	ASN
1	C	106	LYS
1	C	142	GLU
1	C	176	ILE
1	C	186	ASP
1	C	198	LEU
1	C	203	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	82	ARG
1	D	175	GLU
1	D	198	LEU
1	D	204	VAL
1	D	222	ASN
1	D	295	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	A	71	GLN
1	A	111	GLN
1	A	120	GLN
1	A	242	ASN
1	B	10	ASN
1	B	71	GLN
1	C	10	ASN
1	C	222	ASN
1	D	10	ASN
1	D	197	ASN
1	D	222	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SAH	C	313	-	20,28,28	1.18	3 (15%)	19,40,40	3.22	4 (21%)
2	SAH	C	314	-	20,28,28	0.95	2 (10%)	19,40,40	3.30	3 (15%)
2	SAH	C	315	-	20,28,28	1.20	2 (10%)	19,40,40	3.43	4 (21%)
2	SAH	C	316	-	20,28,28	1.13	2 (10%)	19,40,40	3.19	2 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAH	C	313	-	-	0/7/31/31	0/3/3/3
2	SAH	C	314	-	-	0/7/31/31	0/3/3/3
2	SAH	C	315	-	-	0/7/31/31	0/3/3/3
2	SAH	C	316	-	-	0/7/31/31	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	316	SAH	C5-N7	-2.13	1.32	1.39
2	C	313	SAH	O4'-C4'	-2.01	1.40	1.45
2	C	314	SAH	C2-N1	2.15	1.38	1.33
2	C	313	SAH	C2-N1	2.31	1.38	1.33
2	C	315	SAH	C2-N1	2.31	1.38	1.33
2	C	314	SAH	C2-N3	2.35	1.36	1.32
2	C	313	SAH	C2-N3	3.09	1.37	1.32
2	C	316	SAH	C2-N3	3.14	1.37	1.32
2	C	315	SAH	C2-N3	3.94	1.39	1.32

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	315	SAH	N3-C2-N1	-13.66	118.43	128.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	C	314	SAH	N3-C2-N1	-13.49	118.56	128.89
2	C	316	SAH	N3-C2-N1	-12.95	118.97	128.89
2	C	313	SAH	N3-C2-N1	-12.61	119.24	128.89
2	C	313	SAH	CB-CG-SD	-3.08	107.64	113.57
2	C	315	SAH	C1'-N9-C4	-2.93	122.52	126.94
2	C	314	SAH	C2'-C1'-N9	-2.47	110.52	114.29
2	C	315	SAH	C4'-O4'-C1'	-2.44	107.04	109.72
2	C	315	SAH	C5'-SD-CG	-2.24	95.68	102.41
2	C	316	SAH	C5'-SD-CG	-2.20	95.81	102.41
2	C	314	SAH	CB-CG-SD	-2.16	109.41	113.57
2	C	313	SAH	O3'-C3'-C4'	-2.06	104.88	111.05
2	C	313	SAH	O4'-C1'-N9	2.82	114.00	108.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	313	SAH	1	0
2	C	314	SAH	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	269/313 (85%)	-0.27	1 (0%) 93 95	18, 34, 54, 58	0
1	B	271/313 (86%)	-0.21	2 (0%) 89 92	19, 32, 51, 63	0
1	C	270/313 (86%)	-0.20	4 (1%) 76 81	18, 34, 55, 66	0
1	D	268/313 (85%)	-0.19	1 (0%) 93 95	20, 32, 57, 65	0
All	All	1078/1252 (86%)	-0.22	8 (0%) 89 92	18, 33, 55, 66	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	31	LYS	3.6
1	C	87	TYR	3.4
1	C	33	ARG	2.5
1	C	201	VAL	2.5
1	B	87	TYR	2.5
1	A	87	TYR	2.4
1	D	202	VAL	2.2
1	C	200	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	SAH	C	313	26/26	0.96	0.12	0.84	23,28,35,35	0
2	SAH	C	315	26/26	0.96	0.10	-0.30	24,27,30,30	0
2	SAH	C	314	26/26	0.97	0.10	-0.43	20,24,27,29	0
2	SAH	C	316	26/26	0.97	0.10	-0.56	20,24,27,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.