



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 07:18 PM BST

PDB ID : 2BUN
Title : SOLUTION STRUCTURE OF THE BLUF DOMAIN OF APPA 5-125
Authors : Grinstead, J.S.; Hsu, S.-T.; Laan, W.; Bonvin, A.M.J.J.; Hellingwerf, K.J.;
Boelens, R.; Kaptein, R.
Deposited on : 2005-06-15

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 76%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	121	<div> <div>48%</div> <div>25%</div> <div>.</div> <div>23%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA and RNA chains that are outliers for geometric criteria:

Mol	Chain	Compound	Res	Total models with violations	
				Chirality	Geometry
2	A	FAD	1126	20	-

2 Ensemble composition and analysis

This entry contains 20 models. Model 10 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:15-A:107 (93)	0.32	10

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 16 single-model clusters were found.

Cluster number	Models
1	10, 16
2	5, 8
Single-model clusters	1; 2; 3; 4; 6; 7; 9; 11; 12; 13; 14; 15; 17; 18; 19; 20

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 1951 atoms, of which 954 are hydrogens and 0 are deuteriums.


- Molecule 1 is a protein called APPA.

Mol	Chain	Residues	Atoms						Trace
1	A	121	Total	C	H	N	O	S	0
			1867	583	923	173	181	7	

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	68	HIS	ARG	CONFLICT	UNP Q53119
A	77	SER	THR	CONFLICT	UNP Q53119
A	95	SER	PRO	CONFLICT	UNP Q53119

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					
2	A	1	Total	C	H	N	O	P
			84	27	31	9	15	2

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: APPA




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: APPA



4.2.2 Score per residue for model 2

- Molecule 1: APPA






4.2.3 Score per residue for model 3

- Molecule 1: APPA


Chain A: 46% 23% 7% 23%



4.2.4 Score per residue for model 4

- Molecule 1: APPA


Chain A: 45% 28% 7% 23%



4.2.5 Score per residue for model 5


- Molecule 1: APPA

Chain A: 45% 27% 7% 23%




4.2.6 Score per residue for model 6

- Molecule 1: APPA




4.2.7 Score per residue for model 7

- Molecule 1: APPA




4.2.8 Score per residue for model 8

- Molecule 1: APPA




4.2.9 Score per residue for model 9

- Molecule 1: APPA




4.2.10 Score per residue for model 10 (medoid)

- Molecule 1: APPA




4.2.11 Score per residue for model 11

- Molecule 1: APPA




4.2.12 Score per residue for model 12

- Molecule 1: APPA




4.2.13 Score per residue for model 13

- Molecule 1: APPA




4.2.14 Score per residue for model 14

- Molecule 1: APPA




4.2.15 Score per residue for model 15

- Molecule 1: APPA




4.2.16 Score per residue for model 16

- Molecule 1: APPA




4.2.17 Score per residue for model 17

- Molecule 1: APPA




4.2.18 Score per residue for model 18

- Molecule 1: APPA




4.2.19 Score per residue for model 19

- Molecule 1: APPA



4.2.20 Score per residue for model 20

- Molecule 1: APPA



5 Refinement protocol and experimental data overview

The models were refined using the following method: *ARIA*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *LEAST RESTRAINT VIOLATION*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	
SPARKY	structure solution	
ARIA	structure solution	
CNS	structure solution	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 6692
Number of chemical shift lists	1
Total number of shifts	1275
Number of shifts mapped to atoms	1245
Number of unparsed shifts	0
Number of shifts with mapping errors	30
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	76%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality

6.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	1.09±0.02	0±0/759 (0.0±0.1%)	0.91±0.03	0±1/1029 (0.0±0.1%)
All	All	1.09	6/15180 (0.0%)	0.91	6/20580 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	0.5±0.7
All	All	0	10

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	86	SER	CA-CB	-5.96	1.44	1.52	3	4
1	A	104	TRP	CE3-CZ3	-5.33	1.29	1.38	8	1
1	A	98	LYS	CA-CB	-5.25	1.42	1.53	9	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	61	PHE	CB-CG-CD2	-5.67	116.83	120.80	18	4
1	A	21	TYR	CB-CG-CD2	-5.11	117.93	121.00	18	1
1	A	51	THR	CA-CB-CG2	-5.07	105.30	112.40	1	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	84	ARG	Sidechain	4
1	A	100	ARG	Sidechain	2
1	A	83	ARG	Sidechain	1
1	A	22	ARG	Sidechain	1
1	A	47	ARG	Sidechain	1
1	A	32	ARG	Sidechain	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	742	725	720	24±3
2	A	53	31	31	1±1
All	All	15900	15120	15020	498

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:1126:FAD:H51A	2:A:1126:FAD:N3A	0.81	1.91	16	1
1:A:34:LEU:HA	1:A:37:ILE:HD12	0.76	1.58	7	6
1:A:21:TYR:CE1	1:A:88:VAL:HG23	0.71	2.20	14	15
1:A:21:TYR:CB	1:A:90:ILE:HA	0.69	2.18	4	20
2:A:1126:FAD:H51A	2:A:1126:FAD:O5'	0.67	1.88	8	2
2:A:1126:FAD:H5'1	2:A:1126:FAD:O2'	0.66	1.90	3	1
1:A:24:LEU:O	1:A:86:SER:HB2	0.66	1.89	7	3
1:A:21:TYR:CD1	1:A:88:VAL:HG23	0.65	2.26	17	20
1:A:79:ILE:HG22	1:A:85:HIS:CE1	0.65	2.27	16	4
2:A:1126:FAD:H2B	2:A:1126:FAD:N3A	0.64	2.06	6	1
2:A:1126:FAD:H2A	2:A:1126:FAD:O2	0.63	1.92	3	1
1:A:33:ASP:O	1:A:37:ILE:HG13	0.63	1.94	18	3
1:A:79:ILE:O	1:A:82:ASP:HB2	0.63	1.94	2	1
1:A:52:GLY:O	1:A:104:TRP:HA	0.62	1.94	7	16
2:A:1126:FAD:N3A	2:A:1126:FAD:H2B	0.61	2.10	3	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:79:ILE:HA	1:A:82:ASP:OD2	0.60	1.95	7	1
1:A:54:LEU:HD13	1:A:106:MET:SD	0.60	2.36	8	1
1:A:51:THR:HB	1:A:101:PHE:O	0.60	1.96	14	2
1:A:77:SER:O	1:A:81:ARG:HD3	0.60	1.96	10	4
1:A:53:ALA:HB3	1:A:64:TRP:CH2	0.59	2.32	14	14
1:A:21:TYR:HB3	1:A:90:ILE:HA	0.58	1.76	18	13
1:A:75:VAL:O	1:A:79:ILE:HG13	0.58	1.98	3	8
1:A:42:GLN:HA	1:A:45:ASN:OD1	0.58	1.99	16	2
1:A:53:ALA:HB3	1:A:64:TRP:CZ3	0.57	2.35	11	18
1:A:66:GLU:OE2	1:A:100:ARG:HD2	0.57	1.99	4	1
1:A:20:CYS:HA	1:A:64:TRP:CB	0.56	2.30	20	19
1:A:31:LEU:O	1:A:35:LEU:HD23	0.56	2.00	15	19
1:A:80:GLN:NE2	1:A:90:ILE:HD11	0.56	2.15	1	3
1:A:20:CYS:HA	1:A:64:TRP:HB2	0.56	1.76	8	20
1:A:82:ASP:OD1	1:A:85:HIS:HD2	0.56	1.84	17	6
2:A:1126:FAD:C5'	2:A:1126:FAD:O2'	0.55	2.55	3	1
1:A:31:LEU:O	1:A:35:LEU:HG	0.55	2.02	20	1
1:A:15:ASP:O	1:A:69:PRO:HD2	0.55	2.02	15	11
1:A:79:ILE:HG23	1:A:88:VAL:HG21	0.54	1.78	6	6
1:A:18:SER:OG	1:A:96:ILE:HD13	0.53	2.03	17	6
1:A:72:VAL:O	1:A:75:VAL:HG12	0.53	2.04	3	2
1:A:26:ALA:HB3	1:A:29:LEU:HG	0.53	1.79	7	1
1:A:51:THR:OG1	1:A:66:GLU:HB2	0.53	2.03	14	9
1:A:72:VAL:O	1:A:76:MET:HG2	0.52	2.04	3	18
1:A:54:LEU:HD22	1:A:106:MET:SD	0.52	2.44	20	2
1:A:15:ASP:O	1:A:68:HIS:HA	0.52	2.04	11	14
1:A:89:GLU:OE1	1:A:89:GLU:HA	0.52	2.05	20	1
1:A:25:ALA:HB2	1:A:61:PHE:CD2	0.52	2.39	14	2
1:A:21:TYR:HB2	1:A:90:ILE:HA	0.52	1.81	14	12
1:A:38:VAL:HB	1:A:106:MET:SD	0.52	2.45	5	5
1:A:53:ALA:HA	1:A:105:HIS:O	0.51	2.05	18	6
1:A:23:SER:OG	1:A:88:VAL:HA	0.51	2.05	11	2
1:A:76:MET:SD	1:A:90:ILE:HD12	0.51	2.45	14	2
1:A:29:LEU:HD21	1:A:84:ARG:HB3	0.51	1.82	12	1
1:A:33:ASP:OD1	1:A:84:ARG:HD3	0.50	2.06	12	1
1:A:63:GLN:OE1	2:A:1126:FAD:H6	0.50	2.06	14	1
1:A:18:SER:HA	1:A:65:LEU:O	0.50	2.06	7	14
1:A:16:LEU:HG	1:A:98:LYS:HB2	0.50	1.83	20	15
1:A:26:ALA:O	1:A:29:LEU:HG	0.50	2.06	18	4
1:A:34:LEU:O	1:A:38:VAL:HG13	0.49	2.07	20	1
1:A:18:SER:HB2	1:A:96:ILE:HD13	0.49	1.84	10	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:42:GLN:HG3	1:A:104:TRP:CZ3	0.49	2.43	20	10
1:A:35:LEU:HD23	1:A:35:LEU:N	0.49	2.23	20	1
1:A:24:LEU:C	1:A:86:SER:HB2	0.49	2.29	9	1
1:A:84:ARG:HB3	2:A:1126:FAD:C8M	0.49	2.37	14	1
1:A:66:GLU:OE2	1:A:100:ARG:HD3	0.48	2.08	1	1
1:A:98:LYS:HG2	1:A:99:ARG:H	0.48	1.67	16	4
1:A:76:MET:O	1:A:80:GLN:HG2	0.48	2.08	3	3
1:A:42:GLN:HB3	1:A:104:TRP:CE3	0.48	2.43	8	2
2:A:1126:FAD:H1'2	2:A:1126:FAD:O4'	0.48	2.08	7	1
1:A:42:GLN:HB3	1:A:104:TRP:CZ3	0.47	2.44	4	1
1:A:84:ARG:HB2	2:A:1126:FAD:C8M	0.47	2.38	4	1
1:A:34:LEU:O	1:A:37:ILE:HB	0.47	2.10	6	2
1:A:96:ILE:HD12	1:A:98:LYS:HA	0.47	1.85	13	9
1:A:79:ILE:HG23	1:A:85:HIS:CE1	0.47	2.44	8	5
1:A:50:LEU:HA	1:A:66:GLU:O	0.47	2.10	1	3
1:A:35:LEU:HA	1:A:38:VAL:HG12	0.47	1.87	16	2
1:A:82:ASP:OD1	1:A:83:ARG:N	0.47	2.48	8	1
1:A:106:MET:SD	1:A:107:GLN:N	0.46	2.88	6	1
1:A:85:HIS:NE2	1:A:88:VAL:HB	0.46	2.25	13	1
1:A:54:LEU:O	1:A:107:GLN:HB2	0.46	2.09	8	3
1:A:85:HIS:CE1	1:A:88:VAL:HB	0.46	2.45	13	1
1:A:77:SER:O	1:A:81:ARG:HG2	0.46	2.10	8	1
1:A:20:CYS:SG	1:A:62:PHE:HZ	0.46	2.34	4	1
1:A:24:LEU:HD23	1:A:87:ASN:OD1	0.46	2.10	18	1
1:A:66:GLU:HB3	1:A:98:LYS:HG3	0.46	1.87	16	3
1:A:54:LEU:HB3	1:A:63:GLN:HG2	0.46	1.87	19	2
1:A:79:ILE:CG2	1:A:88:VAL:HG21	0.45	2.42	10	6
1:A:23:SER:HB2	1:A:61:PHE:HB2	0.45	1.88	20	1
1:A:54:LEU:HD21	1:A:106:MET:SD	0.45	2.50	15	1
1:A:96:ILE:HD12	1:A:98:LYS:CA	0.45	2.42	7	4
1:A:54:LEU:HD11	1:A:106:MET:SD	0.45	2.52	14	1
1:A:107:GLN:HA	1:A:107:GLN:HE21	0.45	1.71	20	1
1:A:32:ARG:HD2	1:A:32:ARG:O	0.45	2.12	18	1
1:A:16:LEU:HG	1:A:98:LYS:CB	0.44	2.42	14	5
1:A:63:GLN:NE2	2:A:1126:FAD:H6	0.44	2.27	11	1
1:A:23:SER:OG	1:A:61:PHE:HB3	0.44	2.12	9	1
2:A:1126:FAD:O4'	2:A:1126:FAD:P	0.44	2.75	2	1
1:A:98:LYS:O	1:A:99:ARG:HB2	0.44	2.13	1	1
1:A:85:HIS:CG	2:A:1126:FAD:HM82	0.43	2.48	9	2
1:A:82:ASP:CG	1:A:83:ARG:H	0.43	2.17	11	2
1:A:35:LEU:O	1:A:39:GLU:HG3	0.43	2.13	2	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:85:HIS:ND1	2:A:1126:FAD:HM82	0.43	2.29	13	2
1:A:30:THR:O	1:A:33:ASP:HB2	0.43	2.13	13	2
1:A:75:VAL:O	1:A:79:ILE:HB	0.43	2.14	2	1
1:A:79:ILE:CG2	1:A:85:HIS:CE1	0.43	3.01	16	1
1:A:51:THR:CG2	1:A:102:ALA:HA	0.43	2.44	14	1
1:A:63:GLN:HG3	2:A:1126:FAD:H6	0.43	1.89	6	1
1:A:23:SER:HB2	1:A:61:PHE:CB	0.43	2.43	20	1
1:A:104:TRP:CH2	1:A:106:MET:HB2	0.42	2.49	4	1
2:A:1126:FAD:O2'	2:A:1126:FAD:O4'	0.42	2.29	1	1
1:A:85:HIS:CD2	1:A:85:HIS:H	0.42	2.33	1	1
1:A:68:HIS:O	1:A:72:VAL:HG23	0.42	2.14	10	2
2:A:1126:FAD:C2B	2:A:1126:FAD:N3A	0.42	2.80	6	1
1:A:52:GLY:CA	1:A:104:TRP:HA	0.42	2.45	2	1
1:A:54:LEU:CB	1:A:63:GLN:HG2	0.42	2.44	12	2
1:A:21:TYR:CZ	1:A:63:GLN:HB3	0.42	2.50	19	4
1:A:76:MET:HA	1:A:76:MET:CE	0.42	2.45	19	2
1:A:25:ALA:HB2	1:A:61:PHE:CG	0.41	2.49	18	1
1:A:33:ASP:OD2	1:A:84:ARG:HD3	0.41	2.15	3	1
1:A:72:VAL:O	1:A:75:VAL:HB	0.41	2.14	16	1
1:A:79:ILE:HG22	1:A:80:GLN:HE21	0.41	1.76	12	1
1:A:32:ARG:NH1	1:A:36:ASP:HB2	0.41	2.30	18	1
1:A:80:GLN:HE22	1:A:88:VAL:HG22	0.41	1.74	13	1
1:A:84:ARG:HB2	2:A:1126:FAD:HM81	0.40	1.93	18	1
1:A:50:LEU:HD23	1:A:65:LEU:HD13	0.40	1.92	3	1
1:A:107:GLN:HA	1:A:107:GLN:OE1	0.40	2.16	15	1
1:A:79:ILE:HG23	1:A:85:HIS:HE1	0.40	1.75	5	1
1:A:37:ILE:HD13	2:A:1126:FAD:HM83	0.40	1.94	1	1
1:A:52:GLY:N	1:A:104:TRP:HA	0.40	2.32	2	1
1:A:54:LEU:HD23	1:A:63:GLN:HB2	0.40	1.94	11	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	93/121 (77%)	76±2 (82±2%)	11±3 (12±3%)	6±2 (6±2%)	3	19

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1860/2420 (77%)	1522 (82%)	218 (12%)	120 (6%)	3	19

All 15 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	83	ARG	18
1	A	88	VAL	18
1	A	90	ILE	17
1	A	25	ALA	16
1	A	82	ASP	14
1	A	86	SER	9
1	A	99	ARG	7
1	A	102	ALA	5
1	A	59	GLY	4
1	A	58	GLN	3
1	A	87	ASN	3
1	A	98	LYS	2
1	A	91	LEU	2
1	A	15	ASP	1
1	A	69	PRO	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	77/100 (77%)	69±2 (89±3%)	8±2 (11±3%)	12	56
All	All	1540/2000 (77%)	1371 (89%)	169 (11%)	12	56

All 31 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	85	HIS	20
1	A	56	TYR	18
1	A	64	TRP	17
1	A	30	THR	15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	61	PHE	15
1	A	63	GLN	12
1	A	106	MET	10
1	A	98	LYS	9
1	A	22	ARG	7
1	A	65	LEU	6
1	A	74	GLU	5
1	A	84	ARG	4
1	A	15	ASP	3
1	A	107	GLN	3
1	A	33	ASP	3
1	A	86	SER	3
1	A	47	ARG	2
1	A	36	ASP	2
1	A	82	ASP	2
1	A	16	LEU	2
1	A	83	ARG	1
1	A	79	ILE	1
1	A	75	VAL	1
1	A	99	ARG	1
1	A	42	GLN	1
1	A	104	TRP	1
1	A	81	ARG	1
1	A	89	GLU	1
1	A	32	ARG	1
1	A	87	ASN	1
1	A	39	GLU	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	FAD	A	1126	-	51,58,58	1.04±0.08	0±0 (0±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
2	FAD	A	1126	-	50,89,89	1.52±0.04	1±0 (2±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	1126	-	1±0,1,9,9	0±0,30,50,50	0±0,6,6,6

All unique bond outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	A	1126	FAD	C1'-N10	5.88	1.42	1.48	20	1

All unique angle outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)	Models	
								Worst	Total
2	A	1126	FAD	C2-N1-C10	8.47	120.61	113.39	1	20

All unique chiral outliers are listed below.

Mol	Chain	Res	Type	Atoms	Models (Total)
2	A	1126	FAD	C4'	20

There are no torsion outliers.

There are no ring outliers.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation ⓘ

The completeness of assignment taking into account all chemical shift lists is 76% for the well-defined parts and 74% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 6692

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping ⓘ

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1275
Number of shifts mapped to atoms	1245
Number of unparsed shifts	0
Number of shifts with mapping errors	30
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	6

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Chain not found in structure. All 30 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	1	FAD	H11*	5.201	0.011	1
UNMAPPED	1	FAD	AH4*	4.413	0.004	1
UNMAPPED	1	FAD	AC3*	70.087	0.155	1
UNMAPPED	1	FAD	1H5*	4.388	0.004	1
UNMAPPED	1	FAD	AH2*	4.55	0.004	1
UNMAPPED	1	FAD	C5*	67.904	0.089	1
UNMAPPED	1	FAD	H4*	4.136	0.004	1
UNMAPPED	1	FAD	3HM7	1.216	0.003	1
UNMAPPED	1	FAD	H2*	4.491	0.006	1
UNMAPPED	1	FAD	2HM8	1.328	0.013	1
UNMAPPED	1	FAD	C4*	71.274	0.056	1
UNMAPPED	1	FAD	AC1*	87.18	0.061	1
UNMAPPED	1	FAD	AC2*	74.896	0.102	1
UNMAPPED	1	FAD	H3*	3.986	0.002	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	1	FAD	H9	7.986	0.022	1
UNMAPPED	1	FAD	1HM8	1.328	0.013	1
UNMAPPED	1	FAD	AC4*	83.83	0.121	1
UNMAPPED	1	FAD	2HM7	1.216	0.003	1
UNMAPPED	1	FAD	AC5*	65.245	0.044	1
UNMAPPED	1	FAD	AH52	4.238	0.001	1
UNMAPPED	1	FAD	AH51	4.37	0.009	1
UNMAPPED	1	FAD	C2*	69.732	0.116	1
UNMAPPED	1	FAD	2H5*	4.13	0.0	1
UNMAPPED	1	FAD	C3*	73.323	0.083	1
UNMAPPED	1	FAD	H12*	5.023	0.006	1
UNMAPPED	1	FAD	C1*	47.982	0.123	1
UNMAPPED	1	FAD	3HM8	1.328	0.013	1
UNMAPPED	1	FAD	AH1*	6.16	0.015	1
UNMAPPED	1	FAD	1HM7	1.216	0.003	1
UNMAPPED	1	FAD	AH3*	4.508	0.005	1

7.1.2 Chemical shift referencing ⓘ

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	114	2.36 ± 0.10	Should be applied
$^{13}\text{C}_\beta$	105	2.45 ± 0.11	Should be applied
$^{13}\text{C}'$	0	—	—
^{15}N	116	0.12 ± 0.25	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments ⓘ

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 76%, i.e. 882 atoms were assigned a chemical shift out of a possible 1168. 14 out of 16 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	363/461 (79%)	183/184 (99%)	90/186 (48%)	90/91 (99%)
Sidechain	459/591 (78%)	282/346 (82%)	168/212 (79%)	9/33 (27%)
Aromatic	60/116 (52%)	48/60 (80%)	9/44 (20%)	3/12 (25%)
Overall	882/1168 (76%)	513/590 (87%)	267/442 (60%)	102/136 (75%)

The following table shows the completeness of the chemical shift assignments for the full structure.

The overall completeness is 74%, i.e. 1095 atoms were assigned a chemical shift out of a possible 1473. 18 out of 21 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	465/601 (77%)	235/240 (98%)	114/242 (47%)	116/119 (97%)
Sidechain	570/756 (75%)	350/442 (79%)	211/274 (77%)	9/40 (22%)
Aromatic	60/116 (52%)	48/60 (80%)	9/44 (20%)	3/12 (25%)
Overall	1095/1473 (74%)	633/742 (85%)	334/560 (60%)	128/171 (75%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	64	TRP	NE1	108.66	139.19 – 119.59	-10.6
1	A	100	ARG	H	11.65	11.29 – 5.19	5.6
1	A	79	ILE	HG12	-0.91	3.27 – -0.73	-5.4
1	A	37	ILE	HG21	-0.67	2.13 – -0.57	-5.4
1	A	37	ILE	HG23	-0.67	2.13 – -0.57	-5.4
1	A	37	ILE	HG22	-0.67	2.13 – -0.57	-5.4

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

