



wwPDB X-ray Structure Validation Summary Report i

Feb 19, 2016 – 10:59 PM GMT

PDB ID : 5C1A
Title : p97-N750D/R753D/M757D/Q760D in complex with ATP-gamma-S
Authors : Haenzelmann, P.; Schindelin, H.
Deposited on : 2015-06-13
Resolution : 3.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026982
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20026982


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	1317 (4.10-3.50)
Clashscore	102246	1458 (4.10-3.50)
Ramachandran outliers	100387	1397 (4.10-3.50)
Sidechain outliers	100360	1392 (4.10-3.50)
RSRZ outliers	91569	1325 (4.10-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain			
1	F	805	3%	79%	11%	• 9%
1	G	805	2%	78%	13%	• 9%
1	H	805	3%	77%	12%	• 9%
1	I	805	4%	77%	13%	• 9%
1	J	805	4%	77%	13%	• 9%
1	K	805	5%	76%	15%	• 8%
1	L	805	3%	78%	13%	• 9%

2 Entry composition [\(i\)](#)

There are 3 unique types of molecules in this entry. The entry contains 140261 atoms, of which 70187 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transitional endoplasmic reticulum ATPase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	735	Total	C	H	N	O	S	0	0	0
			11578	3616	5814	1019	1100	29			
1	B	735	Total	C	H	N	O	S	0	0	0
			11590	3623	5819	1019	1100	29			
1	C	735	Total	C	H	N	O	S	0	0	0
			11589	3623	5818	1019	1100	29			
1	D	735	Total	C	H	N	O	S	0	0	0
			11591	3623	5820	1019	1100	29			
1	E	735	Total	C	H	N	O	S	0	0	0
			11589	3623	5818	1019	1100	29			
1	F	735	Total	C	H	N	O	S	0	0	0
			11589	3623	5818	1019	1100	29			
1	G	735	Total	C	H	N	O	S	0	0	0
			11576	3616	5812	1019	1100	29			
1	H	735	Total	C	H	N	O	S	0	0	0
			11590	3623	5819	1019	1100	29			
1	I	735	Total	C	H	N	O	S	0	0	0
			11589	3623	5818	1019	1100	29			
1	J	735	Total	C	H	N	O	S	0	0	0
			11590	3623	5819	1019	1100	29			
1	K	744	Total	C	H	N	O	S	0	0	0
			11719	3663	5880	1029	1117	30			
1	L	735	Total	C	H	N	O	S	0	0	0
			11591	3623	5820	1019	1100	29			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	750	ASP	ASN	engineered mutation	UNP P55072
A	753	ASP	ARG	engineered mutation	UNP P55072
A	757	ASP	MET	engineered mutation	UNP P55072
A	760	ASP	GLN	engineered mutation	UNP P55072
B	750	ASP	ASN	engineered mutation	UNP P55072

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	753	ASP	ARG	engineered mutation	UNP P55072
B	757	ASP	MET	engineered mutation	UNP P55072
B	760	ASP	GLN	engineered mutation	UNP P55072
C	750	ASP	ASN	engineered mutation	UNP P55072
C	753	ASP	ARG	engineered mutation	UNP P55072
C	757	ASP	MET	engineered mutation	UNP P55072
C	760	ASP	GLN	engineered mutation	UNP P55072
D	750	ASP	ASN	engineered mutation	UNP P55072
D	753	ASP	ARG	engineered mutation	UNP P55072
D	757	ASP	MET	engineered mutation	UNP P55072
D	760	ASP	GLN	engineered mutation	UNP P55072
E	750	ASP	ASN	engineered mutation	UNP P55072
E	753	ASP	ARG	engineered mutation	UNP P55072
E	757	ASP	MET	engineered mutation	UNP P55072
E	760	ASP	GLN	engineered mutation	UNP P55072
F	750	ASP	ASN	engineered mutation	UNP P55072
F	753	ASP	ARG	engineered mutation	UNP P55072
F	757	ASP	MET	engineered mutation	UNP P55072
F	760	ASP	GLN	engineered mutation	UNP P55072
G	750	ASP	ASN	engineered mutation	UNP P55072
G	753	ASP	ARG	engineered mutation	UNP P55072
G	757	ASP	MET	engineered mutation	UNP P55072
G	760	ASP	GLN	engineered mutation	UNP P55072
H	750	ASP	ASN	engineered mutation	UNP P55072
H	753	ASP	ARG	engineered mutation	UNP P55072
H	757	ASP	MET	engineered mutation	UNP P55072
H	760	ASP	GLN	engineered mutation	UNP P55072
I	750	ASP	ASN	engineered mutation	UNP P55072
I	753	ASP	ARG	engineered mutation	UNP P55072
I	757	ASP	MET	engineered mutation	UNP P55072
I	760	ASP	GLN	engineered mutation	UNP P55072
J	750	ASP	ASN	engineered mutation	UNP P55072
J	753	ASP	ARG	engineered mutation	UNP P55072
J	757	ASP	MET	engineered mutation	UNP P55072
J	760	ASP	GLN	engineered mutation	UNP P55072
K	750	ASP	ASN	engineered mutation	UNP P55072
K	753	ASP	ARG	engineered mutation	UNP P55072
K	757	ASP	MET	engineered mutation	UNP P55072
K	760	ASP	GLN	engineered mutation	UNP P55072
L	750	ASP	ASN	engineered mutation	UNP P55072
L	753	ASP	ARG	engineered mutation	UNP P55072
L	757	ASP	MET	engineered mutation	UNP P55072

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
L	760	ASP	GLN	engineered mutation	UNP P55072

- Molecule 2 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (three-letter code: AGS) (formula: C₁₀H₁₆N₅O₁₂P₃S).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	A	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	B	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	B	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	C	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	C	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	D	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	D	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	E	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	E	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
2	F	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	F	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	G	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	G	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	H	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	H	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	I	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	I	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	J	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	J	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	K	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	K	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	L	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		
2	L	1	Total	C	H	N	O	P	S	0	0
			44	10	13	5	12	3	1		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	2	Total	Mg	0	0
			2	2		
3	J	2	Total	Mg	0	0
			2	2		
3	D	2	Total	Mg	0	0
			2	2		
3	K	2	Total	Mg	0	0
			2	2		
3	E	2	Total	Mg	0	0
			2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	H	2	Total Mg 2 2	0	0
3	B	2	Total Mg 2 2	0	0
3	I	2	Total Mg 2 2	0	0
3	C	2	Total Mg 2 2	0	0
3	A	2	Total Mg 2 2	0	0
3	L	2	Total Mg 2 2	0	0
3	F	2	Total Mg 2 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transitional endoplasmic reticulum ATPase




- Molecule 1: Transitional endoplasmic reticulum ATPase









- Molecule 1: Transitional endoplasmic reticulum ATPase




- Molecule 1: Transitional endoplasmic reticulum ATPase




- Molecule 1: Transitional endoplasmic reticulum ATPase







- Molecule 1: Transitional endoplasmic reticulum ATPase





- Molecule 1: Transitional endoplasmic reticulum ATPase








- Molecule 1: Transitional endoplasmic reticulum ATPase




- Molecule 1: Transitional endoplasmic reticulum ATPase







- Molecule 1: Transitional endoplasmic reticulum ATPase




- Molecule 1: Transitional endoplasmic reticulum ATPase



- Molecule 1: Transitional endoplasmic reticulum ATPase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	182.67 Å 145.47 Å 251.40 Å 90.00° 109.77° 90.00°	Depositor
Resolution (Å)	49.05 – 3.80 49.05 – 3.80	Depositor EDS
% Data completeness (in resolution range)	98.6 (49.05-3.80) 98.7 (49.05-3.80)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.74 (at 3.77 Å)	Xtriage
Refinement program	PHENIX	Depositor
R , R_{free}	0.190 , 0.254 0.208 , 0.259	Depositor DCC
R_{free} test set	6037 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	148.8	Xtriage
Anisotropy	0.162	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 125.1	EDS
Estimated twinning fraction	0.059 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Outliers	3 of 120736 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	140261	wwPDB-VP
Average B, all atoms (Å ²)	199.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, AGS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.29	0/5856	0.51	0/7906
1	B	0.30	0/5864	0.52	0/7917
1	C	0.29	0/5864	0.53	0/7917
1	D	0.27	0/5864	0.50	0/7917
1	E	0.30	0/5864	0.53	0/7917
1	F	0.30	0/5864	0.54	0/7917
1	G	0.29	0/5856	0.53	0/7906
1	H	0.29	0/5864	0.51	0/7917
1	I	0.28	0/5863	0.51	0/7913
1	J	0.29	0/5864	0.52	0/7917
1	K	0.30	0/5934	0.52	0/8014
1	L	0.29	0/5864	0.51	0/7917
All	All	0.29	0/70421	0.52	0/95075

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	F	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	429	LEU	Peptide
1	F	49	LEU	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5764	5814	5812	48	0
1	B	5771	5819	5819	57	0
1	C	5771	5818	5818	44	0
1	D	5771	5820	5820	46	0
1	E	5771	5818	5818	53	0
1	F	5771	5818	5819	54	0
1	G	5764	5812	5811	52	0
1	H	5771	5819	5819	63	0
1	I	5771	5818	5818	51	0
1	J	5771	5819	5819	47	0
1	K	5839	5880	5879	67	0
1	L	5771	5820	5819	53	0
2	A	62	26	24	0	0
2	B	62	26	24	4	0
2	C	62	26	24	3	0
2	D	62	26	24	0	0
2	E	62	26	24	3	0
2	F	62	26	24	6	0
2	G	62	26	24	2	0
2	H	62	26	24	1	0
2	I	62	26	24	4	0
2	J	62	26	23	4	0
2	K	62	26	24	2	0
2	L	62	26	24	4	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
3	E	2	0	0	0	0
3	F	2	0	0	0	0
3	G	2	0	0	0	0
3	H	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	I	2	0	0	0	0
3	J	2	0	0	0	0
3	K	2	0	0	0	0
3	L	2	0	0	0	0
All	All	70074	70187	70158	595	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 595 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:429:LEU:O	1:H:431:ASP:N	2.15	0.79
1:B:89:ARG:NH1	1:B:261:GLU:OE2	2.17	0.78
1:J:313:ARG:NE	1:J:354:ASP:OD2	2.19	0.75
1:B:429:LEU:O	1:B:431:ASP:N	2.21	0.74
1:H:65:ARG:NH1	1:H:91:ASN:O	2.20	0.73

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	729/805 (91%)	705 (97%)	23 (3%)	1 (0%)	56 90
1	B	729/805 (91%)	703 (96%)	23 (3%)	3 (0%)	39 80
1	C	729/805 (91%)	704 (97%)	23 (3%)	2 (0%)	46 83
1	D	729/805 (91%)	707 (97%)	20 (3%)	2 (0%)	46 83
1	E	729/805 (91%)	704 (97%)	20 (3%)	5 (1%)	26 72
1	F	729/805 (91%)	703 (96%)	22 (3%)	4 (0%)	34 77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	G	729/805 (91%)	706 (97%)	22 (3%)	1 (0%)	56 90
1	H	729/805 (91%)	702 (96%)	21 (3%)	6 (1%)	24 70
1	I	727/805 (90%)	705 (97%)	21 (3%)	1 (0%)	56 90
1	J	729/805 (91%)	707 (97%)	20 (3%)	2 (0%)	46 83
1	K	740/805 (92%)	700 (95%)	27 (4%)	13 (2%)	11 55
1	L	729/805 (91%)	706 (97%)	18 (2%)	5 (1%)	26 72
All	All	8757/9660 (91%)	8452 (96%)	260 (3%)	45 (0%)	34 77

5 of 45 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	430	ILE
1	B	431	ASP
1	B	728	VAL
1	D	186	GLY
1	E	435	GLU

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	627/677 (93%)	584 (93%)	43 (7%)	19 60
1	B	628/677 (93%)	591 (94%)	37 (6%)	24 66
1	C	628/677 (93%)	589 (94%)	39 (6%)	23 64
1	D	628/677 (93%)	597 (95%)	31 (5%)	31 70
1	E	628/677 (93%)	590 (94%)	38 (6%)	23 65
1	F	628/677 (93%)	592 (94%)	36 (6%)	25 67
1	G	627/677 (93%)	588 (94%)	39 (6%)	23 64
1	H	628/677 (93%)	593 (94%)	35 (6%)	26 67
1	I	628/677 (93%)	583 (93%)	45 (7%)	18 58
1	J	628/677 (93%)	583 (93%)	45 (7%)	18 58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	K	636/677 (94%)	594 (93%)	42 (7%)	21 62
1	L	628/677 (93%)	594 (95%)	34 (5%)	27 68
All	All	7542/8124 (93%)	7078 (94%)	464 (6%)	23 64

5 of 464 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	338	ARG
1	G	556	GLU
1	K	762	LEU
1	F	437	ILE
1	G	211	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	406	HIS
1	I	340	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 48 ligands modelled in this entry, 24 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	AGS	A	901	3	26,33,33	1.49	7 (26%)	24,52,52	2.51	3 (12%)
2	AGS	A	902	3	26,33,33	1.35	6 (23%)	24,52,52	2.48	3 (12%)
2	AGS	B	901	3	26,33,33	1.38	5 (19%)	24,52,52	2.41	2 (8%)
2	AGS	B	902	3	26,33,33	1.39	6 (23%)	24,52,52	2.59	3 (12%)
2	AGS	C	901	3	26,33,33	1.39	6 (23%)	24,52,52	2.53	3 (12%)
2	AGS	C	902	3	26,33,33	1.39	6 (23%)	24,52,52	2.46	2 (8%)
2	AGS	D	901	3	26,33,33	1.39	6 (23%)	24,52,52	2.53	2 (8%)
2	AGS	D	902	3	26,33,33	1.38	5 (19%)	24,52,52	2.49	2 (8%)
2	AGS	E	901	3	26,33,33	1.51	7 (26%)	24,52,52	2.52	3 (12%)
2	AGS	E	902	3	26,33,33	1.37	4 (15%)	24,52,52	2.34	2 (8%)
2	AGS	F	901	3	26,33,33	1.36	5 (19%)	24,52,52	2.51	3 (12%)
2	AGS	F	902	3	26,33,33	1.34	5 (19%)	24,52,52	2.64	3 (12%)
2	AGS	G	901	3	26,33,33	1.45	7 (26%)	24,52,52	2.58	3 (12%)
2	AGS	G	902	3	26,33,33	1.40	6 (23%)	24,52,52	2.54	3 (12%)
2	AGS	H	901	3	26,33,33	1.40	6 (23%)	24,52,52	2.44	3 (12%)
2	AGS	H	902	3	26,33,33	1.31	6 (23%)	24,52,52	2.56	3 (12%)
2	AGS	I	901	3	26,33,33	1.40	5 (19%)	24,52,52	2.40	3 (12%)
2	AGS	I	902	3	26,33,33	1.39	5 (19%)	24,52,52	2.51	3 (12%)
2	AGS	J	901	3	26,33,33	1.47	6 (23%)	24,52,52	2.48	3 (12%)
2	AGS	J	902	3	26,33,33	1.30	4 (15%)	24,52,52	2.68	2 (8%)
2	AGS	K	901	3	26,33,33	1.42	6 (23%)	24,52,52	2.48	3 (12%)
2	AGS	K	902	3	26,33,33	1.40	6 (23%)	24,52,52	2.55	3 (12%)
2	AGS	L	901	3	26,33,33	1.40	6 (23%)	24,52,52	2.67	4 (16%)
2	AGS	L	902	3	26,33,33	1.36	6 (23%)	24,52,52	2.55	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AGS	A	901	3	-	0/17/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AGS	A	902	3	-	0/17/38/38	0/3/3/3
2	AGS	B	901	3	-	0/17/38/38	0/3/3/3
2	AGS	B	902	3	-	0/17/38/38	0/3/3/3
2	AGS	C	901	3	-	0/17/38/38	0/3/3/3
2	AGS	C	902	3	-	0/17/38/38	0/3/3/3
2	AGS	D	901	3	-	0/17/38/38	0/3/3/3
2	AGS	D	902	3	-	0/17/38/38	0/3/3/3
2	AGS	E	901	3	-	0/17/38/38	0/3/3/3
2	AGS	E	902	3	-	0/17/38/38	0/3/3/3
2	AGS	F	901	3	-	0/17/38/38	0/3/3/3
2	AGS	F	902	3	-	0/17/38/38	0/3/3/3
2	AGS	G	901	3	-	0/17/38/38	0/3/3/3
2	AGS	G	902	3	-	0/17/38/38	0/3/3/3
2	AGS	H	901	3	-	0/17/38/38	0/3/3/3
2	AGS	H	902	3	-	0/17/38/38	0/3/3/3
2	AGS	I	901	3	-	0/17/38/38	0/3/3/3
2	AGS	I	902	3	-	0/17/38/38	0/3/3/3
2	AGS	J	901	3	-	0/17/38/38	0/3/3/3
2	AGS	J	902	3	-	0/17/38/38	0/3/3/3
2	AGS	K	901	3	-	0/17/38/38	0/3/3/3
2	AGS	K	902	3	-	0/17/38/38	0/3/3/3
2	AGS	L	901	3	-	0/17/38/38	0/3/3/3
2	AGS	L	902	3	-	0/17/38/38	0/3/3/3

The worst 5 of 137 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	901	AGS	O2'-C2'	-2.64	1.36	1.43
2	E	901	AGS	O2'-C2'	-2.51	1.37	1.43
2	A	901	AGS	O2'-C2'	-2.49	1.37	1.43
2	F	901	AGS	O2'-C2'	-2.47	1.37	1.43
2	K	902	AGS	C2'-C3'	-2.46	1.46	1.53

The worst 5 of 66 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	902	AGS	N3-C2-N1	-11.67	119.70	128.87
2	J	902	AGS	N3-C2-N1	-11.56	119.79	128.87
2	L	901	AGS	N3-C2-N1	-11.44	119.88	128.87
2	B	902	AGS	N3-C2-N1	-11.34	119.96	128.87
2	G	901	AGS	N3-C2-N1	-11.31	119.98	128.87

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

19 monomers are involved in 33 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	901	AGS	3	0
2	B	902	AGS	1	0
2	C	901	AGS	2	0
2	C	902	AGS	1	0
2	E	901	AGS	2	0
2	E	902	AGS	1	0
2	F	901	AGS	5	0
2	F	902	AGS	1	0
2	G	901	AGS	1	0
2	G	902	AGS	1	0
2	H	901	AGS	1	0
2	I	901	AGS	2	0
2	I	902	AGS	2	0
2	J	901	AGS	2	0
2	J	902	AGS	2	0
2	K	901	AGS	1	0
2	K	902	AGS	1	0
2	L	901	AGS	2	0
2	L	902	AGS	2	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	I	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	I	728:VAL	C	729:PRO	N	3.06

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	735/805 (91%)	0.27	23 (3%) 52 36	104, 177, 239, 332	0
1	B	735/805 (91%)	0.25	20 (2%) 58 42	101, 170, 246, 376	0
1	C	735/805 (91%)	0.30	27 (3%) 45 30	112, 181, 249, 329	0
1	D	735/805 (91%)	0.46	63 (8%) 13 8	118, 195, 263, 337	0
1	E	735/805 (91%)	0.22	19 (2%) 59 43	105, 173, 252, 352	0
1	F	735/805 (91%)	0.21	21 (2%) 55 38	98, 170, 249, 333	0
1	G	735/805 (91%)	0.24	16 (2%) 65 50	104, 173, 246, 315	0
1	H	735/805 (91%)	0.28	23 (3%) 52 36	104, 178, 245, 307	0
1	I	735/805 (91%)	0.33	34 (4%) 36 24	115, 185, 262, 351	0
1	J	735/805 (91%)	0.29	31 (4%) 40 26	109, 179, 240, 435	0
1	K	744/805 (92%)	0.35	43 (5%) 26 16	98, 173, 255, 362	0
1	L	735/805 (91%)	0.25	23 (3%) 52 36	100, 170, 243, 341	0
All	All	8829/9660 (91%)	0.29	343 (3%) 43 29	98, 177, 250, 435	0

The worst 5 of 343 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	770	SER	8.4
1	J	435	GLU	7.7
1	K	21	ASN	6.3
1	A	434	ASP	5.9
1	C	435	GLU	5.4

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	AGS	K	902	31/31	0.91	0.30	0.55	96,121,149,154	0
2	AGS	F	901	31/31	0.92	0.31	0.49	94,131,160,160	0
2	AGS	I	902	31/31	0.86	0.31	0.35	125,150,180,187	0
2	AGS	G	902	31/31	0.88	0.32	0.34	112,139,179,187	0
2	AGS	L	901	31/31	0.95	0.29	0.32	102,132,160,173	0
2	AGS	F	902	31/31	0.85	0.30	0.23	122,150,185,190	0
2	AGS	B	901	31/31	0.92	0.32	0.12	102,131,160,170	0
2	AGS	E	902	31/31	0.82	0.30	0.09	102,148,179,184	0
2	AGS	J	902	31/31	0.91	0.27	-0.03	99,140,168,181	0
2	AGS	J	901	31/31	0.92	0.29	-0.05	111,139,167,210	0
2	AGS	G	901	31/31	0.93	0.27	-0.06	104,134,164,210	0
2	AGS	L	902	31/31	0.91	0.27	-0.07	112,136,166,169	0
2	AGS	D	901	31/31	0.93	0.27	-0.15	103,137,166,208	0
2	AGS	A	901	31/31	0.96	0.29	-0.19	102,125,153,197	0
2	AGS	C	902	31/31	0.90	0.28	-0.21	105,140,172,196	0
2	AGS	B	902	31/31	0.93	0.28	-0.26	101,128,152,156	0
2	AGS	H	901	31/31	0.94	0.30	-0.32	105,133,162,165	0
2	AGS	C	901	31/31	0.95	0.27	-0.34	105,138,166,177	0
2	AGS	K	901	31/31	0.96	0.27	-0.39	100,132,164,172	0
3	MG	H	903	1/1	0.98	0.33	-0.47	132,132,132,132	0
2	AGS	D	902	31/31	0.89	0.25	-0.47	111,144,182,204	0
2	AGS	H	902	31/31	0.90	0.25	-0.54	110,139,165,169	0
2	AGS	A	902	31/31	0.91	0.24	-0.55	120,142,172,177	0
2	AGS	I	901	31/31	0.93	0.26	-0.60	105,131,158,186	0
2	AGS	E	901	31/31	0.93	0.25	-0.67	105,131,164,179	0
3	MG	J	903	1/1	0.84	0.72	-	105,105,105,105	0
3	MG	I	904	1/1	0.97	0.41	-	145,145,145,145	0
3	MG	E	903	1/1	0.97	0.26	-	113,113,113,113	0
3	MG	B	903	1/1	0.98	0.38	-	113,113,113,113	0
3	MG	E	904	1/1	0.96	0.33	-	151,151,151,151	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	MG	F	903	1/1	0.97	0.39	-	94,94,94,94	0
3	MG	G	903	1/1	0.94	0.63	-	113,113,113,113	0
3	MG	L	904	1/1	0.95	0.50	-	115,115,115,115	0
3	MG	K	903	1/1	0.99	0.33	-	112,112,112,112	0
3	MG	C	904	1/1	0.99	0.38	-	137,137,137,137	0
3	MG	A	904	1/1	0.95	0.24	-	128,128,128,128	0
3	MG	G	904	1/1	0.97	0.58	-	119,119,119,119	0
3	MG	J	904	1/1	0.98	0.38	-	112,112,112,112	0
3	MG	F	904	1/1	0.90	0.59	-	149,149,149,149	0
3	MG	H	904	1/1	0.90	0.48	-	134,134,134,134	0
3	MG	B	904	1/1	0.98	0.53	-	114,114,114,114	0
3	MG	A	903	1/1	0.95	0.51	-	110,110,110,110	0
3	MG	L	903	1/1	0.94	0.31	-	117,117,117,117	0
3	MG	C	903	1/1	0.91	0.38	-	94,94,94,94	0
3	MG	D	904	1/1	0.97	0.34	-	127,127,127,127	0
3	MG	D	903	1/1	0.92	0.49	-	122,122,122,122	0
3	MG	I	903	1/1	0.96	0.32	-	138,138,138,138	0
3	MG	K	904	1/1	0.99	0.38	-	99,99,99,99	0

6.5 Other polymers (i)

There are no such residues in this entry.