



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:42 PM GMT

PDB ID : 1C29
Title : CRYSTAL STRUCTURE OF THE COMPLEX OF BACTERIAL TRYPTOPHAN SYNTHASE WITH THE TRANSITION STATE ANALOGUE INHIBITOR 4-(2-HYDROXYPHENYLTHIO)-1-BUTENYLPHOSPHONIC ACID
Authors : Sachpatzidis, A.; Dealwis, C.; Lubetsky, J.B.; Liang, P.H.; Anderson, K.S.; Lolis, E.
Deposited on : 1999-07-23
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	268	<div> <div></div> <div>69% 24% 6% .</div> </div>
2	B	397	<div> <div></div> <div>67% 26% 5% .</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PLP	B	900	-	X	-	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 5120 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TRYPTOPHAN SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	264	Total	C	N	O	S	0	0	0
			1992	1264	348	373	7			


- Molecule 2 is a protein called TRYPTOPHAN SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	387	Total	C	N	O	S	0	0	0
			2934	1843	516	556	19			

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Na	0	0
			1	1		

- Molecule 4 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C₈H₁₀NO₆P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 5 is 4-(2-HYDROXYPHENYLTHIO)-1-BUTENYLPHOSPHONIC ACID (three-letter code: HE1) (formula: C₁₀H₁₃O₄PS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	O	P	S	0	0
			16	10	4	1	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	68	Total	O	0	0
			68	68		
6	B	94	Total	O	0	0
			94	94		

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	182.29 Å 58.87 Å 67.40 Å 90.00° 94.40° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30 42.22 – 2.30	Depositor EDS
% Data completeness (in resolution range)	91.0 (30.00-2.30) 92.1 (42.22-2.30)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.94 (at 2.29 Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.208 , 0.275 0.207 , 0.276	Depositor DCC
R_{free} test set	2928 reflections (9.96%)	DCC
Wilson B-factor (Å ²)	14.3	Xtriage
Anisotropy	0.545	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 45.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 29830 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	5120	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, HE1, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/2031	0.71	0/2757
2	B	0.47	0/2992	0.78	2/4042 (0.0%)
All	All	0.46	0/5023	0.75	2/6799 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	151	LEU	CA-CB-CG	5.33	127.56	115.30
2	B	287	MET	N-CA-C	-5.14	97.12	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1992	0	1995	49	0
2	B	2934	0	2902	78	0
3	B	1	0	0	0	0
4	B	15	0	7	0	0
5	A	16	0	11	0	0
6	A	68	0	0	1	0
6	B	94	0	0	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	5120	0	4915	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:VAL:HG11	2:B:175:ARG:HG2	1.49	0.93
1:A:133:VAL:H	2:B:19:GLN:HE22	1.28	0.82
2:B:99:LYS:HE3	2:B:126:LEU:HB3	1.68	0.73
1:A:140:ARG:HD2	1:A:169:TYR:HB3	1.69	0.73
1:A:109:ASN:H	1:A:109:ASN:HD22	1.37	0.72
2:B:288:GLN:HE21	2:B:292:GLY:HA2	1.56	0.70
1:A:185:ALA:HB3	1:A:239:LYS:NZ	2.06	0.70
2:B:112:ALA:O	2:B:142:GLN:HG2	1.92	0.70
2:B:182:GLU:HB2	6:B:1095:HOH:O	1.92	0.69
2:B:89:ASN:HD22	2:B:205:GLN:NE2	1.91	0.69
2:B:89:ASN:HD22	2:B:205:GLN:HE22	1.43	0.67
2:B:81:LEU:HD13	2:B:88:THR:HB	1.79	0.65
2:B:327:ILE:HG23	2:B:331:GLU:HB3	1.79	0.65
1:A:211:GLY:O	1:A:212:PHE:HB2	1.96	0.64
1:A:26:GLY:HA3	1:A:76:VAL:HG21	1.83	0.61
1:A:53:PRO:HA	1:A:68:ASN:HD22	1.64	0.61
2:B:89:ASN:HB2	2:B:205:GLN:HE22	1.65	0.61
1:A:137:ALA:HB3	1:A:138:PRO:HD3	1.83	0.60
2:B:76:LYS:HD3	2:B:212:THR:OG1	2.01	0.59
2:B:202:ARG:HD3	2:B:312:GLN:HE22	1.66	0.59
2:B:216:ILE:HG21	2:B:224:PRO:HD3	1.84	0.59
2:B:90:GLN:HG3	2:B:201:VAL:HG13	1.85	0.58
2:B:360:LYS:O	2:B:364:GLU:HB2	2.04	0.58
1:A:220:VAL:O	1:A:224:VAL:HG23	2.04	0.58
1:A:185:ALA:HB3	1:A:239:LYS:HZ1	1.69	0.57
2:B:99:LYS:HZ3	2:B:128:LEU:HD21	1.70	0.56
2:B:271:LEU:HD12	2:B:309:VAL:HG21	1.87	0.56
1:A:86:ALA:HB2	1:A:121:VAL:HG22	1.87	0.56
2:B:87:LYS:HG2	6:B:1047:HOH:O	2.05	0.56
2:B:16:TYR:O	2:B:281:GLY:HA2	2.05	0.55
2:B:9:PHE:CD2	2:B:312:GLN:HG3	2.40	0.55
2:B:313:HIS:HD2	2:B:324:TYR:OH	1.88	0.55
2:B:211:GLU:O	2:B:215:GLN:HB2	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:202:ARG:HH21	2:B:312:GLN:HE22	1.54	0.54
2:B:236:ASN:HD22	2:B:375:ASN:HD22	1.56	0.53
2:B:99:LYS:NZ	2:B:128:LEU:HD21	2.24	0.52
2:B:115:HIS:CE1	2:B:189:GLY:HA2	2.45	0.52
1:A:188:ARG:HG2	1:A:219:GLN:NE2	2.25	0.52
2:B:27:GLN:HE22	2:B:103:LYS:NZ	2.08	0.52
2:B:94:GLN:HE21	2:B:185:HIS:CE1	2.28	0.52
1:A:3:ARG:HG3	1:A:94:THR:O	2.10	0.52
2:B:89:ASN:HB2	2:B:205:GLN:NE2	2.25	0.52
1:A:22:PHE:HD2	1:A:49:GLU:HB3	1.75	0.51
1:A:185:ALA:HB3	1:A:239:LYS:HZ2	1.73	0.51
2:B:202:ARG:HH21	2:B:312:GLN:NE2	2.08	0.51
2:B:195:HIS:HD2	6:B:1006:HOH:O	1.93	0.51
1:A:178:SER:HA	1:A:193:LEU:HD21	1.93	0.51
2:B:147:PHE:O	2:B:151:LEU:HB2	2.12	0.51
1:A:64:ILE:HG12	6:A:1031:HOH:O	2.11	0.50
1:A:165:GLN:HG2	1:A:169:TYR:CE1	2.46	0.50
2:B:53:ALA:HB1	2:B:81:LEU:HD22	1.93	0.50
1:A:153:ILE:HG23	1:A:177:LEU:HD13	1.93	0.50
1:A:163:LEU:HD21	1:A:196:LEU:HD22	1.92	0.49
2:B:108:ALA:HB3	2:B:132:ILE:HG12	1.94	0.49
2:B:131:ARG:HB2	6:B:1132:HOH:O	2.13	0.48
1:A:85:LEU:HD21	1:A:99:LEU:HD11	1.94	0.48
2:B:346:ILE:HG21	2:B:384:ILE:HD11	1.94	0.48
1:A:44:GLY:O	1:A:263:LYS:HD3	2.12	0.48
2:B:65:ILE:HD12	2:B:339:LEU:HD12	1.95	0.48
2:B:20:ILE:HG23	2:B:21:LEU:HD22	1.96	0.48
1:A:53:PRO:HA	1:A:68:ASN:ND2	2.27	0.48
2:B:49:LEU:O	2:B:55:ARG:HB2	2.13	0.48
2:B:85:ALA:HB3	2:B:114:GLN:NE2	2.29	0.47
1:A:57:PRO:HA	1:A:102:TYR:CZ	2.48	0.47
2:B:99:LYS:HZ1	2:B:128:LEU:HG	1.79	0.47
2:B:109:GLU:HG3	2:B:170:CYS:SG	2.54	0.47
2:B:134:MET:O	2:B:158:PRO:HA	2.14	0.47
2:B:76:LYS:HE3	2:B:215:GLN:HE22	1.79	0.47
2:B:329:ASP:O	2:B:333:LEU:HD22	2.15	0.47
2:B:109:GLU:O	2:B:115:HIS:HD2	1.98	0.46
1:A:133:VAL:N	2:B:19:GLN:HE22	2.04	0.46
2:B:234:GLY:O	2:B:313:HIS:HE1	1.98	0.46
2:B:185:HIS:HD2	6:B:1084:HOH:O	1.99	0.46
2:B:293:GLN:OE1	2:B:293:GLN:HA	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:61:LYS:HG3	2:B:74:TYR:CZ	2.51	0.46
2:B:90:GLN:CG	2:B:201:VAL:HG13	2.46	0.46
2:B:87:LYS:HD2	2:B:114:GLN:HE21	1.81	0.46
2:B:345:ILE:O	2:B:347:PRO:HD3	2.17	0.45
1:A:179:ARG:HG3	1:A:189:GLY:HA2	1.98	0.45
1:A:60:ASP:HB3	1:A:64:ILE:HB	2.00	0.44
1:A:58:LEU:CD2	1:A:58:LEU:H	2.31	0.44
1:A:20:VAL:O	1:A:232:ILE:HA	2.18	0.44
2:B:94:GLN:HE21	2:B:185:HIS:HE1	1.65	0.44
1:A:164:ARG:HG2	1:A:164:ARG:HH21	1.82	0.44
2:B:87:LYS:HD3	2:B:115:HIS:HA	1.99	0.44
2:B:105:GLU:HB3	2:B:184:ALA:HB2	2.00	0.44
2:B:313:HIS:CD2	2:B:324:TYR:OH	2.71	0.43
2:B:207:MET:O	2:B:211:GLU:HB2	2.19	0.43
1:A:150:PRO:HD2	1:A:171:ARG:HB2	2.01	0.43
2:B:376:LEU:HD12	2:B:376:LEU:HA	1.90	0.43
1:A:52:VAL:HG22	1:A:101:MET:HE3	2.01	0.43
2:B:142:GLN:HG3	6:B:1067:HOH:O	2.18	0.43
2:B:272:LYS:HD2	2:B:272:LYS:HA	1.70	0.42
1:A:153:ILE:HD12	6:B:1064:HOH:O	2.17	0.42
2:B:272:LYS:HE3	6:B:1001:HOH:O	2.19	0.42
2:B:163:SER:O	2:B:165:THR:HG23	2.19	0.42
2:B:110:THR:HG23	2:B:134:MET:HG3	2.01	0.42
1:A:165:GLN:HG2	1:A:169:TYR:HE1	1.85	0.42
1:A:141:GLN:HB3	1:A:145:ARG:NH1	2.35	0.42
2:B:144:PRO:HD2	6:B:1067:HOH:O	2.20	0.42
2:B:76:LYS:HD2	2:B:76:LYS:HA	1.83	0.42
2:B:71:THR:HB	2:B:362:MET:HG3	2.01	0.41
1:A:50:LEU:HD23	1:A:85:LEU:HD11	2.02	0.41
2:B:246:ASN:HB2	6:B:1139:HOH:O	2.20	0.41
1:A:249:LYS:HB2	1:A:249:LYS:HE3	1.91	0.41
1:A:149:ALA:HB1	1:A:171:ARG:HB3	2.03	0.41
2:B:94:GLN:NE2	2:B:185:HIS:HE1	2.18	0.41
1:A:211:GLY:O	1:A:212:PHE:CB	2.68	0.41
1:A:140:ARG:O	1:A:144:LEU:HD22	2.21	0.41
2:B:229:ALA:HB1	2:B:236:ASN:HD21	1.86	0.41
2:B:71:THR:HG23	2:B:372:LEU:HD22	2.03	0.41
2:B:100:ARG:HG3	2:B:100:ARG:HH21	1.86	0.41
1:A:85:LEU:HB3	1:A:121:VAL:CG1	2.51	0.41
1:A:14:ARG:HB3	1:A:16:GLU:HB2	2.03	0.41
1:A:20:VAL:HG22	1:A:47:ALA:HB3	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:220:GLU:HG2	2:B:371:LEU:HD22	2.04	0.40
2:B:90:GLN:OE1	2:B:94:GLN:OE1	2.39	0.40
2:B:78:GLU:HB2	2:B:376:LEU:O	2.22	0.40
1:A:109:ASN:N	1:A:109:ASN:HD22	2.12	0.40
1:A:54:PHE:H	1:A:68:ASN:ND2	2.19	0.40
2:B:59:LEU:HD22	2:B:215:GLN:HB3	2.03	0.40
1:A:70:ARG:NH2	1:A:242:GLU:HG3	2.36	0.40
1:A:248:PRO:O	1:A:252:LEU:HG	2.21	0.40
1:A:58:LEU:HD23	1:A:102:TYR:CE1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/268 (97%)	252 (97%)	7 (3%)	1 (0%)	39	48
2	B	385/397 (97%)	369 (96%)	16 (4%)	0	100	100
All	All	645/665 (97%)	621 (96%)	23 (4%)	1 (0%)	52	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	212	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	206/208 (99%)	176 (85%)	30 (15%)	4	3
2	B	303/311 (97%)	259 (86%)	44 (14%)	4	3
All	All	509/519 (98%)	435 (86%)	74 (14%)	4	3

All (74) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	5	GLU
1	A	11	LEU
1	A	31	GLU
1	A	32	GLN
1	A	40	LEU
1	A	50	LEU
1	A	52	VAL
1	A	58	LEU
1	A	65	GLN
1	A	72	PHE
1	A	84	MET
1	A	85	LEU
1	A	87	LEU
1	A	99	LEU
1	A	101	MET
1	A	105	LEU
1	A	109	ASN
1	A	120	GLN
1	A	121	VAL
1	A	144	LEU
1	A	171	ARG
1	A	180	SER
1	A	188	ARG
1	A	193	LEU
1	A	201	LYS
1	A	209	LEU
1	A	220	VAL
1	A	255	LEU
1	A	263	LYS
2	B	15	MET
2	B	21	LEU
2	B	30	GLU
2	B	34	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	37	LYS
2	B	40	GLU
2	B	42	GLN
2	B	48	LEU
2	B	49	LEU
2	B	50	LYS
2	B	55	ARG
2	B	65	ILE
2	B	70	ARG
2	B	76	LYS
2	B	77	ARG
2	B	81	LEU
2	B	90	GLN
2	B	101	MET
2	B	103	LYS
2	B	109	GLU
2	B	114	GLN
2	B	143	SER
2	B	152	MET
2	B	166	LEU
2	B	188	LEU
2	B	205	GLN
2	B	207	MET
2	B	215	GLN
2	B	217	LEU
2	B	219	LYS
2	B	236	ASN
2	B	263	GLU
2	B	266	GLU
2	B	272	LYS
2	B	295	GLU
2	B	297	SER
2	B	333	LEU
2	B	343	GLU
2	B	355	LEU
2	B	359	LEU
2	B	365	GLN
2	B	370	GLN
2	B	372	LEU
2	B	382	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	ASN
1	A	68	ASN
1	A	109	ASN
1	A	120	GLN
1	A	244	ASN
2	B	19	GLN
2	B	27	GLN
2	B	64	ASN
2	B	82	HIS
2	B	90	GLN
2	B	114	GLN
2	B	142	GLN
2	B	171	ASN
2	B	185	HIS
2	B	195	HIS
2	B	205	GLN
2	B	215	GLN
2	B	236	ASN
2	B	288	GLN
2	B	312	GLN
2	B	313	HIS
2	B	370	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	HE1	A	270	-	15,16,16	2.57	3 (20%)	16,21,21	1.72	3 (18%)
4	PLP	B	900	2	15,15,16	2.23	7 (46%)	21,22,23	4.55	14 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HE1	A	270	-	-	0/5/9/9	0/1/1/1
4	PLP	B	900	2	-	0/6/6/8	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	900	PLP	C3-C2	-4.23	1.37	1.40
4	B	900	PLP	C4A-C4	-4.14	1.43	1.51
4	B	900	PLP	O4P-C5A	-2.84	1.32	1.44
4	B	900	PLP	P-O3P	-2.77	1.44	1.54
4	B	900	PLP	P-O4P	-2.35	1.52	1.60
4	B	900	PLP	P-O2P	-2.34	1.46	1.54
4	B	900	PLP	C2-N1	2.02	1.38	1.34
5	A	270	HE1	P1-O2	4.12	1.60	1.54
5	A	270	HE1	P1-O1	4.68	1.60	1.54
5	A	270	HE1	P1-O3	7.24	1.61	1.48

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	900	PLP	C4A-C4-C3	-8.34	105.26	120.36
5	A	270	HE1	C4-C3-S1	-5.44	104.06	113.13
4	B	900	PLP	O4P-C5A-C5	-5.09	100.58	108.99
4	B	900	PLP	C5A-C5-C6	-4.18	111.38	119.28
4	B	900	PLP	O3P-P-O4P	-4.06	94.89	106.56
4	B	900	PLP	C3-C4-C5	-3.39	115.08	118.78
4	B	900	PLP	O2P-P-O4P	-2.99	97.95	106.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	270	HE1	O3-P1-C1	-2.61	108.27	114.41
4	B	900	PLP	C5-C6-N1	-2.04	120.31	123.86
4	B	900	PLP	C3-C2-N1	-2.01	117.84	120.61
4	B	900	PLP	C2A-C2-N1	2.09	122.57	117.95
5	A	270	HE1	C3-S1-C8	2.16	107.82	103.15
4	B	900	PLP	O4P-P-O1P	2.51	113.54	107.14
4	B	900	PLP	O3P-P-O1P	3.28	121.13	110.58
4	B	900	PLP	C5A-C5-C4	3.28	125.99	121.65
4	B	900	PLP	C6-C5-C4	4.98	122.37	118.15
4	B	900	PLP	C4A-C4-C5	14.49	135.98	120.88

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	264/268 (98%)	-0.02	4 (1%) 76 81	6, 16, 35, 54	0
2	B	387/397 (97%)	-0.15	0 100 100	4, 12, 25, 38	0
All	All	651/665 (97%)	-0.10	4 (0%) 90 93	4, 13, 29, 54	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	187	ASN	2.3
1	A	189	GLY	2.2
1	A	249	LYS	2.2
1	A	247	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	PLP	B	900	15/16	0.97	0.17	0.92	11,14,18,19	0
5	HE1	A	270	16/16	0.96	0.15	0.36	11,16,18,21	0
3	NA	B	1168	1/1	0.97	0.10	-1.40	18,18,18,18	0

6.5 Other polymers [i](#)

There are no such residues in this entry.