



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:48 PM GMT

PDB ID : 1CKM  
Title : STRUCTURE OF TWO DIFFERENT CONFORMATIONS OF MRNA  
CAPPING ENZYME IN COMPLEX WITH GTP  
Authors : Hakansson, K.; Doherty, A.J.; Wigley, D.B.  
Deposited on : 1997-04-20  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	330	
1	B	330	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GTP	A	899	-	-	-	X

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 5546 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MRNA CAPPING ENZYME.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	317	Total	C	N	O	S	0	0	0
			2561	1657	429	463	12			
1	B	317	Total	C	N	O	S	0	0	0
			2561	1657	429	463	12			

- Molecule 2 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
2	B	1	Total	C	N	O	P	0	0
			32	10	5	14	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	164	Total 164	O 164	0	0
3	B	196	Total 196	O 196	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: MRNA CAPPING ENZYME



#### • Molecule 1: MRNA CAPPING ENZYME



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	93.33Å 214.93Å 105.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.50 19.84 – 2.50	Depositor EDS
% Data completeness (in resolution range)	97.5 (10.00-2.50) 94.7 (19.84-2.50)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.08 (at 2.50Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.218 , 0.299 0.199 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	34.8	Xtriage
Anisotropy	0.626	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 81.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 36194 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5546	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.64% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.75	0/2616	1.38	20/3530 (0.6%)
1	B	0.77	0/2616	1.42	26/3530 (0.7%)
All	All	0.76	0/5232	1.40	46/7060 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	3
All	All	0	6

There are no bond length outliers.

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	164	ARG	NE-CZ-NH1	10.51	125.55	120.30
1	B	289	TRP	CD1-CG-CD2	9.90	114.22	106.30
1	A	289	TRP	CD1-CG-CD2	9.79	114.14	106.30
1	B	289	TRP	CE2-CD2-CG	-8.93	100.15	107.30
1	B	120	ARG	NE-CZ-NH2	-8.41	116.10	120.30
1	A	164	ARG	NE-CZ-NH2	-8.37	116.12	120.30
1	A	170	ARG	NE-CZ-NH2	-7.86	116.37	120.30
1	A	289	TRP	CE2-CD2-CG	-7.59	101.23	107.30
1	A	186	ARG	NE-CZ-NH1	7.59	124.09	120.30
1	A	262	ARG	NE-CZ-NH1	7.26	123.93	120.30
1	B	304	ARG	NE-CZ-NH1	7.22	123.91	120.30
1	B	190	TRP	CD1-CG-CD2	7.18	112.05	106.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	190	TRP	CE2-CD2-CG	-7.16	101.57	107.30
1	B	170	ARG	NE-CZ-NH1	7.00	123.80	120.30
1	A	190	TRP	CD1-CG-CD2	6.97	111.87	106.30
1	A	289	TRP	CG-CD1-NE1	-6.62	103.48	110.10
1	B	279	ILE	CG1-CB-CG2	-6.61	96.86	111.40
1	A	87	ARG	NE-CZ-NH2	-6.57	117.01	120.30
1	A	190	TRP	CE2-CD2-CG	-6.56	102.05	107.30
1	B	164	ARG	NE-CZ-NH1	6.48	123.54	120.30
1	B	289	TRP	CG-CD1-NE1	-6.20	103.91	110.10
1	B	106	ARG	NE-CZ-NH1	6.17	123.39	120.30
1	B	304	ARG	CA-CB-CG	6.17	126.97	113.40
1	B	146	PHE	CB-CG-CD2	-6.16	116.49	120.80
1	B	164	ARG	NE-CZ-NH2	-6.14	117.23	120.30
1	B	66	ARG	NE-CZ-NH2	-6.00	117.30	120.30
1	B	289	TRP	CG-CD2-CE3	5.86	139.18	133.90
1	A	26	ILE	CB-CA-C	-5.81	99.97	111.60
1	B	55	ARG	CB-CA-C	-5.80	98.80	110.40
1	B	120	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	A	156	VAL	CG1-CB-CG2	-5.71	101.76	110.90
1	B	290	LYS	CB-CG-CD	-5.67	96.87	111.60
1	B	289	TRP	CB-CG-CD1	-5.65	119.66	127.00
1	A	186	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	B	288	THR	N-CA-CB	-5.61	99.65	110.30
1	B	273	TYR	CB-CG-CD1	-5.57	117.66	121.00
1	A	62	VAL	CA-CB-CG1	5.53	119.19	110.90
1	A	295	ARG	NE-CZ-NH1	5.53	123.06	120.30
1	B	66	ARG	NE-CZ-NH1	5.41	123.00	120.30
1	A	267	VAL	N-CA-CB	-5.34	99.74	111.50
1	A	289	TRP	CB-CG-CD1	-5.30	120.11	127.00
1	A	62	VAL	CB-CA-C	5.25	121.38	111.40
1	A	62	VAL	N-CA-CB	-5.19	100.09	111.50
1	B	187	TYR	CB-CG-CD1	-5.16	117.90	121.00
1	B	16	ARG	NE-CZ-NH1	5.14	122.87	120.30
1	B	190	TRP	CG-CD2-CE3	5.01	138.41	133.90

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	111	TYR	Sidechain
1	A	274	TYR	Sidechain
1	A	98	PHE	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	B	226	TYR	Sidechain
1	B	273	TYR	Sidechain
1	B	307	TYR	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2561	0	2607	27	0
1	B	2561	0	2607	31	0
2	A	32	0	12	3	0
2	B	32	0	12	3	0
3	A	164	0	0	1	0
3	B	196	0	0	1	0
All	All	5546	0	5238	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:83:THR:HB	1:B:131:GLU:HG3	1.71	0.70
1:A:128:PHE:HE1	1:A:151:VAL:HG22	1.57	0.67
1:B:115:PHE:HB2	1:B:118:ILE:HD11	1.79	0.64
1:B:261:LEU:HB3	1:B:263:LYS:HG2	1.81	0.62
1:A:156:VAL:HG12	1:A:164:ARG:HG2	1.82	0.61
1:B:131:GLU:HG2	1:B:146:PHE:HZ	1.68	0.59
1:B:31:VAL:HG11	1:B:39:ILE:HD12	1.86	0.56
1:B:115:PHE:HB2	1:B:118:ILE:CD1	2.35	0.56
1:A:82:LYS:HE3	2:A:899:GTP:H5''	1.88	0.56
1:B:219:SER:OG	1:B:222:GLU:HB2	2.07	0.55
1:B:89:MET:HE3	1:B:129:ASP:HA	1.88	0.54
1:A:156:VAL:HG11	1:A:164:ARG:HA	1.89	0.54
1:B:321:ASP:O	1:B:325:ASP:HB2	2.08	0.53
1:A:26:ILE:HD11	1:A:132:LEU:HD11	1.89	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:89:MET:HE3	1:B:129:ASP:CA	2.40	0.52
1:B:159:MET:HE3	1:B:163:SER:HB3	1.92	0.52
1:A:195:HIS:HB3	1:A:198:ILE:HB	1.93	0.51
1:B:131:GLU:HG2	1:B:146:PHE:CZ	2.43	0.51
1:B:159:MET:CE	1:B:163:SER:HB3	2.41	0.51
1:A:115:PHE:HB2	1:A:118:ILE:HG12	1.91	0.50
1:B:240:HIS:NE2	1:B:290:LYS:HE2	2.26	0.50
1:B:121:VAL:HG23	1:B:124:GLN:OE1	2.12	0.49
1:A:158:GLN:HA	1:A:223:PRO:HB3	1.94	0.49
1:B:19:LEU:O	1:B:25:GLN:HA	2.14	0.48
1:B:170:ARG:O	1:B:173:LYS:HG2	2.14	0.47
1:A:214:GLY:HA3	1:A:235:LEU:O	2.14	0.47
1:B:88:PHE:CD2	1:B:132:LEU:HB2	2.49	0.47
1:A:82:LYS:HG3	1:A:216:ILE:HD11	1.95	0.47
1:A:241:HIS:HB3	1:A:310:THR:HG23	1.97	0.47
1:A:59:PRO:HA	1:A:227:GLY:O	2.15	0.47
1:B:145:LEU:O	1:B:188:LYS:HB2	2.15	0.46
1:A:164:ARG:NH2	1:A:222:GLU:O	2.48	0.46
1:A:305:LEU:HD23	3:A:1056:HOH:O	2.16	0.46
1:B:88:PHE:CE2	1:B:132:LEU:HB2	2.50	0.45
1:A:19:LEU:HB2	1:A:26:ILE:HG13	1.99	0.45
1:B:20:THR:HA	1:B:24:LEU:O	2.16	0.45
1:A:128:PHE:CE1	1:A:151:VAL:HG22	2.45	0.44
1:B:126:SER:HA	1:B:150:VAL:O	2.17	0.44
1:B:52:LYS:N	1:B:52:LYS:HD2	2.33	0.44
1:B:104:ILE:HG12	1:B:110:VAL:HG22	1.99	0.44
2:B:999:GTP:O2A	2:B:999:GTP:H4'	2.18	0.43
1:B:188:LYS:HE2	2:B:999:GTP:O6	2.18	0.43
1:A:74:GLN:HB2	1:A:75:ASN:ND2	2.34	0.43
1:A:147:ASP:OD1	1:A:164:ARG:HD2	2.19	0.42
1:B:120:ARG:HA	1:B:123:PHE:HD2	1.84	0.42
1:B:235:LEU:HD22	1:B:237:PRO:HD3	2.01	0.42
1:B:248:MET:SD	1:B:255:GLY:HA3	2.60	0.42
1:A:61:PRO:CG	2:A:899:GTP:H5'	2.50	0.42
1:A:244:ASP:H	1:A:302:ASN:ND2	2.18	0.42
1:A:245:PHE:O	1:A:279:ILE:HA	2.20	0.42
1:A:309:LYS:HD2	1:A:309:LYS:HA	1.87	0.42
1:A:26:ILE:HD12	1:A:28:LEU:HD11	2.01	0.41
1:A:19:LEU:O	1:A:25:GLN:HA	2.21	0.41
1:A:43:MET:SD	1:A:104:ILE:HD13	2.61	0.41
2:A:899:GTP:N3	2:A:899:GTP:C2'	2.84	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:61:PRO:HD2	2:B:999:GTP:H5''	2.02	0.40
1:A:247:ILE:HG22	1:A:276:LYS:HA	2.02	0.40
1:B:80:SER:OG	1:B:188:LYS:HE3	2.21	0.40
1:B:105:ASP:HB2	3:B:1139:HOH:O	2.20	0.40
1:A:14:THR:HB	1:A:29:HIS:HB3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	315/330 (96%)	301 (96%)	12 (4%)	2 (1%)	30	50
1	B	315/330 (96%)	303 (96%)	10 (3%)	2 (1%)	30	50
All	All	630/660 (96%)	604 (96%)	22 (4%)	4 (1%)	30	50

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	250	GLU
1	A	195	HIS
1	A	125	GLY
1	B	267	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	285/297 (96%)	265 (93%)	20 (7%)	19	34
1	B	285/297 (96%)	268 (94%)	17 (6%)	24	43
All	All	570/594 (96%)	533 (94%)	37 (6%)	21	39

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	THR
1	A	24	LEU
1	A	26	ILE
1	A	32	VAL
1	A	46	LEU
1	A	50	ASP
1	A	62	VAL
1	A	80	SER
1	A	112	LEU
1	A	121	VAL
1	A	132	LEU
1	A	139	LYS
1	A	174	GLU
1	A	193	LEU
1	A	195	HIS
1	A	201	ASP
1	A	207	ASN
1	A	232	LEU
1	A	267	VAL
1	A	322	GLU
1	B	13	THR
1	B	16	ARG
1	B	24	LEU
1	B	45	ASP
1	B	52	LYS
1	B	132	LEU
1	B	170	ARG
1	B	193	LEU
1	B	235	LEU
1	B	250	GLU
1	B	256	ILE
1	B	260	ASN
1	B	262	ARG
1	B	267	VAL
1	B	305	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	323	LEU
1	B	325	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	ASN
1	A	22	ASN
1	A	60	ASN
1	A	177	ASN
1	A	211	HIS
1	A	300	GLN
1	A	302	ASN
1	B	177	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GTP	A	899	-	25,34,34	1.52	3 (12%)	34,54,54	2.19	4 (11%)
2	GTP	B	999	-	25,34,34	1.64	7 (28%)	34,54,54	2.28	8 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GTP	A	899	-	-	0/18/38/38	0/3/3/3
2	GTP	B	999	-	-	0/18/38/38	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	999	GTP	C2'-C3'	-2.78	1.45	1.53
2	B	999	GTP	C3'-C4'	-2.50	1.46	1.53
2	B	999	GTP	C8-N7	-2.32	1.30	1.34
2	B	999	GTP	PG-O3G	-2.18	1.46	1.54
2	A	899	GTP	PG-O2G	-2.14	1.47	1.54
2	B	999	GTP	PG-O2G	-2.14	1.47	1.54
2	B	999	GTP	PA-O2A	-2.10	1.46	1.54
2	A	899	GTP	O4'-C1'	2.17	1.43	1.41
2	B	999	GTP	C6-N1	3.61	1.39	1.33
2	A	899	GTP	C6-N1	4.23	1.41	1.33

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	999	GTP	C5-C6-N1	-8.39	112.11	123.59
2	A	899	GTP	C5-C6-N1	-8.19	112.39	123.59
2	A	899	GTP	N3-C2-N1	-3.92	121.47	127.44
2	B	999	GTP	C4'-O4'-C1'	-3.31	106.09	109.72
2	B	999	GTP	N3-C2-N1	-3.07	122.76	127.44
2	A	899	GTP	C4'-O4'-C1'	-2.37	107.11	109.72
2	B	999	GTP	N2-C2-N1	2.11	120.70	117.20
2	B	999	GTP	O3G-PG-O2G	2.15	115.56	107.38
2	B	999	GTP	O4'-C4'-C5'	2.44	118.04	109.32
2	B	999	GTP	O4'-C1'-N9	2.45	113.22	108.10
2	B	999	GTP	C6-N1-C2	6.58	125.08	115.94
2	A	899	GTP	C6-N1-C2	6.76	125.33	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	899	GTP	3	0
2	B	999	GTP	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	317/330 (96%)	-0.65	2 (0%) 90 91	9, 24, 54, 71	0
1	B	317/330 (96%)	-0.62	4 (1%) 79 82	11, 24, 54, 93	0
All	All	634/660 (96%)	-0.64	6 (0%) 85 88	9, 24, 54, 93	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	261	LEU	3.8
1	B	98	PHE	3.4
1	B	260	ASN	3.2
1	A	98	PHE	2.2
1	A	96	PHE	2.2
1	B	11	ASN	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors



of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GTP	A	899	32/32	0.93	0.16	2.24	16,35,124,125	0
2	GTP	B	999	32/32	0.97	0.10	-0.51	10,19,42,50	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.