



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:59 AM GMT

PDB ID : 3CWD  
Title : Molecular recognition of nitro-fatty acids by PPAR gamma  
Authors : Martynowski, D.; Li, Y.  
Deposited on : 2008-04-21  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	270	<div> <div>9%</div> <div>70%</div> <div>21%</div> <div>• • 5%</div> </div>
1	B	270	<div> <div>7%</div> <div>68%</div> <div>22%</div> <div>5% • •</div> </div>
2	C	16	<div> <div>13%</div> <div>56%</div> <div>25%</div> <div>6%</div> <div>13%</div> </div>
2	D	16	<div> <div>44%</div> <div>56%</div> <div>31%</div> <div>13%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	LNA	A	1[A]	-	-	-	X
3	LNA	B	1[A]	-	-	X	X
4	LNB	A	478[B]	-	-	-	X
4	LNB	B	478[B]	-	-	X	X

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4798 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Peroxisome proliferator-activated receptor gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	257	Total	C	N	O	S	0	2	0
			2067	1333	334	390	10			
1	B	260	Total	C	N	O	S	0	6	0
			2103	1355	345	392	11			

- Molecule 2 is a protein called SRC1-2 PEPTIDE.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	16	Total	C	N	O	0	1	0
			139	84	31	24			
2	D	16	Total	C	N	O	0	0	0
			134	82	28	24			

- Molecule 3 is (9E,12Z)-10-NITROOCTADECA-9,12-DIENOIC ACID (three-letter code: LNA) (formula: C<sub>18</sub>H<sub>31</sub>NO<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	1
			23	18	1	4		
3	B	1	Total	C	N	O	0	1
			23	18	1	4		

- Molecule 4 is (9Z,12E)-12-NITROOCTADEC-9,12-DIENOIC ACID (three-letter code: LNB) (formula: C<sub>18</sub>H<sub>31</sub>NO<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	1
			23	18	1	4		
4	B	1	Total	C	N	O	0	1
			23	18	1	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	100	Total	O	0	0
			100	100		
5	B	141	Total	O	0	0
			141	141		
5	C	13	Total	O	0	0
			13	13		
5	D	9	Total	O	0	0
			9	9		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Peroxisome proliferator-activated receptor gamma



- Molecule 1: Peroxisome proliferator-activated receptor gamma




- Molecule 2: SRC1-2 PEPTIDE



- Molecule 2: SRC1-2 PEPTIDE





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	84.04Å 86.20Å 97.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.11 – 2.40 43.10 – 2.40	Depositor EDS
% Data completeness (in resolution range)	96.5 (43.11-2.40) 96.5 (43.10-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.28 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.233 , 0.290 0.249 , 0.302	Depositor DCC
$R_{free}$ test set	1346 reflections (5.18%)	DCC
Wilson B-factor (Å <sup>2</sup> )	44.0	Xtriage
Anisotropy	0.349	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 49.3	EDS
Estimated twinning fraction	0.020 for k,h,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 27311 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	4798	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.96% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LNA, LNB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.72	0/2108	0.77	0/2839
1	B	0.77	0/2164	0.82	1/2914 (0.0%)
2	C	0.65	0/147	1.20	2/193 (1.0%)
2	D	0.79	0/136	0.96	0/179
All	All	0.75	0/4555	0.81	3/6125 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
2	C	0	1
All	All	0	2

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	C	698	SER	C-N-CD	-8.87	101.10	120.60
2	C	698	SER	C-N-CA	6.77	150.43	122.00
1	B	441	ASP	CB-CG-OD1	5.46	123.21	118.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	334	MET	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
2	C	698	SER	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2067	0	2118	49	0
1	B	2103	0	2162	73	0
2	C	139	0	141	5	0
2	D	134	0	136	5	0
3	A	23	0	30	7	0
3	B	23	0	30	14	0
4	A	23	0	30	5	0
4	B	23	0	30	10	0
5	A	100	0	0	7	0
5	B	141	0	0	5	0
5	C	13	0	0	2	0
5	D	9	0	0	0	0
All	All	4798	0	4677	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:285:CYS:SG	3:B:1[A]:LNA:H16	1.59	1.42
1:A:286:GLN:NE2	3:A:1[A]:LNA:O20	1.69	1.25
1:B:285:CYS:SG	3:B:1[A]:LNA:C16	2.33	1.17
1:A:358:LYS:HB3	1:A:359:PRO:HD3	1.18	1.12
2:D:698:SER:HB3	2:D:699:PRO:HA	1.31	1.07
1:A:286:GLN:NE2	4:A:478[B]:LNB:O19	1.92	1.02
1:A:358:LYS:HB3	1:A:359:PRO:CD	1.95	0.97
1:A:357:ARG:HE	1:A:358:LYS:HG2	1.29	0.94
1:B:261:LYS:O	1:B:262:ILE:HB	1.68	0.93
1:B:358:LYS:CB	1:B:359:PRO:HD3	1.98	0.92

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:478[B]:LNB:H10	4:B:478[B]:LNB:O23	1.71	0.90
4:A:478[B]:LNB:H10	4:A:478[B]:LNB:O23	1.71	0.87
1:B:285:CYS:SG	4:B:478[B]:LNB:H15A	2.16	0.86
1:A:358:LYS:CB	1:A:359:PRO:HD3	2.04	0.85
1:B:358:LYS:HB3	1:B:359:PRO:HD3	1.60	0.84
1:B:286:GLN:HB3	1:B:466[B]:HIS:CD2	2.13	0.84
1:B:323[A]:HIS:CD2	3:B:1[A]:LNA:H4A	2.14	0.83
1:B:252:MET:HE1	1:B:256:MET:SD	2.19	0.83
1:B:252:MET:CE	1:B:256:MET:SD	2.67	0.82
3:B:1[A]:LNA:O23	3:B:1[A]:LNA:H12	1.79	0.81
3:A:1[A]:LNA:H12	3:A:1[A]:LNA:O23	1.78	0.81
1:B:323[A]:HIS:NE2	3:B:1[A]:LNA:H4A	1.95	0.81
1:B:235:ALA:HB1	1:B:240:LYS:HB2	1.64	0.80
1:A:325:ILE:HD11	1:A:392:ILE:HG13	1.65	0.79
1:A:358:LYS:CB	1:A:359:PRO:CD	2.59	0.77
1:B:323[A]:HIS:CD2	3:B:1[A]:LNA:C4	2.68	0.76
2:D:698:SER:HB3	2:D:699:PRO:CA	2.12	0.76
1:A:284:GLY:O	1:A:287:PHE:CD2	2.42	0.73
3:B:1[A]:LNA:C12	3:B:1[A]:LNA:O23	2.35	0.73
1:B:358:LYS:HB2	1:B:359:PRO:HD3	1.69	0.73
2:C:699:PRO:HD3	5:C:121:HOH:O	1.89	0.73
3:A:1[A]:LNA:C12	3:A:1[A]:LNA:O23	2.35	0.72
1:B:285:CYS:SG	3:B:1[A]:LNA:H16A	2.28	0.72
1:B:285:CYS:SG	4:B:478[B]:LNB:C17	2.77	0.72
1:B:358:LYS:CB	1:B:359:PRO:CD	2.67	0.71
1:B:323[A]:HIS:NE2	3:B:1[A]:LNA:C4	2.53	0.70
4:A:478[B]:LNB:C10	4:A:478[B]:LNB:O23	2.39	0.70
1:B:285:CYS:SG	4:B:478[B]:LNB:C15	2.80	0.70
1:A:357:ARG:HE	1:A:358:LYS:CG	2.04	0.70
1:A:284:GLY:O	1:A:287:PHE:HD2	1.73	0.70
1:A:437:GLN:O	1:A:440:THR:HG22	1.93	0.68
1:B:353:LEU:HD13	1:B:364:MET:HG3	1.78	0.65
1:B:456:ILE:HG22	1:B:463[A]:MET:CE	2.26	0.65
1:B:285:CYS:SG	4:B:478[B]:LNB:H17	2.36	0.65
1:A:227:PRO:HD2	5:A:533:HOH:O	2.00	0.62
1:B:362:ASP:HB2	5:B:500:HOH:O	2.00	0.61
1:A:421:LEU:HD22	1:A:431:LEU:HD13	1.83	0.60
4:B:478[B]:LNB:C10	4:B:478[B]:LNB:O23	2.39	0.60
1:A:370:PHE:HB2	1:A:445:ILE:HD11	1.84	0.59
1:A:285:CYS:SG	4:A:478[B]:LNB:H8	2.43	0.59
1:B:318:LEU:HD21	2:D:694:LEU:HD21	1.84	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:318:LEU:O	1:B:322:VAL:HB	2.03	0.58
1:B:460:GLU:HB2	1:B:463[A]:MET:HG2	1.85	0.57
1:A:289:SER:O	1:A:293:VAL:HG23	2.04	0.57
1:B:456:ILE:CG2	1:B:463[B]:MET:HG2	2.34	0.57
1:B:358:LYS:HB2	1:B:359:PRO:CD	2.33	0.56
1:B:318:LEU:HD23	2:D:694:LEU:HD11	1.87	0.56
1:B:273:GLN:HG3	5:B:511:HOH:O	2.05	0.56
1:A:441:ASP:O	1:A:445:ILE:HG13	2.06	0.56
1:B:244:LYS:HG3	1:B:245:SER:N	2.20	0.56
1:A:375:ASN:O	5:A:511:HOH:O	2.18	0.55
1:B:456:ILE:HG22	1:B:463[A]:MET:HE3	1.89	0.54
1:A:326:ILE:HG21	3:A:1[A]:LNA:H5	1.89	0.53
1:A:342:SER:HB2	1:A:345:GLN:HB2	1.89	0.53
1:A:228:LEU:HD23	1:A:333:LEU:CD2	2.38	0.53
1:A:392:ILE:HG22	1:A:393:LEU:HD22	1.89	0.53
1:B:319:LYS:HD3	1:B:476:LEU:HD12	1.90	0.53
1:B:323[A]:HIS:HD2	3:B:1[A]:LNA:H5A	1.73	0.53
1:B:357:ARG:HD2	1:B:358:LYS:HB2	1.90	0.52
1:B:244:LYS:HG3	1:B:245:SER:H	1.72	0.52
1:B:421:LEU:HD22	1:B:431:LEU:HD13	1.92	0.52
1:B:357:ARG:HH11	1:B:358:LYS:HB2	1.74	0.52
1:B:444:GLN:HE21	1:B:448:GLU:HG3	1.75	0.51
1:A:324:GLU:OE2	1:A:443:ARG:HD3	2.11	0.50
1:A:370:PHE:CB	1:A:445:ILE:HD11	2.41	0.50
1:B:255:LEU:O	1:B:259:GLU:HG3	2.11	0.50
1:B:306:PHE:O	1:B:309:LEU:HB2	2.11	0.50
1:B:326:ILE:HG21	3:B:1[A]:LNA:H5	1.93	0.50
1:B:441:ASP:N	1:B:441:ASP:OD1	2.45	0.50
1:A:232:LYS:HG2	5:A:521:HOH:O	2.11	0.50
1:B:285:CYS:SG	4:B:478[B]:LNB:H17A	2.51	0.49
1:A:286:GLN:HG3	1:A:469:LEU:HD12	1.93	0.49
1:B:418:GLU:O	1:B:422:LYS:HG3	2.12	0.49
1:A:285:CYS:HB2	3:A:1[A]:LNA:H16	1.95	0.48
1:B:273:GLN:HA	5:B:609:HOH:O	2.11	0.48
1:A:285:CYS:SG	3:A:1[A]:LNA:H8A	2.54	0.48
1:B:323[A]:HIS:HD2	3:B:1[A]:LNA:C5	2.26	0.48
1:B:261:LYS:O	1:B:262:ILE:CB	2.53	0.48
2:C:697:GLY:O	2:C:698:SER:O	2.32	0.48
1:A:228:LEU:HA	5:A:501:HOH:O	2.13	0.47
1:B:244:LYS:CG	1:B:245:SER:H	2.27	0.47
1:A:357:ARG:HG2	5:A:502:HOH:O	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:256:MET:O	1:A:259:GLU:HG2	2.14	0.47
1:B:323[A]:HIS:NE2	3:B:1[A]:LNA:H4	2.28	0.46
1:A:325:ILE:O	1:A:329:MET:HG3	2.16	0.46
3:B:1[A]:LNA:H3	3:B:1[A]:LNA:H6A	1.13	0.46
1:B:365:GLU:O	1:B:369:GLU:HG3	2.14	0.46
1:B:286:GLN:HB3	1:B:466[B]:HIS:HD2	1.74	0.46
1:A:286:GLN:HG3	1:A:469:LEU:CD1	2.46	0.46
1:B:262:ILE:HG12	1:B:263:LYS:HB3	1.97	0.46
2:C:698:SER:HB3	2:C:699:PRO:HB2	1.98	0.46
1:A:353:LEU:HD13	1:A:364:MET:HG3	1.96	0.46
4:B:478[B]:LNB:H3	4:B:478[B]:LNB:H6A	1.53	0.46
1:B:456:ILE:HG21	1:B:463[B]:MET:HG2	1.98	0.46
1:A:365:GLU:O	1:A:369:GLU:HG3	2.15	0.45
1:A:449:HIS:O	1:A:453:LEU:HD22	2.17	0.45
1:B:458:LYS:HA	1:B:458:LYS:HD2	1.75	0.45
1:B:299:TYR:OH	1:B:385:ALA:O	2.29	0.45
1:A:357:ARG:HH21	1:A:358:LYS:HG3	1.83	0.44
1:B:298:GLU:HG2	5:B:494:HOH:O	2.18	0.44
1:A:442:LEU:O	1:A:446:VAL:HG23	2.18	0.43
1:A:286:GLN:HA	1:A:286:GLN:HE21	1.83	0.43
1:B:456:ILE:HG22	1:B:463[A]:MET:HE2	1.99	0.43
1:A:460[A]:GLU:HB3	1:A:463:MET:HG3	2.01	0.43
1:B:318:LEU:CD2	2:D:694:LEU:HD21	2.48	0.43
1:A:252:MET:CE	1:A:277:VAL:HG13	2.48	0.43
4:A:478[B]:LNB:H6A	4:A:478[B]:LNB:H3	1.46	0.43
1:B:229:THR:OG1	1:B:232:LYS:CG	2.67	0.43
1:A:228:LEU:HD23	1:A:333:LEU:HD22	2.01	0.43
1:B:445:ILE:HD11	5:B:568:HOH:O	2.18	0.43
1:B:226:PHE:HA	1:B:227:PRO:HD2	1.94	0.42
1:B:327:TYR:HE1	4:B:478[B]:LNB:C5	2.33	0.42
1:B:310:ASP:OD1	1:B:312:ASN:HB2	2.20	0.42
3:A:1[A]:LNA:H6A	3:A:1[A]:LNA:H3	1.13	0.42
1:A:460[B]:GLU:HB3	1:A:463:MET:HG3	2.01	0.42
1:B:282:PHE:HD2	1:B:283[B]:GLN:HE22	1.67	0.42
1:B:243:ASP:OD1	1:B:243:ASP:N	2.52	0.41
2:C:686:ARG:CZ	5:C:219:HOH:O	2.68	0.41
1:A:468:LEU:HD11	2:C:690:LEU:HD13	2.02	0.41
1:B:290:VAL:HG13	1:B:468:LEU:HD23	2.01	0.41
1:A:364:MET:O	1:A:367:LYS:HB2	2.21	0.41
1:B:327:TYR:CE1	4:B:478[B]:LNB:H5	2.56	0.40
1:B:358:LYS:HB3	1:B:359:PRO:CD	2.38	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:367:LYS:NZ	5:A:572:HOH:O	2.47	0.40
1:B:454:GLN:NE2	1:B:457:LYS:NZ	2.69	0.40
1:A:241:THR:O	1:A:242:THR:HB	2.21	0.40
1:B:445:ILE:HA	1:B:445:ILE:HD13	1.91	0.40
1:B:463[A]:MET:HE1	1:B:465:LEU:HD21	2.03	0.40
1:A:380:ASP:HB2	5:A:488:HOH:O	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/270 (94%)	238 (93%)	12 (5%)	5 (2%)	9	11
1	B	262/270 (97%)	244 (93%)	12 (5%)	6 (2%)	8	8
2	C	15/16 (94%)	12 (80%)	1 (7%)	2 (13%)	0	0
2	D	14/16 (88%)	9 (64%)	3 (21%)	2 (14%)	0	0
All	All	546/572 (96%)	503 (92%)	28 (5%)	15 (3%)	7	6

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	277	VAL
1	A	358	LYS
1	B	262	ILE
1	B	358	LYS
2	C	698	SER
2	C	699	PRO
1	B	209	ALA
2	D	698	SER
1	A	343[A]	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	343[B]	GLU
1	B	241	THR
1	A	242	THR
1	B	464	SER
1	B	359	PRO
2	D	699	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/243 (96%)	206 (89%)	26 (11%)	7	10
1	B	239/243 (98%)	213 (89%)	26 (11%)	8	11
2	C	16/15 (107%)	12 (75%)	4 (25%)	1	1
2	D	15/15 (100%)	11 (73%)	4 (27%)	0	0
All	All	502/516 (97%)	442 (88%)	60 (12%)	6	8

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	210	ASP
1	A	234	ARG
1	A	237	LEU
1	A	242	THR
1	A	245	SER
1	A	252	MET
1	A	283	GLN
1	A	286	GLN
1	A	288	ARG
1	A	309	LEU
1	A	322	VAL
1	A	336	LYS
1	A	354	LYS
1	A	357	ARG
1	A	358	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	379	LEU
1	A	403	VAL
1	A	404	LYS
1	A	431	LEU
1	A	436	LEU
1	A	440	THR
1	A	452	LEU
1	A	453	LEU
1	A	462	ASP
1	A	463	MET
1	A	477	TYR
1	B	216	LYS
1	B	223	ILE
1	B	232	LYS
1	B	241	THR
1	B	243	ASP
1	B	256	MET
1	B	262	ILE
1	B	309	LEU
1	B	318	LEU
1	B	319	LYS
1	B	322	VAL
1	B	343	GLU
1	B	423	LEU
1	B	431	LEU
1	B	437	GLN
1	B	439	MET
1	B	440	THR
1	B	441	ASP
1	B	452	LEU
1	B	453	LEU
1	B	458	LYS
1	B	461	THR
1	B	462	ASP
1	B	463[A]	MET
1	B	463[B]	MET
1	B	465	LEU
2	C	688	LYS
2	C	690	LEU
2	C	695	GLN
2	C	699	PRO
2	D	685	GLU

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	D	686	ARG
2	D	695	GLN
2	D	696	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	412	ASN
1	A	454	GLN
1	A	470	GLN
1	B	308	ASN
1	B	424	ASN
1	B	437	GLN
1	B	444	GLN
1	B	454	GLN
2	C	691	HIS
2	D	695	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	LNA	A	1[A]	-	17,22,22	0.96	1 (5%)	14,24,24	2.42	3 (21%)
4	LNB	A	478[B]	-	17,22,22	0.69	1 (5%)	14,24,24	0.90	1 (7%)
3	LNA	B	1[A]	-	17,22,22	0.99	1 (5%)	14,24,24	2.40	2 (14%)
4	LNB	B	478[B]	-	17,22,22	0.69	1 (5%)	14,24,24	0.89	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LNA	A	1[A]	-	-	0/17/23/23	0/0/0/0
4	LNB	A	478[B]	-	-	0/17/23/23	0/0/0/0
3	LNA	B	1[A]	-	-	0/17/23/23	0/0/0/0
4	LNB	B	478[B]	-	-	0/17/23/23	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	478[B]	LNB	O22-N21	-2.41	1.17	1.22
4	B	478[B]	LNB	O22-N21	-2.40	1.17	1.22
3	A	1[A]	LNA	C11-C10	2.50	1.56	1.50
3	B	1[A]	LNA	C11-C12	2.68	1.56	1.49

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1[A]	LNA	C11-C12-C13	-7.29	108.73	125.14
3	B	1[A]	LNA	C11-C12-C13	-7.12	109.11	125.14
3	B	1[A]	LNA	C7-C8-C9	-4.07	103.77	113.14
3	A	1[A]	LNA	C7-C8-C9	-4.06	103.80	113.14
4	A	478[B]	LNB	C11-C10-C9	-2.81	118.82	125.14
4	B	478[B]	LNB	C11-C10-C9	-2.77	118.90	125.14
3	A	1[A]	LNA	C6-C7-C8	-2.01	106.03	113.86

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 36 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1[A]	LNA	7	0
4	A	478[B]	LNB	5	0
3	B	1[A]	LNA	14	0
4	B	478[B]	LNB	10	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	257/270 (95%)	0.52	24 (9%) 11 10	23, 35, 55, 60	0
1	B	260/270 (96%)	0.39	18 (6%) 20 19	22, 31, 54, 62	0
2	C	16/16 (100%)	0.55	2 (12%) 5 5	45, 56, 73, 74	0
2	D	16/16 (100%)	1.45	7 (43%) 0 0	37, 53, 80, 81	0
All	All	549/572 (95%)	0.49	51 (9%) 11 10	22, 34, 57, 81	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	242	THR	8.8
1	A	463	MET	7.4
1	B	241	THR	6.3
1	B	208	SER	5.5
1	B	209	ALA	5.5
1	B	243	ASP	5.0
1	A	464	SER	4.6
2	D	698	SER	4.5
1	A	461	THR	4.4
1	B	245	SER	4.2
1	A	462	ASP	4.0
1	A	457	LYS	3.7
2	D	700	SER	3.6
1	B	239	GLY	3.4
1	A	476	LEU	3.2
1	A	247	PHE	3.2
2	D	697	GLY	3.2
2	D	696	GLU	3.0
2	C	685	GLU	3.0
1	A	274	SER	3.0
1	B	240	LYS	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	238	THR	2.9
1	A	470	GLN	2.9
1	A	439	MET	2.7
2	D	699	PRO	2.7
2	D	685	GLU	2.7
1	A	456	ILE	2.7
1	A	414	LEU	2.6
2	C	700	SER	2.6
1	A	275	LYS	2.6
1	B	252	MET	2.5
1	A	260	ASP	2.4
1	A	391	ILE	2.4
1	A	243	ASP	2.4
1	B	457	LYS	2.4
2	D	686	ARG	2.3
1	B	439	MET	2.3
1	B	363	PHE	2.3
1	A	466	HIS	2.2
1	A	436	LEU	2.2
1	A	390	VAL	2.2
1	B	436	LEU	2.2
1	A	459	THR	2.2
1	A	477	TYR	2.1
1	B	435	LEU	2.1
1	A	433	ALA	2.1
1	B	433	ALA	2.1
1	B	462	ASP	2.1
1	A	410	GLN	2.1
1	A	472	ILE	2.1
1	B	437	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	LNA	B	1[A]	23/23	0.52	0.38	4.50	54,58,61,61	23
4	LNB	B	478[B]	23/23	0.47	0.37	4.28	47,55,65,65	23
3	LNA	A	1[A]	23/23	0.54	0.31	2.97	54,58,61,61	23
4	LNB	A	478[B]	23/23	0.62	0.30	2.80	47,54,65,66	23

## 6.5 Other polymers [i](#)

There are no such residues in this entry.