



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 03:41 PM GMT

PDB ID : 4CYV
Title : Structure of the A_mallard_Sweden_51_2002 H10 Avian Haemmagglutinin
Authors : Vachieri, S.G.; Xiong, X.; Collins, P.J.; Walker, P.A.; Martin, S.R.; Haire, L.F.; McCauley, J.W.; Gamblin, S.J.; Skehel, J.J.
Deposited on : 2014-04-15
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	324	<div> <div>4%</div> <div>81%15% . .</div> </div>
1	C	324	<div> <div>2%</div> <div>89%8% . . .</div> </div>
1	E	324	<div> <div>8%</div> <div>82%15% . .</div> </div>
2	B	172	<div> <div>9%</div> <div>86%13% .</div> </div>
2	D	172	<div> <div>17%</div> <div>95% . .</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	172	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	A	401	X	-	-	X
3	NAG	A	420	X	-	-	-
3	NAG	C	420	X	-	-	-
3	NAG	E	420	X	-	-	-
4	EDO	A	1328	-	-	-	X
4	EDO	B	1173	-	-	-	X
4	EDO	B	1175	-	-	-	X
4	EDO	C	1327	-	-	-	X
4	EDO	C	1328	-	-	-	X
4	EDO	C	1329	-	-	-	X
4	EDO	E	1326	-	-	-	X
4	EDO	E	1327	-	-	-	X
4	EDO	E	1328	-	-	X	X
4	EDO	F	1175	-	-	-	X
4	EDO	F	1176	-	-	X	X
5	MAN	F	205	X	-	-	-
6	NAG	C	401	-	-	-	X
7	NAG	E	402	X	-	-	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 12135 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HEMAGGLUTININ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	318	Total	C	N	O	S	0	1	0
			2427	1501	436	474	16			
1	C	319	Total	C	N	O	S	0	0	0
			2430	1504	437	473	16			
1	E	319	Total	C	N	O	S	0	0	0
			2426	1501	436	473	16			

- Molecule 2 is a protein called HEMAGGLUTININ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	172	Total	C	N	O	S	0	0	0
			1384	855	239	282	8			
2	D	172	Total	C	N	O	S	0	0	0
			1377	851	240	278	8			
2	F	172	Total	C	N	O	S	0	0	0
			1380	851	239	282	8			

- Molecule 3 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	F	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is a polymer of unknown type called SUGAR (5-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	5	Total	C	N	O	0	0
			61	34	2	25		
5	D	5	Total	C	N	O	0	0
			61	34	2	25		
5	F	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 6 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	C	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 7 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	E	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	69	Total	O	0	0
			69	69		
8	B	43	Total	O	0	0
			43	43		
8	C	98	Total	O	0	0
			98	98		
8	D	27	Total	O	0	0
			27	27		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	E	52	Total	O	0	0
			52	52		
8	F	16	Total	O	0	0
			16	16		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: HEMAGGLUTININ




• Molecule 1: HEMAGGLUTININ




• Molecule 1: HEMAGGLUTININ




• Molecule 2: HEMAGGLUTININ








• Molecule 2: HEMAGGLUTININ



• Molecule 2: HEMAGGLUTININ



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	67.61Å 227.99Å 68.72Å 90.00° 110.32° 90.00°	Depositor
Resolution (Å)	113.99 – 2.30 49.15 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.4 (113.99-2.30) 98.4 (49.15-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.51 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.214 , 0.252 0.217 , 0.254	Depositor DCC
R_{free} test set	4237 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	41.6	Xtriage
Anisotropy	0.226	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 43.3	EDS
Estimated twinning fraction	0.022 for l,-k,h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 84732 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12135	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, EDO, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.65	2/2479 (0.1%)	0.76	3/3361 (0.1%)
1	C	0.76	3/2479 (0.1%)	0.85	6/3361 (0.2%)
1	E	0.65	2/2475 (0.1%)	0.76	4/3357 (0.1%)
2	B	0.52	0/1409	0.65	0/1902
2	D	0.56	0/1402	0.66	0/1892
2	F	0.56	0/1405	0.66	0/1897
All	All	0.64	7/11649 (0.1%)	0.75	13/15770 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	F	1	0
7	E	1	0
All	All	2	0

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	114	GLU	CD-OE2	16.48	1.43	1.25
1	A	114	GLU	CD-OE2	14.82	1.42	1.25
1	E	114	GLU	CD-OE2	11.45	1.38	1.25
1	E	114	GLU	CB-CG	9.31	1.69	1.52
1	C	114	GLU	CB-CG	8.72	1.68	1.52
1	C	114	GLU	CA-CB	5.76	1.66	1.53
1	A	114	GLU	CB-CG	5.24	1.62	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	114	GLU	CA-CB-CG	8.99	133.19	113.40
1	C	114	GLU	CA-CB-CG	8.40	131.87	113.40
1	C	114	GLU	CG-CD-OE1	-7.93	102.43	118.30
1	C	264	ARG	NE-CZ-NH1	6.99	123.80	120.30
1	E	114	GLU	CG-CD-OE1	-6.94	104.42	118.30
1	E	114	GLU	CG-CD-OE2	6.50	131.31	118.30
1	C	114	GLU	CG-CD-OE2	6.22	130.73	118.30
1	A	114	GLU	CA-CB-CG	6.01	126.61	113.40
1	A	114	GLU	CG-CD-OE1	-5.96	106.38	118.30
1	C	50	ARG	NE-CZ-NH1	5.29	122.94	120.30
1	E	290	THR	N-CA-C	-5.08	97.27	111.00
1	C	194	LEU	CA-CB-CG	5.06	126.94	115.30
1	A	114	GLU	CG-CD-OE2	5.06	128.42	118.30

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	E	402	NAG	C1
5	F	205	MAN	C1

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2427	0	2360	45	0
1	C	2430	0	2367	17	1
1	E	2426	0	2356	36	1
2	B	1384	0	1276	29	0
2	D	1377	0	1270	7	0
2	F	1380	0	1266	27	0
3	A	28	0	26	0	0
3	B	14	0	13	0	0
3	C	14	0	13	0	0
3	D	14	0	13	1	0
3	E	14	0	13	0	0
4	A	12	0	18	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	12	0	18	1	0
4	C	16	0	24	2	0
4	D	4	0	6	0	0
4	E	12	0	18	7	0
4	F	16	0	24	8	0
5	B	61	0	50	3	0
5	D	61	0	52	1	0
5	F	61	0	52	2	0
6	C	39	0	34	4	0
7	E	28	0	25	0	0
8	A	69	0	0	1	0
8	B	43	0	0	4	0
8	C	98	0	0	1	0
8	D	27	0	0	0	0
8	E	52	0	0	3	0
8	F	16	0	0	0	0
All	All	12135	0	11294	141	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:10:ILE:HG21	4:F:1176:EDO:O1	1.72	0.88
2:F:56:ILE:HG22	2:F:56:ILE:O	1.82	0.78
1:E:158(A):LYS:O	1:E:193:ASP:O	2.06	0.74
2:F:14:TRP:CE2	4:F:1176:EDO:H21	2.23	0.73
1:E:291:ARG:HB3	2:F:56:ILE:HG21	1.69	0.72
6:C:401:NAG:H3	6:C:401:NAG:H83	1.71	0.71
1:A:114:GLU:OE2	5:F:201:NAG:O7	2.11	0.68
1:A:44:GLU:OE1	1:A:290:THR:CG2	2.41	0.68
2:F:102:MET:SD	4:F:1175:EDO:O2	2.47	0.68
1:C:264:ARG:HH11	1:C:264:ARG:HG3	1.60	0.67
1:A:66:PRO:O	1:A:69:MET:HG2	1.94	0.66
2:F:10:ILE:CG2	4:F:1176:EDO:O1	2.44	0.65
8:E:2046:HOH:O	2:F:59:THR:HG21	1.95	0.65
1:A:295:GLN:HE21	1:A:297:LEU:H	1.45	0.65
8:E:2046:HOH:O	2:F:59:THR:CG2	2.44	0.64
1:A:295:GLN:HE22	1:A:298:SER:H	1.42	0.64
2:F:13:GLY:HA2	4:F:1176:EDO:O2	1.98	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:14:TRP:CD2	4:F:1176:EDO:H21	2.35	0.61
2:D:73:ILE:N	2:D:73:ILE:HD13	2.14	0.61
1:E:291:ARG:HB3	2:F:56:ILE:CG2	2.31	0.61
1:E:44:GLU:OE2	1:E:46:THR:HB	2.02	0.60
1:E:300:ARG:NH1	2:F:67:GLU:OE1	2.34	0.60
1:A:16:GLY:C	2:B:115:MET:HE1	2.22	0.60
6:C:401:NAG:H3	6:C:401:NAG:C8	2.32	0.59
1:C:264:ARG:CG	1:C:264:ARG:HH11	2.15	0.59
1:A:311:LYS:HE3	2:B:97:GLU:CD	2.23	0.59
1:A:76:CYS:O	1:A:80:LEU:HD13	2.03	0.58
1:E:175:GLU:OE1	1:E:238:GLN:NE2	2.38	0.57
1:A:111:LYS:NZ	8:A:2031:HOH:O	2.33	0.57
2:B:82:ASN:OD1	5:B:201:NAG:C2	2.47	0.57
1:A:257:VAL:HA	4:A:1328:EDO:H11	1.85	0.56
1:C:58:HIS:HE1	1:C:276:ASN:HD21	1.52	0.56
1:A:295:GLN:HE21	1:A:297:LEU:N	2.03	0.56
1:A:100:GLY:HA3	1:A:230:ILE:O	2.05	0.56
1:A:295:GLN:NE2	1:A:298:SER:H	2.02	0.56
1:E:154:LEU:HB2	4:E:1328:EDO:H21	1.87	0.56
2:F:102:MET:SD	4:F:1175:EDO:C2	2.94	0.55
1:C:18:HIS:HE1	8:C:2004:HOH:O	1.90	0.54
1:E:291:ARG:O	2:F:56:ILE:HG23	2.07	0.54
1:E:73:THR:HG22	1:E:74:PRO:HD2	1.90	0.54
1:A:69:MET:HB2	1:A:79:HIS:O	2.08	0.54
2:B:10:ILE:HD13	2:B:115:MET:CE	2.39	0.53
1:E:231:ASP:OD1	1:E:231:ASP:O	2.26	0.53
1:C:204:VAL:O	1:C:210:GLN:HA	2.09	0.52
1:E:295:GLN:OE1	1:E:297:LEU:N	2.43	0.52
2:B:10:ILE:HD13	2:B:115:MET:HE2	1.90	0.52
1:E:247:HIS:ND1	4:E:1328:EDO:O1	2.40	0.52
1:A:151:LEU:HD23	1:A:254:PRO:HA	1.92	0.51
1:A:123:THR:CG2	1:A:255:SER:HA	2.40	0.51
8:B:2005:HOH:O	2:F:95:GLN:HG3	2.10	0.51
1:A:123:THR:HG21	1:A:254:PRO:O	2.11	0.51
1:A:161:PHE:HB3	1:A:248:ASN:O	2.10	0.51
1:C:258:SER:OG	4:C:1328:EDO:O1	2.27	0.51
1:A:216:VAL:HG22	1:C:212:ASN:HB2	1.92	0.51
1:A:160:ASN:HD21	1:A:197:THR:HG22	1.75	0.51
1:A:44:GLU:OE1	1:A:290:THR:HG23	2.09	0.50
2:F:38:TYR:CE1	2:F:42:GLN:HG3	2.46	0.50
1:E:279:SER:CB	1:E:289:ASN:OD1	2.60	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:15:LEU:CD1	2:F:119:TYR:HA	2.42	0.49
1:E:208:THR:O	1:E:208:THR:CG2	2.59	0.49
1:A:44:GLU:HB2	1:A:290:THR:HG21	1.94	0.49
2:B:95:GLN:HE22	2:F:95:GLN:NE2	2.11	0.49
1:A:15:LEU:CD1	2:B:119:TYR:HA	2.42	0.49
2:D:150:GLU:HB3	3:D:211:NAG:H61	1.95	0.49
2:B:1:GLY:N	8:B:2001:HOH:O	2.45	0.48
1:C:47:SER:HB2	1:C:297:LEU:HD22	1.94	0.48
2:B:93:THR:O	2:B:97:GLU:HG3	2.13	0.48
2:D:150:GLU:O	2:D:154:ASN:HB2	2.14	0.48
1:E:11:ASP:OD1	1:E:11:ASP:N	2.45	0.48
1:C:240:GLY:O	6:C:401:NAG:H82	2.14	0.47
1:A:210:GLN:HE21	1:E:231:ASP:HB3	1.78	0.47
1:E:15:LEU:HD21	2:F:24:PHE:CE1	2.49	0.47
1:C:220:ARG:HB2	1:C:221:PRO:CD	2.44	0.47
1:E:154:LEU:HB2	4:E:1328:EDO:C2	2.44	0.47
2:B:82:ASN:OD1	5:B:201:NAG:H2	2.12	0.47
1:E:208:THR:O	1:E:208:THR:HG22	2.14	0.47
2:B:82:ASN:OD1	8:B:2020:HOH:O	2.20	0.47
1:E:140:MET:SD	1:E:143:GLY:O	2.73	0.47
1:A:22:ASN:HD22	1:A:22:ASN:N	2.12	0.47
1:C:110:GLN:O	4:C:1329:EDO:H22	2.14	0.46
2:B:32:THR:HG22	2:B:33:GLY:N	2.31	0.46
1:A:166:ASN:HD22	1:A:247:HIS:HE1	1.62	0.46
2:B:55:LEU:HD21	2:B:99:LEU:HD21	1.98	0.46
1:A:130:ILE:HD11	1:A:164:THR:HG21	1.96	0.46
5:F:201:NAG:O4	5:F:202:NAG:H61	2.15	0.46
1:A:123:THR:HG22	1:A:255:SER:HA	1.98	0.46
1:E:73:THR:HG22	1:E:74:PRO:CD	2.46	0.46
1:A:48:LEU:HD23	1:A:50:ARG:CZ	2.46	0.46
1:E:251:LEU:HB3	4:E:1328:EDO:O1	2.16	0.46
2:B:95:GLN:NE2	2:F:95:GLN:HE21	2.13	0.46
2:B:75:HIS:HE1	1:C:114:GLU:OE1	1.99	0.45
2:D:6:ILE:HD12	2:D:112:ASP:HA	1.97	0.45
2:B:73:ILE:N	2:B:73:ILE:HD12	2.32	0.45
1:E:179:MET:HB2	4:E:1326:EDO:H12	1.98	0.45
1:C:190:GLU:O	1:C:194:LEU:HD22	2.15	0.45
1:C:240:GLY:O	6:C:401:NAG:C8	2.64	0.45
1:E:295:GLN:O	1:E:308:TYR:HA	2.17	0.45
1:E:17:HIS:HA	8:E:2002:HOH:O	2.16	0.45
2:F:73:ILE:N	2:F:73:ILE:HD12	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1:GLY:CA	8:B:2001:HOH:O	2.65	0.44
2:B:79:ASN:OD1	5:B:201:NAG:C8	2.65	0.44
1:A:189:GLN:OE1	1:A:189:GLN:N	2.44	0.44
2:B:95:GLN:NE2	2:D:95:GLN:NE2	2.65	0.44
1:A:72:GLY:HA2	1:A:80:LEU:HD11	1.99	0.44
1:E:178:ILE:HG13	1:E:257:VAL:HG12	1.99	0.44
2:F:52:LEU:O	2:F:56:ILE:HD12	2.18	0.44
2:B:88:ILE:HG21	4:B:1175:EDO:H22	1.99	0.44
5:D:201:NAG:O7	1:E:114:GLU:OE2	2.35	0.44
1:A:212:ASN:CG	1:E:216:VAL:HG21	2.38	0.43
1:A:160:ASN:HD22	1:A:160:ASN:N	2.17	0.43
1:A:212:ASN:ND2	1:E:216:VAL:HG21	2.33	0.43
1:A:166:ASN:ND2	1:A:247:HIS:HE1	2.16	0.43
1:A:44:GLU:OE1	1:A:290:THR:HG21	2.18	0.43
1:A:30:THR:HG22	2:B:105:GLN:HE22	1.83	0.43
1:C:220:ARG:HB2	1:C:221:PRO:HD2	2.00	0.42
1:A:114:GLU:OE2	2:B:64:GLU:OE2	2.37	0.42
2:F:171:LEU:O	2:F:172:ASN:CB	2.67	0.42
2:B:95:GLN:NE2	2:D:95:GLN:HE21	2.18	0.42
2:B:95:GLN:NE2	2:F:95:GLN:NE2	2.68	0.42
2:B:164:GLU:N	2:B:164:GLU:CD	2.73	0.42
1:A:101:ALA:N	1:A:231[A]:ASP:OD1	2.53	0.42
1:E:66:PRO:HA	1:E:69:MET:HE3	2.01	0.42
1:A:17:HIS:N	2:B:115:MET:HE1	2.35	0.41
2:B:167:LEU:O	2:B:171:LEU:HD13	2.20	0.41
1:E:177:LEU:HD23	1:E:177:LEU:C	2.41	0.41
1:E:247:HIS:CG	4:E:1328:EDO:O1	2.73	0.41
1:A:50:ARG:NH1	1:A:275:ASP:OD2	2.53	0.41
1:A:257:VAL:CA	4:A:1328:EDO:H11	2.50	0.41
1:C:151:LEU:HD23	1:C:254:PRO:HA	2.02	0.41
1:A:200:LEU:O	1:A:214:VAL:HG13	2.20	0.41
2:F:102:MET:SD	4:F:1175:EDO:H22	2.60	0.41
2:F:73:ILE:H	2:F:73:ILE:HD12	1.86	0.41
2:B:164:GLU:H	2:B:164:GLU:CD	2.24	0.41
1:A:71:ILE:O	1:A:148:TYR:HB3	2.20	0.41
1:E:151:LEU:HD23	1:E:254:PRO:HA	2.03	0.41
2:B:95:GLN:HE21	2:D:95:GLN:HE21	1.69	0.41
1:C:194:LEU:HD21	1:C:195:TYR:CE2	2.56	0.41
1:E:207:SER:HB3	1:E:241:ASP:OD1	2.21	0.41
1:E:161:PHE:CZ	4:E:1328:EDO:H21	2.56	0.40
1:A:166:ASN:HD22	1:A:247:HIS:CE1	2.39	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:56:ILE:CG2	2:F:56:ILE:O	2.55	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:83:THR:OG1	1:E:49:ASP:OD2[1_655]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/324 (98%)	304 (96%)	13 (4%)	0	100	100
1	C	317/324 (98%)	306 (96%)	11 (4%)	0	100	100
1	E	317/324 (98%)	299 (94%)	18 (6%)	0	100	100
2	B	170/172 (99%)	159 (94%)	11 (6%)	0	100	100
2	D	170/172 (99%)	166 (98%)	4 (2%)	0	100	100
2	F	170/172 (99%)	161 (95%)	9 (5%)	0	100	100
All	All	1461/1488 (98%)	1395 (96%)	66 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/275 (98%)	256 (95%)	14 (5%)	29	38
1	C	270/275 (98%)	258 (96%)	12 (4%)	35	46
1	E	269/275 (98%)	250 (93%)	19 (7%)	18	23
2	B	145/146 (99%)	140 (97%)	5 (3%)	44	59
2	D	143/146 (98%)	140 (98%)	3 (2%)	61	78
2	F	144/146 (99%)	138 (96%)	6 (4%)	36	49
All	All	1241/1263 (98%)	1182 (95%)	59 (5%)	31	42

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	HIS
1	A	29	LEU
1	A	48	LEU
1	A	73	THR
1	A	80	LEU
1	A	128	SER
1	A	137	LYS
1	A	159	GLN
1	A	160	ASN
1	A	164	THR
1	A	200	LEU
1	A	220	ARG
1	A	290	THR
1	A	310	ASN
2	B	58	LYS
2	B	72	GLU
2	B	113	SER
2	B	164	GLU
2	B	167	LEU
1	C	10	LEU
1	C	29	LEU
1	C	50	ARG
1	C	152	LYS
1	C	159	GLN
1	C	194	LEU
1	C	200	LEU
1	C	211	SER
1	C	246	SER
1	C	264	ARG
1	C	295	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	321	ARG
2	D	59	THR
2	D	73	ILE
2	D	160	SER
1	E	10	LEU
1	E	11	ASP
1	E	18	HIS
1	E	29	LEU
1	E	49	ASP
1	E	57	SER
1	E	73	THR
1	E	122	SER
1	E	136	THR
1	E	159	GLN
1	E	194	LEU
1	E	198	GLN
1	E	210	GLN
1	E	227	SER
1	E	246	SER
1	E	255	SER
1	E	289	ASN
1	E	295	GLN
1	E	310	ASN
2	F	54	ARG
2	F	59	THR
2	F	113	SER
2	F	135	LYS
2	F	156	THR
2	F	164	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	HIS
1	A	18	HIS
1	A	22	ASN
1	A	160	ASN
1	A	166	ASN
1	A	183	HIS
1	A	224	ASN
1	A	238	GLN
1	A	247	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	295	GLN
1	A	304	GLN
2	B	75	HIS
2	B	105	GLN
2	B	117	ASN
1	C	58	HIS
1	C	222	GLN
1	C	276	ASN
2	D	95	GLN
1	E	22	ASN
1	E	159	GLN
1	E	160	ASN
2	F	95	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

20 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	B	201	2,5	14,14,15	1.91	3 (21%)	15,19,21	3.90	7 (46%)
5	NAG	B	202	5	14,14,15	0.88	1 (7%)	15,19,21	1.71	6 (40%)
5	BMA	B	203	5	11,11,12	0.78	0	14,15,17	2.13	3 (21%)
5	MAN	B	204	5	11,11,12	0.57	0	14,15,17	1.17	1 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MAN	B	207	5	11,11,12	0.68	0	14,15,17	1.60	3 (21%)
6	NAG	C	401	1,6	14,14,15	0.53	0	15,19,21	1.54	4 (26%)
6	NAG	C	402	6	14,14,15	0.72	0	15,19,21	1.26	2 (13%)
6	BMA	C	403	6	11,11,12	0.55	0	14,15,17	2.52	3 (21%)
5	NAG	D	201	2,5	14,14,15	0.71	0	15,19,21	1.72	6 (40%)
5	NAG	D	202	5	14,14,15	0.53	0	15,19,21	1.08	0
5	BMA	D	203	5	11,11,12	0.64	0	14,15,17	2.33	2 (14%)
5	MAN	D	204	5	11,11,12	0.43	0	14,15,17	0.98	0
5	MAN	D	207	5	11,11,12	0.60	0	14,15,17	1.73	4 (28%)
7	NAG	E	401	1,7	14,14,15	0.50	0	15,19,21	1.60	3 (20%)
7	NAG	E	402	7	14,14,15	0.52	0	15,19,21	1.57	4 (26%)
5	NAG	F	201	2,5	14,14,15	0.62	0	15,19,21	1.65	4 (26%)
5	NAG	F	202	5	14,14,15	0.74	0	15,19,21	1.54	3 (20%)
5	BMA	F	203	5	11,11,12	0.64	0	14,15,17	1.64	4 (28%)
5	MAN	F	204	5	11,11,12	0.54	0	14,15,17	1.54	2 (14%)
5	MAN	F	205	5	11,11,12	0.71	0	14,15,17	2.21	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	B	201	2,5	-	0/6/23/26	0/1/1/1
5	NAG	B	202	5	-	0/6/23/26	0/1/1/1
5	BMA	B	203	5	-	0/2/19/22	0/1/1/1
5	MAN	B	204	5	-	0/2/19/22	0/1/1/1
5	MAN	B	207	5	-	0/2/19/22	1/1/1/1
6	NAG	C	401	1,6	-	0/6/23/26	0/1/1/1
6	NAG	C	402	6	-	0/6/23/26	0/1/1/1
6	BMA	C	403	6	-	0/2/19/22	0/1/1/1
5	NAG	D	201	2,5	-	0/6/23/26	0/1/1/1
5	NAG	D	202	5	-	0/6/23/26	0/1/1/1
5	BMA	D	203	5	-	0/2/19/22	0/1/1/1
5	MAN	D	204	5	-	0/2/19/22	0/1/1/1
5	MAN	D	207	5	-	0/2/19/22	1/1/1/1
7	NAG	E	401	1,7	-	0/6/23/26	0/1/1/1
7	NAG	E	402	7	1/1/5/7	0/6/23/26	0/1/1/1
5	NAG	F	201	2,5	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	F	202	5	-	0/6/23/26	0/1/1/1
5	BMA	F	203	5	-	0/2/19/22	0/1/1/1
5	MAN	F	204	5	-	0/2/19/22	1/1/1/1
5	MAN	F	205	5	1/1/4/5	0/2/19/22	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	202	NAG	O5-C1	-2.29	1.39	1.43
5	B	201	NAG	C3-C2	2.27	1.57	1.52
5	B	201	NAG	C8-C7	3.23	1.57	1.50
5	B	201	NAG	C1-C2	5.71	1.60	1.52

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	201	NAG	O7-C7-N2	-6.34	108.94	121.86
5	B	201	NAG	C3-C2-N2	-4.85	98.94	110.56
5	B	201	NAG	C3-C4-C5	-4.81	101.81	110.20
7	E	401	NAG	C4-C3-C2	-3.87	105.21	111.23
7	E	402	NAG	C4-C3-C2	-3.72	105.44	111.23
5	F	202	NAG	C2-N2-C7	-3.58	118.44	123.04
5	B	203	BMA	C3-C4-C5	-3.21	104.60	110.20
5	F	201	NAG	C3-C4-C5	-3.02	104.92	110.20
5	B	207	MAN	C3-C4-C5	-2.86	105.21	110.20
5	D	201	NAG	C3-C4-C5	-2.85	105.23	110.20
5	D	207	MAN	O5-C1-C2	-2.81	106.29	110.86
5	F	203	BMA	O5-C5-C6	-2.71	101.48	107.35
5	B	207	MAN	O5-C1-C2	-2.67	106.52	110.86
6	C	401	NAG	O7-C7-C8	-2.61	117.27	122.06
5	D	207	MAN	C3-C4-C5	-2.51	105.82	110.20
5	B	202	NAG	C6-C5-C4	-2.44	106.98	113.02
5	B	204	MAN	O4-C4-C3	-2.44	104.85	110.34
5	D	201	NAG	O4-C4-C3	-2.43	104.87	110.34
6	C	403	BMA	C2-C3-C4	-2.41	106.95	111.04
5	D	203	BMA	C2-C3-C4	-2.38	107.00	111.04
5	B	202	NAG	C3-C2-N2	-2.35	104.94	110.56
7	E	402	NAG	O7-C7-C8	-2.24	117.95	122.06
5	B	202	NAG	O4-C4-C3	-2.19	105.41	110.34
5	F	203	BMA	C2-C3-C4	-2.15	107.38	111.04
5	F	201	NAG	C8-C7-N2	-2.11	112.07	116.11
5	F	202	NAG	O4-C4-C3	-2.10	105.62	110.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	202	NAG	C2-N2-C7	-2.01	120.45	123.04
5	F	203	BMA	C1-C2-C3	2.01	111.92	109.54
7	E	402	NAG	C1-O5-C5	2.02	114.81	112.25
6	C	401	NAG	O3-C3-C2	2.07	113.22	109.11
5	B	203	BMA	O2-C2-C3	2.08	114.31	110.12
5	D	207	MAN	O5-C5-C6	2.08	111.86	107.35
5	D	201	NAG	O7-C7-N2	2.09	126.13	121.86
5	D	201	NAG	C1-O5-C5	2.09	114.91	112.25
7	E	402	NAG	C8-C7-N2	2.21	120.33	116.11
6	C	402	NAG	O4-C4-C5	2.26	115.24	109.24
5	B	207	MAN	C1-O5-C5	2.28	115.14	112.25
7	E	401	NAG	C1-O5-C5	2.39	115.29	112.25
5	D	201	NAG	C2-N2-C7	2.46	126.19	123.04
5	F	201	NAG	O7-C7-N2	2.58	127.11	121.86
7	E	401	NAG	O4-C4-C5	2.61	116.15	109.24
6	C	401	NAG	C1-O5-C5	2.69	115.66	112.25
5	B	202	NAG	C3-C4-C5	2.74	114.98	110.20
5	F	203	BMA	C1-O5-C5	2.76	115.75	112.25
6	C	403	BMA	C1-C2-C3	2.81	112.87	109.54
5	D	201	NAG	C6-C5-C4	2.86	120.08	113.02
6	C	402	NAG	C4-C3-C2	2.92	115.77	111.23
5	F	204	MAN	C1-C2-C3	3.09	113.19	109.54
6	C	401	NAG	C3-C2-N2	3.18	118.18	110.56
5	F	202	NAG	C1-O5-C5	3.20	116.31	112.25
5	B	202	NAG	C1-O5-C5	3.54	116.74	112.25
5	D	207	MAN	C1-O5-C5	3.54	116.74	112.25
5	F	201	NAG	C1-O5-C5	3.62	116.84	112.25
5	F	204	MAN	C1-O5-C5	3.85	117.13	112.25
5	B	201	NAG	O3-C3-C2	3.98	117.00	109.11
5	F	205	MAN	C1-O5-C5	4.26	117.65	112.25
5	F	205	MAN	O5-C1-C2	4.53	118.20	110.86
5	F	205	MAN	C3-C4-C5	4.84	118.63	110.20
5	B	201	NAG	C2-N2-C7	5.40	129.98	123.04
5	B	203	BMA	O3-C3-C4	5.83	123.46	110.34
5	B	201	NAG	C1-O5-C5	6.47	120.45	112.25
5	B	201	NAG	C8-C7-N2	6.81	129.14	116.11
5	D	203	BMA	C1-O5-C5	7.74	122.06	112.25
6	C	403	BMA	C1-O5-C5	7.94	122.33	112.25

All (2) chirality outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
-----	-------	-----	------	------

Mol	Chain	Res	Type	Atom
5	F	205	MAN	C1
7	E	402	NAG	C1

There are no torsion outliers.

All (3) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	F	204	MAN	C1-C2-C3-C4-C5-O5
5	D	207	MAN	C1-C2-C3-C4-C5-O5
5	B	207	MAN	C1-C2-C3-C4-C5-O5

5 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	201	NAG	3	0
6	C	401	NAG	4	0
5	D	201	NAG	1	0
5	F	201	NAG	2	0
5	F	202	NAG	1	0

5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	1326	-	3,3,3	0.65	0	2,2,2	0.36	0
4	EDO	A	1327	-	3,3,3	0.63	0	2,2,2	0.35	0
4	EDO	A	1328	-	3,3,3	0.70	0	2,2,2	0.28	0
3	NAG	A	401	1	14,14,15	0.53	0	15,19,21	1.79	4 (26%)
3	NAG	A	420	1	14,14,15	0.55	0	15,19,21	1.39	3 (20%)
4	EDO	B	1173	-	3,3,3	0.62	0	2,2,2	0.24	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	EDO	B	1174	-	3,3,3	0.54	0	2,2,2	0.36	0
4	EDO	B	1175	-	3,3,3	0.42	0	2,2,2	0.61	0
3	NAG	B	211	2	14,14,15	0.64	0	15,19,21	0.99	1 (6%)
4	EDO	C	1326	-	3,3,3	0.61	0	2,2,2	0.55	0
4	EDO	C	1327	-	3,3,3	0.45	0	2,2,2	0.41	0
4	EDO	C	1328	-	3,3,3	0.65	0	2,2,2	0.22	0
4	EDO	C	1329	-	3,3,3	0.55	0	2,2,2	0.59	0
3	NAG	C	420	1	14,14,15	0.58	0	15,19,21	1.83	3 (20%)
4	EDO	D	1173	-	3,3,3	0.58	0	2,2,2	0.39	0
3	NAG	D	211	2	14,14,15	0.75	1 (7%)	15,19,21	1.32	2 (13%)
4	EDO	E	1326	-	3,3,3	0.42	0	2,2,2	0.74	0
4	EDO	E	1327	-	3,3,3	0.63	0	2,2,2	0.08	0
4	EDO	E	1328	-	3,3,3	0.59	0	2,2,2	0.24	0
3	NAG	E	420	1	14,14,15	0.53	0	15,19,21	1.06	0
4	EDO	F	1173	-	3,3,3	0.51	0	2,2,2	0.11	0
4	EDO	F	1174	-	3,3,3	0.38	0	2,2,2	1.05	0
4	EDO	F	1175	-	3,3,3	0.63	0	2,2,2	0.23	0
4	EDO	F	1176	-	3,3,3	0.51	0	2,2,2	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	1326	-	-	0/1/1/1	0/0/0/0
4	EDO	A	1327	-	-	0/1/1/1	0/0/0/0
4	EDO	A	1328	-	-	0/1/1/1	0/0/0/0
3	NAG	A	401	1	1/1/5/7	0/6/23/26	0/1/1/1
3	NAG	A	420	1	1/1/5/7	0/6/23/26	0/1/1/1
4	EDO	B	1173	-	-	0/1/1/1	0/0/0/0
4	EDO	B	1174	-	-	0/1/1/1	0/0/0/0
4	EDO	B	1175	-	-	0/1/1/1	0/0/0/0
3	NAG	B	211	2	-	0/6/23/26	0/1/1/1
4	EDO	C	1326	-	-	0/1/1/1	0/0/0/0
4	EDO	C	1327	-	-	0/1/1/1	0/0/0/0
4	EDO	C	1328	-	-	0/1/1/1	0/0/0/0
4	EDO	C	1329	-	-	0/1/1/1	0/0/0/0
3	NAG	C	420	1	1/1/5/7	0/6/23/26	0/1/1/1
4	EDO	D	1173	-	-	0/1/1/1	0/0/0/0
3	NAG	D	211	2	-	0/6/23/26	0/1/1/1
4	EDO	E	1326	-	-	0/1/1/1	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	E	1327	-	-	0/1/1/1	0/0/0/0
4	EDO	E	1328	-	-	0/1/1/1	0/0/0/0
3	NAG	E	420	1	1/1/5/7	0/6/23/26	0/1/1/1
4	EDO	F	1173	-	-	0/1/1/1	0/0/0/0
4	EDO	F	1174	-	-	0/1/1/1	0/0/0/0
4	EDO	F	1175	-	-	0/1/1/1	0/0/0/0
4	EDO	F	1176	-	-	0/1/1/1	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	211	NAG	C1-C2	2.50	1.55	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	420	NAG	C2-N2-C7	-4.33	117.47	123.04
3	D	211	NAG	C3-C2-N2	-3.11	103.12	110.56
3	A	401	NAG	C4-C3-C2	-2.48	107.38	111.23
3	A	401	NAG	C2-N2-C7	-2.12	120.32	123.04
3	B	211	NAG	O7-C7-C8	-2.09	118.22	122.06
3	A	420	NAG	O3-C3-C2	-2.05	105.06	109.11
3	A	420	NAG	C3-C2-N2	2.00	115.36	110.56
3	A	401	NAG	O5-C5-C6	2.09	111.88	107.35
3	D	211	NAG	C1-O5-C5	2.28	115.14	112.25
3	C	420	NAG	C3-C4-C5	2.49	114.54	110.20
3	C	420	NAG	C4-C3-C2	3.33	116.40	111.23
3	A	420	NAG	C3-C4-C5	3.57	116.42	110.20
3	A	401	NAG	C1-O5-C5	5.39	119.09	112.25

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	E	420	NAG	C1
3	A	420	NAG	C1
3	C	420	NAG	C1
3	A	401	NAG	C1

There are no torsion outliers.

There are no ring outliers.

9 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1328	EDO	2	0
4	B	1175	EDO	1	0
4	C	1328	EDO	1	0
4	C	1329	EDO	1	0
3	D	211	NAG	1	0
4	E	1326	EDO	1	0
4	E	1328	EDO	6	0
4	F	1175	EDO	3	0
4	F	1176	EDO	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	318/324 (98%)	0.17	13 (4%) 41 50	31, 51, 77, 149	0
1	C	319/324 (98%)	0.02	5 (1%) 74 80	24, 42, 76, 140	0
1	E	319/324 (98%)	0.39	27 (8%) 13 19	33, 56, 88, 141	0
2	B	172/172 (100%)	0.74	16 (9%) 11 16	30, 66, 87, 91	0
2	D	172/172 (100%)	0.94	29 (16%) 2 3	30, 65, 94, 99	0
2	F	172/172 (100%)	1.03	28 (16%) 2 4	34, 71, 101, 108	0
All	All	1472/1488 (98%)	0.44	118 (8%) 15 21	24, 56, 91, 149	0

All (118) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	16	GLY	6.0
2	D	27	GLN	4.9
2	D	33	GLY	4.8
2	F	168	LEU	4.6
1	E	158(B)	GLY	4.6
1	E	127	TYR	4.5
1	A	16	GLY	4.4
1	E	22	ASN	4.4
1	A	15	LEU	4.3
2	F	1	GLY	4.2
2	D	18	VAL	4.1
1	E	23	GLY	3.9
2	D	171	LEU	3.7
2	D	1	GLY	3.7
2	F	27	GLN	3.7
2	D	26	HIS	3.6
1	E	161	PHE	3.5
2	F	149	MET	3.4
2	D	30	GLN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	144	GLY	3.4
1	E	21	ALA	3.4
1	A	14	CYS	3.3
2	F	31	GLY	3.3
2	F	26	HIS	3.3
2	D	80	VAL	3.3
2	F	145	ASP	3.3
2	D	172	ASN	3.2
1	E	219	ALA	3.2
2	F	164	GLU	3.2
2	F	80	VAL	3.2
2	D	32	THR	3.1
2	F	17	MET	3.1
1	A	173	THR	3.1
1	A	48	LEU	3.0
1	E	143	GLY	3.0
1	E	189	GLN	3.0
1	E	158(A)	LYS	3.0
2	F	29	ALA	2.9
1	A	13	ILE	2.9
2	D	31	GLY	2.9
1	C	323	VAL	2.9
2	F	73	ILE	2.8
2	F	171	LEU	2.8
2	F	144	CYS	2.8
2	B	80	VAL	2.8
2	D	58	LYS	2.8
2	F	56	ILE	2.8
1	E	158	SER	2.8
2	D	73	ILE	2.7
1	A	11	ASP	2.7
1	C	22	ASN	2.7
1	E	127(A)	GLY	2.7
2	D	143	ALA	2.7
2	D	78	GLY	2.6
1	E	164	THR	2.6
2	D	34	GLN	2.6
2	F	2	LEU	2.6
2	D	147	SER	2.6
2	B	172	ASN	2.6
2	B	116	LEU	2.5
2	D	81	ILE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	167	LEU	2.5
1	E	128	SER	2.5
2	F	11	GLU	2.5
2	D	66	ILE	2.5
2	D	29	ALA	2.4
2	F	172	ASN	2.4
2	B	121	ARG	2.4
2	D	38	TYR	2.4
2	F	152	ILE	2.4
1	A	291	ARG	2.4
2	B	2	LEU	2.4
1	A	143	GLY	2.4
2	D	68	SER	2.3
1	E	195	TYR	2.3
2	F	30	GLN	2.3
1	E	324	PRO	2.3
2	D	35	ALA	2.3
2	F	78	GLY	2.3
2	D	146	ASP	2.3
1	E	162	PRO	2.2
2	F	3	PHE	2.2
1	E	159	GLN	2.2
1	C	23	GLY	2.2
2	D	145	ASP	2.2
2	B	144	CYS	2.2
1	E	33	GLN	2.2
2	F	68	SER	2.2
1	E	160	ASN	2.2
1	A	208	THR	2.2
1	A	130	ILE	2.1
2	B	81	ILE	2.1
2	F	84	THR	2.1
2	B	66	ILE	2.1
1	E	12	LYS	2.1
1	C	10	LEU	2.1
1	E	24	THR	2.1
2	B	158	ASP	2.1
2	D	19	ASP	2.1
1	E	156	SER	2.1
2	B	3	PHE	2.1
2	D	70	PHE	2.1
1	E	167	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	77	ILE	2.1
2	F	58	LYS	2.1
1	E	35	GLU	2.1
1	A	107	ALA	2.1
2	B	83	TRP	2.1
1	C	33	GLN	2.1
1	E	155	VAL	2.1
2	B	18	VAL	2.1
2	B	1	GLY	2.0
2	B	78	GLY	2.0
1	A	171	THR	2.0
2	D	91	ILE	2.0
2	B	63	PHE	2.0
2	F	147	SER	2.0
2	B	60	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	NAG	C	401	14/15	0.86	0.27	3.34	63,67,74,78	0
7	NAG	E	401	14/15	0.86	0.26	1.62	73,77,85,87	0
5	NAG	F	201	14/15	0.92	0.24	0.83	47,51,57,62	0
5	NAG	B	201	14/15	0.92	0.19	-0.18	37,40,45,47	0
5	NAG	D	201	14/15	0.95	0.19	-0.50	39,42,46,49	0
5	MAN	F	205	11/12	0.47	0.39	-	107,119,126,129	0
6	NAG	C	402	14/15	0.83	0.45	-	83,89,92,95	0
5	MAN	D	204	11/12	0.79	0.17	-	92,96,106,108	0
5	MAN	F	204	11/12	0.78	0.42	-	116,122,132,134	0
7	NAG	E	402	14/15	0.72	0.40	-	89,93,98,99	0
5	MAN	B	204	11/12	0.76	0.32	-	81,85,94,95	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	BMA	F	203	11/12	0.69	0.37	-	98,107,117,118	0
5	BMA	B	203	11/12	0.84	0.27	-	68,75,80,82	0
5	NAG	F	202	14/15	0.86	0.19	-	69,73,83,89	0
5	MAN	D	207	11/12	0.73	0.21	-	75,79,85,88	0
5	MAN	B	207	11/12	0.81	0.31	-	71,74,80,83	0
6	BMA	C	403	11/12	0.73	0.41	-	97,100,106,107	0
5	NAG	D	202	14/15	0.89	0.12	-	53,56,64,70	0
5	NAG	B	202	14/15	0.89	0.17	-	51,54,61,64	0
5	BMA	D	203	11/12	0.77	0.20	-	76,85,90,93	0

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	EDO	E	1326	4/4	0.93	0.31	16.84	46,46,49,52	0
4	EDO	F	1176	4/4	0.82	0.60	16.30	63,64,64,68	0
4	EDO	E	1327	4/4	0.78	0.62	16.00	53,55,55,56	0
4	EDO	C	1328	4/4	0.91	0.24	7.50	39,48,50,51	0
4	EDO	F	1175	4/4	0.80	0.45	7.44	67,68,71,71	0
4	EDO	B	1175	4/4	0.92	0.43	5.92	40,44,45,45	0
4	EDO	C	1327	4/4	0.92	0.32	5.65	47,47,50,50	0
4	EDO	E	1328	4/4	0.82	0.54	5.58	58,58,60,62	0
4	EDO	A	1328	4/4	0.95	0.21	4.04	44,44,45,47	0
4	EDO	C	1329	4/4	0.87	0.28	3.86	48,49,50,56	0
4	EDO	B	1173	4/4	0.96	0.26	2.12	34,34,38,39	0
3	NAG	A	401	14/15	0.86	0.30	2.01	81,85,93,93	0
4	EDO	F	1174	4/4	0.91	0.20	1.28	39,40,40,50	0
4	EDO	B	1174	4/4	0.96	0.17	0.05	43,45,45,46	0
4	EDO	C	1326	4/4	0.97	0.15	-0.22	30,30,33,34	0
4	EDO	F	1173	4/4	0.94	0.16	-0.48	41,42,43,48	0
4	EDO	A	1326	4/4	0.96	0.13	-1.02	30,32,35,35	0
3	NAG	D	211	14/15	0.64	0.35	-	94,100,105,106	0
4	EDO	D	1173	4/4	0.82	0.18	-	50,52,56,58	0
3	NAG	E	420	14/15	0.88	0.30	-	68,74,79,79	0
4	EDO	A	1327	4/4	0.90	0.26	-	49,52,54,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	NAG	B	211	14/15	0.73	0.29	-	93,100,103,105	0
3	NAG	A	420	14/15	0.80	0.33	-	72,78,84,84	0
3	NAG	C	420	14/15	0.73	0.28	-	61,67,72,73	0

6.5 Other polymers [i](#)

There are no such residues in this entry.