



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:02 AM GMT

PDB ID : 3D3X
Title : Crystal structure of botulinum neurotoxin serotype E catalytic domain in complex with SNAP-25 substrate peptide
Authors : Agarwal, R.; Swaminathan, S.
Deposited on : 2008-05-13
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1640 (2.28-2.24)
Clashscore	102246	1095 (2.26-2.26)
Ramachandran outliers	100387	1063 (2.26-2.26)
Sidechain outliers	100360	1063 (2.26-2.26)
RSRZ outliers	91569	1647 (2.28-2.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	427	 5% 70% 23% •• 5%
1	B	427	 7% 69% 22% • 5%
2	C	5	 20% 20% 40% 40%
2	D	5	 40% 60%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	B	895	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6883 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Type E botulinum toxin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	407	Total	C	N	O	S	0	0	0
			3263	2086	545	624	8			
1	B	407	Total	C	N	O	S	0	0	0
			3265	2085	548	625	7			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	422	HIS	-	EXPRESSION TAG	UNP Q9K395
A	423	HIS	-	EXPRESSION TAG	UNP Q9K395
A	424	HIS	-	EXPRESSION TAG	UNP Q9K395
A	425	HIS	-	EXPRESSION TAG	UNP Q9K395
A	426	HIS	-	EXPRESSION TAG	UNP Q9K395
A	427	HIS	-	EXPRESSION TAG	UNP Q9K395
B	422	HIS	-	EXPRESSION TAG	UNP Q9K395
B	423	HIS	-	EXPRESSION TAG	UNP Q9K395
B	424	HIS	-	EXPRESSION TAG	UNP Q9K395
B	425	HIS	-	EXPRESSION TAG	UNP Q9K395
B	426	HIS	-	EXPRESSION TAG	UNP Q9K395
B	427	HIS	-	EXPRESSION TAG	UNP Q9K395


- Molecule 2 is a protein called SNAP-25 substrate peptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	3	Total	C	N	O	S	0	0	0
			21	14	3	3	1			
2	D	5	Total	C	N	O	S	0	1	1
			41	24	8	8	1			

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Zn 1 1	0	0
3	A	1	Total Zn 1 1	0	0

- Molecule 4 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	148	Total 148	O 148	0	0
5	B	102	Total 102	O 102	0	0
5	D	1	Total 1	O 1	0	0



- Molecule 2: SNAP-25 substrate peptide

Chain D: 40% 60%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	89.41Å 144.74Å 83.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.48 – 2.25 33.47 – 2.25	Depositor EDS
% Data completeness (in resolution range)	91.6 (33.48-2.25) 91.7 (33.47-2.25)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.66 (at 2.24Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.235 , 0.288 0.235 , 0.285	Depositor DCC
R_{free} test set	1426 reflections (3.08%)	DCC
Wilson B-factor (Å ²)	31.8	Xtrriage
Anisotropy	0.741	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 37.1	EDS
Estimated twinning fraction	No twinning to report.	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Outliers	0 of 49175 reflections	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6883	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SO4, NH2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.44	0/3335	0.70	2/4516 (0.0%)
1	B	0.45	0/3337	0.66	0/4519
2	C	0.60	0/20	0.73	0/25
2	D	0.54	0/43	0.61	0/53
All	All	0.45	0/6735	0.68	2/9113 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	409	ARG	N-CA-C	5.93	127.01	111.00
1	A	378	ASN	N-CA-C	-5.50	96.15	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3263	0	3216	83	0
1	B	3265	0	3220	81	0
2	C	21	0	21	3	0
2	D	41	0	40	2	0
3	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
4	A	30	0	0	1	0
4	B	10	0	0	0	0
5	A	148	0	0	5	0
5	B	102	0	0	4	0
5	D	1	0	0	0	0
All	All	6883	0	6497	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:237:ASN:H	1:B:238:PRO:HD2	1.31	0.95
1:A:409:ARG:HG2	1:A:409:ARG:HH11	1.36	0.90
1:B:2:LYS:HD3	1:B:2:LYS:H	1.37	0.90
1:B:56:PRO:HG3	1:B:68:TYR:HB2	1.57	0.85
1:A:58:THR:HG23	1:A:59:SER:H	1.44	0.82
1:B:153:GLU:HB2	1:B:154:PRO:HD2	1.63	0.79
1:A:409:ARG:HG2	1:A:409:ARG:NH1	1.97	0.75
1:B:237:ASN:N	1:B:238:PRO:HD2	2.02	0.73
1:A:404:VAL:HG23	1:A:405:LYS:H	1.51	0.73
1:B:130:ALA:HB2	1:B:144:LEU:HD23	1.70	0.73
1:B:408:ILE:C	1:B:409:ARG:HD2	2.09	0.73
1:A:377:ASN:HB2	1:A:380:LYS:HD3	1.74	0.70
1:A:58:THR:HG23	1:A:59:SER:N	2.07	0.68
1:B:409:ARG:CA	1:B:409:ARG:HH11	2.07	0.68
1:B:409:ARG:N	1:B:409:ARG:HH11	1.92	0.67
1:A:226:ILE:HB	1:A:270:ILE:HD13	1.78	0.66
1:B:243:ILE:O	1:B:244:ARG:HG2	1.96	0.65
1:B:58:THR:OG1	1:B:61:LYS:HB2	1.99	0.63
1:A:258:ASP:HA	1:A:261:ILE:HD12	1.80	0.61
1:A:409:ARG:HH11	1:A:409:ARG:CG	2.10	0.60
1:B:31:SER:OG	1:B:41:ILE:HG12	2.02	0.60
1:A:7:ASN:HB2	1:A:10:ASP:OD1	2.01	0.60
1:B:106:LEU:HD11	1:B:213:LEU:HB3	1.84	0.60
1:A:231:THR:HG22	1:A:247:ASN:HD22	1.65	0.60
1:A:295:LEU:HD22	5:A:981:HOH:O	2.03	0.59
1:B:295:LEU:H	1:B:295:LEU:HD23	1.67	0.59
1:B:248:ILE:HA	1:B:251:PHE:HD1	1.66	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:LYS:H	1:B:2:LYS:CD	2.14	0.58
1:A:130:ALA:HB2	1:A:144:LEU:HD23	1.85	0.58
1:A:243:ILE:O	1:A:245:GLY:N	2.37	0.58
1:A:406:LYS:NZ	1:A:406:LYS:HB2	2.19	0.57
1:B:231:THR:O	1:B:232:ILE:HD13	2.05	0.56
1:B:237:ASN:HD22	1:B:237:ASN:C	2.08	0.56
1:B:239:LEU:N	1:B:239:LEU:HD13	2.21	0.56
1:B:356:TYR:HE1	2:D:182:MET:HE1	1.71	0.56
1:B:409:ARG:N	1:B:409:ARG:NH1	2.54	0.56
1:B:55:HIS:ND1	1:B:70:PRO:HG2	2.20	0.56
1:A:404:VAL:HG23	1:A:405:LYS:N	2.20	0.56
1:B:197:SER:O	1:B:198:MET:HG2	2.05	0.55
1:A:50:THR:HG22	1:A:52:GLN:H	1.72	0.55
1:A:73:LEU:HD21	1:A:82:PHE:HB2	1.89	0.55
1:A:163:ASN:ND2	1:A:219:GLY:HA3	2.22	0.54
1:B:401:ARG:O	1:B:405:LYS:HG3	2.08	0.54
1:B:7:ASN:HB2	1:B:10:ASP:OD1	2.07	0.54
1:B:400:GLY:O	1:B:404:VAL:HG23	2.09	0.53
1:B:409:ARG:NH1	1:B:409:ARG:H	2.07	0.52
1:A:182:ILE:N	1:A:182:ILE:HD12	2.24	0.52
1:A:244:ARG:HG2	1:A:244:ARG:O	2.08	0.52
1:A:311:ASP:OD2	1:A:315:ILE:HB	2.09	0.52
1:B:19:TYR:HB3	1:B:28:PHE:HB3	1.91	0.52
1:B:364:ASN:ND2	1:B:367:ILE:HG13	2.25	0.51
1:A:394:ILE:HG13	1:A:395:ILE:HG12	1.92	0.51
1:B:375:ASN:HB3	1:B:380:LYS:HA	1.91	0.51
1:A:231:THR:HG22	1:A:247:ASN:ND2	2.26	0.51
1:A:163:ASN:HD21	1:A:219:GLY:HA3	1.76	0.51
1:B:239:LEU:CD1	1:B:239:LEU:N	2.74	0.51
1:B:409:ARG:HA	1:B:409:ARG:HH11	1.74	0.50
1:A:251:PHE:CE2	1:A:261:ILE:HD13	2.46	0.50
1:A:153:GLU:HG3	5:A:907:HOH:O	2.12	0.50
1:B:61:LYS:N	1:B:61:LYS:HD3	2.27	0.50
1:A:171:MET:HE1	5:A:921:HOH:O	2.12	0.50
1:A:33:ASN:HB2	1:A:39:TRP:CH2	2.46	0.50
1:B:2:LYS:HD3	1:B:2:LYS:N	2.16	0.50
1:B:173:SER:HA	1:B:178:GLY:HA2	1.94	0.50
1:A:196:ASN:HB2	4:A:897:SO4:O2	2.12	0.50
1:B:120:ASP:OD1	1:B:284:LYS:HE2	2.12	0.49
1:B:292:ASN:O	1:B:295:LEU:HD23	2.13	0.49
1:B:34:ILE:HD12	1:B:40:ILE:HD11	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:405:LYS:HB3	1:B:405:LYS:NZ	2.28	0.49
1:A:208:THR:HG23	2:C:181:ILE:HG12	1.94	0.49
1:B:407:ILE:O	1:B:407:ILE:HG22	2.14	0.48
1:B:409:ARG:N	1:B:409:ARG:HD2	2.28	0.48
1:A:58:THR:CG2	1:A:59:SER:H	2.22	0.48
1:A:289:GLN:HG3	1:A:291:SER:H	1.79	0.48
1:B:394:ILE:HG13	1:B:395:ILE:HG13	1.95	0.48
1:A:297:PRO:HG2	1:B:298:TYR:CD2	2.49	0.48
1:A:227:THR:HB	1:A:249:GLU:HB2	1.96	0.48
1:A:125:ILE:HD11	1:B:294:LEU:HD13	1.96	0.48
1:B:167:ARG:O	1:B:168:ASN:HB2	2.14	0.48
1:A:19:TYR:HB3	1:A:28:PHE:HB3	1.96	0.48
1:A:409:ARG:HD3	1:A:409:ARG:HA	1.41	0.47
1:A:378:ASN:H	1:A:380:LYS:HG2	1.79	0.47
1:A:194:ASN:ND2	1:A:200:GLU:HG2	2.29	0.47
1:A:357:PHE:HB3	1:A:395:ILE:HD12	1.95	0.47
1:A:234:GLN:O	1:A:239:LEU:HD23	2.14	0.47
1:A:251:PHE:HE2	1:A:261:ILE:HD13	1.79	0.47
1:A:240:ILE:O	1:A:240:ILE:HG22	2.15	0.47
1:B:238:PRO:O	1:B:239:LEU:HB2	2.15	0.47
1:A:266:GLN:O	1:A:270:ILE:HG12	2.15	0.47
1:A:360:SER:OG	1:A:396:THR:HG23	2.14	0.47
1:A:80:ASP:O	1:A:84:LYS:HG2	2.15	0.47
1:B:82:PHE:O	1:B:86:VAL:HG23	2.15	0.47
1:B:400:GLY:HA2	1:B:403:LEU:HB3	1.97	0.47
1:A:167:ARG:O	1:A:168:ASN:HB2	2.14	0.46
1:A:88:LYS:HG3	1:A:370:ILE:HD11	1.98	0.46
1:A:378:ASN:O	1:A:381:VAL:HG22	2.15	0.46
1:A:375:ASN:HD22	1:A:385:GLY:HA3	1.80	0.46
1:B:255:GLY:O	1:B:258:ASP:HB2	2.16	0.46
1:B:238:PRO:O	1:B:240:ILE:HG13	2.16	0.46
1:A:377:ASN:CB	1:A:380:LYS:HD3	2.45	0.46
1:B:403:LEU:O	1:B:407:ILE:HG13	2.16	0.46
1:A:368:TYR:HA	1:A:373:GLY:O	2.16	0.45
1:B:406:LYS:C	1:B:408:ILE:H	2.19	0.45
1:A:166:LEU:HD12	1:A:170:TYR:HD2	1.82	0.45
1:B:238:PRO:C	1:B:239:LEU:HD13	2.36	0.45
1:A:33:ASN:HB2	1:A:39:TRP:CZ2	2.52	0.45
1:A:173:SER:HA	1:A:178:GLY:HA2	1.99	0.45
1:A:192:ARG:HA	1:A:201:PHE:O	2.17	0.45
1:B:174:ASN:HB3	1:B:225:GLY:HA2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:355:LYS:HA	5:B:938:HOH:O	2.17	0.44
1:B:38:ILE:CD1	1:B:147:VAL:HB	2.47	0.44
1:A:326:ILE:HA	1:A:329:LYS:HE3	1.99	0.44
1:B:89:ILE:O	1:B:93:ILE:HG13	2.17	0.44
1:A:400:GLY:O	1:A:403:LEU:HB2	2.17	0.44
1:A:133:ILE:HG21	1:A:143:LEU:HB2	1.99	0.44
1:A:67:TYR:HB2	1:A:157:PHE:CZ	2.53	0.44
1:B:190:SER:OG	1:B:203:GLN:HB3	2.18	0.44
1:A:356:TYR:HE1	2:C:182:MET:SD	2.41	0.44
1:B:388:ALA:HB1	1:B:395:ILE:HD11	1.99	0.44
1:A:61:LYS:HB3	1:A:64:ASP:OD1	2.17	0.44
1:A:130:ALA:HB2	1:A:144:LEU:CD2	2.47	0.44
1:B:75:SER:OG	1:B:78:GLU:HG3	2.17	0.43
1:B:192:ARG:O	1:B:354:TYR:HB3	2.18	0.43
1:B:73:LEU:HD21	1:B:82:PHE:HB2	1.99	0.43
1:B:153:GLU:HB2	1:B:154:PRO:CD	2.43	0.43
1:A:19:TYR:HA	1:A:29:TYR:O	2.18	0.43
1:B:56:PRO:HA	1:B:57:PRO:HD3	1.76	0.43
1:B:348:GLN:HG3	1:B:348:GLN:O	2.16	0.43
1:B:378:ASN:ND2	5:B:920:HOH:O	2.51	0.43
1:A:381:VAL:HG23	1:A:381:VAL:O	2.19	0.43
1:B:80:ASP:OD1	1:B:84:LYS:HE3	2.19	0.43
1:B:390:LEU:O	1:B:390:LEU:HD23	2.19	0.43
1:A:226:ILE:CB	1:A:270:ILE:HD13	2.47	0.42
1:A:113:LEU:HD22	1:A:125:ILE:HG12	2.00	0.42
1:A:310:LYS:HD3	1:A:316:TYR:CE1	2.54	0.42
1:B:289:GLN:HA	5:B:941:HOH:O	2.19	0.42
1:B:266:GLN:O	1:B:270:ILE:HG12	2.19	0.42
1:B:409:ARG:HH11	1:B:409:ARG:CG	2.32	0.42
1:B:69:ASP:OD1	1:B:71:ASN:HB2	2.19	0.42
1:A:164:ILE:HD11	1:A:182:ILE:HD11	2.02	0.42
1:B:159:THR:HG21	1:B:208:THR:HG22	2.00	0.42
1:A:77:GLU:O	1:A:77:GLU:OE1	2.37	0.42
1:A:375:ASN:HD22	1:A:385:GLY:CA	2.33	0.42
1:B:166:LEU:HB3	5:B:927:HOH:O	2.18	0.42
1:A:133:ILE:HD11	1:A:141:ASP:HB3	2.01	0.41
1:B:234:GLN:C	1:B:236:GLN:H	2.24	0.41
1:B:409:ARG:HG3	1:B:409:ARG:NH1	2.35	0.41
1:A:31:SER:OG	1:A:41:ILE:HG12	2.20	0.41
1:B:208:THR:HG23	2:D:181:ILE:HG12	2.03	0.41
1:B:20:ILE:HG12	1:B:133:ILE:HG22	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:ASP:OD1	1:A:199:ASN:HB2	2.21	0.41
1:B:393:ARG:HH11	1:B:393:ARG:HG3	1.85	0.41
1:A:354:TYR:HD2	2:C:182:MET:HG3	1.86	0.41
1:A:75:SER:O	1:A:79:LYS:HG3	2.20	0.41
1:A:187:PRO:O	1:A:359:LEU:HD12	2.21	0.41
1:A:61:LYS:HE2	5:A:929:HOH:O	2.21	0.41
1:B:199:ASN:HD22	1:B:199:ASN:HA	1.56	0.41
1:A:227:THR:HG23	5:A:958:HOH:O	2.21	0.41
1:A:405:LYS:HE2	1:A:405:LYS:HB3	1.89	0.40
1:A:226:ILE:HB	1:A:270:ILE:CD1	2.50	0.40
1:A:409:ARG:CG	1:A:409:ARG:NH1	2.71	0.40
1:B:379:LEU:CD1	1:B:391:ASN:HD21	2.34	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	403/427 (94%)	374 (93%)	22 (6%)	7 (2%)	11	6
1	B	403/427 (94%)	363 (90%)	31 (8%)	9 (2%)	8	4
2	C	1/5 (20%)	1 (100%)	0	0	100	100
2	D	4/5 (80%)	4 (100%)	0	0	100	100
All	All	811/864 (94%)	742 (92%)	53 (6%)	16 (2%)	9	5

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	58	THR
1	A	243	ILE
1	A	244	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	378	ASN
1	B	57	PRO
1	A	361	ASN
1	A	376	ILE
1	B	237	ASN
1	A	377	ASN
1	B	63	GLY
1	B	195	ASP
1	B	235	LYS
1	B	361	ASN
1	B	407	ILE
1	B	196	ASN
1	B	238	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	367/387 (95%)	357 (97%)	10 (3%)	52	63
1	B	367/387 (95%)	349 (95%)	18 (5%)	31	34
2	C	2/4 (50%)	2 (100%)	0	100	100
2	D	5/4 (125%)	3 (60%)	2 (40%)	0	0
All	All	741/782 (95%)	711 (96%)	30 (4%)	39	46

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	141	ASP
1	A	298	TYR
1	A	329	LYS
1	A	353	GLN
1	A	377	ASN
1	A	378	ASN
1	A	401	ARG
1	A	403	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	409	ARG
1	A	411	CYS
1	B	2	LYS
1	B	50	THR
1	B	58	THR
1	B	77	GLU
1	B	145	PRO
1	B	199	ASN
1	B	237	ASN
1	B	239	LEU
1	B	258	ASP
1	B	294	LEU
1	B	296	ASN
1	B	298	TYR
1	B	300	ASP
1	B	348	GLN
1	B	351	ILE
1	B	378	ASN
1	B	393	ARG
1	B	409	ARG
2	D	183[A]	GLU
2	D	183[B]	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	121	ASN
1	A	163	ASN
1	A	174	ASN
1	A	194	ASN
1	A	196	ASN
1	A	247	ASN
1	A	266	GLN
1	A	296	ASN
1	A	353	GLN
1	A	375	ASN
1	B	9	ASN
1	B	33	ASN
1	B	95	ASN
1	B	124	HIS
1	B	163	ASN
1	B	168	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	174	ASN
1	B	199	ASN
1	B	237	ASN
1	B	266	GLN
1	B	268	ASN
1	B	296	ASN
1	B	321	ASN
1	B	353	GLN
1	B	375	ASN
1	B	377	ASN
1	B	389	ASN
1	B	391	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	A	891	-	4,4,4	0.40	0	6,6,6	0.10	0
4	SO4	A	892	-	4,4,4	0.60	0	6,6,6	0.09	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	A	893	-	4,4,4	0.44	0	6,6,6	0.13	0
4	SO4	A	894	-	4,4,4	0.47	0	6,6,6	0.19	0
4	SO4	A	896	-	4,4,4	0.54	0	6,6,6	0.14	0
4	SO4	A	897	-	4,4,4	0.38	0	6,6,6	0.10	0
4	SO4	B	890	-	4,4,4	0.41	0	6,6,6	0.12	0
4	SO4	B	895	-	4,4,4	0.55	0	6,6,6	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SO4	A	891	-	-	0/0/0/0	0/0/0/0
4	SO4	A	892	-	-	0/0/0/0	0/0/0/0
4	SO4	A	893	-	-	0/0/0/0	0/0/0/0
4	SO4	A	894	-	-	0/0/0/0	0/0/0/0
4	SO4	A	896	-	-	0/0/0/0	0/0/0/0
4	SO4	A	897	-	-	0/0/0/0	0/0/0/0
4	SO4	B	890	-	-	0/0/0/0	0/0/0/0
4	SO4	B	895	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	897	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	407/427 (95%)	0.21	22 (5%) 29 33	21, 35, 46, 58	0
1	B	407/427 (95%)	0.44	32 (7%) 15 17	26, 39, 51, 56	0
2	C	3/5 (60%)	1.59	1 (33%) 0 0	46, 46, 49, 54	0
2	D	4/5 (80%)	0.71	0 100 100	43, 43, 46, 49	0
All	All	821/864 (95%)	0.33	55 (6%) 21 23	21, 37, 49, 58	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	58	THR	5.8
1	B	237	ASN	5.6
1	B	233	THR	5.2
1	B	61	LYS	5.2
1	B	239	LEU	5.1
1	B	57	PRO	4.8
1	B	238	PRO	4.5
1	B	235	LYS	4.4
1	A	244	ARG	3.9
1	B	244	ARG	3.7
1	B	64	ASP	3.5
1	B	242	ASN	3.4
1	B	241	THR	3.4
2	C	181	ILE	3.3
1	A	213	LEU	3.3
1	B	63	GLY	3.2
1	A	149	ILE	3.1
1	A	169	ASN	3.1
1	B	56	PRO	3.1
1	B	230	TYR	3.0
1	A	147	VAL	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	377	ASN	2.9
1	B	147	VAL	2.9
1	B	97	LEU	2.9
1	B	181	ALA	2.8
1	B	243	ILE	2.8
1	A	59	SER	2.7
1	B	62	ASN	2.7
1	A	168	ASN	2.7
1	A	242	ASN	2.7
1	A	183	VAL	2.7
1	A	243	ILE	2.6
1	B	234	GLN	2.6
1	B	232	ILE	2.6
1	B	231	THR	2.5
1	A	38	ILE	2.5
1	A	209	LEU	2.4
1	A	216	SER	2.4
1	B	236	GLN	2.4
1	A	185	PHE	2.4
1	A	52	GLN	2.4
1	B	240	ILE	2.4
1	A	148	ILE	2.4
1	B	9	ASN	2.3
1	B	213	LEU	2.3
1	B	164	ILE	2.3
1	A	241	THR	2.3
1	B	180	ILE	2.2
1	A	239	LEU	2.2
1	A	181	ALA	2.2
1	B	198	MET	2.1
1	B	409	ARG	2.1
1	A	106	LEU	2.1
1	B	246	THR	2.0
1	A	214	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	SO4	B	895	5/5	0.85	0.27	2.38	60,61,61,62	5
4	SO4	A	897	5/5	0.95	0.17	1.12	50,50,51,51	5
4	SO4	A	893	5/5	0.96	0.17	1.09	52,53,53,54	5
4	SO4	A	894	5/5	0.92	0.18	0.59	50,52,52,53	5
4	SO4	A	891	5/5	0.94	0.13	0.30	40,44,44,45	5
4	SO4	A	896	5/5	0.94	0.15	0.29	54,54,55,55	5
4	SO4	B	890	5/5	0.94	0.11	-0.93	46,46,48,49	4
3	ZN	A	428	1/1	0.98	0.09	-1.86	50,50,50,50	0
3	ZN	B	822	1/1	0.99	0.04	-2.84	43,43,43,43	0
4	SO4	A	892	5/5	0.87	0.16	-	51,51,52,53	5

6.5 Other polymers [i](#)

There are no such residues in this entry.