



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:58 PM GMT

PDB ID : 1DHJ
Title : LONG-RANGE STRUCTURAL EFFECTS IN A SECOND-SITE REVERTANT OF A MUTANT DIHYDROFOLATE REDUCTASE
Authors : Brown, K.A.; Kraut, J.
Deposited on : 1993-10-29
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	159	 64% 26% 8% •
1	B	159	 68% 23% 8% •

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2967 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIHYDROFOLATE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	159	Total	C	N	O	S	0	0	0
			1239	786	211	235	7			
1	B	159	Total	C	N	O	S	0	0	0
			1255	796	216	236	7			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	SER	ASP	CONFLICT	UNP P0ABQ4
A	37	ASP	ASN	CONFLICT	UNP P0ABQ4
A	137	SER	PHE	CONFLICT	UNP P0ABQ4
B	27	SER	ASP	CONFLICT	UNP P0ABQ4
B	37	ASP	ASN	CONFLICT	UNP P0ABQ4
B	137	SER	PHE	CONFLICT	UNP P0ABQ4


- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Cl	0	0
			1	1		
2	A	1	Total	Cl	0	0
			1	1		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Ca	0	0
			1	1		

- Molecule 4 is METHOTREXATE (three-letter code: MTX) (formula: C₂₀H₂₂N₈O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total 33	C 20	N 8	O 5	0	0
4	B	1	Total 33	C 20	N 8	O 5	0	0

- Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	221	Total O 221 221	0	0
5	B	183	Total O 183 183	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: DIHYDROFOLATE REDUCTASE



• Molecule 1: DIHYDROFOLATE REDUCTASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	92.49 Å 92.49 Å 73.72 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 1.80	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-1.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT	Depositor
R, R_{free}	0.167 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2967	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MTX, CA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.45	10/1271 (0.8%)	1.76	31/1729 (1.8%)
1	B	1.46	14/1288 (1.1%)	1.78	33/1751 (1.9%)
All	All	1.46	24/2559 (0.9%)	1.77	64/3480 (1.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	1
All	All	0	4

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	101	GLU	CD-OE2	9.20	1.35	1.25
1	B	118	GLU	CD-OE2	8.61	1.35	1.25
1	A	118	GLU	CD-OE2	8.32	1.34	1.25
1	A	139	GLU	CD-OE1	7.67	1.34	1.25
1	B	150	SER	CB-OG	-7.44	1.32	1.42
1	A	134	GLU	CD-OE2	7.44	1.33	1.25
1	A	120	GLU	CD-OE2	7.21	1.33	1.25
1	B	48	GLU	CD-OE2	6.99	1.33	1.25
1	B	80	GLU	CD-OE2	6.98	1.33	1.25
1	B	27	SER	CB-OG	-6.56	1.33	1.42
1	B	134	GLU	CD-OE2	6.56	1.32	1.25
1	A	48	GLU	CD-OE2	6.10	1.32	1.25
1	B	17	GLU	CD-OE2	5.95	1.32	1.25
1	A	101	GLU	CD-OE2	5.81	1.32	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	139	GLU	CD-OE1	5.80	1.32	1.25
1	A	154	GLU	CD-OE1	5.74	1.31	1.25
1	B	134	GLU	CD-OE1	-5.66	1.19	1.25
1	B	120	GLU	CD-OE2	5.66	1.31	1.25
1	A	90	GLU	CD-OE2	5.43	1.31	1.25
1	A	138	SER	CB-OG	-5.31	1.35	1.42
1	B	157	GLU	CD-OE2	5.31	1.31	1.25
1	B	137	SER	CB-OG	-5.24	1.35	1.42
1	A	157	GLU	CD-OE2	5.13	1.31	1.25
1	B	139	GLU	CD-OE2	-5.01	1.20	1.25

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	52	ARG	NE-CZ-NH1	13.69	127.14	120.30
1	B	12	ARG	NE-CZ-NH1	12.10	126.35	120.30
1	B	12	ARG	NE-CZ-NH2	-11.46	114.57	120.30
1	B	37	ASP	CB-CG-OD2	-10.88	108.50	118.30
1	B	27	SER	N-CA-CB	10.01	125.51	110.50
1	A	158	ARG	NE-CZ-NH1	9.63	125.12	120.30
1	A	69	ASP	CB-CG-OD2	-8.92	110.27	118.30
1	A	142	ASP	CB-CG-OD1	8.70	126.13	118.30
1	A	98	ARG	NE-CZ-NH2	-8.37	116.11	120.30
1	A	158	ARG	NE-CZ-NH2	-8.33	116.14	120.30
1	A	11	ASP	CB-CG-OD2	-8.27	110.86	118.30
1	A	116	ASP	CB-CG-OD1	8.17	125.66	118.30
1	A	142	ASP	CB-CG-OD2	-8.13	110.98	118.30
1	B	37	ASP	CB-CG-OD1	8.13	125.62	118.30
1	B	69	ASP	CB-CG-OD1	7.88	125.39	118.30
1	B	87	ASP	CB-CG-OD2	-7.61	111.45	118.30
1	B	144	ASP	CB-CG-OD1	7.33	124.89	118.30
1	A	122	ASP	CB-CG-OD2	-7.30	111.73	118.30
1	B	70	ASP	CB-CG-OD1	7.27	124.84	118.30
1	A	33	ARG	NE-CZ-NH1	7.19	123.90	120.30
1	B	127	ASP	CB-CG-OD2	-7.12	111.89	118.30
1	B	132	ASP	CB-CG-OD2	-7.04	111.96	118.30
1	A	12	ARG	NE-CZ-NH1	6.86	123.73	120.30
1	B	124	HIS	N-CA-CB	-6.84	98.29	110.60
1	B	79	ASP	CB-CG-OD1	6.83	124.45	118.30
1	B	87	ASP	CB-CG-OD1	6.81	124.43	118.30
1	B	11	ASP	CB-CG-OD1	6.79	124.41	118.30
1	A	138	SER	CB-CA-C	6.77	122.97	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	98	ARG	NE-CZ-NH1	6.75	123.68	120.30
1	B	144	ASP	CB-CG-OD2	-6.71	112.26	118.30
1	B	44	ARG	NE-CZ-NH1	6.67	123.64	120.30
1	A	132	ASP	CB-CG-OD2	-6.67	112.30	118.30
1	B	122	ASP	CB-CG-OD2	-6.62	112.34	118.30
1	B	79	ASP	CB-CG-OD2	-6.59	112.36	118.30
1	B	137	SER	CB-CA-C	-6.53	97.69	110.10
1	A	12	ARG	NE-CZ-NH2	-6.45	117.07	120.30
1	A	11	ASP	CB-CG-OD1	6.38	124.04	118.30
1	B	11	ASP	CB-CG-OD2	-6.31	112.62	118.30
1	A	57	ARG	NE-CZ-NH1	6.28	123.44	120.30
1	A	33	ARG	NE-CZ-NH2	-6.26	117.17	120.30
1	A	57	ARG	NE-CZ-NH2	-6.15	117.23	120.30
1	B	116	ASP	CB-CG-OD2	-6.04	112.87	118.30
1	A	11	ASP	N-CA-CB	5.95	121.31	110.60
1	B	132	ASP	CB-CG-OD1	5.94	123.65	118.30
1	B	71	ARG	NE-CZ-NH2	-5.86	117.37	120.30
1	B	98	ARG	NE-CZ-NH2	-5.83	117.38	120.30
1	A	116	ASP	CB-CG-OD2	-5.73	113.14	118.30
1	B	69	ASP	CB-CG-OD2	-5.72	113.15	118.30
1	A	69	ASP	CB-CG-OD1	5.71	123.44	118.30
1	A	52	ARG	NE-CZ-NH1	5.63	123.12	120.30
1	B	142	ASP	CB-CG-OD1	5.57	123.31	118.30
1	B	137	SER	N-CA-CB	5.48	118.72	110.50
1	A	130	PRO	N-CA-CB	5.36	109.73	103.30
1	A	144	ASP	CB-CG-OD2	-5.35	113.48	118.30
1	B	150	SER	CB-CA-C	5.26	120.10	110.10
1	A	132	ASP	O-C-N	5.25	131.11	122.70
1	A	48	GLU	CB-CA-C	-5.24	99.91	110.40
1	B	116	ASP	CB-CG-OD1	5.23	123.01	118.30
1	A	70	ASP	CB-CG-OD1	5.20	122.98	118.30
1	A	37	ASP	CB-CG-OD2	-5.15	113.66	118.30
1	A	79	ASP	CB-CG-OD2	-5.13	113.68	118.30
1	A	80	GLU	CG-CD-OE2	-5.05	108.20	118.30
1	B	54	LEU	CB-CG-CD1	-5.01	102.47	111.00
1	B	92	MET	CA-CB-CG	5.00	121.81	113.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	17	GLU	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	23	ASN	Sidechain
1	A	80	GLU	Sidechain
1	B	23	ASN	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1239	0	1175	30	0
1	B	1255	0	1214	21	1
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	B	1	0	0	0	0
4	A	33	0	20	0	0
4	B	33	0	20	1	0
5	A	221	0	0	8	1
5	B	183	0	0	6	2
All	All	2967	0	2429	52	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (52) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:124:HIS:HB3	5:B:795:HOH:O	1.51	1.09
1:A:128:TYR:O	1:A:130:PRO:HD3	1.74	0.87
1:A:98:ARG:NH1	1:A:101:GLU:OE1	2.23	0.70
1:A:130:PRO:N	5:A:570:HOH:O	2.25	0.70
1:A:20:MET:HG2	5:A:571:HOH:O	1.94	0.66
1:A:12:ARG:NH2	5:A:592:HOH:O	2.22	0.64
1:A:130:PRO:O	1:A:133:TRP:O	2.16	0.63
1:A:134:GLU:HG3	5:A:597:HOH:O	1.99	0.62
1:B:108:GLN:HB3	5:B:767:HOH:O	2.00	0.62
1:B:64:SER:HB2	1:B:65:GLN:HE22	1.67	0.59
1:A:129:GLU:O	1:A:132:ASP:HB2	2.04	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:150:SER:HB3	5:B:642:HOH:O	2.04	0.57
1:B:64:SER:HB2	1:B:65:GLN:NE2	2.19	0.57
1:A:44:ARG:O	1:A:48:GLU:HG2	2.05	0.55
1:B:68:THR:HG22	5:B:784:HOH:O	2.07	0.55
1:B:110:LEU:HD12	1:B:156:LEU:HD13	1.89	0.54
1:A:129:GLU:C	5:A:570:HOH:O	2.46	0.54
1:A:25:PRO:HD2	1:A:147:ASN:OD1	2.09	0.53
1:B:142:ASP:HA	1:B:150:SER:HB2	1.92	0.52
1:A:64:SER:HB2	5:A:463:HOH:O	2.09	0.52
1:A:44:ARG:NH2	1:A:65:GLN:HB2	2.25	0.51
1:B:128:TYR:O	1:B:130:PRO:HD3	2.10	0.50
1:A:66:PRO:N	5:A:510:HOH:O	2.44	0.50
1:B:64:SER:CB	1:B:65:GLN:NE2	2.74	0.50
1:A:67:GLY:HA2	1:A:74:TRP:CD2	2.47	0.50
1:B:44:ARG:O	1:B:48:GLU:HG3	2.11	0.49
1:A:33:ARG:HG3	5:A:473:HOH:O	2.13	0.48
1:A:10:VAL:HG13	1:A:117:ALA:O	2.14	0.48
1:A:104:LEU:N	1:A:105:PRO:CD	2.76	0.48
1:B:65:GLN:HB3	1:B:66:PRO:HD2	1.97	0.47
1:A:128:TYR:C	1:A:130:PRO:HD3	2.32	0.47
1:B:12:ARG:NH1	5:B:795:HOH:O	2.47	0.47
1:A:130:PRO:HA	1:A:133:TRP:HB2	1.97	0.47
1:B:129:GLU:O	1:B:133:TRP:HD1	1.97	0.46
1:B:125:PHE:CG	1:B:126:PRO:HD2	2.52	0.45
1:A:116:ASP:OD2	1:A:150:SER:HB2	2.17	0.45
1:A:4:LEU:HD22	1:A:104:LEU:HD23	1.99	0.44
1:A:1:MET:HE3	1:A:1:MET:HB3	1.63	0.44
1:B:124:HIS:HD2	5:B:722:HOH:O	2.01	0.44
1:A:128:TYR:O	1:A:130:PRO:CD	2.57	0.44
1:B:52:ARG:HB2	1:B:53:PRO:HD2	2.00	0.44
1:B:5:ILE:CG2	1:B:94:ILE:HG22	2.50	0.42
1:B:54:LEU:HD23	1:B:54:LEU:HA	1.92	0.42
1:B:69:ASP:OD2	1:B:71:ARG:NH2	2.39	0.42
1:A:4:LEU:HD13	1:A:107:ALA:HB2	2.03	0.41
1:A:103:PHE:C	1:A:105:PRO:HD2	2.41	0.41
1:A:44:ARG:HH21	1:A:65:GLN:HB2	1.84	0.41
1:B:110:LEU:HB2	1:B:156:LEU:HD12	2.02	0.41
4:B:361:MTX:HM1	4:B:361:MTX:H13	1.51	0.41
1:A:108:GLN:HB2	1:A:108:GLN:HE21	1.69	0.41
1:A:104:LEU:N	1:A:105:PRO:HD2	2.35	0.40
1:A:75:VAL:HB	1:A:80:GLU:HB3	2.02	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:ASP:OD2	5:B:789:HOH:O[5_564]	2.04	0.16
5:A:569:HOH:O	5:B:728:HOH:O[3_564]	2.09	0.11

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	157/159 (99%)	148 (94%)	8 (5%)	1 (1%)	30	14
1	B	157/159 (99%)	156 (99%)	1 (1%)	0	100	100
All	All	314/318 (99%)	304 (97%)	9 (3%)	1 (0%)	46	29

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	130	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	129/136 (95%)	119 (92%)	10 (8%)	16	4
1	B	134/136 (98%)	128 (96%)	6 (4%)	34	16
All	All	263/272 (97%)	247 (94%)	16 (6%)	23	8

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	10	VAL
1	A	22	TRP
1	A	62	LEU
1	A	64	SER
1	A	80	GLU
1	A	87	ASP
1	A	104	LEU
1	A	135	SER
1	A	138	SER
1	B	22	TRP
1	B	27	SER
1	B	52	ARG
1	B	61	ILE
1	B	87	ASP
1	B	118	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	108	GLN
1	B	65	GLN
1	B	124	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MTX	A	161	-	27,35,35	2.05	12 (44%)	30,49,49	2.77	14 (46%)
4	MTX	B	361	-	27,35,35	2.02	11 (40%)	30,49,49	2.43	8 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MTX	A	161	-	-	0/19/25/25	0/3/3/3
4	MTX	B	361	-	-	0/19/25/25	0/3/3/3

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	361	MTX	C8A-N8	-3.24	1.31	1.37
4	A	161	MTX	C9-C6	-3.22	1.45	1.51
4	B	361	MTX	C2-NA2	-3.14	1.27	1.34
4	A	161	MTX	C2-NA2	-2.91	1.28	1.34
4	A	161	MTX	C11-C	-2.60	1.44	1.50
4	B	361	MTX	C4A-N5	-2.19	1.32	1.37
4	A	161	MTX	C16-C11	2.10	1.42	1.39
4	B	361	MTX	C4-N3	2.11	1.38	1.33
4	B	361	MTX	O-C	2.19	1.27	1.23
4	A	161	MTX	C12-C11	2.20	1.43	1.39
4	A	161	MTX	C8A-N1	2.42	1.41	1.36
4	B	361	MTX	CB-CG	2.46	1.64	1.52
4	A	161	MTX	C16-C15	2.49	1.43	1.38
4	A	161	MTX	C13-C14	2.67	1.44	1.39
4	A	161	MTX	C7-C6	2.73	1.43	1.39
4	B	361	MTX	C9-N10	2.89	1.51	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	361	MTX	CA-N	3.00	1.51	1.46
4	A	161	MTX	CA-N	3.31	1.51	1.46
4	B	361	MTX	CB-CA	3.33	1.58	1.53
4	A	161	MTX	C9-N10	3.51	1.52	1.47
4	A	161	MTX	CB-CA	3.81	1.58	1.53
4	B	361	MTX	C2-N3	3.90	1.42	1.35
4	B	361	MTX	C12-C11	3.96	1.46	1.39

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	361	MTX	N1-C2-N3	-7.26	116.39	127.44
4	A	161	MTX	N1-C2-N3	-6.11	118.14	127.44
4	B	361	MTX	C13-C14-N10	-5.46	113.40	121.68
4	B	361	MTX	C15-C16-C11	-4.42	115.64	120.76
4	A	161	MTX	C7-N8-C8A	-4.33	111.82	116.93
4	A	161	MTX	C13-C14-N10	-4.10	115.47	121.68
4	B	361	MTX	C12-C13-C14	-4.03	115.16	120.36
4	A	161	MTX	C9-C6-N5	-3.78	110.92	117.11
4	A	161	MTX	C6-C9-N10	-3.20	108.22	113.78
4	A	161	MTX	C16-C15-C14	-2.39	117.27	120.36
4	B	361	MTX	C6-C9-N10	-2.20	109.96	113.78
4	A	161	MTX	N8-C8A-N1	-2.07	113.19	116.14
4	A	161	MTX	C4A-C8A-N8	2.01	125.46	121.81
4	B	361	MTX	CM-N10-C9	2.29	120.43	114.23
4	A	161	MTX	NA4-C4-N3	2.31	124.17	116.45
4	A	161	MTX	NA2-C2-N1	2.32	122.25	117.80
4	A	161	MTX	C15-C16-C11	2.40	123.54	120.76
4	B	361	MTX	C2-N3-C4	2.82	125.59	116.70
4	B	361	MTX	NA2-C2-N1	3.24	124.02	117.80
4	A	161	MTX	CM-N10-C14	4.57	127.40	119.56
4	A	161	MTX	C2-N3-C4	4.60	131.21	116.70
4	A	161	MTX	CG-CB-CA	6.89	126.98	112.99

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	361	MTX	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.