



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:32 AM GMT

PDB ID : 2DH4
Title : Geranylgeranyl pyrophosphate synthase
Authors : Chang, T.-H.; Guo, R.-T.; Ko, T.-P.; Wang, A.H.; Liang, P.-H.
Deposited on : 2006-03-22
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	8664 (2.00-1.96)
Clashscore	102246	9905 (2.00-1.96)
Ramachandran outliers	100387	9792 (2.00-1.96)
Sidechain outliers	100360	9791 (2.00-1.96)
RSRZ outliers	91569	8679 (2.00-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	340	<div> <div>9%</div> <div>72%</div> <div>22%</div> <div>• •</div> </div>
1	B	340	<div> <div>12%</div> <div>74%</div> <div>19%</div> <div>• •</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5900 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called YPL069C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	326	Total	C	N	O	S	0	0	0
			2660	1704	450	496	10			
1	B	326	Total	C	N	O	S	0	0	0
			2660	1704	450	496	10			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	CLONING ARTIFACT	UNP Q12051
A	2	THR	-	CLONING ARTIFACT	UNP Q12051
A	3	LYS	-	CLONING ARTIFACT	UNP Q12051
A	4	ASN	-	CLONING ARTIFACT	UNP Q12051
A	5	LYS	-	CLONING ARTIFACT	UNP Q12051
B	1	MET	-	CLONING ARTIFACT	UNP Q12051
B	2	THR	-	CLONING ARTIFACT	UNP Q12051
B	3	LYS	-	CLONING ARTIFACT	UNP Q12051
B	4	ASN	-	CLONING ARTIFACT	UNP Q12051
B	5	LYS	-	CLONING ARTIFACT	UNP Q12051

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mg	0	0
			1	1		
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	297	Total	O	0	0
			297	297		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	281	Total	O	0	0
			281	281		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: YPL069C



• Molecule 1: YPL069C



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	48.75Å 116.33Å 129.77Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.98 22.91 – 1.97	Depositor EDS
% Data completeness (in resolution range)	90.5 (50.00-1.98) 90.0 (22.91-1.97)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.86 (at 1.98Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.189 , 0.243 0.189 , 0.244	Depositor DCC
R_{free} test set	2373 reflections (5.01%)	DCC
Wilson B-factor (Å ²)	26.7	Xtriage
Anisotropy	0.862	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 56.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 47628 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5900	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.79	0/2710	0.80	3/3667 (0.1%)
1	B	0.79	1/2710 (0.0%)	0.78	2/3667 (0.1%)
All	All	0.79	1/5420 (0.0%)	0.79	5/7334 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	284	GLU	CG-CD	5.55	1.60	1.51

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	269	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	A	269	ARG	NE-CZ-NH2	-5.40	117.60	120.30
1	A	154	ARG	NE-CZ-NH2	-5.26	117.67	120.30
1	B	57	LEU	CA-CB-CG	5.16	127.17	115.30
1	A	269	ARG	NE-CZ-NH1	5.00	122.80	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	32	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2660	0	2702	92	0
1	B	2660	0	2702	78	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	297	0	0	14	0
3	B	281	0	0	15	0
All	All	5900	0	5404	160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:GLN:HE21	1:A:281:GLN:HE22	1.06	1.00
1:A:258:GLN:HE21	1:A:258:GLN:H	1.09	0.98
1:A:52:ASN:HD21	1:A:57:LEU:H	1.06	0.98
1:A:41:LYS:HE2	3:A:357:HOH:O	1.66	0.96
1:B:226:SER:HB3	1:B:273:LYS:NZ	1.81	0.95
1:B:330:LEU:HG	1:B:331:LEU:N	1.80	0.95
1:A:123:THR:HG22	1:A:125:LYS:H	1.32	0.92
1:B:23:GLN:HG2	3:B:376:HOH:O	1.66	0.92
1:B:52:ASN:HD21	1:B:57:LEU:H	1.10	0.91
1:A:94:THR:HG21	1:A:96:HIS:CD2	2.07	0.90
1:B:273:LYS:HE3	1:B:277:LEU:HD11	1.56	0.85
1:A:307:ASP:HA	3:A:544:HOH:O	1.82	0.80
1:B:226:SER:HB3	1:B:273:LYS:HZ3	1.47	0.79
1:B:34:HIS:HD2	3:B:484:HOH:O	1.65	0.78
1:A:34:HIS:HD2	3:A:423:HOH:O	1.67	0.77
1:A:223:GLN:HE21	1:A:281:GLN:NE2	1.82	0.77
1:A:94:THR:CG2	1:A:96:HIS:CD2	2.67	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:38:LYS:HE2	1:A:89:ARG:O	1.86	0.75
1:A:80:ASP:OD1	3:A:368:HOH:O	2.05	0.75
1:B:226:SER:HB3	1:B:273:LYS:HZ2	1.50	0.75
1:A:52:ASN:ND2	1:A:57:LEU:H	1.86	0.73
1:A:38:LYS:HD2	1:A:89:ARG:HG3	1.69	0.73
1:B:340:LEU:OXT	3:B:584:HOH:O	2.06	0.72
1:B:180:ARG:HH11	1:B:204:ASN:HD21	1.38	0.72
1:A:299:GLN:HE21	1:B:3:LYS:HD3	1.55	0.72
1:A:53:ARG:HH11	1:A:53:ARG:HG2	1.55	0.71
1:A:154:ARG:HD2	1:A:236:GLU:O	1.92	0.70
1:A:336:HIS:O	1:A:339:GLU:HG2	1.92	0.69
1:A:163:THR:HG23	1:A:166:MET:CE	2.23	0.68
1:A:123:THR:HG23	3:A:511:HOH:O	1.94	0.66
1:B:38:LYS:CG	1:B:90:ARG:HG2	2.26	0.66
1:A:223:GLN:NE2	1:A:281:GLN:HE22	1.87	0.65
1:A:3:LYS:HG3	1:B:299:GLN:HE21	1.61	0.65
1:A:183:LEU:HD21	1:A:199:LEU:HB2	1.79	0.65
1:A:34:HIS:HE1	1:A:93:THR:O	1.79	0.64
1:A:135:ILE:HG22	1:A:181:LEU:HD12	1.80	0.64
1:B:180:ARG:HH11	1:B:204:ASN:ND2	1.96	0.63
1:A:94:THR:HG21	1:A:96:HIS:NE2	2.13	0.63
1:A:180:ARG:HH11	1:A:204:ASN:HD21	1.45	0.62
1:B:96:HIS:HE1	3:B:516:HOH:O	1.81	0.62
1:A:163:THR:H	1:A:166:MET:HE3	1.62	0.62
1:A:136:PHE:HA	1:A:181:LEU:HD11	1.81	0.61
1:B:52:ASN:ND2	1:B:57:LEU:H	1.91	0.61
1:A:140:LEU:O	1:A:144:HIS:HD2	1.84	0.60
1:B:55:MET:CE	1:B:190:SER:HB2	2.32	0.60
1:A:38:LYS:CE	1:A:89:ARG:O	2.49	0.60
1:A:38:LYS:HE2	1:A:89:ARG:HB3	1.82	0.60
1:A:180:ARG:HH11	1:A:204:ASN:ND2	1.99	0.60
1:B:38:LYS:HG3	1:B:90:ARG:HG2	1.84	0.59
1:A:330:LEU:HD11	1:A:334:ILE:HD11	1.84	0.59
1:B:154:ARG:HD2	1:B:236:GLU:HG2	1.85	0.59
1:B:90:ARG:NH1	1:B:90:ARG:HG3	2.17	0.59
1:A:258:GLN:N	1:A:258:GLN:HE21	1.90	0.58
1:A:163:THR:N	1:A:166:MET:HE3	2.18	0.58
1:B:241:PHE:HB3	1:B:242:PRO:HD3	1.86	0.58
1:A:38:LYS:HD3	1:A:90:ARG:HB2	1.85	0.58
1:A:110:TYR:HE1	1:B:141:ILE:HG23	1.68	0.57
1:B:55:MET:HE2	1:B:190:SER:HB2	1.84	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288:ASN:ND2	3:A:558:HOH:O	2.32	0.57
1:A:163:THR:OG1	1:A:166:MET:HE2	2.04	0.57
1:A:225:SER:HB2	1:A:228:LYS:HD3	1.87	0.57
1:A:24:ASN:OD1	3:A:346:HOH:O	2.17	0.57
1:B:328:ASP:OD1	1:B:328:ASP:N	2.38	0.57
1:A:246:ALA:HB2	1:A:283:LEU:HD22	1.87	0.56
1:A:123:THR:HG22	1:A:124:THR:H	1.70	0.56
1:A:53:ARG:HG2	1:A:53:ARG:NH1	2.16	0.56
1:B:257:GLU:OE1	1:B:264:ARG:NH1	2.38	0.56
1:A:183:LEU:CD2	1:A:203:ILE:HB	2.36	0.56
1:A:123:THR:HG22	1:A:124:THR:N	2.22	0.55
1:A:96:HIS:HE1	3:A:473:HOH:O	1.89	0.55
1:A:38:LYS:CD	1:A:89:ARG:HG3	2.34	0.55
1:B:38:LYS:HE3	1:B:90:ARG:HD3	1.89	0.55
1:B:41:LYS:HG3	1:B:70:GLU:OE2	2.06	0.55
1:A:135:ILE:HG22	1:A:181:LEU:CD1	2.37	0.54
1:A:133:ILE:HG23	1:B:116:MET:CE	2.38	0.54
1:A:50:GLN:CD	1:A:329:GLU:HG2	2.28	0.54
1:A:34:HIS:CE1	1:A:93:THR:O	2.59	0.53
1:A:50:GLN:HG3	1:A:329:GLU:HG2	1.89	0.53
3:A:512:HOH:O	1:B:130:HIS:HE1	1.91	0.53
1:A:241:PHE:HB3	1:A:242:PRO:HD3	1.90	0.53
1:A:180:ARG:HD3	1:A:204:ASN:HD21	1.75	0.51
1:A:197:HIS:HD2	1:A:198:SER:O	1.94	0.51
1:A:313:LEU:HD21	1:A:330:LEU:HD22	1.92	0.51
1:B:144:HIS:HE1	3:B:358:HOH:O	1.93	0.51
1:B:126:GLU:HA	1:B:126:GLU:OE2	2.11	0.51
1:A:21:SER:H	1:A:24:ASN:HD22	1.59	0.50
1:A:90:ARG:NH2	3:A:465:HOH:O	2.44	0.50
1:A:144:HIS:HE1	3:B:352:HOH:O	1.94	0.49
1:A:163:THR:H	1:A:166:MET:CE	2.25	0.49
1:B:225:SER:HB3	1:B:228:LYS:HB2	1.94	0.49
1:A:47:LEU:HD13	1:A:333:ILE:HD13	1.93	0.49
1:B:21:SER:H	1:B:24:ASN:HD22	1.60	0.49
1:B:99:PHE:HB3	3:B:555:HOH:O	2.13	0.49
1:B:21:SER:H	1:B:24:ASN:ND2	2.11	0.48
1:B:50:GLN:HG3	1:B:333:ILE:HD11	1.93	0.48
1:A:3:LYS:HE3	1:B:299:GLN:NE2	2.29	0.48
1:A:288:ASN:HB2	3:A:542:HOH:O	2.14	0.48
1:A:94:THR:HG22	1:A:96:HIS:CD2	2.49	0.48
1:B:180:ARG:HD3	1:B:204:ASN:HD21	1.79	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:90:ARG:HG3	1:B:90:ARG:HH11	1.77	0.48
1:A:123:THR:HG21	1:A:128:LEU:HD23	1.95	0.48
1:B:225:SER:CB	1:B:228:LYS:HG3	2.43	0.48
1:A:295:ASN:HD21	1:B:3:LYS:NZ	2.11	0.48
1:A:225:SER:HB3	1:A:228:LYS:HB2	1.94	0.48
1:A:38:LYS:HE2	1:A:89:ARG:CB	2.44	0.47
1:A:50:GLN:CG	1:A:329:GLU:HG2	2.44	0.47
1:B:226:SER:CB	1:B:273:LYS:HZ3	2.22	0.47
1:B:330:LEU:HA	3:B:565:HOH:O	2.13	0.47
1:B:144:HIS:CE1	3:B:358:HOH:O	2.67	0.47
1:A:20:TRP:CH2	1:A:24:ASN:HB3	2.50	0.47
1:A:148:GLY:HA3	1:B:28:ILE:HD12	1.96	0.47
1:B:73:HIS:HE1	3:B:472:HOH:O	1.97	0.47
1:B:193:SER:OG	1:B:194:HIS:N	2.48	0.46
1:A:43:PHE:CE2	1:A:339:GLU:HG3	2.51	0.46
1:A:41:LYS:HB2	1:A:41:LYS:HE3	1.50	0.45
1:B:183:LEU:HD21	1:B:199:LEU:HB2	1.98	0.45
1:A:229:GLY:HA3	3:A:393:HOH:O	2.16	0.45
1:A:163:THR:HG23	1:A:166:MET:HE3	1.96	0.45
1:B:38:LYS:HG2	1:B:90:ARG:HG2	1.97	0.45
1:A:126:GLU:HB3	1:B:126:GLU:HB3	1.99	0.45
1:A:73:HIS:HE1	3:A:460:HOH:O	1.99	0.44
1:A:126:GLU:HA	1:A:126:GLU:OE2	2.18	0.44
1:B:181:LEU:O	1:B:181:LEU:HD12	2.17	0.44
1:A:137:ASN:HD21	1:B:117:GLN:N	2.14	0.44
1:B:55:MET:HE3	1:B:55:MET:HA	1.99	0.44
1:A:304:ILE:HG22	1:A:330:LEU:HD21	2.00	0.44
1:A:2:THR:HG22	1:A:4:ASN:H	1.83	0.44
1:B:223:GLN:HE22	1:B:284:GLU:HG2	1.81	0.44
1:A:299:GLN:NE2	1:B:3:LYS:HD3	2.29	0.43
1:A:190:SER:OG	1:A:192:SER:HB3	2.18	0.43
1:B:27:LEU:HD12	3:B:373:HOH:O	2.18	0.43
1:B:230:PHE:O	1:B:276:LYS:NZ	2.48	0.43
1:B:213:ARG:NH1	1:B:334:ILE:O	2.51	0.43
1:A:32:TYR:CD1	1:A:111:MET:HG3	2.54	0.43
1:B:339:GLU:H	1:B:339:GLU:HG2	1.70	0.43
1:B:50:GLN:CD	1:B:329:GLU:HG2	2.38	0.43
1:B:44:ARG:NH1	3:B:622:HOH:O	2.40	0.43
1:A:183:LEU:HD23	1:A:203:ILE:HB	1.99	0.43
1:B:34:HIS:CD2	3:B:484:HOH:O	2.53	0.42
1:A:47:LEU:HD13	1:A:333:ILE:HG21	1.99	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:34:HIS:HE1	1:B:93:THR:O	2.02	0.42
1:B:133:ILE:HD12	1:B:133:ILE:HG23	1.70	0.42
1:B:210:TYR:C	1:B:210:TYR:CD2	2.92	0.42
1:B:88:LEU:HD11	3:B:519:HOH:O	2.19	0.42
1:B:228:LYS:HE2	1:B:228:LYS:HB3	1.87	0.42
1:B:225:SER:HB3	1:B:228:LYS:CG	2.50	0.42
1:A:304:ILE:HG21	1:A:330:LEU:HD11	2.01	0.41
1:B:44:ARG:NH1	1:B:73:HIS:CE1	2.88	0.41
1:B:27:LEU:CD1	3:B:373:HOH:O	2.69	0.41
1:B:222:PHE:HD2	1:B:280:ILE:CD1	2.33	0.41
1:B:38:LYS:HG3	1:B:90:ARG:CG	2.49	0.41
1:B:183:LEU:HD22	1:B:203:ILE:HB	2.02	0.41
1:B:288:ASN:HD22	1:B:288:ASN:HA	1.66	0.41
1:B:206:LEU:HA	1:B:206:LEU:HD12	1.96	0.41
1:B:90:ARG:CG	1:B:90:ARG:HH11	2.34	0.41
1:A:193:SER:HB2	1:A:194:HIS:H	1.70	0.41
1:B:261:GLU:OE2	1:B:278:LYS:NZ	2.54	0.41
1:B:38:LYS:HG3	1:B:90:ARG:HB2	2.03	0.40
1:A:85:ASN:ND2	3:A:473:HOH:O	2.52	0.40
1:A:133:ILE:HG23	1:A:133:ILE:HD12	1.71	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	322/340 (95%)	315 (98%)	6 (2%)	1 (0%)	46	39
1	B	322/340 (95%)	314 (98%)	6 (2%)	2 (1%)	30	21
All	All	644/680 (95%)	629 (98%)	12 (2%)	3 (0%)	34	25

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	193	SER
1	B	193	SER
1	B	195	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	305/317 (96%)	297 (97%)	8 (3%)	54	51
1	B	305/317 (96%)	297 (97%)	8 (3%)	54	51
All	All	610/634 (96%)	594 (97%)	16 (3%)	54	51

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	114	ARG
1	A	123	THR
1	A	158	PRO
1	A	225	SER
1	A	227	GLU
1	A	230	PHE
1	A	258	GLN
1	A	311	LYS
1	B	90	ARG
1	B	92	GLN
1	B	147	GLN
1	B	181	LEU
1	B	288	ASN
1	B	328	ASP
1	B	330	LEU
1	B	339	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	34	HIS
1	A	52	ASN
1	A	56	ASN
1	A	61	GLN
1	A	85	ASN
1	A	96	HIS
1	A	109	ASN
1	A	130	HIS
1	A	137	ASN
1	A	144	HIS
1	A	197	HIS
1	A	204	ASN
1	A	258	GLN
1	A	260	ASN
1	A	281	GLN
1	A	295	ASN
1	A	298	ASN
1	A	299	GLN
1	B	24	ASN
1	B	34	HIS
1	B	52	ASN
1	B	96	HIS
1	B	109	ASN
1	B	137	ASN
1	B	144	HIS
1	B	147	GLN
1	B	197	HIS
1	B	204	ASN
1	B	288	ASN
1	B	298	ASN
1	B	299	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	326/340 (95%)	0.46	29 (8%) 12 14	21, 33, 71, 83	0
1	B	326/340 (95%)	0.49	41 (12%) 5 6	19, 35, 73, 87	0
All	All	652/680 (95%)	0.48	70 (10%) 8 10	19, 34, 72, 87	0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	227	GLU	7.2
1	A	227	GLU	6.8
1	A	226	SER	6.7
1	B	332	TYR	6.6
1	B	194	HIS	6.5
1	B	226	SER	6.3
1	A	193	SER	6.3
1	A	308	ASN	6.2
1	B	228	LYS	6.1
1	A	40	GLY	5.8
1	B	193	SER	5.7
1	A	230	PHE	5.3
1	B	225	SER	4.7
1	A	225	SER	4.7
1	A	194	HIS	4.7
1	B	230	PHE	4.6
1	B	90	ARG	4.6
1	A	224	MET	4.6
1	B	196	GLY	4.6
1	B	39	PRO	4.6
1	A	4	ASN	4.6
1	B	331	LEU	4.5
1	B	338	SER	4.3
1	B	2	THR	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	339	GLU	4.0
1	B	43	PHE	3.9
1	A	39	PRO	3.9
1	B	4	ASN	3.8
1	B	336	HIS	3.8
1	B	195	HIS	3.8
1	A	310	ASN	3.7
1	A	41	LYS	3.6
1	A	331	LEU	3.6
1	B	42	ASN	3.5
1	A	43	PHE	3.4
1	B	330	LEU	3.2
1	A	195	HIS	3.2
1	A	90	ARG	3.1
1	B	329	GLU	3.1
1	B	40	GLY	3.1
1	B	192	SER	3.0
1	B	328	ASP	3.0
1	A	243	ILE	3.0
1	B	224	MET	2.8
1	A	2	THR	2.8
1	B	3	LYS	2.8
1	A	192	SER	2.8
1	B	41	LYS	2.6
1	B	60	ASP	2.6
1	A	228	LYS	2.6
1	B	252	THR	2.6
1	B	229	GLY	2.6
1	B	92	GLN	2.6
1	A	309	GLU	2.5
1	B	56	ASN	2.5
1	A	332	TYR	2.5
1	B	191	PRO	2.4
1	A	38	LYS	2.4
1	B	309	GLU	2.4
1	A	3	LYS	2.4
1	B	203	ILE	2.3
1	A	229	GLY	2.3
1	B	310	ASN	2.2
1	B	38	LYS	2.2
1	B	333	ILE	2.2
1	A	222	PHE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	37	LEU	2.1
1	A	335	ASP	2.1
1	A	336	HIS	2.0
1	B	340	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	MG	A	341	1/1	0.97	0.07	-1.35	24,24,24,24	0
2	MG	B	341	1/1	0.96	0.09	-	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.