



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:03 PM GMT

PDB ID : 1DV4  
Title : PARTIAL STRUCTURE OF 16S RNA OF THE SMALL RIBOSOMAL SUB-UNIT FROM THERMUS THERMOPHILUS  
Authors : Tocilj, A.; Schlunzen, F.; Janell, D.; Gluhmann, M.; Hansen, H.; Harms, J.; Bashan, A.; Bartels, H.; Agmon, I.; Franceschi, F.; Yonath, A.  
Deposited on : 2000-01-19  
Resolution : 4.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 4.50 Å.




Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1003 (5.30-3.62)
RNA backbone	2183	1090 (6.00-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	362	 85% 15%
2	E	145	 99% .
3	G	135	 100%

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 3956 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S RIBOSOMAL RNA.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	362	Total	C	O	P	0	0	0
			3594	1808	1444	342			


- Molecule 2 is a protein called RIBOSOMAL PROTEIN S5.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
2	E	145	Total	C	0	0	145
			145	145			

- Molecule 3 is a protein called RIBOSOMAL PROTEIN S7.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
3	G	135	Total	C	0	0	135
			135	135			

- Molecule 4 is OCTADECATUNGSTENYL DIPHOSPHATE (three-letter code: WO2) (formula: O<sub>62</sub>P<sub>2</sub>W<sub>18</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	E	1	Total	O	P	W	0	0
			82	62	2	18		

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: 16S RIBOSOMAL RNA



- Molecule 2: RIBOSOMAL PROTEIN S5



- Molecule 3: RIBOSOMAL PROTEIN S7



There are no outlier residues recorded for this chain.

## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	407.10Å 407.10Å 176.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 4.50	Depositor
% Data completeness (in resolution range)	(Not available) (30.00-4.50)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	12.50	Depositor
Refinement program	O	Depositor
R, $R_{free}$	(Not available) , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3956	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	3.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: WO2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

There are no protein, RNA or DNA chains available to summarize Z scores of covalent bonds and angles.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3594	0	2934	75	0
2	E	145	0	0	1	0
3	G	135	0	0	0	0
4	E	82	0	0	1	0
All	All	3956	0	2934	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:83:N:H4'	1:A:264:N:P	1.80	1.20
1:A:83:N:H4'	1:A:263:N:O3'	0.98	1.15

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:83:N:C4'	1:A:264:N:P	2.35	1.15
1:A:83:N:C5'	1:A:264:N:P	2.35	1.15
1:A:83:N:C4'	1:A:263:N:O3'	1.95	1.13
1:A:195:N:H2'	1:A:196:N:O4'	1.55	1.07
1:A:313:N:H2'	1:A:314:N:O4'	1.55	1.06
1:A:24:N:H2'	1:A:25:N:O4'	1.55	1.05
1:A:36:N:H2'	1:A:37:N:O4'	1.55	1.02
1:A:83:N:H5'	1:A:264:N:P	1.95	1.02
1:A:206:N:P	1:A:220:N:O3'	2.35	0.85
1:A:1:N:P	1:A:33:N:H3'	2.19	0.82
1:A:265:N:H1'2	1:A:266:N:O4'	1.83	0.79
1:A:200:N:H1'2	1:A:201:N:O4'	1.83	0.79
1:A:41:N:H1'2	1:A:42:N:O4'	1.83	0.79
1:A:318:N:H1'2	1:A:319:N:O4'	1.83	0.79
1:A:29:N:H1'2	1:A:30:N:O4'	1.83	0.78
1:A:1:N:H5'	1:A:33:N:C2'	2.20	0.71
2:E:49:ARG:CA	4:E:1:WO2:O44	2.38	0.71
1:A:31:N:H2'	1:A:32:N:O4'	1.91	0.70
1:A:43:N:H2'	1:A:44:N:O4'	1.91	0.70
1:A:202:N:H2'	1:A:203:N:O4'	1.91	0.70
1:A:334:N:H2'	1:A:335:N:O4'	1.92	0.70
1:A:267:N:H2'	1:A:268:N:O4'	1.91	0.70
1:A:320:N:H2'	1:A:321:N:O4'	1.91	0.70
1:A:1:N:H5'	1:A:33:N:H2'	1.74	0.69
1:A:195:N:H2'	1:A:196:N:C1'	2.25	0.66
1:A:313:N:H2'	1:A:314:N:C1'	2.26	0.66
1:A:195:N:C2'	1:A:196:N:O4'	2.39	0.66
1:A:24:N:H2'	1:A:25:N:C1'	2.26	0.65
1:A:36:N:H2'	1:A:37:N:C1'	2.26	0.65
1:A:24:N:C2'	1:A:25:N:O4'	2.39	0.64
1:A:205:N:O3'	1:A:207:N:P	2.57	0.63
1:A:36:N:C2'	1:A:37:N:O4'	2.39	0.62
1:A:313:N:C2'	1:A:314:N:O4'	2.39	0.61
1:A:335:N:H2'	1:A:336:N:O4'	2.01	0.60
1:A:353:N:H2'	1:A:354:N:O4'	2.02	0.59
1:A:200:N:O2'	1:A:201:N:P	2.64	0.56
1:A:41:N:O2'	1:A:42:N:P	2.64	0.56
1:A:29:N:O2'	1:A:30:N:P	2.64	0.56
1:A:318:N:O2'	1:A:319:N:P	2.64	0.55
1:A:350:N:H2'	1:A:351:N:O4'	2.06	0.55
1:A:265:N:O2'	1:A:266:N:P	2.64	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:N:H1'2	1:A:41:N:O5'	2.11	0.51
1:A:199:N:H1'2	1:A:200:N:O5'	2.11	0.51
1:A:264:N:H1'2	1:A:265:N:O5'	2.11	0.51
1:A:317:N:H1'2	1:A:318:N:O5'	2.11	0.51
1:A:28:N:H1'2	1:A:29:N:O5'	2.11	0.50
1:A:1:N:H5'	1:A:33:N:C3'	2.42	0.49
1:A:337:N:H2'	1:A:338:N:O4'	2.15	0.47
1:A:202:N:C2'	1:A:203:N:O4'	2.63	0.46
1:A:267:N:C2'	1:A:268:N:O4'	2.63	0.45
1:A:320:N:C2'	1:A:321:N:O4'	2.63	0.45
1:A:31:N:C2'	1:A:32:N:O4'	2.63	0.45
1:A:198:N:O2'	1:A:199:N:C5'	2.65	0.45
1:A:316:N:O2'	1:A:317:N:C5'	2.65	0.45
1:A:27:N:O2'	1:A:28:N:C5'	2.65	0.45
1:A:263:N:O2'	1:A:264:N:C5'	2.65	0.44
1:A:264:N:H1'2	1:A:265:N:C5'	2.48	0.43
1:A:39:N:O2'	1:A:40:N:C5'	2.65	0.43
1:A:42:N:O2'	1:A:43:N:O5'	2.36	0.43
1:A:40:N:H1'2	1:A:41:N:C5'	2.48	0.43
1:A:28:N:H1'2	1:A:29:N:C5'	2.48	0.43
1:A:266:N:O2'	1:A:267:N:O5'	2.35	0.43
1:A:199:N:H1'2	1:A:200:N:C5'	2.48	0.43
1:A:317:N:H1'2	1:A:318:N:C5'	2.48	0.42
1:A:202:N:H2'	1:A:203:N:C1'	2.49	0.42
1:A:83:N:H5''	1:A:264:N:P	2.47	0.42
1:A:30:N:O2'	1:A:31:N:O5'	2.35	0.42
1:A:267:N:H2'	1:A:268:N:C1'	2.49	0.42
1:A:43:N:C2'	1:A:44:N:O4'	2.63	0.41
1:A:31:N:H2'	1:A:32:N:C1'	2.49	0.41
1:A:320:N:H2'	1:A:321:N:C1'	2.50	0.41
1:A:43:N:H2'	1:A:44:N:C1'	2.49	0.41
1:A:319:N:O2'	1:A:320:N:O5'	2.35	0.41
1:A:200:N:O2'	1:A:201:N:O5'	2.38	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

There are no protein backbone outliers to report in this entry.

### 5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	0/362	-	-

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	WO2	E	1	-	54,116,116	1.51	9 (16%)	6,348,348	1.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	WO2	E	1	-	-	0/0/624/624	0/0/35/35

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	1	WO2	W11-O10	-3.19	1.78	1.90
4	E	1	WO2	W9-O9	-2.28	1.82	1.90
4	E	1	WO2	W11-O16	-2.20	1.83	1.94
4	E	1	WO2	P2-OP6	2.40	1.57	1.53
4	E	1	WO2	P1-OP3	2.52	1.58	1.53
4	E	1	WO2	W3-O8	2.66	1.99	1.90
4	E	1	WO2	P1-OP1	2.71	1.58	1.53
4	E	1	WO2	W3-O11	3.80	2.04	1.90
4	E	1	WO2	W9-O12	3.92	2.04	1.90

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	1	WO2	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.