



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:24 PM GMT

PDB ID : 4EJ0
Title : Crystal structure of ADP-L-glycero-D-manno-heptose-6-epimerase from
Burkholderia thailandensis
Authors : Kim, M.S.; Shin, D.H.
Deposited on : 2012-04-06
Resolution : 2.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	342	<div> <div></div> <div> <div></div> <div>85%</div> <div>11%</div> <div>.</div> </div> </div>
1	B	342	<div> <div>16%</div> <div> <div></div> <div>75%</div> <div>20%</div> <div>..</div> </div> </div>
1	C	342	<div> <div>4%</div> <div> <div></div> <div>83%</div> <div>13%</div> <div>..</div> </div> </div>
1	D	342	<div> <div>2%</div> <div> <div></div> <div>86%</div> <div>10%</div> <div>..</div> </div> </div>
1	E	342	<div> <div></div> <div> <div></div> <div>87%</div> <div>9%</div> <div>.</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	342	<div><div><div>%</div><div><div></div><div>88%</div><div>7%</div><div></div><div></div></div><div>• •</div></div></div>
1	G	342	<div><div><div>2%</div><div><div></div><div>85%</div><div>11%</div><div></div><div></div></div><div>• •</div></div></div>
1	H	342	<div><div><div>2%</div><div><div></div><div>85%</div><div>11%</div><div></div><div></div></div><div>• •</div></div></div>
1	I	342	<div><div><div>%</div><div><div></div><div>85%</div><div>10%</div><div></div><div></div></div><div>• •</div></div></div>
1	J	342	<div><div><div>8%</div><div><div></div><div>80%</div><div>16%</div><div></div><div></div></div><div>• •</div></div></div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 27040 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ADP-L-glycero-D-manno-heptose-6-epimerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	330	Total	C	N	O	S	0	0	0
			2611	1659	454	488	10			
1	B	330	Total	C	N	O	S	0	0	0
			2610	1659	454	487	10			
1	C	330	Total	C	N	O	S	0	0	0
			2611	1659	454	488	10			
1	D	330	Total	C	N	O	S	0	0	0
			2610	1659	454	487	10			
1	E	330	Total	C	N	O	S	0	0	0
			2610	1659	454	487	10			
1	F	330	Total	C	N	O	S	0	0	0
			2610	1659	454	487	10			
1	G	330	Total	C	N	O	S	0	0	0
			2610	1659	454	487	10			
1	H	330	Total	C	N	O	S	0	0	0
			2611	1659	454	488	10			
1	I	330	Total	C	N	O	S	0	0	0
			2610	1659	454	487	10			
1	J	330	Total	C	N	O	S	0	0	0
			2611	1659	454	488	10			

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	EXPRESSION TAG	UNP Q2SY18
A	-10	HIS	-	EXPRESSION TAG	UNP Q2SY18
A	-9	HIS	-	EXPRESSION TAG	UNP Q2SY18
A	-8	HIS	-	EXPRESSION TAG	UNP Q2SY18
A	-7	HIS	-	EXPRESSION TAG	UNP Q2SY18
A	-6	HIS	-	EXPRESSION TAG	UNP Q2SY18
A	-5	HIS	-	EXPRESSION TAG	UNP Q2SY18
A	-4	GLY	-	EXPRESSION TAG	UNP Q2SY18
A	-3	GLY	-	EXPRESSION TAG	UNP Q2SY18

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	EXPRESSION TAG	UNP Q2SY18
A	-1	GLY	-	EXPRESSION TAG	UNP Q2SY18
A	0	GLY	-	EXPRESSION TAG	UNP Q2SY18
B	-11	MET	-	EXPRESSION TAG	UNP Q2SY18
B	-10	HIS	-	EXPRESSION TAG	UNP Q2SY18
B	-9	HIS	-	EXPRESSION TAG	UNP Q2SY18
B	-8	HIS	-	EXPRESSION TAG	UNP Q2SY18
B	-7	HIS	-	EXPRESSION TAG	UNP Q2SY18
B	-6	HIS	-	EXPRESSION TAG	UNP Q2SY18
B	-5	HIS	-	EXPRESSION TAG	UNP Q2SY18
B	-4	GLY	-	EXPRESSION TAG	UNP Q2SY18
B	-3	GLY	-	EXPRESSION TAG	UNP Q2SY18
B	-2	GLY	-	EXPRESSION TAG	UNP Q2SY18
B	-1	GLY	-	EXPRESSION TAG	UNP Q2SY18
B	0	GLY	-	EXPRESSION TAG	UNP Q2SY18
C	-11	MET	-	EXPRESSION TAG	UNP Q2SY18
C	-10	HIS	-	EXPRESSION TAG	UNP Q2SY18
C	-9	HIS	-	EXPRESSION TAG	UNP Q2SY18
C	-8	HIS	-	EXPRESSION TAG	UNP Q2SY18
C	-7	HIS	-	EXPRESSION TAG	UNP Q2SY18
C	-6	HIS	-	EXPRESSION TAG	UNP Q2SY18
C	-5	HIS	-	EXPRESSION TAG	UNP Q2SY18
C	-4	GLY	-	EXPRESSION TAG	UNP Q2SY18
C	-3	GLY	-	EXPRESSION TAG	UNP Q2SY18
C	-2	GLY	-	EXPRESSION TAG	UNP Q2SY18
C	-1	GLY	-	EXPRESSION TAG	UNP Q2SY18
C	0	GLY	-	EXPRESSION TAG	UNP Q2SY18
D	-11	MET	-	EXPRESSION TAG	UNP Q2SY18
D	-10	HIS	-	EXPRESSION TAG	UNP Q2SY18
D	-9	HIS	-	EXPRESSION TAG	UNP Q2SY18
D	-8	HIS	-	EXPRESSION TAG	UNP Q2SY18
D	-7	HIS	-	EXPRESSION TAG	UNP Q2SY18
D	-6	HIS	-	EXPRESSION TAG	UNP Q2SY18
D	-5	HIS	-	EXPRESSION TAG	UNP Q2SY18
D	-4	GLY	-	EXPRESSION TAG	UNP Q2SY18
D	-3	GLY	-	EXPRESSION TAG	UNP Q2SY18
D	-2	GLY	-	EXPRESSION TAG	UNP Q2SY18
D	-1	GLY	-	EXPRESSION TAG	UNP Q2SY18
D	0	GLY	-	EXPRESSION TAG	UNP Q2SY18
E	-11	MET	-	EXPRESSION TAG	UNP Q2SY18
E	-10	HIS	-	EXPRESSION TAG	UNP Q2SY18
E	-9	HIS	-	EXPRESSION TAG	UNP Q2SY18

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-8	HIS	-	EXPRESSION TAG	UNP Q2SY18
E	-7	HIS	-	EXPRESSION TAG	UNP Q2SY18
E	-6	HIS	-	EXPRESSION TAG	UNP Q2SY18
E	-5	HIS	-	EXPRESSION TAG	UNP Q2SY18
E	-4	GLY	-	EXPRESSION TAG	UNP Q2SY18
E	-3	GLY	-	EXPRESSION TAG	UNP Q2SY18
E	-2	GLY	-	EXPRESSION TAG	UNP Q2SY18
E	-1	GLY	-	EXPRESSION TAG	UNP Q2SY18
E	0	GLY	-	EXPRESSION TAG	UNP Q2SY18
F	-11	MET	-	EXPRESSION TAG	UNP Q2SY18
F	-10	HIS	-	EXPRESSION TAG	UNP Q2SY18
F	-9	HIS	-	EXPRESSION TAG	UNP Q2SY18
F	-8	HIS	-	EXPRESSION TAG	UNP Q2SY18
F	-7	HIS	-	EXPRESSION TAG	UNP Q2SY18
F	-6	HIS	-	EXPRESSION TAG	UNP Q2SY18
F	-5	HIS	-	EXPRESSION TAG	UNP Q2SY18
F	-4	GLY	-	EXPRESSION TAG	UNP Q2SY18
F	-3	GLY	-	EXPRESSION TAG	UNP Q2SY18
F	-2	GLY	-	EXPRESSION TAG	UNP Q2SY18
F	-1	GLY	-	EXPRESSION TAG	UNP Q2SY18
F	0	GLY	-	EXPRESSION TAG	UNP Q2SY18
G	-11	MET	-	EXPRESSION TAG	UNP Q2SY18
G	-10	HIS	-	EXPRESSION TAG	UNP Q2SY18
G	-9	HIS	-	EXPRESSION TAG	UNP Q2SY18
G	-8	HIS	-	EXPRESSION TAG	UNP Q2SY18
G	-7	HIS	-	EXPRESSION TAG	UNP Q2SY18
G	-6	HIS	-	EXPRESSION TAG	UNP Q2SY18
G	-5	HIS	-	EXPRESSION TAG	UNP Q2SY18
G	-4	GLY	-	EXPRESSION TAG	UNP Q2SY18
G	-3	GLY	-	EXPRESSION TAG	UNP Q2SY18
G	-2	GLY	-	EXPRESSION TAG	UNP Q2SY18
G	-1	GLY	-	EXPRESSION TAG	UNP Q2SY18
G	0	GLY	-	EXPRESSION TAG	UNP Q2SY18
H	-11	MET	-	EXPRESSION TAG	UNP Q2SY18
H	-10	HIS	-	EXPRESSION TAG	UNP Q2SY18
H	-9	HIS	-	EXPRESSION TAG	UNP Q2SY18
H	-8	HIS	-	EXPRESSION TAG	UNP Q2SY18
H	-7	HIS	-	EXPRESSION TAG	UNP Q2SY18
H	-6	HIS	-	EXPRESSION TAG	UNP Q2SY18
H	-5	HIS	-	EXPRESSION TAG	UNP Q2SY18
H	-4	GLY	-	EXPRESSION TAG	UNP Q2SY18
H	-3	GLY	-	EXPRESSION TAG	UNP Q2SY18

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-2	GLY	-	EXPRESSION TAG	UNP Q2SY18
H	-1	GLY	-	EXPRESSION TAG	UNP Q2SY18
H	0	GLY	-	EXPRESSION TAG	UNP Q2SY18
I	-11	MET	-	EXPRESSION TAG	UNP Q2SY18
I	-10	HIS	-	EXPRESSION TAG	UNP Q2SY18
I	-9	HIS	-	EXPRESSION TAG	UNP Q2SY18
I	-8	HIS	-	EXPRESSION TAG	UNP Q2SY18
I	-7	HIS	-	EXPRESSION TAG	UNP Q2SY18
I	-6	HIS	-	EXPRESSION TAG	UNP Q2SY18
I	-5	HIS	-	EXPRESSION TAG	UNP Q2SY18
I	-4	GLY	-	EXPRESSION TAG	UNP Q2SY18
I	-3	GLY	-	EXPRESSION TAG	UNP Q2SY18
I	-2	GLY	-	EXPRESSION TAG	UNP Q2SY18
I	-1	GLY	-	EXPRESSION TAG	UNP Q2SY18
I	0	GLY	-	EXPRESSION TAG	UNP Q2SY18
J	-11	MET	-	EXPRESSION TAG	UNP Q2SY18
J	-10	HIS	-	EXPRESSION TAG	UNP Q2SY18
J	-9	HIS	-	EXPRESSION TAG	UNP Q2SY18
J	-8	HIS	-	EXPRESSION TAG	UNP Q2SY18
J	-7	HIS	-	EXPRESSION TAG	UNP Q2SY18
J	-6	HIS	-	EXPRESSION TAG	UNP Q2SY18
J	-5	HIS	-	EXPRESSION TAG	UNP Q2SY18
J	-4	GLY	-	EXPRESSION TAG	UNP Q2SY18
J	-3	GLY	-	EXPRESSION TAG	UNP Q2SY18
J	-2	GLY	-	EXPRESSION TAG	UNP Q2SY18
J	-1	GLY	-	EXPRESSION TAG	UNP Q2SY18
J	0	GLY	-	EXPRESSION TAG	UNP Q2SY18

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	E	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	F	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	G	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	H	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	I	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	J	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	54	Total	O	0	0
			54	54		
3	B	18	Total	O	0	0
			18	18		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	21	Total 21	O 21	0	0
3	D	55	Total 55	O 55	0	0
3	E	67	Total 67	O 67	0	0
3	F	77	Total 77	O 77	0	0
3	G	74	Total 74	O 74	0	0
3	H	43	Total 43	O 43	0	0
3	I	24	Total 24	O 24	0	0
3	J	23	Total 23	O 23	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ADP-L-glycero-D-manno-heptose-6-epimerase




- Molecule 1: ADP-L-glycero-D-manno-heptose-6-epimerase




- Molecule 1: ADP-L-glycero-D-manno-heptose-6-epimerase




- Molecule 1: ADP-L-glycero-D-manno-heptose-6-epimerase




- Molecule 1: ADP-L-glycero-D-manno-heptose-6-epimerase




- Molecule 1: ADP-L-glycero-D-manno-heptose-6-epimerase



- Molecule 1: ADP-L-glycero-D-manno-heptose-6-epimerase





- Molecule 1: ADP-L-glycero-D-manno-heptose-6-epimerase







- Molecule 1: ADP-L-glycero-D-manno-heptose-6-epimerase



- Molecule 1: ADP-L-glycero-D-manno-heptose-6-epimerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	158.32Å 160.92Å 169.63Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.97 – 2.61 19.97 – 2.61	Depositor EDS
% Data completeness (in resolution range)	99.8 (19.97-2.61) 99.8 (19.97-2.61)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.97 (at 2.59Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.185 , 0.241 0.184 , 0.237	Depositor DCC
R_{free} test set	6600 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	49.2	Xtriage
Anisotropy	0.024	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 46.4	EDS
Estimated twinning fraction	0.014 for k,h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 131278 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	27040	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/2668	0.56	0/3600
1	B	0.43	0/2667	0.54	0/3600
1	C	0.42	0/2668	0.56	0/3600
1	D	0.47	0/2667	0.57	1/3600 (0.0%)
1	E	0.48	0/2667	0.56	0/3600
1	F	0.49	0/2667	0.59	1/3600 (0.0%)
1	G	0.48	0/2667	0.60	1/3600 (0.0%)
1	H	0.46	0/2668	0.56	1/3600 (0.0%)
1	I	0.44	0/2667	0.55	0/3600
1	J	0.41	0/2668	0.54	0/3600
All	All	0.46	0/26674	0.56	4/36000 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	216	VAL	CB-CA-C	-5.61	100.74	111.40
1	H	218	VAL	CB-CA-C	-5.23	101.47	111.40
1	F	216	VAL	CB-CA-C	-5.06	101.79	111.40
1	D	216	VAL	CB-CA-C	-5.04	101.82	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2611	0	2528	16	0
1	B	2610	0	2528	53	0
1	C	2611	0	2528	23	0
1	D	2610	0	2528	18	0
1	E	2610	0	2528	15	0
1	F	2610	0	2528	17	0
1	G	2610	0	2528	22	0
1	H	2611	0	2528	19	0
1	I	2610	0	2528	19	0
1	J	2611	0	2528	31	0
2	A	48	0	24	1	0
2	B	48	0	24	0	0
2	C	48	0	24	1	0
2	D	48	0	24	0	0
2	E	48	0	24	0	0
2	F	48	0	24	0	0
2	G	48	0	24	0	0
2	H	48	0	24	0	0
2	I	48	0	24	0	0
2	J	48	0	24	1	0
3	A	54	0	0	0	0
3	B	18	0	0	7	0
3	C	21	0	0	0	0
3	D	55	0	0	2	0
3	E	67	0	0	0	0
3	F	77	0	0	3	0
3	G	74	0	0	1	0
3	H	43	0	0	0	0
3	I	24	0	0	0	0
3	J	23	0	0	2	0
All	All	27040	0	25520	216	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (216) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:150:ILE:O	3:B:514:HOH:O	2.00	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:1:MET:N	3:F:532:HOH:O	2.19	0.74
1:B:212:THR:HA	1:B:247:PRO:HA	1.70	0.72
1:F:47:GLU:OE2	1:J:130:ARG:NE	2.19	0.71
1:J:52:LEU:HD21	1:J:60:ARG:HE	1.54	0.71
1:C:4:ILE:HG12	1:C:29:ILE:HB	1.74	0.70
1:H:286:ASP:HA	1:H:289:ARG:HG3	1.75	0.69
1:D:289:ARG:NH2	3:D:519:HOH:O	2.26	0.67
1:B:263:GLU:O	3:B:509:HOH:O	2.12	0.67
1:B:153:VAL:N	3:B:514:HOH:O	2.26	0.67
1:A:130:ARG:NE	1:B:47:GLU:OE2	2.28	0.67
1:J:260:ARG:NH2	3:J:522:HOH:O	2.28	0.65
1:B:263:GLU:OE2	3:B:517:HOH:O	2.14	0.65
1:J:127:VAL:O	1:J:129:GLU:N	2.28	0.65
1:D:1:MET:HG3	1:D:27:ARG:HD3	1.79	0.64
1:B:154:MET:N	3:B:514:HOH:O	2.17	0.63
1:B:268:LEU:HG	1:B:272:GLU:HB3	1.80	0.63
1:B:321:ARG:O	3:B:502:HOH:O	2.16	0.62
1:B:199:LEU:HD11	1:B:248:PHE:HB3	1.82	0.61
1:E:246:GLN:NE2	1:E:250:ASP:OD2	2.30	0.60
1:B:191:PHE:HE1	1:B:256:VAL:HG13	1.67	0.60
1:H:152:ARG:NH1	1:I:49:ASP:OD1	2.34	0.60
1:D:127:VAL:O	1:D:129:GLU:N	2.32	0.59
1:B:152:ARG:NH1	1:C:49:ASP:OD1	2.35	0.59
1:F:68:LYS:O	3:F:532:HOH:O	2.17	0.59
1:I:130:ARG:NE	1:J:47:GLU:OE2	2.30	0.59
1:H:197:VAL:HG21	1:H:252:ALA:HB1	1.85	0.58
1:A:116:SER:HB2	2:A:401:NAP:H6N	1.85	0.58
1:B:254:THR:O	1:B:258:THR:N	2.29	0.58
1:B:178:GLY:O	1:B:186:HIS:NE2	2.36	0.57
1:B:327:PHE:O	1:B:329:GLN:N	2.33	0.57
1:B:269:THR:H	1:B:272:GLU:HB2	1.70	0.56
1:B:135:PRO:HD2	1:C:44:VAL:HG13	1.88	0.56
1:C:90:MET:HG3	1:D:34:LEU:HD12	1.88	0.55
1:B:172:PRO:HB3	1:B:325:TRP:CH2	2.42	0.55
1:I:286:ASP:HA	1:I:289:ARG:HG3	1.89	0.54
1:G:155:PRO:O	1:G:157:ALA:N	2.35	0.54
1:I:21:ASN:OD1	1:I:47:GLU:N	2.35	0.53
1:J:171:GLY:HA3	1:J:218:VAL:HG22	1.91	0.53
1:J:4:ILE:HG12	1:J:29:ILE:HB	1.91	0.53
1:B:250:ASP:OD1	1:B:250:ASP:N	2.42	0.53
1:D:97:SER:HB3	1:D:146:PHE:CE1	2.44	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:273:GLN:HB3	1:B:279:VAL:HG23	1.89	0.53
1:B:172:PRO:HB3	1:B:325:TRP:CZ3	2.44	0.53
1:B:319:VAL:O	1:B:323:VAL:HG23	2.08	0.53
1:B:300:GLN:O	1:B:304:ARG:HG2	2.08	0.53
1:C:105:LEU:HD11	1:C:153:VAL:HG11	1.91	0.52
1:G:105:LEU:HD21	1:G:161:ILE:HD11	1.92	0.52
1:B:121:GLY:H	1:B:293:GLN:HE21	1.57	0.52
1:A:47:GLU:OE2	1:E:130:ARG:NE	2.43	0.51
1:A:4:ILE:HG12	1:A:29:ILE:HB	1.91	0.51
1:F:286:ASP:HA	1:F:289:ARG:HG3	1.93	0.51
1:C:286:ASP:HA	1:C:289:ARG:HG3	1.93	0.51
1:J:246:GLN:NE2	1:J:250:ASP:OD2	2.38	0.51
1:B:242:THR:HG22	1:B:312:PHE:HB3	1.92	0.51
1:B:210:GLU:O	1:B:247:PRO:HB3	2.10	0.50
1:I:213:ARG:HB2	1:I:215:PHE:CZ	2.46	0.50
1:G:204:SER:OG	1:G:204:SER:O	2.29	0.50
1:A:127:VAL:O	1:A:129:GLU:N	2.44	0.50
1:H:183:VAL:HG21	1:H:248:PHE:CE1	2.47	0.50
1:F:41:LYS:HE2	3:J:521:HOH:O	2.13	0.49
1:A:320:ASP:OD2	1:A:324:ARG:NH2	2.44	0.49
1:J:259:LEU:HA	1:J:262:LEU:HD12	1.93	0.49
1:D:183:VAL:HG21	1:D:248:PHE:CE1	2.48	0.49
1:D:32:ASP:OD1	1:D:33:ASN:N	2.35	0.49
1:F:2:THR:N	3:F:532:HOH:O	2.34	0.49
1:F:1:MET:HG3	1:F:27:ARG:HD2	1.95	0.48
1:H:246:GLN:NE2	1:H:250:ASP:OD2	2.44	0.48
1:B:4:ILE:HG12	1:B:29:ILE:HB	1.95	0.48
1:B:191:PHE:CE1	1:B:256:VAL:HG13	2.47	0.48
1:B:322:TYR:CE1	1:B:326:LEU:HD21	2.48	0.48
1:J:52:LEU:HD23	1:J:56:GLU:HG3	1.95	0.48
1:C:13:GLY:O	1:C:17:VAL:HG23	2.12	0.48
1:D:286:ASP:HA	1:D:289:ARG:HG3	1.96	0.48
1:G:300:GLN:O	1:G:304:ARG:HG2	2.14	0.48
1:F:170:TYR:OH	1:F:318:GLY:HA3	2.14	0.48
1:A:314:THR:OG1	1:A:317:GLU:HG3	2.14	0.48
1:H:243:GLY:HA2	1:H:298:ALA:O	2.13	0.48
1:C:37:ALA:O	1:C:40:PHE:HD2	1.98	0.47
1:I:152:ARG:NH1	1:J:49:ASP:OD1	2.44	0.47
1:E:226:LEU:HD23	1:E:226:LEU:HA	1.73	0.47
1:G:213:ARG:HB2	1:G:215:PHE:CZ	2.49	0.47
1:C:125:ARG:HB2	1:C:132:VAL:HG11	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:243:GLY:HA2	1:G:298:ALA:O	2.14	0.47
1:E:243:GLY:O	1:E:297:GLN:NE2	2.38	0.46
1:C:128:GLU:N	1:C:128:GLU:OE1	2.42	0.46
1:A:121:GLY:HA3	1:A:134:ALA:O	2.15	0.46
1:J:199:LEU:HD11	1:J:252:ALA:HB2	1.97	0.46
1:C:121:GLY:HA3	1:C:134:ALA:O	2.16	0.46
1:B:4:ILE:HB	1:B:72:VAL:HG22	1.98	0.46
1:F:326:LEU:O	1:F:329:GLN:HG2	2.16	0.45
1:I:303:LEU:HD22	1:I:308:TYR:HB3	1.98	0.45
1:H:170:TYR:OH	1:H:318:GLY:HA3	2.16	0.45
1:C:52:LEU:HD21	1:C:60:ARG:HE	1.80	0.45
1:B:144:PHE:O	1:B:148:GLN:HG2	2.17	0.45
1:D:75:GLU:OE2	3:D:547:HOH:O	2.19	0.45
1:B:256:VAL:HG11	1:B:273:GLN:HG2	1.98	0.45
1:B:251:ILE:O	1:B:255:VAL:HG23	2.15	0.45
1:B:6:THR:HA	1:B:31:VAL:HB	1.98	0.45
1:G:303:LEU:HD22	1:G:308:TYR:HB3	1.99	0.45
1:D:284:PHE:HA	1:D:285:PRO:HD3	1.85	0.45
1:B:243:GLY:O	1:B:297:GLN:NE2	2.41	0.45
1:B:258:THR:O	1:B:262:LEU:HG	2.16	0.45
1:I:216:VAL:HG21	1:I:241:GLY:HA2	1.98	0.45
1:B:258:THR:HG23	1:B:324:ARG:NH2	2.31	0.45
1:G:192:ARG:HA	1:G:192:ARG:HD2	1.82	0.45
1:J:112:LEU:HA	1:J:162:ALA:O	2.17	0.45
1:E:224:VAL:HB	1:E:240:LEU:HD11	1.99	0.45
1:C:275:GLU:HA	1:I:208:PRO:HD2	1.99	0.45
1:J:63:ARG:NH2	1:J:65:ASP:OD2	2.32	0.45
1:F:90:MET:HG3	1:G:34:LEU:HD12	1.98	0.45
1:C:284:PHE:HA	1:C:285:PRO:HD3	1.84	0.45
1:B:208:PRO:HD3	1:J:275:GLU:HA	1.97	0.45
1:J:120:TYR:O	1:J:123:SER:HB2	2.16	0.45
1:A:169:VAL:HA	1:A:216:VAL:O	2.18	0.44
1:A:284:PHE:HA	1:A:285:PRO:HD3	1.81	0.44
1:G:158:LYS:HA	1:G:158:LYS:HD3	1.53	0.44
1:J:258:THR:O	1:J:262:LEU:HG	2.18	0.44
1:F:206:TYR:CE2	1:F:294:CYS:HB3	2.52	0.44
1:J:150:ILE:HG22	1:J:154:MET:HE2	2.00	0.44
1:J:212:THR:HG22	1:J:247:PRO:CA	2.47	0.44
1:B:212:THR:HG22	1:B:247:PRO:HB3	1.99	0.44
1:E:170:TYR:OH	1:E:318:GLY:HA3	2.17	0.44
1:E:126:PHE:CZ	1:E:296:THR:HA	2.53	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:116:SER:O	1:G:119:ILE:HB	2.18	0.44
1:C:108:GLY:HA2	1:C:159:SER:OG	2.18	0.44
1:I:60:ARG:HG2	1:I:63:ARG:NH2	2.33	0.44
1:H:286:ASP:OD1	1:H:289:ARG:NH1	2.51	0.44
1:J:136:LEU:HB3	1:J:291:LYS:HA	1.99	0.44
1:J:42:ASN:O	1:J:173:ARG:NH1	2.51	0.44
1:B:255:VAL:O	1:B:259:LEU:HB2	2.18	0.44
1:F:288:LEU:HD23	1:F:288:LEU:HA	1.90	0.43
1:H:211:GLN:CD	1:H:211:GLN:H	2.21	0.43
1:I:121:GLY:HA3	1:I:134:ALA:O	2.18	0.43
1:G:130:ARG:NE	1:H:47:GLU:OE2	2.52	0.43
1:B:284:PHE:HA	1:B:285:PRO:HD3	1.86	0.43
1:D:251:ILE:O	1:D:255:VAL:HG23	2.18	0.43
1:C:112:LEU:HA	1:C:162:ALA:O	2.17	0.43
1:I:126:PHE:CZ	1:I:296:THR:HA	2.54	0.43
1:A:160:GLN:HB2	1:A:232:PRO:O	2.18	0.43
1:D:327:PHE:O	1:D:329:GLN:N	2.52	0.43
1:E:284:PHE:HA	1:E:285:PRO:HD3	1.72	0.43
1:I:82:MET:SD	1:I:288:LEU:HD21	2.59	0.43
1:C:150:ILE:HG23	1:C:161:ILE:HG21	2.00	0.43
1:E:121:GLY:HA3	1:E:134:ALA:O	2.19	0.43
1:F:152:ARG:NH1	1:G:49:ASP:OD1	2.50	0.43
1:H:300:GLN:O	1:H:304:ARG:HG2	2.19	0.43
1:G:1:MET:HG3	1:G:27:ARG:HD3	2.00	0.43
1:H:253:ALA:HA	1:H:273:GLN:OE1	2.19	0.42
1:D:52:LEU:HD23	1:D:56:GLU:HG3	2.01	0.42
1:C:126:PHE:O	1:C:239:ASN:ND2	2.51	0.42
1:E:187:ASN:ND2	1:E:252:ALA:HA	2.34	0.42
1:H:130:ARG:HA	1:H:133:GLU:OE1	2.19	0.42
1:D:136:LEU:HB3	1:D:291:LYS:HA	2.02	0.42
1:B:133:GLU:OE2	1:B:165:ARG:NH1	2.51	0.42
1:A:243:GLY:HA2	1:A:298:ALA:O	2.20	0.42
1:B:212:THR:OG1	1:B:295:PHE:HD1	2.02	0.42
1:I:152:ARG:NH2	1:J:47:GLU:OE1	2.52	0.42
1:D:34:LEU:HA	1:D:34:LEU:HD23	1.87	0.42
1:J:212:THR:HA	1:J:247:PRO:HA	2.01	0.42
1:A:219:GLU:OE1	1:A:321:ARG:NH2	2.52	0.42
1:B:226:LEU:O	1:B:229:PHE:HB3	2.19	0.42
1:B:325:TRP:N	3:B:502:HOH:O	2.52	0.42
1:C:243:GLY:HA2	1:C:298:ALA:O	2.20	0.42
1:D:112:LEU:HA	1:D:162:ALA:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:121:GLY:HA3	1:G:134:ALA:O	2.18	0.42
1:J:116:SER:HB2	2:J:401:NAP:H6N	2.02	0.42
1:A:5:VAL:HG22	1:A:73:PHE:HB2	2.02	0.42
1:I:136:LEU:HB3	1:I:291:LYS:HA	2.02	0.42
1:G:212:THR:HA	1:G:247:PRO:HA	2.02	0.42
1:J:268:LEU:HD12	1:J:273:GLN:HG2	2.02	0.42
1:G:169:VAL:HA	1:G:216:VAL:O	2.19	0.42
1:H:212:THR:OG1	1:H:295:PHE:HD1	2.02	0.42
1:J:60:ARG:HH11	1:J:60:ARG:HG2	1.85	0.42
1:E:245:ALA:HB2	1:E:297:GLN:HB2	2.02	0.42
1:B:90:MET:HG3	1:C:34:LEU:HD12	2.02	0.42
1:C:34:LEU:HA	1:C:34:LEU:HD23	1.87	0.42
1:J:260:ARG:C	1:J:262:LEU:H	2.23	0.41
1:G:212:THR:HG1	1:G:295:PHE:HD1	1.64	0.41
1:B:313:LEU:HA	1:B:313:LEU:HD23	1.91	0.41
1:F:58:VAL:HG11	1:F:99:ALA:HB1	2.01	0.41
1:H:150:ILE:HG23	1:H:161:ILE:HG21	2.02	0.41
1:J:121:GLY:O	1:J:293:GLN:HG2	2.20	0.41
1:G:127:VAL:O	1:G:129:GLU:N	2.48	0.41
1:A:209:GLY:HA3	1:A:249:ASN:OD1	2.20	0.41
1:D:150:ILE:HD13	1:D:150:ILE:HA	1.95	0.41
1:H:259:LEU:HA	1:H:259:LEU:HD23	1.85	0.41
1:B:187:ASN:HA	1:B:187:ASN:HD22	1.70	0.41
1:H:284:PHE:HA	1:H:285:PRO:HD3	1.80	0.41
1:F:212:THR:O	1:F:295:PHE:HA	2.21	0.41
1:J:126:PHE:CZ	1:J:296:THR:HA	2.55	0.41
1:I:89:MET:O	1:I:93:ASN:HB2	2.20	0.41
1:J:284:PHE:HA	1:J:285:PRO:HD3	1.81	0.41
1:E:34:LEU:CD2	1:E:39:LYS:HB2	2.50	0.41
1:F:231:HIS:HB3	1:F:234:LYS:HD2	2.02	0.41
1:I:115:SER:OG	1:I:116:SER:N	2.52	0.41
1:B:259:LEU:HA	1:B:262:LEU:HD12	2.02	0.41
1:G:127:VAL:HG23	1:G:129:GLU:HG3	2.03	0.41
1:A:304:ARG:HD3	1:A:308:TYR:O	2.21	0.41
1:H:90:MET:HG3	1:I:34:LEU:HD12	2.01	0.41
1:G:284:PHE:HA	1:G:285:PRO:HD3	1.81	0.41
1:D:243:GLY:HA2	1:D:298:ALA:O	2.21	0.41
1:J:286:ASP:HA	1:J:289:ARG:HG3	2.02	0.41
1:C:304:ARG:C	1:C:306:ALA:H	2.25	0.41
1:B:212:THR:HG22	1:B:247:PRO:CB	2.51	0.40
1:B:11:PHE:HA	1:B:173:ARG:O	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:6:THR:OG1	1:E:74:HIS:HA	2.21	0.40
1:E:177:LYS:HB3	1:E:177:LYS:HE2	1.70	0.40
1:E:20:LEU:HB3	1:E:25:GLU:HB2	2.02	0.40
1:B:118:ALA:HA	1:B:293:GLN:NE2	2.36	0.40
1:H:11:PHE:HA	1:H:173:ARG:O	2.22	0.40
1:C:116:SER:HB2	2:C:401:NAP:H6N	2.04	0.40
1:G:1:MET:N	3:G:506:HOH:O	2.53	0.40
1:B:133:GLU:OE2	1:B:165:ARG:NH2	2.54	0.40
1:I:243:GLY:O	1:I:297:GLN:NE2	2.50	0.40
1:F:60:ARG:HG2	1:F:63:ARG:NH2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	328/342 (96%)	318 (97%)	9 (3%)	1 (0%)	46	72
1	B	328/342 (96%)	296 (90%)	30 (9%)	2 (1%)	30	56
1	C	328/342 (96%)	314 (96%)	12 (4%)	2 (1%)	30	56
1	D	328/342 (96%)	313 (95%)	13 (4%)	2 (1%)	30	56
1	E	328/342 (96%)	317 (97%)	11 (3%)	0	100	100
1	F	328/342 (96%)	313 (95%)	14 (4%)	1 (0%)	46	72
1	G	328/342 (96%)	313 (95%)	12 (4%)	3 (1%)	21	42
1	H	328/342 (96%)	316 (96%)	11 (3%)	1 (0%)	46	72
1	I	328/342 (96%)	312 (95%)	13 (4%)	3 (1%)	21	42
1	J	328/342 (96%)	306 (93%)	17 (5%)	5 (2%)	13	26
All	All	3280/3420 (96%)	3118 (95%)	142 (4%)	20 (1%)	30	56

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	329	GLN
1	J	128	GLU
1	B	328	GLY
1	C	305	ALA
1	D	328	GLY
1	G	155	PRO
1	G	156	GLY
1	J	329	GLN
1	A	128	GLU
1	D	128	GLU
1	I	305	ALA
1	C	329	GLN
1	G	329	GLN
1	I	128	GLU
1	J	328	GLY
1	B	62	ALA
1	J	208	PRO
1	J	261	ALA
1	H	328	GLY
1	I	208	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	266/273 (97%)	257 (97%)	9 (3%)	44	72
1	B	266/273 (97%)	255 (96%)	11 (4%)	37	66
1	C	266/273 (97%)	256 (96%)	10 (4%)	40	68
1	D	266/273 (97%)	260 (98%)	6 (2%)	58	83
1	E	266/273 (97%)	260 (98%)	6 (2%)	58	83
1	F	266/273 (97%)	259 (97%)	7 (3%)	54	80
1	G	266/273 (97%)	258 (97%)	8 (3%)	48	76
1	H	266/273 (97%)	259 (97%)	7 (3%)	54	80

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	266/273 (97%)	254 (96%)	12 (4%)	34	62
1	J	266/273 (97%)	257 (97%)	9 (3%)	44	72
All	All	2660/2730 (97%)	2575 (97%)	85 (3%)	46	74

All (85) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	123	SER
1	A	152	ARG
1	A	154	MET
1	A	175	SER
1	A	192	ARG
1	A	216	VAL
1	A	218	VAL
1	A	303	LEU
1	A	329	GLN
1	B	23	ARG
1	B	127	VAL
1	B	186	HIS
1	B	216	VAL
1	B	218	VAL
1	B	250	ASP
1	B	254	THR
1	B	259	LEU
1	B	270	LEU
1	B	303	LEU
1	B	325	TRP
1	C	49	ASP
1	C	91	ASP
1	C	154	MET
1	C	159	SER
1	C	212	THR
1	C	216	VAL
1	C	218	VAL
1	C	303	LEU
1	C	329	GLN
1	C	330	LEU
1	D	91	ASP
1	D	152	ARG
1	D	216	VAL
1	D	218	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	289	ARG
1	D	303	LEU
1	E	91	ASP
1	E	152	ARG
1	E	212	THR
1	E	216	VAL
1	E	218	VAL
1	E	329	GLN
1	F	27	ARG
1	F	91	ASP
1	F	152	ARG
1	F	212	THR
1	F	216	VAL
1	F	218	VAL
1	F	303	LEU
1	G	152	ARG
1	G	212	THR
1	G	216	VAL
1	G	218	VAL
1	G	235	SER
1	G	265	GLN
1	G	286	ASP
1	G	303	LEU
1	H	56	GLU
1	H	91	ASP
1	H	152	ARG
1	H	216	VAL
1	H	218	VAL
1	H	303	LEU
1	H	329	GLN
1	I	21	ASN
1	I	91	ASP
1	I	127	VAL
1	I	152	ARG
1	I	216	VAL
1	I	217	SER
1	I	218	VAL
1	I	235	SER
1	I	246	GLN
1	I	289	ARG
1	I	303	LEU
1	I	317	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	23	ARG
1	J	27	ARG
1	J	52	LEU
1	J	91	ASP
1	J	123	SER
1	J	152	ARG
1	J	216	VAL
1	J	218	VAL
1	J	303	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	187	ASN
1	B	293	GLN
1	H	316	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAP	A	401	-	42,52,52	1.84	10 (23%)	54,80,80	1.80	9 (16%)
2	NAP	B	401	-	42,52,52	1.92	9 (21%)	54,80,80	1.95	9 (16%)
2	NAP	C	401	-	42,52,52	1.99	10 (23%)	54,80,80	1.75	6 (11%)
2	NAP	D	401	-	42,52,52	2.03	11 (26%)	54,80,80	1.63	7 (12%)
2	NAP	E	401	-	42,52,52	1.95	11 (26%)	54,80,80	1.69	8 (14%)
2	NAP	F	401	-	42,52,52	1.91	10 (23%)	54,80,80	1.76	7 (12%)
2	NAP	G	401	-	42,52,52	1.96	11 (26%)	54,80,80	1.85	9 (16%)
2	NAP	H	401	-	42,52,52	1.96	9 (21%)	54,80,80	1.79	8 (14%)
2	NAP	I	401	-	42,52,52	1.99	9 (21%)	54,80,80	1.92	10 (18%)
2	NAP	J	401	-	42,52,52	1.95	10 (23%)	54,80,80	1.79	9 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	401	-	-	0/27/67/67	0/5/5/5
2	NAP	B	401	-	-	0/27/67/67	0/5/5/5
2	NAP	C	401	-	-	0/27/67/67	0/5/5/5
2	NAP	D	401	-	-	0/27/67/67	0/5/5/5
2	NAP	E	401	-	-	0/27/67/67	0/5/5/5
2	NAP	F	401	-	-	0/27/67/67	0/5/5/5
2	NAP	G	401	-	-	0/27/67/67	0/5/5/5
2	NAP	H	401	-	-	0/27/67/67	0/5/5/5
2	NAP	I	401	-	-	0/27/67/67	0/5/5/5
2	NAP	J	401	-	-	0/27/67/67	0/5/5/5

All (100) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	401	NAP	C3B-C2B	-5.35	1.40	1.53
2	H	401	NAP	C3B-C2B	-5.14	1.41	1.53
2	I	401	NAP	C3B-C2B	-5.12	1.41	1.53
2	D	401	NAP	C3B-C2B	-5.10	1.41	1.53
2	C	401	NAP	C3B-C2B	-5.04	1.41	1.53
2	B	401	NAP	C3B-C2B	-4.97	1.41	1.53
2	E	401	NAP	C3B-C2B	-4.95	1.41	1.53
2	G	401	NAP	C3B-C2B	-4.91	1.41	1.53
2	A	401	NAP	C3B-C2B	-4.88	1.42	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	401	NAP	C3B-C2B	-4.48	1.42	1.53
2	D	401	NAP	O2D-C2D	-3.85	1.33	1.43
2	C	401	NAP	O2D-C2D	-3.82	1.33	1.43
2	J	401	NAP	O2D-C2D	-3.72	1.34	1.43
2	B	401	NAP	O2D-C2D	-3.52	1.34	1.43
2	E	401	NAP	O2D-C2D	-3.52	1.34	1.43
2	F	401	NAP	O2D-C2D	-3.39	1.34	1.43
2	H	401	NAP	O2D-C2D	-3.28	1.35	1.43
2	I	401	NAP	O2D-C2D	-3.27	1.35	1.43
2	G	401	NAP	O2D-C2D	-3.08	1.35	1.43
2	A	401	NAP	O2D-C2D	-3.05	1.35	1.43
2	D	401	NAP	O4B-C4B	-2.93	1.38	1.45
2	E	401	NAP	O4B-C4B	-2.90	1.38	1.45
2	A	401	NAP	O4B-C4B	-2.81	1.38	1.45
2	H	401	NAP	C5D-C4D	-2.64	1.43	1.51
2	J	401	NAP	C2D-C3D	-2.61	1.46	1.53
2	D	401	NAP	C2D-C3D	-2.61	1.46	1.53
2	B	401	NAP	O4B-C4B	-2.59	1.39	1.45
2	G	401	NAP	O4B-C4B	-2.57	1.39	1.45
2	I	401	NAP	C5D-C4D	-2.50	1.43	1.51
2	D	401	NAP	C3B-C4B	-2.48	1.46	1.53
2	A	401	NAP	C5D-C4D	-2.48	1.43	1.51
2	E	401	NAP	C5D-C4D	-2.44	1.43	1.51
2	C	401	NAP	C5D-C4D	-2.42	1.43	1.51
2	E	401	NAP	C3B-C4B	-2.41	1.46	1.53
2	F	401	NAP	C3B-C4B	-2.41	1.46	1.53
2	D	401	NAP	O3D-C3D	-2.39	1.37	1.43
2	E	401	NAP	C2D-C3D	-2.39	1.46	1.53
2	B	401	NAP	C5D-C4D	-2.39	1.43	1.51
2	J	401	NAP	C3B-C4B	-2.38	1.46	1.53
2	F	401	NAP	O4B-C4B	-2.35	1.39	1.45
2	F	401	NAP	O5B-C5B	-2.35	1.35	1.44
2	F	401	NAP	C5D-C4D	-2.35	1.44	1.51
2	C	401	NAP	C3B-C4B	-2.34	1.46	1.53
2	G	401	NAP	O5B-C5B	-2.33	1.35	1.44
2	B	401	NAP	C2D-C3D	-2.32	1.47	1.53
2	E	401	NAP	O4B-C1B	-2.31	1.38	1.41
2	C	401	NAP	C2D-C3D	-2.29	1.47	1.53
2	G	401	NAP	C5D-C4D	-2.29	1.44	1.51
2	I	401	NAP	O4B-C4B	-2.26	1.39	1.45
2	D	401	NAP	C5D-C4D	-2.26	1.44	1.51
2	B	401	NAP	C3B-C4B	-2.24	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	401	NAP	O5B-C5B	-2.24	1.35	1.44
2	J	401	NAP	O4B-C4B	-2.23	1.39	1.45
2	C	401	NAP	O4B-C4B	-2.22	1.39	1.45
2	G	401	NAP	C2D-C3D	-2.21	1.47	1.53
2	J	401	NAP	C5D-C4D	-2.21	1.44	1.51
2	C	401	NAP	O5B-C5B	-2.17	1.35	1.44
2	J	401	NAP	O3D-C3D	-2.15	1.37	1.43
2	F	401	NAP	O5D-C5D	-2.15	1.36	1.44
2	G	401	NAP	O4B-C1B	-2.13	1.38	1.41
2	H	401	NAP	O3D-C3D	-2.09	1.37	1.43
2	G	401	NAP	C3B-C4B	-2.08	1.47	1.53
2	A	401	NAP	C3B-C4B	-2.08	1.47	1.53
2	H	401	NAP	C3B-C4B	-2.08	1.47	1.53
2	E	401	NAP	O5B-C5B	-2.07	1.36	1.44
2	A	401	NAP	C2D-C3D	-2.04	1.47	1.53
2	H	401	NAP	C2D-C3D	-2.04	1.47	1.53
2	A	401	NAP	O5B-C5B	-2.04	1.36	1.44
2	I	401	NAP	C2D-C3D	-2.04	1.47	1.53
2	I	401	NAP	O5B-C5B	-2.02	1.36	1.44
2	A	401	NAP	C3N-C7N	2.39	1.54	1.50
2	E	401	NAP	C6A-N6A	2.52	1.42	1.34
2	F	401	NAP	C6A-N6A	2.71	1.43	1.34
2	J	401	NAP	C6A-N6A	2.73	1.43	1.34
2	G	401	NAP	C6A-N6A	2.73	1.43	1.34
2	I	401	NAP	C6A-N6A	2.74	1.43	1.34
2	D	401	NAP	C6A-N6A	2.74	1.43	1.34
2	A	401	NAP	C6A-N6A	2.75	1.43	1.34
2	F	401	NAP	C3N-C7N	2.81	1.55	1.50
2	C	401	NAP	C6A-N6A	2.89	1.43	1.34
2	B	401	NAP	C6A-N6A	2.93	1.44	1.34
2	J	401	NAP	C3N-C7N	2.99	1.55	1.50
2	B	401	NAP	C3N-C7N	3.00	1.55	1.50
2	H	401	NAP	C6A-N6A	3.36	1.45	1.34
2	D	401	NAP	C3N-C7N	3.40	1.55	1.50
2	E	401	NAP	C3N-C7N	3.47	1.56	1.50
2	G	401	NAP	C3N-C7N	3.49	1.56	1.50
2	H	401	NAP	C3N-C7N	3.63	1.56	1.50
2	I	401	NAP	C3N-C7N	3.78	1.56	1.50
2	C	401	NAP	C3N-C7N	4.02	1.56	1.50
2	E	401	NAP	C7N-N7N	6.55	1.46	1.33
2	J	401	NAP	C7N-N7N	6.60	1.46	1.33
2	A	401	NAP	C7N-N7N	6.66	1.46	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	NAP	C7N-N7N	6.82	1.46	1.33
2	H	401	NAP	C7N-N7N	6.83	1.46	1.33
2	D	401	NAP	C7N-N7N	6.85	1.46	1.33
2	F	401	NAP	C7N-N7N	6.95	1.47	1.33
2	G	401	NAP	C7N-N7N	7.00	1.47	1.33
2	B	401	NAP	C7N-N7N	7.10	1.47	1.33
2	I	401	NAP	C7N-N7N	7.54	1.48	1.33

All (82) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	401	NAP	N3A-C2A-N1A	-9.81	121.38	128.89
2	B	401	NAP	N3A-C2A-N1A	-9.55	121.58	128.89
2	F	401	NAP	N3A-C2A-N1A	-9.54	121.59	128.89
2	A	401	NAP	N3A-C2A-N1A	-8.95	122.04	128.89
2	E	401	NAP	N3A-C2A-N1A	-8.53	122.36	128.89
2	G	401	NAP	N3A-C2A-N1A	-8.23	122.59	128.89
2	H	401	NAP	N3A-C2A-N1A	-8.15	122.66	128.89
2	C	401	NAP	N3A-C2A-N1A	-7.96	122.80	128.89
2	J	401	NAP	N3A-C2A-N1A	-7.93	122.82	128.89
2	D	401	NAP	N3A-C2A-N1A	-7.71	122.99	128.89
2	H	401	NAP	O7N-C7N-N7N	-4.24	116.63	122.59
2	C	401	NAP	O7N-C7N-N7N	-3.97	117.01	122.59
2	G	401	NAP	O7N-C7N-N7N	-3.53	117.62	122.59
2	J	401	NAP	C4A-C5A-N7A	-3.40	106.35	109.48
2	D	401	NAP	PN-O3-PA	-3.40	123.19	132.73
2	J	401	NAP	O4B-C1B-N9A	-3.36	101.06	108.10
2	E	401	NAP	O7N-C7N-N7N	-3.21	118.07	122.59
2	G	401	NAP	C4A-C5A-N7A	-3.04	106.68	109.48
2	I	401	NAP	C4A-C5A-N7A	-2.98	106.74	109.48
2	C	401	NAP	PN-O3-PA	-2.95	124.44	132.73
2	E	401	NAP	PN-O3-PA	-2.92	124.54	132.73
2	E	401	NAP	C4A-C5A-N7A	-2.90	106.81	109.48
2	J	401	NAP	O7N-C7N-N7N	-2.88	118.54	122.59
2	J	401	NAP	O4B-C1B-C2B	-2.82	101.50	106.60
2	B	401	NAP	C1B-N9A-C4A	-2.79	122.74	126.94
2	D	401	NAP	O7N-C7N-N7N	-2.77	118.69	122.59
2	I	401	NAP	O7N-C7N-N7N	-2.75	118.72	122.59
2	B	401	NAP	C4A-C5A-N7A	-2.75	106.95	109.48
2	H	401	NAP	PN-O3-PA	-2.67	125.23	132.73
2	F	401	NAP	C4A-C5A-N7A	-2.65	107.04	109.48
2	J	401	NAP	PN-O3-PA	-2.58	125.50	132.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	NAP	C4A-C5A-N7A	-2.56	107.13	109.48
2	B	401	NAP	PN-O3-PA	-2.53	125.62	132.73
2	H	401	NAP	C4A-C5A-N7A	-2.52	107.16	109.48
2	B	401	NAP	O7N-C7N-N7N	-2.48	119.11	122.59
2	E	401	NAP	O4B-C1B-C2B	-2.43	102.21	106.60
2	F	401	NAP	C5N-C4N-C3N	-2.43	117.28	120.33
2	F	401	NAP	PN-O3-PA	-2.40	126.00	132.73
2	A	401	NAP	O7N-C7N-N7N	-2.33	119.32	122.59
2	A	401	NAP	PN-O3-PA	-2.32	126.21	132.73
2	J	401	NAP	C1B-N9A-C4A	-2.28	123.50	126.94
2	F	401	NAP	O4B-C1B-C2B	-2.26	102.52	106.60
2	I	401	NAP	O4B-C1B-N9A	-2.24	103.41	108.10
2	G	401	NAP	C1B-N9A-C4A	-2.22	123.59	126.94
2	I	401	NAP	O4B-C1B-C2B	-2.09	102.81	106.60
2	F	401	NAP	O7N-C7N-N7N	-2.09	119.65	122.59
2	E	401	NAP	C1B-N9A-C4A	-2.06	123.83	126.94
2	A	401	NAP	O4B-C1B-C2B	-2.05	102.89	106.60
2	H	401	NAP	O4B-C1B-C2B	-2.04	102.91	106.60
2	B	401	NAP	O4B-C1B-C2B	-2.02	102.94	106.60
2	I	401	NAP	PN-O3-PA	-2.02	127.05	132.73
2	G	401	NAP	O4B-C1B-C2B	-2.00	102.98	106.60
2	A	401	NAP	C2N-C3N-C4N	2.00	120.52	118.29
2	G	401	NAP	O2N-PN-O3	2.01	114.21	105.09
2	F	401	NAP	O3-PN-O5D	2.02	108.28	102.94
2	I	401	NAP	O3-PN-O5D	2.04	108.34	102.94
2	I	401	NAP	C3N-C7N-N7N	2.06	120.08	117.82
2	A	401	NAP	O2B-P2B-O1X	2.11	112.38	107.11
2	E	401	NAP	O3-PA-O5B	2.11	108.54	102.94
2	D	401	NAP	C3N-C7N-N7N	2.18	120.20	117.82
2	H	401	NAP	O2N-PN-O3	2.19	115.03	105.09
2	E	401	NAP	O7N-C7N-C3N	2.24	122.03	119.59
2	D	401	NAP	O4D-C1D-N1N	2.44	110.81	108.13
2	A	401	NAP	O4D-C1D-N1N	2.51	110.89	108.13
2	J	401	NAP	O4D-C1D-N1N	2.66	111.05	108.13
2	A	401	NAP	O3-PA-O5B	2.89	110.61	102.94
2	G	401	NAP	O3-PA-O5B	3.06	111.06	102.94
2	J	401	NAP	O3-PA-O5B	3.12	111.22	102.94
2	C	401	NAP	O3-PA-O5B	3.21	111.44	102.94
2	D	401	NAP	O3-PA-O5B	3.31	111.73	102.94
2	C	401	NAP	O4D-C1D-N1N	3.34	111.80	108.13
2	B	401	NAP	C3N-C7N-N7N	3.51	121.66	117.82
2	H	401	NAP	O3-PA-O5B	3.51	112.25	102.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	401	NAP	C3N-C7N-N7N	3.54	121.69	117.82
2	C	401	NAP	C3N-C7N-N7N	3.69	121.86	117.82
2	B	401	NAP	O4D-C1D-N1N	3.86	112.37	108.13
2	H	401	NAP	C3N-C7N-N7N	3.98	122.17	117.82
2	A	401	NAP	C3N-C7N-N7N	4.01	122.20	117.82
2	I	401	NAP	O3-PA-O5B	4.14	113.92	102.94
2	B	401	NAP	O3-PA-O5B	4.29	114.33	102.94
2	I	401	NAP	O4D-C1D-N1N	4.54	113.12	108.13
2	G	401	NAP	O4D-C1D-N1N	4.87	113.49	108.13

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	NAP	1	0
2	C	401	NAP	1	0
2	J	401	NAP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	330/342 (96%)	-0.32	4 (1%) 81 77	31, 43, 65, 98	0
1	B	330/342 (96%)	0.64	54 (16%) 2 1	37, 68, 97, 116	0
1	C	330/342 (96%)	-0.06	13 (3%) 43 35	37, 56, 74, 126	0
1	D	330/342 (96%)	-0.27	7 (2%) 67 61	30, 44, 67, 108	0
1	E	330/342 (96%)	-0.32	4 (1%) 81 77	29, 43, 63, 106	0
1	F	330/342 (96%)	-0.38	3 (0%) 85 83	27, 38, 58, 105	0
1	G	330/342 (96%)	-0.36	6 (1%) 71 66	28, 40, 58, 109	0
1	H	330/342 (96%)	-0.27	8 (2%) 62 56	30, 45, 66, 114	0
1	I	330/342 (96%)	-0.21	5 (1%) 76 71	34, 51, 70, 109	0
1	J	330/342 (96%)	0.22	28 (8%) 13 9	33, 56, 96, 125	0
All	All	3300/3420 (96%)	-0.13	132 (4%) 42 34	27, 47, 85, 126	0

All (132) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	330	LEU	10.3
1	C	330	LEU	9.5
1	G	330	LEU	8.2
1	B	330	LEU	8.1
1	B	264	GLY	7.7
1	D	330	LEU	7.4
1	I	330	LEU	7.3
1	F	330	LEU	6.9
1	H	330	LEU	6.7
1	J	329	GLN	6.4
1	B	271	ALA	6.3
1	B	329	GLN	6.1
1	J	266	PRO	5.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	330	LEU	5.6
1	B	327	PHE	5.5
1	B	266	PRO	5.0
1	B	205	GLY	5.0
1	B	270	LEU	4.7
1	J	204	SER	4.7
1	J	269	THR	4.7
1	A	330	LEU	4.6
1	J	271	ALA	4.5
1	B	290	GLY	4.5
1	J	286	ASP	4.4
1	B	193	ALA	4.3
1	B	316	GLN	4.3
1	B	265	GLN	4.2
1	B	206	TYR	4.2
1	J	205	GLY	4.1
1	G	286	ASP	4.1
1	B	247	PRO	3.9
1	J	263	GLU	3.9
1	B	260	ARG	3.9
1	J	270	LEU	3.9
1	B	204	SER	3.9
1	J	327	PHE	3.8
1	B	286	ASP	3.8
1	D	329	GLN	3.7
1	J	264	GLY	3.7
1	I	287	ALA	3.6
1	B	309	ASP	3.6
1	J	289	ARG	3.6
1	B	262	LEU	3.6
1	B	267	ALA	3.5
1	J	324	ARG	3.4
1	B	252	ALA	3.4
1	G	329	GLN	3.4
1	B	261	ALA	3.4
1	B	256	VAL	3.4
1	I	204	SER	3.4
1	B	285	PRO	3.3
1	B	287	ALA	3.3
1	E	329	GLN	3.3
1	B	155	PRO	3.3
1	B	253	ALA	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	255	VAL	3.2
1	B	124	SER	3.2
1	J	194	GLU	3.1
1	B	189	ASN	3.1
1	B	156	GLY	3.0
1	B	263	GLU	3.0
1	C	329	GLN	2.9
1	J	273	GLN	2.9
1	B	269	THR	2.9
1	F	286	ASP	2.8
1	D	286	ASP	2.8
1	C	309	ASP	2.8
1	H	286	ASP	2.8
1	B	320	ASP	2.7
1	C	124	SER	2.7
1	B	276	GLN	2.6
1	H	204	SER	2.6
1	B	192	ARG	2.5
1	J	287	ALA	2.5
1	J	258	THR	2.5
1	J	265	GLN	2.5
1	E	156	GLY	2.5
1	B	289	ARG	2.5
1	B	129	GLU	2.5
1	J	129	GLU	2.5
1	A	204	SER	2.5
1	C	1	MET	2.5
1	B	210	GLU	2.5
1	J	156	GLY	2.4
1	J	255	VAL	2.4
1	H	309	ASP	2.4
1	B	131	GLU	2.4
1	B	203	TYR	2.3
1	C	311	PRO	2.3
1	G	244	ARG	2.3
1	F	158	LYS	2.3
1	B	122	GLY	2.3
1	B	259	LEU	2.3
1	B	125	ARG	2.3
1	D	255	VAL	2.3
1	H	158	LYS	2.3
1	C	194	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	244	ARG	2.2
1	C	264	GLY	2.2
1	D	265	GLN	2.2
1	G	287	ALA	2.2
1	J	259	LEU	2.2
1	J	283	PRO	2.2
1	I	158	LYS	2.2
1	J	244	ARG	2.2
1	B	194	GLU	2.2
1	H	263	GLU	2.2
1	B	282	VAL	2.2
1	B	24	GLY	2.2
1	J	290	GLY	2.2
1	B	244	ARG	2.2
1	J	193	ALA	2.2
1	A	129	GLU	2.2
1	B	190	GLN	2.1
1	H	266	PRO	2.1
1	J	260	ARG	2.1
1	C	271	ALA	2.1
1	E	286	ASP	2.1
1	D	266	PRO	2.1
1	A	244	ARG	2.1
1	B	158	LYS	2.1
1	B	275	GLU	2.1
1	B	72	VAL	2.1
1	G	63	ARG	2.1
1	B	179	ARG	2.1
1	B	272	GLU	2.1
1	C	131	GLU	2.1
1	C	255	VAL	2.0
1	I	155	PRO	2.0
1	C	287	ALA	2.0
1	H	329	GLN	2.0
1	D	68	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NAP	G	401	48/48	0.98	0.12	-0.46	25,31,34,39	0
2	NAP	D	401	48/48	0.98	0.12	-0.58	29,35,40,43	0
2	NAP	E	401	48/48	0.98	0.10	-0.80	24,30,35,37	0
2	NAP	A	401	48/48	0.99	0.10	-0.81	27,34,38,40	0
2	NAP	I	401	48/48	0.98	0.11	-0.81	32,38,44,49	0
2	NAP	F	401	48/48	0.99	0.10	-0.81	24,31,34,34	0
2	NAP	H	401	48/48	0.99	0.10	-0.83	27,33,39,42	0
2	NAP	B	401	48/48	0.97	0.11	-0.86	34,46,54,57	0
2	NAP	C	401	48/48	0.98	0.10	-1.17	35,40,46,48	0
2	NAP	J	401	48/48	0.99	0.10	-1.19	31,39,46,48	0

6.5 Other polymers [i](#)

There are no such residues in this entry.