



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:25 AM GMT

PDB ID : 3EKF  
Title : Crystal structure of the A264Q heme domain of cytochrome P450 BM3  
Authors : Toogood, H.S.; Leys, D.  
Deposited on : 2008-09-19  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	470	
1	B	470	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 7895 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cytochrome P450(BM-3).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	441	Total	C	N	O	S	0	16	0
			3588	2296	615	660	17			
1	B	452	Total	C	N	O	S	0	6	0
			3645	2340	617	671	17			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	264	GLN	ALA	ENGINEERED	UNP P14779
B	264	GLN	ALA	ENGINEERED	UNP P14779

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	329	Total	O	0	0
			329	329		
3	B	247	Total	O	0	0
			247	247		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Cytochrome P450(BM-3)



#### • Molecule 1: Cytochrome P450(BM-3)



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	61.07Å 119.71Å 146.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	12.00 – 2.10 14.98 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.6 (12.00-2.10) 99.4 (14.98-2.00)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.28 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.215 , 0.267 0.218 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	29.7	Xtriage
Anisotropy	0.019	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 57.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 72857 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7895	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.55% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.56	0/3728	0.66	1/5043 (0.0%)
1	B	0.52	0/3739	0.62	0/5058
All	All	0.54	0/7467	0.64	1/10101 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	455	LEU	CA-CB-CG	5.49	127.93	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	437	LEU	Peptide

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3588	0	3504	38	0
1	B	3645	0	3587	50	0
2	A	43	0	30	2	0
2	B	43	0	30	2	0
3	A	329	0	0	13	0
3	B	247	0	0	11	0
All	All	7895	0	7151	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:216:VAL:HG12	3:B:848:HOH:O	1.75	0.85
1:B:404[B]:GLN:HG2	3:B:671:HOH:O	1.80	0.80
1:A:177:MET:HA	3:A:794:HOH:O	1.89	0.73
2:B:471:HEM:HMC2	2:B:471:HEM:HBC2	1.70	0.72
1:B:403:GLN:NE2	3:B:881:HOH:O	2.22	0.72
1:B:173:PHE:CD1	1:B:215:LEU:HD21	2.25	0.72
1:B:213:ASN:ND2	1:B:255[B]:ARG:HD2	2.06	0.71
1:A:109:GLN:O	1:A:110:GLN:CB	2.40	0.69
1:A:176:SER:O	1:A:179[C]:ARG:HG3	1.91	0.69
1:B:436:THR:O	1:B:437:LEU:HB3	1.91	0.69
1:B:173:PHE:HD1	1:B:215:LEU:HD21	1.58	0.67
1:B:436:THR:O	1:B:437:LEU:CB	2.43	0.66
1:B:183:GLU:HG3	3:B:808:HOH:O	1.95	0.65
1:B:173:PHE:HB2	1:B:215:LEU:HD21	1.78	0.65
1:B:264:GLN:HA	3:B:706:HOH:O	1.97	0.64
1:B:108:SER:O	1:B:111:ALA:HB3	1.98	0.63
1:A:180[C]:ALA:HB3	3:A:794:HOH:O	1.99	0.61
1:A:180[B]:ALA:HB3	3:A:794:HOH:O	1.99	0.61
1:A:180[A]:ALA:HB3	3:A:794:HOH:O	2.00	0.61
1:B:92:HIS:HB3	3:B:794:HOH:O	2.00	0.60
1:B:116:HIS:HD2	1:B:408:HIS:NE2	2.00	0.59
1:B:185:MET:HE1	3:B:734:HOH:O	2.01	0.59
1:A:179[B]:ARG:HD3	1:A:180[B]:ALA:N	2.16	0.59
1:A:246:GLY:HA2	3:A:678:HOH:O	2.02	0.59
1:A:180[C]:ALA:HA	3:A:772:HOH:O	2.03	0.58
1:A:180[B]:ALA:HA	3:A:772:HOH:O	2.03	0.58

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180[A]:ALA:HA	3:A:772:HOH:O	2.03	0.58
1:A:148:LEU:HD21	1:A:413:VAL:HG21	1.86	0.58
1:A:241[A]:LYS:HE2	3:A:795:HOH:O	2.02	0.57
1:B:248:PRO:HD3	3:B:796:HOH:O	2.04	0.57
1:A:252:GLU:HB2	3:A:769:HOH:O	2.04	0.57
1:B:41:LYS:HE2	1:B:48:VAL:HG21	1.87	0.57
1:A:74:ALA:HB1	1:A:437:LEU:CD1	2.35	0.57
1:B:375:ARG:O	1:B:378:ARG:HB2	2.04	0.56
1:A:176:SER:O	1:A:179[B]:ARG:HG3	2.05	0.56
1:B:109:GLN:HA	3:B:889:HOH:O	2.05	0.56
2:B:471:HEM:CMC	2:B:471:HEM:HBC2	2.36	0.55
1:A:366:ILE:HD12	1:A:386:PRO:HG2	1.88	0.54
1:A:116:HIS:HD2	1:A:408:HIS:NE2	2.06	0.54
1:B:213:ASN:HD22	1:B:255[A]:ARG:HH21	1.56	0.53
1:A:116:HIS:HE1	1:A:303:PRO:O	1.92	0.53
1:B:24:LYS:NZ	1:B:432:ASP:OD1	2.35	0.53
1:B:106:SER:OG	1:B:236:HIS:ND1	2.41	0.53
1:A:366:ILE:HG21	1:A:389:ALA:HB1	1.91	0.52
1:B:8:PRO:HB2	1:B:19:LEU:CD1	2.40	0.52
1:B:357:ILE:HG22	1:B:361:HIS:CE1	2.46	0.51
1:B:196:PRO:HA	1:B:199:ASP:OD1	2.11	0.51
1:B:111:ALA:HA	3:B:858:HOH:O	2.09	0.51
1:A:66:ARG:NH2	1:A:340:VAL:O	2.44	0.51
1:B:104:LEU:N	1:B:105:PRO:HD2	2.26	0.50
1:A:271:GLY:N	1:A:440[A]:LYS:HE3	2.26	0.50
1:B:81:PHE:HB3	1:B:209:ILE:HG12	1.93	0.49
1:B:56:ARG:O	1:B:59:LYS:HG2	2.12	0.49
1:A:391:LYS:HE2	1:A:395:ASN:HB2	1.94	0.49
1:B:316:MET:HE3	1:B:377:GLU:HA	1.94	0.49
1:B:388:HIS:HA	1:B:391:LYS:HZ3	1.78	0.49
1:B:267:GLU:HG2	3:B:827:HOH:O	2.13	0.48
1:B:62:CYS:HB3	1:B:395:ASN:OD1	2.14	0.48
1:B:173:PHE:HD1	1:B:215:LEU:CD2	2.27	0.47
1:A:17:LEU:HD23	1:A:191:ALA:HB2	1.96	0.47
1:B:181:LEU:O	1:B:185:MET:HG2	2.16	0.46
1:A:403:GLN:NE2	3:A:478:HOH:O	2.41	0.46
1:B:366:ILE:HG21	1:B:389:ALA:HB1	1.97	0.46
1:B:262:LEU:O	1:B:266:HIS:HD2	1.98	0.46
1:B:426:HIS:H	1:B:426:HIS:CD2	2.34	0.46
1:B:280:LEU:HB3	1:B:287:LEU:HD13	1.96	0.46
1:A:242[B]:ASP:OD1	1:A:243[B]:PRO:HD2	2.17	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:PHE:CD1	1:A:215:LEU:HD22	2.52	0.45
1:A:74:ALA:HB1	1:A:437:LEU:HD11	1.98	0.44
1:A:122:ILE:HD12	1:A:151:ASP:HB3	1.99	0.44
2:A:471:HEM:HBC2	2:A:471:HEM:HMC2	1.99	0.44
1:B:158:PHE:CE1	1:B:258:ILE:HG12	2.53	0.44
1:A:316:MET:CE	1:A:377:GLU:HA	2.47	0.44
1:B:148:LEU:HD21	1:B:413:VAL:HG21	1.98	0.44
2:A:471:HEM:CMC	2:A:471:HEM:HBC2	2.48	0.44
1:B:253:ASN:O	1:B:257:GLN:HG2	2.18	0.43
1:A:162:PHE:HE1	1:A:215:LEU:HD21	1.83	0.43
1:B:210:LYS:HD2	1:B:210:LYS:HA	1.74	0.43
1:A:64:GLU:OE2	1:A:397:GLN:HG2	2.17	0.43
1:B:141:VAL:HB	1:B:142:PRO:HD3	2.00	0.43
1:A:242[B]:ASP:HA	1:A:243[B]:PRO:HD3	1.91	0.42
1:B:23:ASP:N	1:B:23:ASP:OD2	2.51	0.42
1:B:5:MET:HA	1:B:6:PRO:HD3	1.95	0.42
1:A:345:TYR:HA	1:A:346:PRO:HD2	1.92	0.42
1:A:233:LEU:HD21	1:A:261:PHE:CD2	2.55	0.42
1:B:301:PRO:HB2	1:B:456:GLY:HA3	2.01	0.41
1:A:77:PHE:HE2	3:A:797:HOH:O	2.03	0.41
1:A:59:LYS:CG	3:A:682:HOH:O	2.69	0.41
1:B:213:ASN:HD21	1:B:255[B]:ARG:HD2	1.80	0.41
1:B:183:GLU:OE2	1:B:190:ARG:NH1	2.53	0.41
1:A:5:MET:SD	1:A:50:ARG:HG2	2.61	0.40
1:B:278:TYR:HA	1:B:444:PHE:CZ	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	453/470 (96%)	432 (95%)	15 (3%)	6 (1%)	<b>15</b> <b>9</b>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	452/470 (96%)	432 (96%)	19 (4%)	1 (0%)	52	53
All	All	905/940 (96%)	864 (96%)	34 (4%)	7 (1%)	26	17

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	110	GLN
1	A	225	ALA
1	A	437	LEU
1	B	378	ARG
1	A	263[A]	ILE
1	A	263[B]	ILE
1	A	45	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	382/412 (93%)	370 (97%)	12 (3%)	47	50
1	B	389/412 (94%)	385 (99%)	4 (1%)	82	87
All	All	771/824 (94%)	755 (98%)	16 (2%)	65	66

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	148	LEU
1	A	187	LYS
1	A	204	GLN
1	A	212	MET
1	A	215	LEU
1	A	222	ASP
1	A	312	LYS
1	A	437	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	440[A]	LYS
1	A	440[B]	LYS
1	A	440[C]	LYS
1	B	10	THR
1	B	22	THR
1	B	203	ARG
1	B	380	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	116	HIS
1	A	204	GLN
1	A	388	HIS
1	A	403	GLN
1	A	426	HIS
1	B	116	HIS
1	B	201	ASN
1	B	213	ASN
1	B	388	HIS
1	B	426	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEM	A	471	1	30,50,50	2.17	8 (26%)	24,82,82	2.70	13 (54%)
2	HEM	B	471	1	30,50,50	2.12	6 (20%)	24,82,82	2.39	10 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	471	1	-	0/10/54/54	0/0/8/8
2	HEM	B	471	1	-	0/10/54/54	0/0/8/8

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	471	HEM	C3B-C4B	-7.22	1.45	1.51
2	A	471	HEM	C3B-C4B	-7.09	1.45	1.51
2	B	471	HEM	C3D-C4D	-5.47	1.44	1.51
2	A	471	HEM	C3D-C4D	-4.23	1.46	1.51
2	A	471	HEM	C2C-C1C	-3.88	1.45	1.52
2	B	471	HEM	C2C-C1C	-3.21	1.46	1.52
2	B	471	HEM	C2D-C1D	-2.11	1.45	1.51
2	A	471	HEM	C2B-C1B	-2.03	1.45	1.51
2	A	471	HEM	C3C-CAC	2.21	1.55	1.51
2	A	471	HEM	C4C-NC	2.43	1.39	1.36
2	A	471	HEM	FE-NB	2.54	2.10	1.97
2	B	471	HEM	C3B-CAB	2.60	1.56	1.51
2	B	471	HEM	FE-NC	2.64	2.06	1.95
2	A	471	HEM	FE-ND	3.42	2.15	1.97

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	471	HEM	CBD-CAD-C3D	-4.15	101.47	113.55

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	471	HEM	CAA-C2A-C1A	-3.84	122.84	127.01
2	B	471	HEM	CBA-CAA-C2A	-3.15	106.89	112.53
2	B	471	HEM	CMA-C3A-C4A	-2.70	123.90	128.36
2	A	471	HEM	CMA-C3A-C4A	-2.62	124.02	128.36
2	A	471	HEM	C3B-C4B-NB	-2.40	107.04	111.63
2	B	471	HEM	C2C-C1C-NC	-2.02	106.80	110.21
2	A	471	HEM	C2C-C1C-CHC	2.38	127.30	123.68
2	A	471	HEM	C3B-C4B-CHC	2.47	126.64	123.16
2	B	471	HEM	CMD-C2D-C3D	2.58	125.77	114.35
2	B	471	HEM	C2D-C3D-C4D	2.59	105.89	101.50
2	A	471	HEM	C2D-C3D-C4D	2.64	105.98	101.50
2	A	471	HEM	CMD-C2D-C3D	2.71	126.34	114.35
2	B	471	HEM	C2C-C1C-CHC	2.95	128.17	123.68
2	A	471	HEM	C1D-CHD-C4C	3.07	130.95	125.82
2	A	471	HEM	CAD-C3D-C4D	4.12	126.99	112.47
2	B	471	HEM	CMB-C2B-C3B	4.21	127.03	116.53
2	B	471	HEM	CAD-C3D-C2D	4.27	125.49	113.22
2	B	471	HEM	CMC-C2C-C3C	4.56	127.91	116.53
2	B	471	HEM	CAD-C3D-C4D	4.57	128.60	112.47
2	A	471	HEM	CMC-C2C-C3C	4.60	128.01	116.53
2	A	471	HEM	CMB-C2B-C3B	4.79	128.49	116.53
2	A	471	HEM	CAD-C3D-C2D	4.80	127.02	113.22

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	471	HEM	2	0
2	B	471	HEM	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	441/470 (93%)	0.25	39 (8%) 12 17	11, 28, 60, 98	0
1	B	452/470 (96%)	0.61	43 (9%) 10 14	22, 35, 56, 68	0
All	All	893/940 (95%)	0.43	82 (9%) 11 15	11, 32, 58, 98	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	204	GLN	10.9
1	A	2	ILE	8.2
1	A	205	PHE	7.5
1	A	191	ALA	7.0
1	B	2	ILE	5.9
1	A	186	ASN	5.8
1	A	1	THR	5.6
1	A	188	LEU	5.0
1	A	206	GLN	4.6
1	B	458	ILE	4.4
1	B	214	ASP	4.4
1	A	192	ASN	4.3
1	A	184	ALA	4.3
1	B	194	ASP	4.3
1	B	369	ASP	4.1
1	A	182	ASP	4.1
1	A	179[A]	ARG	4.1
1	B	110	GLN	4.1
1	A	219	ILE	4.1
1	A	437	LEU	4.0
1	B	231	ASP	3.9
1	B	384	ALA	3.8
1	A	189	GLN	3.8
1	A	229	GLN	3.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	4	GLU	3.6
1	B	243	PRO	3.6
1	A	185	MET	3.6
1	B	198	TYR	3.5
1	B	230	SER	3.5
1	B	225	ALA	3.5
1	B	109	GLN	3.5
1	B	220[A]	ILE	3.5
1	B	382	PRO	3.4
1	A	46	GLY	3.3
1	A	211	VAL	3.2
1	B	192	ASN	3.2
1	A	183	GLU	3.1
1	A	177	MET	3.1
1	B	247	GLU	3.1
1	B	226	SER	3.0
1	A	178	VAL	3.0
1	A	225	ALA	3.0
1	B	209	ILE	2.9
1	B	13	GLU	2.9
1	A	190	ARG	2.9
1	B	180	ALA	2.9
1	A	231	ASP	2.9
1	B	229	GLN	2.9
1	A	81[A]	PHE	2.9
1	B	136	ASP	2.9
1	B	111	ALA	2.9
1	B	211	VAL	2.8
1	A	180[A]	ALA	2.7
1	B	242	ASP	2.7
1	A	456	GLY	2.7
1	B	215	LEU	2.7
1	A	224	LYS	2.6
1	B	191	ALA	2.6
1	B	177	MET	2.6
1	B	197	ALA	2.5
1	B	250	ASP	2.5
1	A	77	PHE	2.5
1	B	196	PRO	2.5
1	A	47	ARG	2.4
1	B	3	LYS	2.4
1	A	226	SER	2.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	187	LYS	2.4
1	A	214	ASP	2.4
1	A	181	LEU	2.3
1	B	168	ASP	2.3
1	B	446	VAL	2.3
1	A	230	SER	2.3
1	B	205	PHE	2.3
1	A	251	ASP	2.3
1	B	292	GLU	2.3
1	B	385	ILE	2.2
1	A	387	GLN	2.2
1	B	237	MET	2.1
1	B	239	ASN	2.1
1	A	369	ASP	2.1
1	B	212	MET	2.1
1	B	344	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	HEM	B	471	43/43	0.97	0.12	-0.14	16,21,25,29	0
2	HEM	A	471	43/43	0.99	0.09	-0.33	9,14,17,19	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.