



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:21 PM GMT

PDB ID : 4EM3
Title : Crystal Structure of Staphylococcus aureus bound with the covalent inhibitor MeVS-CoA
Authors : Wallace, B.D.; Edwards, J.S.; Claiborne, A.; Redinbo, M.R.
Deposited on : 2012-04-11
Resolution : 1.98 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	8664 (2.00-1.96)
Clashscore	102246	9905 (2.00-1.96)
Ramachandran outliers	100387	9792 (2.00-1.96)
Sidechain outliers	100360	9791 (2.00-1.96)
RSRZ outliers	91569	8679 (2.00-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	437	
1	B	437	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	CA6	B	509	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 8289 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Coenzyme A disulfide reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	437	Total	C	N	O	S	0	15	0
			3541	2255	598	675	13			
1	B	437	Total	C	N	O	S	0	17	0
			3538	2251	595	680	12			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	2	Total Mg 2 2	0	0
3	A	2	Total Mg 2 2	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	5	Total Cl 5 5	0	0
4	A	3	Total Cl 3 3	0	0

- Molecule 5 is [[(2R,3S,4R,5R)-5-(6-AMINOPURIN-9-YL)-4-OXIDANYL-3-PHOSPHONO OXY-OXOLAN-2-YL]METHOXY-OXIDANYL-PHOSPHORYL] [(3R)-2,2-DIMETHYL-4-[[3-(4-METHYLSULFONYLBUTYLAMINO)-3-OXIDANYLIDENE-PROPYL]AMINO]-3-OXIDANYL-4-OXIDANYLIDENE-BUTYL] HYDROGEN PHOSPHATE (three-letter code: CA6) (formula: C₂₄H₄₂N₇O₁₈P₃S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C N O P S 53 24 7 18 3 1	0	0
5	B	1	Total C N O P S 53 24 7 18 3 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	514	Total 514	O 514	0	0
6	B	472	Total 472	O 472	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Coenzyme A disulfide reductase



- Molecule 1: Coenzyme A disulfide reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.53Å 64.78Å 94.61Å 90.00° 104.69° 90.00°	Depositor
Resolution (Å)	40.33 – 1.98 44.27 – 1.98	Depositor EDS
% Data completeness (in resolution range)	94.4 (40.33-1.98) 94.4 (44.27-1.98)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.38 (at 1.98Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1057)	Depositor
R, R_{free}	0.179 , 0.226 0.180 , 0.230	Depositor DCC
R_{free} test set	3025 reflections (5.37%)	DCC
Wilson B-factor (Å ²)	26.7	Xtriage
Anisotropy	0.762	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 59472 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8289	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CA6, FAD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/3659	0.55	0/4950
1	B	0.36	0/3666	0.55	0/4964
All	All	0.37	0/7325	0.55	0/9914

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3541	0	3528	38	1
1	B	3538	0	3513	44	1
2	A	53	0	31	1	0
2	B	53	0	31	3	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	3	0	0	1	0
4	B	5	0	0	0	0
5	A	53	0	36	1	0
5	B	53	0	35	8	0
6	A	514	0	0	22	5

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	472	0	0	19	4
All	All	8289	0	7174	86	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:509:CA6:C3'	5:B:509:CA6:O3'	1.69	1.39
5:B:509:CA6:C3'	5:B:509:CA6:PAR	2.39	1.09
1:A:407:LEU:O	6:A:1111:HOH:O	1.94	0.85
1:A:146:ASN:O	6:A:1060:HOH:O	1.97	0.81
1:A:360:ASN:OD1	6:A:1043:HOH:O	2.00	0.79
1:B:70:ARG:HE	1:B:70:ARG:HA	1.45	0.78
1:B:19:GLN:NE2	6:B:1004:HOH:O	2.15	0.77
1:A:265:PHE:O	6:A:1114:HOH:O	2.02	0.77
1:B:219:GLU:OE1	6:B:1020:HOH:O	2.03	0.76
1:B:183:ILE:O	6:B:878:HOH:O	2.07	0.71
1:A:428:ASP:OD1	6:A:1038:HOH:O	2.11	0.69
1:B:347:ASP:OD1	6:B:999:HOH:O	2.11	0.68
1:A:347:ASP:OD2	6:A:828:HOH:O	2.11	0.67
1:A:223[B]:LYS:NZ	6:A:1091:HOH:O	2.25	0.67
5:B:509:CA6:OBO	6:B:1004:HOH:O	2.13	0.66
1:A:169:GLU:OE1	6:A:668:HOH:O	2.15	0.65
5:B:509:CA6:C3'	5:B:509:CA6:OAS	2.43	0.65
1:A:147:GLN:O	6:A:1061:HOH:O	2.13	0.65
1:A:28[A]:ASP:OD1	6:A:674:HOH:O	2.15	0.64
1:B:189:ALA:O	6:B:997:HOH:O	2.15	0.64
4:A:504:CL:CL	6:A:1063:HOH:O	2.53	0.61
1:A:216:ASN:HB3	6:A:1079:HOH:O	2.03	0.59
5:A:507:CA6:HBVA	1:B:419:TYR:OH	2.03	0.59
1:B:22:ARG:NH1	6:B:1044:HOH:O	2.37	0.58
1:A:355:GLN:NE2	6:A:998:HOH:O	2.37	0.57
1:B:344:LYS:NZ	6:B:827:HOH:O	2.22	0.57
1:A:413:THR:HG21	6:B:955:HOH:O	2.03	0.57
1:A:143[B]:ILE:HB	1:A:148:VAL:HB	1.86	0.56
1:A:413:THR:HG22	1:A:414:GLU:HG3	1.88	0.55
1:A:255[B]:ARG:NE	1:A:255[B]:ARG:H	2.05	0.55
1:B:43:CYS:SG	2:B:501:FAD:C4X	2.97	0.53
1:B:139[B]:ILE:HB	1:B:232[B]:MET:HE2	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:56:ARG:HG3	1:B:56:ARG:O	2.10	0.52
1:A:182:LYS:HE3	6:A:1040:HOH:O	2.11	0.51
1:A:141:GLN:NE2	6:A:682:HOH:O	2.21	0.51
1:B:356:GLY:HA3	1:B:365:ASN:HD21	1.76	0.51
1:B:99:ASN:ND2	6:B:1069:HOH:O	2.28	0.50
1:B:149:ASP:OD1	6:B:726:HOH:O	2.20	0.50
5:B:509:CA6:H5'	5:B:509:CA6:OAS	2.11	0.50
1:A:200:ASP:OD2	6:A:777:HOH:O	2.18	0.50
1:B:148:VAL:HG13	1:B:231:ASP:HB2	1.92	0.50
1:A:361:TYR:HB3	1:B:58:TYR:CG	2.47	0.49
1:B:228:GLU:OE2	6:B:1021:HOH:O	2.20	0.49
1:A:419:TYR:OH	5:B:509:CA6:HBVA	2.13	0.49
5:B:509:CA6:CBI	5:B:509:CA6:HBXA	2.42	0.48
1:B:47:TYR:OH	6:B:1024:HOH:O	2.20	0.48
1:B:188:ASP:OD2	1:B:373:TYR:OH	2.27	0.48
1:B:100:GLU:OE1	6:B:702:HOH:O	2.20	0.47
1:B:358:HIS:HD2	1:B:359:ALA:O	1.98	0.47
1:B:216[A]:ASN:ND2	6:B:1019:HOH:O	2.13	0.47
1:A:129:THR:HG22	1:A:235:GLU:HG3	1.97	0.46
1:A:17:ALA:HB1	1:A:73:ILE:HD13	1.97	0.46
1:A:58:TYR:CD1	1:B:361:TYR:HB3	2.50	0.46
1:B:393:ASP:N	1:B:393:ASP:OD1	2.49	0.46
1:B:11:ALA:HB3	2:B:501:FAD:O5'	2.16	0.46
1:B:135:ASP:O	1:B:139[B]:ILE:HG23	2.15	0.46
1:A:274:ALA:N	6:A:1114:HOH:O	2.34	0.46
1:A:425:HIS:HD2	6:A:1038:HOH:O	2.00	0.45
1:B:351:VAL:HG23	1:B:374:TYR:HE1	1.81	0.45
1:B:349:LYS:HG3	1:B:376:THR:HG22	1.99	0.45
1:B:325:ILE:HG13	1:B:334:ALA:HB2	1.98	0.45
1:A:11:ALA:HB3	2:A:501:FAD:O5'	2.18	0.44
1:B:246:ILE:HD13	1:B:259:ILE:HD11	1.99	0.44
1:A:2:PRO:HG3	6:A:1052:HOH:O	2.16	0.44
1:B:71:LYS:NZ	6:B:741:HOH:O	2.51	0.44
1:A:42:ASN:OD1	1:A:42:ASN:N	2.49	0.43
1:B:151:VAL:O	1:B:174:PRO:HA	2.18	0.43
1:B:35:ASP:HB3	1:B:134:GLU:OE2	2.19	0.43
5:B:509:CA6:C2'	5:B:509:CA6:O3'	2.48	0.43
1:A:231:ASP:OD1	6:A:1049:HOH:O	2.22	0.42
1:A:58:TYR:CG	1:B:361:TYR:HB3	2.54	0.42
1:A:410:ASP:O	1:A:413:THR:HB	2.19	0.42
1:A:438:LYS:HE2	6:A:920:HOH:O	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:148:VAL:HG13	1:A:231:ASP:HB2	2.01	0.42
1:B:65:GLU:HB2	6:B:1045:HOH:O	2.20	0.42
1:B:366:SER:OG	6:B:961:HOH:O	2.21	0.42
1:B:253:LEU:HD23	1:B:259:ILE:HG12	2.02	0.42
1:A:247:GLU:HB2	6:A:1107:HOH:O	2.20	0.42
1:B:97:LYS:HE3	6:B:745:HOH:O	2.20	0.42
1:B:21:ARG:HD3	1:B:21:ARG:HA	1.77	0.42
1:A:139:ILE:HG23	1:A:232[B]:MET:HE1	2.02	0.41
1:B:368:LEU:HD23	1:B:429:LEU:HD22	2.02	0.41
1:A:44:ALA:HB2	1:B:361:TYR:CZ	2.55	0.41
1:B:34:LYS:HE3	2:B:501:FAD:C8A	2.51	0.40
1:A:66:LYS:HE3	1:A:66:LYS:HB2	1.88	0.40

All (7) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:800:HOH:O	6:B:1069:HOH:O[1_554]	2.06	0.14
1:A:54:GLU:OE1	6:A:1013:HOH:O[2_656]	2.08	0.12
6:A:799:HOH:O	6:A:1103:HOH:O[2_656]	2.09	0.11
6:A:1012:HOH:O	6:A:1113:HOH:O[2_556]	2.17	0.03
1:B:147:GLN:NE2	6:B:690:HOH:O[2_657]	2.18	0.02
6:B:899:HOH:O	6:B:904:HOH:O[2_647]	2.18	0.02
6:A:1091:HOH:O	6:B:1048:HOH:O[2_556]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	450/437 (103%)	440 (98%)	9 (2%)	1 (0%)	52 47
1	B	452/437 (103%)	440 (97%)	11 (2%)	1 (0%)	52 47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	902/874 (103%)	880 (98%)	20 (2%)	2 (0%)	52	47

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	10	VAL
1	B	10	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	390/376 (104%)	380 (97%)	10 (3%)	54	51
1	B	391/376 (104%)	379 (97%)	12 (3%)	47	43
All	All	781/752 (104%)	759 (97%)	22 (3%)	57	48

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26[A]	GLU
1	A	26[B]	GLU
1	A	42	ASN
1	A	70	ARG
1	A	181	ASP
1	A	182	LYS
1	A	252	LYS
1	A	255[A]	ARG
1	A	255[B]	ARG
1	A	413	THR
1	B	26[A]	GLU
1	B	26[B]	GLU
1	B	28[A]	ASP
1	B	28[B]	ASP
1	B	42	ASN
1	B	56	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	70	ARG
1	B	99	ASN
1	B	228	GLU
1	B	252	LYS
1	B	341	ASN
1	B	395	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 12 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	A	501	-	48,58,58	1.19	5 (10%)	54,89,89	2.26	8 (14%)
5	CA6	A	507	1	45,55,55	2.74	13 (28%)	58,83,83	3.95	24 (41%)
2	FAD	B	501	-	48,58,58	1.20	6 (12%)	54,89,89	2.16	7 (12%)
5	CA6	B	509	1	45,55,55	3.37	14 (31%)	58,83,83	3.24	19 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	501	-	-	0/30/50/50	0/6/6/6
5	CA6	A	507	1	-	0/49/69/69	0/3/3/3
2	FAD	B	501	-	-	0/30/50/50	0/6/6/6
5	CA6	B	509	1	-	0/49/69/69	0/3/3/3

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	509	CA6	PAR-O3'	-11.87	1.24	1.60
5	A	507	CA6	CBV-SBW	-11.52	1.63	1.78
5	B	509	CA6	C2'-C3'	-9.38	1.31	1.53
5	A	507	CA6	C2'-C3'	-7.77	1.35	1.53
5	B	509	CA6	PAR-OAS	-5.85	1.33	1.54
5	B	509	CA6	C3'-C4'	-5.47	1.37	1.52
5	A	507	CA6	PAR-O3'	-5.03	1.44	1.60
5	B	509	CA6	CBX-SBW	-4.88	1.52	1.75
5	A	507	CA6	C5-C4	-3.38	1.32	1.40
5	B	509	CA6	C5-C4	-3.05	1.33	1.40
5	B	509	CA6	PAR-OAT	-2.77	1.44	1.54
5	A	507	CA6	C5-N7	-2.76	1.30	1.39
5	A	507	CA6	PAZ-OBM	-2.60	1.41	1.51
5	A	507	CA6	PAR-OAT	-2.56	1.45	1.54
5	A	507	CA6	OBZ-SBW	-2.52	1.38	1.44
5	B	509	CA6	C5-N7	-2.48	1.31	1.39
5	A	507	CA6	CBU-CBV	-2.05	1.46	1.52
5	B	509	CA6	OCA-SBW	2.09	1.50	1.44
2	B	501	FAD	C1'-N10	2.14	1.50	1.48
5	A	507	CA6	CBH-CBI	2.21	1.55	1.51
2	B	501	FAD	C5X-N5	2.27	1.38	1.35
2	B	501	FAD	C2A-N1A	2.42	1.38	1.33
5	B	509	CA6	C2-N1	2.45	1.38	1.33
2	A	501	FAD	C2A-N1A	2.53	1.38	1.33
2	A	501	FAD	C4-N3	2.58	1.37	1.33
5	A	507	CA6	C5'-C4'	2.60	1.60	1.51
2	A	501	FAD	C1'-N10	2.73	1.51	1.48
2	B	501	FAD	C4-N3	2.77	1.38	1.33
2	A	501	FAD	C4X-N5	2.86	1.37	1.33
2	B	501	FAD	C4X-N5	2.91	1.37	1.33
2	A	501	FAD	C2A-N3A	3.18	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	509	CA6	C2-N3	3.24	1.37	1.32
5	A	507	CA6	O3'-C3'	3.47	1.54	1.44
2	B	501	FAD	C2A-N3A	3.93	1.39	1.32
5	A	507	CA6	C3'-C4'	4.00	1.64	1.52
5	B	509	CA6	OBZ-SBW	4.58	1.56	1.44
5	B	509	CA6	O4'-C1'	5.40	1.48	1.41
5	B	509	CA6	O3'-C3'	8.27	1.69	1.44

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	507	CA6	N3-C2-N1	-13.45	118.60	128.89
2	A	501	FAD	N3A-C2A-N1A	-12.20	119.55	128.89
5	B	509	CA6	N3-C2-N1	-11.78	119.87	128.89
2	B	501	FAD	N3A-C2A-N1A	-11.74	119.91	128.89
5	B	509	CA6	OBZ-SBW-CBX	-7.28	100.88	108.92
5	A	507	CA6	C5'-C4'-C3'	-6.61	90.49	114.31
5	A	507	CA6	OAY-PAZ-OBA	-6.34	86.12	102.94
5	A	507	CA6	OBO-PAZ-OAY	-5.80	78.79	105.09
5	B	509	CA6	C5'-C4'-C3'	-5.47	94.61	114.31
5	B	509	CA6	PAR-O3'-C3'	-5.26	108.94	121.56
5	B	509	CA6	OAT-PAR-OAU	-5.07	94.24	110.58
5	A	507	CA6	OBZ-SBW-OCA	-4.87	104.09	116.85
5	B	509	CA6	OBZ-SBW-OCA	-4.08	106.15	116.85
5	A	507	CA6	C2'-C3'-C4'	-3.92	95.93	103.29
5	A	507	CA6	C1'-N9-C4	-3.86	121.12	126.94
2	B	501	FAD	P-O3P-PA	-3.71	122.31	132.73
2	A	501	FAD	C4X-C4-N3	-3.61	118.65	123.59
2	B	501	FAD	C4X-C4-N3	-3.45	118.88	123.59
2	A	501	FAD	P-O3P-PA	-3.08	124.08	132.73
5	B	509	CA6	CBQ-CBC-CBB	-3.02	104.58	108.50
5	B	509	CA6	O4'-C4'-C3'	-2.96	98.03	104.86
5	A	507	CA6	C4-C5-N7	-2.70	106.99	109.48
5	B	509	CA6	C4'-O4'-C1'	-2.58	106.89	109.72
2	A	501	FAD	C1B-N9A-C4A	-2.18	123.65	126.94
5	B	509	CA6	C4-C5-N7	-2.11	107.54	109.48
2	B	501	FAD	C1B-N9A-C4A	-2.05	123.85	126.94
2	A	501	FAD	C4A-C5A-N7A	-2.00	107.64	109.48
5	A	507	CA6	O4'-C4'-C3'	2.03	109.54	104.86
5	A	507	CA6	OBZ-SBW-CBX	2.12	111.27	108.92
5	A	507	CA6	O5'-C5'-C4'	2.15	117.05	109.12
5	B	509	CA6	CBG-NBF-CBE	2.18	126.85	122.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	FAD	O2A-PA-O3P	2.20	115.05	105.09
5	A	507	CA6	OAT-PAR-OAS	2.32	116.22	107.38
5	A	507	CA6	OCA-SBW-CBV	2.39	109.81	108.28
5	A	507	CA6	OAY-PAX-O5'	2.46	109.45	102.94
5	A	507	CA6	C2'-C1'-N9	2.49	118.09	114.29
5	B	509	CA6	OAY-PAZ-OBA	2.50	109.58	102.94
5	A	507	CA6	O4'-C4'-C5'	2.51	118.29	109.32
2	B	501	FAD	C4X-N5-C5X	2.62	119.78	116.76
5	B	509	CA6	O3'-PAR-OAU	2.82	114.16	107.11
5	A	507	CA6	CBK-NBJ-CBI	2.89	128.48	122.79
5	B	509	CA6	CBX-SBW-CBV	3.02	117.78	105.44
5	B	509	CA6	OBA-CBB-CBC	3.04	115.44	110.55
5	A	507	CA6	OBA-CBB-CBC	3.55	116.25	110.55
5	B	509	CA6	C2'-C1'-N9	3.57	119.74	114.29
5	A	507	CA6	OBA-PAZ-OBM	3.74	124.13	109.62
2	B	501	FAD	C5X-C9A-N10	3.81	120.51	117.62
2	A	501	FAD	C5X-C9A-N10	4.12	120.75	117.62
5	A	507	CA6	PAR-O3'-C3'	5.03	133.63	121.56
5	B	509	CA6	O2'-C2'-C3'	5.22	126.24	111.16
5	A	507	CA6	CBL-CBU-CBV	5.40	128.65	112.83
5	B	509	CA6	OCA-SBW-CBV	5.97	112.10	108.28
2	B	501	FAD	C4-N3-C2	6.30	120.69	115.25
5	A	507	CA6	C3'-C2'-C1'	6.39	115.33	99.98
2	A	501	FAD	C4-N3-C2	7.00	121.30	115.25
5	A	507	CA6	O3'-PAR-OAU	8.86	129.23	107.11
5	B	509	CA6	C2'-C3'-C4'	11.20	124.35	103.29
5	A	507	CA6	OBZ-SBW-CBV	16.20	118.64	108.28

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	FAD	1	0
5	A	507	CA6	1	0
2	B	501	FAD	3	0
5	B	509	CA6	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	437/437 (100%)	-0.08	8 (1%) 71 74	25, 34, 47, 63	0
1	B	437/437 (100%)	0.03	9 (2%) 67 69	25, 36, 48, 60	0
All	All	874/874 (100%)	-0.03	17 (1%) 70 73	25, 35, 47, 63	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	255[A]	ARG	3.9
1	A	58	TYR	3.8
1	B	123	GLU	3.7
1	B	216[A]	ASN	3.5
1	A	61	ALA	3.5
1	B	58	TYR	3.4
1	B	55	ASP	2.9
1	B	360	ASN	2.8
1	A	123	GLU	2.6
1	A	54	GLU	2.4
1	B	438	LYS	2.3
1	A	363	PRO	2.2
1	A	55	ASP	2.2
1	B	66	LYS	2.2
1	B	57	ARG	2.1
1	A	60	LEU	2.1
1	B	227	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	CA6	B	509	53/53	0.73	0.27	9.42	34,43,58,62	53
5	CA6	A	507	53/53	0.94	0.17	1.44	29,36,49,51	53
4	CL	B	508	1/1	0.91	0.10	0.63	60,60,60,60	0
2	FAD	B	501	53/53	0.98	0.12	0.27	25,30,32,34	0
2	FAD	A	501	53/53	0.98	0.08	-0.50	23,27,30,32	0
4	CL	B	504	1/1	0.82	0.20	-	65,65,65,65	0
4	CL	B	507	1/1	0.80	0.25	-	63,63,63,63	0
3	MG	A	503	1/1	0.78	0.12	-	53,53,53,53	0
3	MG	A	502	1/1	0.95	0.12	-	58,58,58,58	0
3	MG	B	502	1/1	0.97	0.12	-	46,46,46,46	0
4	CL	B	506	1/1	0.85	0.19	-	64,64,64,64	0
4	CL	A	504	1/1	0.90	0.20	-	67,67,67,67	0
3	MG	B	503	1/1	0.92	0.28	-	56,56,56,56	0
4	CL	A	506	1/1	0.60	0.20	-	74,74,74,74	0
4	CL	A	505	1/1	0.89	0.36	-	74,74,74,74	0
4	CL	B	505	1/1	0.45	0.15	-	75,75,75,75	0

6.5 Other polymers ⓘ

There are no such residues in this entry.