



# Full wwPDB X-ray Structure Validation Report i

Jul 11, 2016 – 06:43 PM EDT

PDB ID : 5ESO  
Title : Crystal Structure of M. tuberculosis MenD with ThDP, Mg<sup>2+</sup> and Isochoris-mate bound  
Authors : Johnston, J.M.; Jirgis, E.N.M.; Bashiri, G.; Bulloch, E.M.M.; Baker, E.N.  
Deposited on : 2015-11-16  
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20027790
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20027790


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1192 (2.04-2.04)
Clashscore	102246	1269 (2.04-2.04)
Ramachandran outliers	100387	1258 (2.04-2.04)
Sidechain outliers	100360	1258 (2.04-2.04)
RSRZ outliers	91569	1194 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ISC	A	602	-	-	-	X
7	BME	C	606	-	-	-	X

## 2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 16837 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	529	Total	C 3959	N 2464	O 742	S 741	12	0	8	0
1	B	535	Total	C 3951	N 2464	O 735	S 741	11	0	5	0
1	C	543	Total	C 4020	N 2505	O 750	S 754	11	0	3	0
1	D	543	Total	C 3988	N 2485	O 740	S 753	10	0	3	0

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P9WK11
A	-18	GLY	-	expression tag	UNP P9WK11
A	-17	SER	-	expression tag	UNP P9WK11
A	-16	SER	-	expression tag	UNP P9WK11
A	-15	HIS	-	expression tag	UNP P9WK11
A	-14	HIS	-	expression tag	UNP P9WK11
A	-13	HIS	-	expression tag	UNP P9WK11
A	-12	HIS	-	expression tag	UNP P9WK11
A	-11	HIS	-	expression tag	UNP P9WK11
A	-10	HIS	-	expression tag	UNP P9WK11
A	-9	SER	-	expression tag	UNP P9WK11
A	-8	SER	-	expression tag	UNP P9WK11
A	-7	GLY	-	expression tag	UNP P9WK11
A	-6	LEU	-	expression tag	UNP P9WK11
A	-5	VAL	-	expression tag	UNP P9WK11
A	-4	PRO	-	expression tag	UNP P9WK11
A	-3	ARG	-	expression tag	UNP P9WK11
A	-2	GLY	-	expression tag	UNP P9WK11
A	-1	SER	-	expression tag	UNP P9WK11
A	0	HIS	-	expression tag	UNP P9WK11

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	initiating methionine	UNP P9WK11
B	-18	GLY	-	expression tag	UNP P9WK11
B	-17	SER	-	expression tag	UNP P9WK11
B	-16	SER	-	expression tag	UNP P9WK11
B	-15	HIS	-	expression tag	UNP P9WK11
B	-14	HIS	-	expression tag	UNP P9WK11
B	-13	HIS	-	expression tag	UNP P9WK11
B	-12	HIS	-	expression tag	UNP P9WK11
B	-11	HIS	-	expression tag	UNP P9WK11
B	-10	HIS	-	expression tag	UNP P9WK11
B	-9	SER	-	expression tag	UNP P9WK11
B	-8	SER	-	expression tag	UNP P9WK11
B	-7	GLY	-	expression tag	UNP P9WK11
B	-6	LEU	-	expression tag	UNP P9WK11
B	-5	VAL	-	expression tag	UNP P9WK11
B	-4	PRO	-	expression tag	UNP P9WK11
B	-3	ARG	-	expression tag	UNP P9WK11
B	-2	GLY	-	expression tag	UNP P9WK11
B	-1	SER	-	expression tag	UNP P9WK11
B	0	HIS	-	expression tag	UNP P9WK11
C	-19	MET	-	initiating methionine	UNP P9WK11
C	-18	GLY	-	expression tag	UNP P9WK11
C	-17	SER	-	expression tag	UNP P9WK11
C	-16	SER	-	expression tag	UNP P9WK11
C	-15	HIS	-	expression tag	UNP P9WK11
C	-14	HIS	-	expression tag	UNP P9WK11
C	-13	HIS	-	expression tag	UNP P9WK11
C	-12	HIS	-	expression tag	UNP P9WK11
C	-11	HIS	-	expression tag	UNP P9WK11
C	-10	HIS	-	expression tag	UNP P9WK11
C	-9	SER	-	expression tag	UNP P9WK11
C	-8	SER	-	expression tag	UNP P9WK11
C	-7	GLY	-	expression tag	UNP P9WK11
C	-6	LEU	-	expression tag	UNP P9WK11
C	-5	VAL	-	expression tag	UNP P9WK11
C	-4	PRO	-	expression tag	UNP P9WK11
C	-3	ARG	-	expression tag	UNP P9WK11
C	-2	GLY	-	expression tag	UNP P9WK11
C	-1	SER	-	expression tag	UNP P9WK11
C	0	HIS	-	expression tag	UNP P9WK11
D	-19	MET	-	initiating methionine	UNP P9WK11
D	-18	GLY	-	expression tag	UNP P9WK11

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-17	SER	-	expression tag	UNP P9WK11
D	-16	SER	-	expression tag	UNP P9WK11
D	-15	HIS	-	expression tag	UNP P9WK11
D	-14	HIS	-	expression tag	UNP P9WK11
D	-13	HIS	-	expression tag	UNP P9WK11
D	-12	HIS	-	expression tag	UNP P9WK11
D	-11	HIS	-	expression tag	UNP P9WK11
D	-10	HIS	-	expression tag	UNP P9WK11
D	-9	SER	-	expression tag	UNP P9WK11
D	-8	SER	-	expression tag	UNP P9WK11
D	-7	GLY	-	expression tag	UNP P9WK11
D	-6	LEU	-	expression tag	UNP P9WK11
D	-5	VAL	-	expression tag	UNP P9WK11
D	-4	PRO	-	expression tag	UNP P9WK11
D	-3	ARG	-	expression tag	UNP P9WK11
D	-2	GLY	-	expression tag	UNP P9WK11
D	-1	SER	-	expression tag	UNP P9WK11
D	0	HIS	-	expression tag	UNP P9WK11

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Mg 1 1	0	0
2	A	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0

- Molecule 3 is (5S,6S)-5-[(1-carboxyethenyl)oxy]-6-hydroxycyclohexa-1,3-diene-1-carboxylic acid (three-letter code: ISC) (formula: C<sub>10</sub>H<sub>10</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			16	10	6		
3	B	1	Total	C	O	0	0
			16	10	6		

- Molecule 4 is FORMIC ACID (three-letter code: FMT) (formula: CH<sub>2</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			3	1	2		
4	B	1	Total	C	O	0	0
			3	1	2		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O 3 1 2	0	0
4	C	1	Total C O 3 1 2	0	0
4	C	1	Total C O 3 1 2	0	0
4	C	1	Total C O 3 1 2	0	0

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0

- Molecule 6 is THIAMIN DIPHOSPHATE (three-letter code: TDP) (formula: C<sub>12</sub>H<sub>18</sub>N<sub>4</sub>O<sub>7</sub>P<sub>2</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
6	C	1	26	12	4	7	2	1	0	0
6	D	1	26	12	4	7	2	1	0	0

- Molecule 7 is BETA-MERCAPTOETHANOL (three-letter code: BME) (formula: C<sub>2</sub>H<sub>6</sub>OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	S		
7	C	1	4	2	1	1	0	0
7	D	1	4	2	1	1	0	0



- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	230	Total O 230 230	0	0
8	B	200	Total O 200 200	0	0
8	C	246	Total O 246 246	0	0
8	D	111	Total O 111 111	0	0



### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase




- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase




- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase





- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	101.44Å    139.59Å    181.77Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	19.81 – 2.05 19.81 – 2.05	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.81-2.05) 100.0 (19.81-2.05)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.50 (at 2.06Å)	Xtriage
Refinement program	PHENIX	Depositor
$R$ , $R_{free}$	0.192 , 0.219 0.188 , 0.217	Depositor DCC
$R_{free}$ test set	8142 reflections (5.04%)	DCC
Wilson B-factor (Å <sup>2</sup> )	40.2	Xtriage
Anisotropy	0.482	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 50.1	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.49$ , $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	16837	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.25% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, BME, FMT, ISC, TDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.28	1/4043 (0.0%)	0.46	0/5532
1	B	0.26	0/4046	0.49	2/5541 (0.0%)
1	C	0.28	0/4107	0.48	1/5621 (0.0%)
1	D	0.28	0/4073	0.51	1/5580 (0.0%)
All	All	0.27	1/16269 (0.0%)	0.49	4/22274 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2
1	C	0	1
1	D	0	1
All	All	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	98	VAL	C-N	5.05	1.43	1.34

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	429	ASP	N-CA-C	-5.94	94.97	111.00
1	D	181	LEU	CB-CG-CD2	-5.50	101.66	111.00
1	B	190	GLU	C-N-CD	-5.19	109.18	120.60
1	C	107	ARG	NE-CZ-NH1	5.11	122.86	120.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	427	SER	Peptide
1	B	428	PRO	Peptide
1	C	428	PRO	Peptide
1	D	115	GLY	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3959	0	4001	30	0
1	B	3951	0	4003	35	1
1	C	4020	0	4048	24	1
1	D	3988	0	3997	33	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	16	0	8	0	0
3	B	16	0	8	0	0
4	A	3	0	1	0	0
4	B	6	0	2	0	0
4	C	9	0	3	0	0
5	A	12	0	16	0	0
5	B	6	0	8	2	0
6	C	26	0	16	1	0
6	D	26	0	16	1	0
7	C	4	0	5	2	0
7	D	4	0	5	0	0
8	A	230	0	0	1	0
8	B	200	0	0	0	0
8	C	246	0	0	1	0
8	D	111	0	0	0	0
All	All	16837	0	16137	117	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:C:605:TDP:C2	6:C:605:TDP:H2	0.97	1.48
6:D:602:TDP:C2	6:D:602:TDP:H2	0.97	1.48
1:A:367:ARG:NH2	1:A:525:ASP:OD1	2.00	0.93
1:A:140:GLU:OE1	1:A:145:ARG:NH1	2.07	0.88
1:D:120:MET:SD	1:D:122:GLN:NE2	2.50	0.84
1:D:526:GLN:NE2	1:D:527:PRO:O	2.13	0.81
1:C:140:GLU:OE2	1:C:145:ARG:NH2	2.13	0.81
1:B:506:ARG:HE	1:C:506:ARG:HH12	1.31	0.79
1:A:39[B]:GLN:OE1	1:A:43[B]:ARG:NH1	2.17	0.76
1:B:377:SER:OG	1:B:378:ASN:N	2.15	0.75
1:C:77:MET:HE3	1:C:86:LEU:HD12	1.70	0.73
1:C:117:ASN:OD1	1:C:120:MET:N	2.16	0.73
1:A:422:HIS:O	1:A:425:THR:OG1	2.07	0.70
1:C:30[B]:ARG:NH1	1:C:183:GLU:OE1	2.27	0.67
1:D:422:HIS:O	1:D:425:THR:OG1	2.12	0.65
1:B:247:ALA:HB3	5:B:605:GOL:H31	1.78	0.65
1:B:282[B]:ARG:HG2	1:B:283:PRO:HD3	1.78	0.65
1:C:33:PRO:HD2	1:C:76:ALA:HB1	1.79	0.63
1:B:470:ASN:O	1:B:540:ARG:NH1	2.32	0.63
1:B:543:LEU:HD12	1:B:546:LEU:HB3	1.82	0.61
1:D:140:GLU:OE1	1:D:145:ARG:NH1	2.34	0.60
1:B:282[A]:ARG:HG2	1:B:283:PRO:HD3	1.84	0.59
1:A:145:ARG:NH1	1:B:182:ARG:HH12	2.01	0.58
1:C:30[B]:ARG:NH1	1:C:107:ARG:HE	2.00	0.58
1:A:500:ASP:OD2	1:A:503:ALA:N	2.34	0.58
1:B:523:THR:O	1:B:526:GLN:HG2	2.04	0.58
1:A:487:ASP:OD1	1:A:489:SER:N	2.26	0.57
1:D:107[B]:ARG:NH1	1:D:119:THR:HG21	2.19	0.57
1:D:336:ASN:O	1:D:340:ILE:HG13	2.05	0.57
1:B:1:MET:SD	1:B:9:ARG:NH1	2.77	0.57
1:D:256:ASP:O	1:D:258:PRO:HD3	2.06	0.56
1:A:498:ASP:O	1:D:509:HIS:NE2	2.26	0.56
1:A:377:SER:OG	1:A:378:ASN:N	2.39	0.55
1:D:412:ILE:HD13	1:D:452:ILE:HD11	1.89	0.55
1:A:440:ASP:OD2	1:A:497:HIS:NE2	2.35	0.54
1:C:426:GLY:O	1:C:428:PRO:HD3	2.08	0.54
1:B:376:ALA:O	1:B:399:ARG:NH1	2.41	0.54
1:A:469:ASP:O	1:A:540:ARG:NH1	2.42	0.53
1:B:354:THR:HG21	1:B:543:LEU:HD13	1.90	0.53
1:B:281:HIS:HB3	1:B:283:PRO:HD2	1.89	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:440:ASP:HB3	1:D:468:ASN:HA	1.91	0.53
1:C:304:TRP:CG	1:C:314:THR:HG21	2.44	0.52
1:A:140:GLU:CD	1:A:145:ARG:HH12	2.11	0.52
1:D:487:ASP:OD1	1:D:487:ASP:N	2.40	0.51
1:A:377:SER:OG	8:A:701:HOH:O	2.18	0.51
1:D:229:ILE:HD13	1:D:284:VAL:HG13	1.92	0.50
1:C:106:ASN:OD1	1:C:120:MET:HE1	2.11	0.50
1:B:513:ARG:NH1	1:B:526:GLN:OE1	2.46	0.48
1:A:18:GLY:HA3	1:A:161:LEU:HD13	1.96	0.48
1:B:514:GLN:OE1	1:B:537:LYS:HE3	2.14	0.48
1:D:23:VAL:HB	1:D:49:LEU:HD23	1.95	0.48
1:B:394:ARG:HD3	1:B:418:TYR:CE1	2.48	0.48
1:D:324:PRO:HG2	1:D:329:LEU:HD11	1.95	0.48
1:A:487:ASP:OD1	1:A:488:VAL:N	2.47	0.48
1:C:108:PRO:HG2	1:C:138:LEU:HD22	1.95	0.47
1:B:100:LEU:O	1:B:174:PRO:HA	2.15	0.47
1:D:107[B]:ARG:NH2	1:D:181:LEU:HD21	2.29	0.47
1:C:100:LEU:O	1:C:174:PRO:HA	2.14	0.47
1:D:462:LEU:HD23	1:D:531:MET:HG2	1.96	0.47
1:B:282[A]:ARG:HH11	1:B:282[A]:ARG:HG3	1.80	0.46
1:A:438:ILE:HG22	1:A:439:GLY:O	2.14	0.46
1:A:405:ASP:OD1	1:A:445:HIS:NE2	2.34	0.46
1:B:60:TYR:CG	1:B:406:GLY:HA3	2.51	0.46
1:A:144:GLU:OE1	1:A:144:GLU:N	2.36	0.46
1:B:288:LEU:HB3	1:B:308:SER:HB2	1.98	0.46
1:B:430:SER:HB2	1:B:431:PRO:HD2	1.97	0.46
1:C:91:VAL:HG12	1:C:401:VAL:HG21	1.97	0.46
1:A:60:TYR:CG	1:A:406:GLY:HA3	2.51	0.46
1:C:265:PRO:HG3	1:C:283:PRO:HB3	1.97	0.46
1:C:76:ALA:O	7:C:606:BME:H21	2.16	0.46
1:B:253:ARG:CZ	5:B:605:GOL:H32	2.46	0.45
1:D:450:LEU:O	1:D:452:ILE:HG13	2.16	0.45
1:A:523:THR:O	1:A:526:GLN:HG2	2.16	0.45
1:B:506:ARG:HE	1:C:506:ARG:NH1	2.08	0.45
1:B:282[A]:ARG:HG2	1:B:283:PRO:CD	2.46	0.45
1:B:190:GLU:HA	1:B:191:PRO:C	2.36	0.45
1:D:32:ALA:HA	1:D:78:THR:HG22	1.98	0.45
1:A:394:ARG:NE	1:A:418:TYR:HE1	2.15	0.45
1:C:13:ASP:OD1	1:C:46:ARG:NH1	2.42	0.45
1:A:394:ARG:NE	1:A:418:TYR:CE1	2.85	0.44
1:D:126:PHE:O	1:D:130:VAL:HG22	2.18	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:438:ILE:HG23	1:A:442:THR:HB	1.99	0.44
1:B:290:ASP:OD1	1:B:293:VAL:HG23	2.17	0.44
1:D:107[B]:ARG:HH22	1:D:181:LEU:HD21	1.82	0.44
1:D:512:SER:HA	1:D:533:VAL:O	2.18	0.44
1:C:77:MET:HB2	1:C:82:ALA:HB1	1.99	0.44
1:A:144:GLU:CD	1:A:144:GLU:H	2.18	0.44
1:B:144:GLU:N	1:B:144:GLU:OE1	2.28	0.44
1:B:200:ARG:HG2	1:B:206:TRP:HA	2.00	0.44
1:B:222:LEU:HD22	1:B:243:LEU:HD11	1.99	0.43
1:D:263:ALA:HA	1:D:266:LEU:HD12	1.99	0.43
1:D:367:ARG:NE	1:D:433:ARG:HH22	2.15	0.43
1:A:76:ALA:HA	1:A:103:LEU:O	2.18	0.43
1:B:282[A]:ARG:CG	1:B:282[A]:ARG:HH11	2.32	0.43
1:C:291:ALA:HA	1:C:310:ASN:OD1	2.19	0.43
1:C:86:LEU:HD11	7:C:606:BME:H11	2.01	0.42
1:A:543:LEU:HD23	1:A:543:LEU:HA	1.81	0.42
1:C:107:ARG:HH11	1:C:107:ARG:HG2	1.83	0.42
1:D:222:LEU:HD22	1:D:243:LEU:HD11	2.01	0.42
1:D:331:ARG:O	1:D:335:MET:HG2	2.19	0.42
1:D:325:ARG:O	1:D:329:LEU:HD12	2.19	0.42
1:D:526:GLN:HA	1:D:527:PRO:HD3	1.83	0.42
1:A:95:TYR:OH	1:D:121:GLU:OE2	2.35	0.42
1:B:309:GLY:O	1:D:151:ALA:HB1	2.19	0.42
1:C:299:THR:HG23	8:C:708:HOH:O	2.19	0.42
1:D:144:GLU:N	1:D:144:GLU:OE1	2.37	0.42
1:A:195:VAL:O	1:A:195:VAL:HG13	2.20	0.42
1:A:100:LEU:O	1:A:174:PRO:HA	2.20	0.41
1:B:282[B]:ARG:HG2	1:B:283:PRO:CD	2.48	0.41
1:B:507:ALA:HA	1:C:500:ASP:HB3	2.00	0.41
1:B:441:LEU:HA	1:B:441:LEU:HD23	1.78	0.41
1:D:5:THR:HG22	1:D:9:ARG:NH2	2.36	0.41
1:C:23:VAL:HG22	1:C:74:CYS:HB2	2.03	0.41
1:A:513:ARG:HB2	1:A:513:ARG:HE	1.65	0.40
1:B:200:ARG:CG	1:B:206:TRP:HA	2.51	0.40
1:D:100:LEU:O	1:D:174:PRO:HA	2.21	0.40
1:D:443:PHE:HE2	1:D:504:LEU:HD23	1.86	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:344:ARG:NH1	1:C:330:ASP:OD2[2_654]	2.08	0.12

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	527/574 (92%)	519 (98%)	8 (2%)	0	100 100
1	B	532/574 (93%)	520 (98%)	12 (2%)	0	100 100
1	C	542/574 (94%)	530 (98%)	12 (2%)	0	100 100
1	D	542/574 (94%)	527 (97%)	15 (3%)	0	100 100
All	All	2143/2296 (93%)	2096 (98%)	47 (2%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	419/445 (94%)	418 (100%)	1 (0%)	95 96
1	B	418/445 (94%)	414 (99%)	4 (1%)	82 81
1	C	422/445 (95%)	414 (98%)	8 (2%)	65 60
1	D	416/445 (94%)	410 (99%)	6 (1%)	74 72
All	All	1675/1780 (94%)	1656 (99%)	19 (1%)	82 79

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	518	ASP
1	B	282[A]	ARG
1	B	282[B]	ARG
1	B	377	SER
1	B	525	ASP
1	C	30[A]	ARG
1	C	30[B]	ARG
1	C	57	THR
1	C	126	PHE
1	C	377	SER
1	C	401	VAL
1	C	518	ASP
1	C	545	GLN
1	D	57	THR
1	D	107[A]	ARG
1	D	107[B]	ARG
1	D	126	PHE
1	D	377	SER
1	D	489	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry (i)

Of 19 ligands modelled in this entry, 4 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	ISC	A	602	-	10,16,16	1.65	2 (20%)	5,22,22	0.61	0
4	FMT	A	603	-	0,2,2	0.00	-	0,1,1	0.00	-
5	GOL	A	604	-	5,5,5	0.39	0	5,5,5	0.27	0
5	GOL	A	605	-	5,5,5	0.34	0	5,5,5	0.37	0
3	ISC	B	602	-	10,16,16	1.65	2 (20%)	5,22,22	0.86	0
4	FMT	B	603	-	0,2,2	0.00	-	0,1,1	0.00	-
4	FMT	B	604	2	0,2,2	0.00	-	0,1,1	0.00	-
5	GOL	B	605	-	5,5,5	0.38	0	5,5,5	0.31	0
4	FMT	C	602	-	0,2,2	0.00	-	0,1,1	0.00	-
4	FMT	C	603	-	0,2,2	0.00	-	0,1,1	0.00	-
4	FMT	C	604	-	0,2,2	0.00	-	0,1,1	0.00	-
6	TDP	C	605	2	21,27,27	1.44	2 (9%)	30,40,40	1.84	8 (26%)
7	BME	C	606	1	3,3,3	0.80	0	1,2,2	1.09	0
6	TDP	D	602	2	21,27,27	1.40	2 (9%)	30,40,40	1.80	8 (26%)
7	BME	D	603	1	3,3,3	0.78	0	1,2,2	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ISC	A	602	-	-	0/2/26/26	0/1/1/1
4	FMT	A	603	-	-	0/0/0/0	0/0/0/0
5	GOL	A	604	-	-	0/4/4/4	0/0/0/0
5	GOL	A	605	-	-	0/4/4/4	0/0/0/0
3	ISC	B	602	-	-	0/2/26/26	0/1/1/1
4	FMT	B	603	-	-	0/0/0/0	0/0/0/0
4	FMT	B	604	2	-	0/0/0/0	0/0/0/0
5	GOL	B	605	-	-	0/4/4/4	0/0/0/0
4	FMT	C	602	-	-	0/0/0/0	0/0/0/0
4	FMT	C	603	-	-	0/0/0/0	0/0/0/0
4	FMT	C	604	-	-	0/0/0/0	0/0/0/0
6	TDP	C	605	2	-	0/16/17/17	0/2/2/2
7	BME	C	606	1	-	0/1/1/1	0/0/0/0
6	TDP	D	602	2	-	0/16/17/17	0/2/2/2

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	BME	D	603	1	-	0/1/1/1	0/0/0/0

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	605	TDP	C4-N3	-5.00	1.35	1.39
6	D	602	TDP	C4-N3	-4.78	1.35	1.39
3	B	602	ISC	C-C1	-2.80	1.46	1.51
3	A	602	ISC	C-C1	-2.78	1.46	1.51
3	B	602	ISC	O3'-C2'	2.97	1.46	1.36
3	A	602	ISC	O3'-C2'	2.98	1.46	1.36
6	D	602	TDP	C5'-C4'	3.40	1.48	1.42
6	C	605	TDP	C5'-C4'	3.50	1.48	1.42

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	605	TDP	C5A-C5-S1	-3.99	114.65	120.24
6	D	602	TDP	C5A-C5-S1	-3.37	115.52	120.24
6	D	602	TDP	C5'-C6'-N1'	-2.72	119.11	123.86
6	C	605	TDP	C5'-C6'-N1'	-2.60	119.31	123.86
6	D	602	TDP	C4A-C4-C5	-2.42	123.78	128.91
6	D	602	TDP	N1'-C2'-N3'	-2.16	121.45	125.50
6	C	605	TDP	N1'-C2'-N3'	-2.16	121.45	125.50
6	C	605	TDP	C4A-C4-C5	-2.16	124.34	128.91
6	C	605	TDP	C4A-C4-N3	2.23	125.17	122.43
6	D	602	TDP	C4A-C4-N3	2.36	125.33	122.43
6	D	602	TDP	N4'-C4'-N3'	2.46	120.53	116.92
6	C	605	TDP	N4'-C4'-N3'	2.49	120.56	116.92
6	C	605	TDP	C6'-N1'-C2'	3.51	122.60	115.92
6	D	602	TDP	C6'-N1'-C2'	3.59	122.75	115.92
6	D	602	TDP	C5A-C5-C4	4.87	132.80	127.34
6	C	605	TDP	C5A-C5-C4	5.39	133.38	127.34

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	605	GOL	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	605	TDP	1	0
7	C	606	BME	2	0
6	D	602	TDP	1	0

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	529/574 (92%)	-0.02	27 (5%) 32 36	27, 42, 69, 102	0
1	B	535/574 (93%)	0.10	30 (5%) 28 32	26, 44, 73, 110	0
1	C	543/574 (94%)	-0.03	26 (4%) 34 40	26, 41, 69, 96	0
1	D	543/574 (94%)	0.25	42 (7%) 16 19	32, 52, 77, 111	0
All	All	2150/2296 (93%)	0.08	125 (5%) 26 30	26, 45, 74, 111	0

All (125) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	428	PRO	7.4
1	C	195	VAL	6.7
1	B	428	PRO	6.6
1	B	429	ASP	6.0
1	D	195	VAL	6.0
1	A	428	PRO	5.7
1	A	493	PHE	5.7
1	B	425	THR	5.5
1	D	119	THR	5.5
1	D	426	GLY	5.2
1	C	119	THR	5.0
1	D	117	ASN	4.9
1	D	118	GLN	4.9
1	A	426	GLY	4.9
1	D	1	MET	4.8
1	D	116	ALA	4.7
1	C	184	PRO	4.7
1	C	118	GLN	4.7
1	B	496	PRO	4.6
1	D	29	SER	4.5
1	B	291	ALA	4.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	425	THR	4.5
1	C	428	PRO	4.4
1	B	195	VAL	4.4
1	D	430	SER	4.4
1	C	116	ALA	4.4
1	A	425	THR	4.3
1	B	494	GLY	4.2
1	D	429	ASP	4.2
1	B	191	PRO	4.1
1	D	120	MET	4.1
1	A	430	SER	4.1
1	C	427	SER	3.9
1	B	493	PHE	3.9
1	D	36	PHE	3.9
1	A	429	ASP	3.9
1	B	426	GLY	3.8
1	C	426	GLY	3.8
1	C	117	ASN	3.8
1	D	425	THR	3.7
1	C	429	ASP	3.7
1	A	424	ARG	3.7
1	B	430	SER	3.7
1	C	120	MET	3.6
1	A	527	PRO	3.6
1	A	195	VAL	3.6
1	C	527	PRO	3.6
1	B	427	SER	3.6
1	A	498	ASP	3.5
1	B	529	ALA	3.5
1	B	495	THR	3.4
1	B	282[A]	ARG	3.4
1	C	115	GLY	3.4
1	B	351	PRO	3.4
1	B	289	ALA	3.4
1	D	256	ASP	3.3
1	D	554	LEU	3.2
1	B	541	SER	3.2
1	D	427	SER	3.1
1	D	352	LEU	3.1
1	B	486	SER	3.0
1	D	552	ALA	3.0
1	A	526	GLN	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	30[A]	ARG	2.9
1	D	115	GLY	2.9
1	C	430	SER	2.9
1	B	190	GLU	2.9
1	D	2	ASN	2.9
1	D	530	GLY	2.8
1	A	282[A]	ARG	2.8
1	D	487	ASP	2.8
1	A	497	HIS	2.8
1	B	540	ARG	2.8
1	B	256	ASP	2.7
1	A	490	SER	2.7
1	D	528	GLY	2.7
1	D	43	ARG	2.7
1	C	141	ASP	2.6
1	C	144	GLU	2.6
1	D	202	ALA	2.6
1	D	143	PRO	2.6
1	A	256	ASP	2.6
1	B	518	ASP	2.6
1	C	526	GLN	2.6
1	A	291	ALA	2.6
1	B	404	ILE	2.5
1	B	525	ASP	2.5
1	A	228	VAL	2.5
1	C	29	SER	2.5
1	A	84	ALA	2.5
1	B	522	PRO	2.4
1	B	526	GLN	2.4
1	A	427	SER	2.4
1	D	391	ARG	2.4
1	D	364	HIS	2.4
1	D	424	ARG	2.4
1	A	540	ARG	2.4
1	D	292	GLU	2.3
1	A	246	VAL	2.3
1	A	541	SER	2.3
1	D	551	LYS	2.3
1	D	268	ARG	2.3
1	B	352	LEU	2.3
1	C	143	PRO	2.3
1	D	141	ASP	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	528	GLY	2.2
1	C	256	ASP	2.2
1	D	518	ASP	2.2
1	D	181	LEU	2.2
1	D	422	HIS	2.2
1	D	522	PRO	2.2
1	D	182	ARG	2.2
1	C	112	LEU	2.2
1	C	202	ALA	2.2
1	B	292	GLU	2.2
1	A	189	PRO	2.2
1	A	529	ALA	2.2
1	D	140	GLU	2.1
1	D	144	GLU	2.1
1	A	290	ASP	2.1
1	A	487	ASP	2.1
1	B	228	VAL	2.1
1	A	243	LEU	2.1
1	C	273	ILE	2.0
1	D	435	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
7	BME	C	606	4/4	0.72	0.28	5.67	48,54,56,73	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	ISC	A	602	16/16	0.76	0.26	4.29	48,66,72,74	0
5	GOL	A	605	6/6	0.94	0.21	1.51	48,56,62,66	0
3	ISC	B	602	16/16	0.91	0.12	1.05	38,51,59,63	0
5	GOL	B	605	6/6	0.81	0.17	0.99	50,55,59,62	0
4	FMT	C	602	3/3	0.91	0.11	0.77	38,38,46,48	0
4	FMT	A	603	3/3	0.93	0.10	0.26	45,45,46,46	0
5	GOL	A	604	6/6	0.86	0.12	0.08	44,51,52,57	0
2	MG	C	601	1/1	0.95	0.10	-0.04	32,32,32,32	0
4	FMT	C	603	3/3	0.96	0.11	-0.31	56,56,60,71	0
4	FMT	B	603	3/3	0.90	0.10	-0.39	51,51,55,57	0
6	TDP	C	605	26/26	0.99	0.08	-0.44	25,33,35,35	0
2	MG	B	601	1/1	0.87	0.10	-0.75	52,52,52,52	0
4	FMT	C	604	3/3	0.94	0.08	-1.07	43,43,54,57	0
7	BME	D	603	4/4	0.96	0.08	-1.18	56,57,61,61	0
6	TDP	D	602	26/26	0.97	0.07	-1.20	39,46,52,56	0
2	MG	D	601	1/1	0.98	0.08	-1.23	42,42,42,42	0
4	FMT	B	604	3/3	0.94	0.07	-1.50	51,51,55,61	0
2	MG	A	601	1/1	0.99	0.06	-1.93	50,50,50,50	0

## 6.5 Other polymers (i)

There are no such residues in this entry.