



Full wwPDB X-ray Structure Validation Report i

Jul 11, 2016 – 06:06 PM EDT

PDB ID : 5ESU
Title : Crystal Structure of M. tuberculosis MenD bound to Mg²⁺ and Covalent Intermediate II (a ThDP + de-carboxylated 2-oxoglutarate + Isochorismate adduct)
Authors : Johnston, J.M.; Jirgis, E.N.M.; Bashiri, G.; Bulloch, E.M.M.; Baker, E.N.
Deposited on : 2015-11-17
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20027790
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20027790


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 16576 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	538	Total	C 3952	N 2465	O 733	S 743	11	0	3	0
1	B	535	Total	C 3935	N 2454	O 732	S 738	11	0	1	0
1	C	537	Total	C 3952	N 2467	O 735	S 741	9	0	2	0
1	D	542	Total	C 4022	N 2505	O 751	S 756	10	0	5	0

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P9WK11
A	-18	GLY	-	expression tag	UNP P9WK11
A	-17	SER	-	expression tag	UNP P9WK11
A	-16	SER	-	expression tag	UNP P9WK11
A	-15	HIS	-	expression tag	UNP P9WK11
A	-14	HIS	-	expression tag	UNP P9WK11
A	-13	HIS	-	expression tag	UNP P9WK11
A	-12	HIS	-	expression tag	UNP P9WK11
A	-11	HIS	-	expression tag	UNP P9WK11
A	-10	HIS	-	expression tag	UNP P9WK11
A	-9	SER	-	expression tag	UNP P9WK11
A	-8	SER	-	expression tag	UNP P9WK11
A	-7	GLY	-	expression tag	UNP P9WK11
A	-6	LEU	-	expression tag	UNP P9WK11
A	-5	VAL	-	expression tag	UNP P9WK11
A	-4	PRO	-	expression tag	UNP P9WK11
A	-3	ARG	-	expression tag	UNP P9WK11
A	-2	GLY	-	expression tag	UNP P9WK11
A	-1	SER	-	expression tag	UNP P9WK11
A	0	HIS	-	expression tag	UNP P9WK11

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	initiating methionine	UNP P9WK11
B	-18	GLY	-	expression tag	UNP P9WK11
B	-17	SER	-	expression tag	UNP P9WK11
B	-16	SER	-	expression tag	UNP P9WK11
B	-15	HIS	-	expression tag	UNP P9WK11
B	-14	HIS	-	expression tag	UNP P9WK11
B	-13	HIS	-	expression tag	UNP P9WK11
B	-12	HIS	-	expression tag	UNP P9WK11
B	-11	HIS	-	expression tag	UNP P9WK11
B	-10	HIS	-	expression tag	UNP P9WK11
B	-9	SER	-	expression tag	UNP P9WK11
B	-8	SER	-	expression tag	UNP P9WK11
B	-7	GLY	-	expression tag	UNP P9WK11
B	-6	LEU	-	expression tag	UNP P9WK11
B	-5	VAL	-	expression tag	UNP P9WK11
B	-4	PRO	-	expression tag	UNP P9WK11
B	-3	ARG	-	expression tag	UNP P9WK11
B	-2	GLY	-	expression tag	UNP P9WK11
B	-1	SER	-	expression tag	UNP P9WK11
B	0	HIS	-	expression tag	UNP P9WK11
C	-19	MET	-	initiating methionine	UNP P9WK11
C	-18	GLY	-	expression tag	UNP P9WK11
C	-17	SER	-	expression tag	UNP P9WK11
C	-16	SER	-	expression tag	UNP P9WK11
C	-15	HIS	-	expression tag	UNP P9WK11
C	-14	HIS	-	expression tag	UNP P9WK11
C	-13	HIS	-	expression tag	UNP P9WK11
C	-12	HIS	-	expression tag	UNP P9WK11
C	-11	HIS	-	expression tag	UNP P9WK11
C	-10	HIS	-	expression tag	UNP P9WK11
C	-9	SER	-	expression tag	UNP P9WK11
C	-8	SER	-	expression tag	UNP P9WK11
C	-7	GLY	-	expression tag	UNP P9WK11
C	-6	LEU	-	expression tag	UNP P9WK11
C	-5	VAL	-	expression tag	UNP P9WK11
C	-4	PRO	-	expression tag	UNP P9WK11
C	-3	ARG	-	expression tag	UNP P9WK11
C	-2	GLY	-	expression tag	UNP P9WK11
C	-1	SER	-	expression tag	UNP P9WK11
C	0	HIS	-	expression tag	UNP P9WK11
D	-19	MET	-	initiating methionine	UNP P9WK11
D	-18	GLY	-	expression tag	UNP P9WK11

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-17	SER	-	expression tag	UNP P9WK11
D	-16	SER	-	expression tag	UNP P9WK11
D	-15	HIS	-	expression tag	UNP P9WK11
D	-14	HIS	-	expression tag	UNP P9WK11
D	-13	HIS	-	expression tag	UNP P9WK11
D	-12	HIS	-	expression tag	UNP P9WK11
D	-11	HIS	-	expression tag	UNP P9WK11
D	-10	HIS	-	expression tag	UNP P9WK11
D	-9	SER	-	expression tag	UNP P9WK11
D	-8	SER	-	expression tag	UNP P9WK11
D	-7	GLY	-	expression tag	UNP P9WK11
D	-6	LEU	-	expression tag	UNP P9WK11
D	-5	VAL	-	expression tag	UNP P9WK11
D	-4	PRO	-	expression tag	UNP P9WK11
D	-3	ARG	-	expression tag	UNP P9WK11
D	-2	GLY	-	expression tag	UNP P9WK11
D	-1	SER	-	expression tag	UNP P9WK11
D	0	HIS	-	expression tag	UNP P9WK11

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0

- Molecule 3 is FORMIC ACID (three-letter code: FMT) (formula: CH₂O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 3 1 2	0	0
3	B	1	Total C O 3 1 2	0	0

- Molecule 4 is (1 {R},2 {S},5 {S},6 {S})-2-[(1 {S})-1-[3-[(4-azanylidene-2-methyl-1 {H}-pyrimidin-5-yl)methyl]-4-methyl-5-[2-[oxidanyl(phosphonooxy)phosphoryl]oxyethyl]-1,3-thiazol-3-i um-2-yl]-1,4-bis(oxidanyl)-4-oxidanylidene-butyl]-6-oxidanyl-5-(3-oxidanyl-3-oxidanylidene-prop-1-en-2-yl)oxy-cyclohex-3-ene-1-carboxylic acid (three-letter code: TOI) (formula: C₂₆H₃₅N₄O₁₆P₂S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
4	C	1	49	26	4	16	2	1	0	0
4	D	1	Total	C	N	O	P	S	0	0
			49	26	4	16	2	1		

- Molecule 5 is BETA-MERCAPTOETHANOL (three-letter code: BME) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	S		
5	C	1	4	2	1	1	0	0
5	D	1	Total	C	O	S	0	0
			4	2	1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	170	Total	O	0	0
			170	170		
6	B	145	Total	O	0	0
			145	145		
6	C	87	Total	O	0	0
			87	87		
6	D	198	Total	O	0	0
			198	198		


3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase



- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase




- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase





- Molecule 1: 2-succinyl-5-enolpyruvyl-6-hydroxy-3-cyclohexene-1-carboxylate synthase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	101.45 Å 139.82 Å 183.32 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.85 – 2.20 19.85 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.9 (19.85-2.20) 98.9 (19.85-2.20)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^{\text{1}}$	1.44 (at 2.19 Å)	Xtriage
Refinement program	PHENIX	Depositor
R , R_{free}	0.194 , 0.237 0.192 , 0.237	Depositor DCC
R_{free} test set	6634 reflections (5.07%)	DCC
Wilson B-factor (Å ²)	39.5	Xtriage
Anisotropy	0.430	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 37.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	16576	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FMT, TOI, MG, BME

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.21	0/4045	0.41	0/5545
1	B	0.21	0/4018	0.41	0/5503
1	C	0.22	0/4039	0.43	0/5530
1	D	0.22	0/4113	0.42	0/5627
All	All	0.22	0/16215	0.42	0/22205

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3952	0	3979	21	0
1	B	3935	0	3978	23	0
1	C	3952	0	3975	25	0
1	D	4022	0	4050	22	0
2	A	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	3	0	1	0	0
3	B	3	0	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	49	0	0	1	0
4	D	49	0	0	2	0
5	C	4	0	5	1	0
5	D	4	0	5	0	0
6	A	170	0	0	0	0
6	B	145	0	0	0	0
6	C	87	0	0	0	0
6	D	198	0	0	1	0
All	All	16576	0	15994	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:280:LEU:O	1:B:381:ARG:NH1	2.30	0.64
1:A:377:SER:OG	1:A:378:ASN:N	2.29	0.63
1:A:81:THR:HG23	1:D:401:VAL:HG11	1.83	0.61
1:C:33:PRO:HB3	1:C:105:ALA:HB2	1.84	0.59
1:B:81:THR:HG23	1:C:401:VAL:HG11	1.85	0.58
1:A:145:ARG:NH1	1:B:141:ASP:OD2	2.36	0.58
1:B:427:SER:OG	1:B:429:ASP:OD2	2.23	0.56
1:D:122:GLN:HE22	1:D:126:PHE:HD2	1.52	0.56
1:D:30:ARG:NH2	1:D:110:GLU:OE1	2.38	0.56
1:D:97:ARG:NH1	6:D:705:HOH:O	2.38	0.56
1:B:190:GLU:HB2	1:B:193:GLY:HA2	1.87	0.55
1:B:500:ASP:OD1	1:B:503:ALA:N	2.39	0.55
1:B:488:VAL:HG21	1:C:39:GLN:HB2	1.89	0.54
1:C:140:GLU:OE1	1:D:182:ARG:NH1	2.34	0.54
1:C:341:ALA:O	1:C:345:GLU:HG2	2.08	0.53
1:B:280:LEU:HD11	1:B:381:ARG:HG2	1.90	0.53
1:C:42:ASP:HB2	1:C:49:LEU:HG	1.91	0.52
1:D:118:GLN:N	1:D:118:GLN:OE1	2.42	0.52
1:D:304:TRP:CG	1:D:314:THR:HG21	2.45	0.51
1:B:168:ARG:NH2	1:D:299:THR:O	2.43	0.51
1:A:144:GLU:CD	1:A:144:GLU:H	2.13	0.51
1:C:55:GLU:HG2	5:C:603:BME:HG21	1.91	0.51
1:B:118:GLN:OE1	4:C:601:TOI:O5	2.29	0.50
1:B:54:ASP:HB3	1:B:57:THR:HG22	1.95	0.49
1:A:375:GLY:O	1:A:380:VAL:HG23	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:438:ILE:HG23	1:B:442:THR:HB	1.94	0.48
1:A:118:GLN:OE1	4:D:602:TOI:O5	2.31	0.48
1:C:267:LEU:O	1:C:268:ARG:HD2	2.13	0.48
1:A:60:TYR:CG	1:A:406:GLY:HA3	2.49	0.48
1:A:438:ILE:HD11	1:A:443:PHE:HD1	1.79	0.47
1:C:54:ASP:HB3	1:C:57:THR:HG22	1.96	0.47
1:A:507:ALA:HA	1:D:500:ASP:HB3	1.96	0.47
1:B:18:GLY:HA3	1:B:161:LEU:HD13	1.97	0.47
1:B:60:TYR:CG	1:B:406:GLY:HA3	2.49	0.47
1:D:18:GLY:HA3	1:D:161:LEU:HD13	1.96	0.47
1:C:135:SER:HB3	1:D:112:LEU:HB3	1.97	0.47
1:A:54:ASP:OD1	1:D:56:ARG:NH2	2.43	0.47
1:A:200:ARG:HG2	1:A:206:TRP:HA	1.98	0.46
1:D:32:ALA:HA	1:D:78:THR:HG22	1.97	0.46
1:A:224:VAL:HG12	1:A:270[B]:GLN:HB2	1.98	0.45
1:C:265:PRO:HG3	1:C:283:PRO:HB3	1.98	0.45
1:D:30:ARG:HH22	1:D:110:GLU:CD	2.20	0.45
1:D:100:LEU:O	1:D:174:PRO:HA	2.17	0.45
1:C:267:LEU:C	1:C:268:ARG:HD2	2.38	0.45
1:B:256:ASP:HB2	1:B:391:ARG:NH1	2.32	0.44
1:D:42:ASP:HB2	1:D:49:LEU:HG	1.99	0.44
1:C:431:PRO:HA	1:C:432:PRO:HD3	1.87	0.44
1:C:526:GLN:HA	1:C:527:PRO:HD3	1.78	0.44
1:A:376:ALA:O	1:A:399:ARG:NH1	2.50	0.44
1:D:23:VAL:HG22	1:D:74:CYS:HB2	1.99	0.44
1:A:455:THR:HG21	1:D:491:ARG:HG2	2.00	0.44
1:B:498:ASP:O	1:C:509:HIS:NE2	2.45	0.44
1:B:376:ALA:O	1:B:377:SER:OG	2.24	0.44
1:C:16:ILE:HD13	1:C:46:ARG:HB3	2.00	0.44
1:A:222:LEU:HD22	1:A:243:LEU:HD11	1.99	0.43
1:B:377:SER:O	1:B:381:ARG:HG3	2.19	0.43
1:C:270:GLN:O	1:C:294:PRO:HD2	2.18	0.43
1:C:405:ASP:HB3	1:C:445:HIS:CE1	2.54	0.43
1:A:54:ASP:HB3	1:A:57:THR:HG22	2.00	0.43
1:D:304:TRP:CD2	1:D:314:THR:HG21	2.54	0.43
1:A:425:THR:O	1:A:427:SER:N	2.47	0.43
1:D:54:ASP:HB3	1:D:57:THR:HG22	2.00	0.43
1:D:196:THR:HA	1:D:197:PRO:HD2	1.82	0.42
1:C:60:TYR:CG	1:C:406:GLY:HA3	2.54	0.42
1:A:282:ARG:N	1:A:283:PRO:HD2	2.34	0.42
1:B:100:LEU:O	1:B:174:PRO:HA	2.18	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:136:LEU:HD12	1:C:136:LEU:HA	1.92	0.42
1:C:422:HIS:ND1	1:C:432:PRO:HD3	2.34	0.41
1:D:441:LEU:HB2	4:D:602:TOI:P1	2.60	0.41
1:B:282:ARG:O	1:B:286:VAL:HG23	2.21	0.41
1:B:507:ALA:HA	1:C:500:ASP:HB3	2.01	0.41
1:C:126:PHE:O	1:C:130:VAL:HG22	2.20	0.41
1:A:100:LEU:O	1:A:174:PRO:HA	2.21	0.41
1:B:197:PRO:HA	1:B:198:PRO:HD3	1.75	0.41
1:C:304:TRP:CG	1:C:314:THR:HG21	2.56	0.41
1:A:210:PRO:HA	1:A:211:PRO:HD3	1.98	0.40
1:B:262:LEU:HD11	1:B:385:LEU:HD11	2.03	0.40
1:C:100:LEU:O	1:C:174:PRO:HA	2.21	0.40
1:A:216:GLN:HB3	1:A:316:THR:HG23	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	535/574 (93%)	517 (97%)	18 (3%)	0	100 100
1	B	529/574 (92%)	516 (98%)	12 (2%)	1 (0%)	52 59
1	C	533/574 (93%)	518 (97%)	14 (3%)	1 (0%)	52 59
1	D	541/574 (94%)	527 (97%)	13 (2%)	1 (0%)	52 59
All	All	2138/2296 (93%)	2078 (97%)	57 (3%)	3 (0%)	56 64

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	377	SER
1	D	281	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	281	HIS

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	416/445 (94%)	416 (100%)	0	100 100
1	B	414/445 (93%)	413 (100%)	1 (0%)	95 98
1	C	412/445 (93%)	409 (99%)	3 (1%)	88 94
1	D	423/445 (95%)	423 (100%)	0	100 100
All	All	1665/1780 (94%)	1661 (100%)	4 (0%)	95 98

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	177	PHE
1	C	117	ASN
1	C	305	PRO
1	C	519	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	422	HIS
1	C	117	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 9 ligands modelled in this entry, 3 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	FMT	A	602	2	0,2,2	0.00	-	0,1,1	0.00	-
3	FMT	B	601	-	0,2,2	0.00	-	0,1,1	0.00	-
4	TOI	C	601	2	32,51,51	1.10	2 (6%)	34,77,77	1.54	8 (23%)
5	BME	C	603	1	3,3,3	0.75	0	1,2,2	0.92	0
4	TOI	D	602	2	32,51,51	1.09	2 (6%)	34,77,77	1.57	9 (26%)
5	BME	D	603	1	3,3,3	0.85	0	1,2,2	1.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FMT	A	602	2	-	0/0/0/0	0/0/0/0
3	FMT	B	601	-	-	0/0/0/0	0/0/0/0
4	TOI	C	601	2	-	0/27/64/64	0/3/3/3
5	BME	C	603	1	-	0/1/1/1	0/0/0/0
4	TOI	D	602	2	-	0/27/64/64	0/3/3/3
5	BME	D	603	1	-	0/1/1/1	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	602	TOI	O3P-C2P	2.98	1.46	1.36
4	C	601	TOI	O3P-C2P	3.02	1.46	1.36
4	D	602	TOI	C4'-N4'	3.65	1.35	1.29
4	C	601	TOI	C4'-N4'	3.77	1.35	1.29

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	602	TOI	C4A-C4-C5	-2.50	123.62	128.91
4	C	601	TOI	C5'-C4'-N3'	-2.43	118.33	122.24
4	D	602	TOI	C5A-C5-C4	-2.41	124.65	127.34
4	C	601	TOI	C4A-C4-C5	-2.38	123.87	128.91
4	C	601	TOI	C5'-C6'-N1'	-2.38	119.70	123.86
4	D	602	TOI	C5'-C6'-N1'	-2.34	119.77	123.86
4	C	601	TOI	C5A-C5-C4	-2.25	124.82	127.34
4	D	602	TOI	C5'-C4'-N3'	-2.21	118.68	122.24
4	D	602	TOI	N1'-C2'-N3'	-2.17	121.42	125.50
4	C	601	TOI	N1'-C2'-N3'	-2.12	121.51	125.50
4	D	602	TOI	C2A-C2'-N1'	2.11	119.66	117.05
4	C	601	TOI	C5A-C5-S1	2.13	123.22	120.24
4	D	602	TOI	C5A-C5-S1	2.26	123.40	120.24
4	C	601	TOI	C6'-N1'-C2'	3.42	122.43	115.92
4	D	602	TOI	C6'-N1'-C2'	3.46	122.50	115.92
4	C	601	TOI	C1I-C2I-C3I	3.87	113.78	107.39
4	D	602	TOI	C1I-C2I-C3I	4.06	114.08	107.39

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	601	TOI	1	0
5	C	603	BME	1	0
4	D	602	TOI	2	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	538/574 (93%)	-0.11	24 (4%) 37 36	25, 43, 80, 110	0
1	B	535/574 (93%)	-0.17	23 (4%) 39 38	28, 42, 81, 118	0
1	C	537/574 (93%)	0.01	28 (5%) 31 30	32, 52, 82, 105	0
1	D	542/574 (94%)	-0.23	20 (3%) 45 44	24, 40, 71, 98	0
All	All	2152/2296 (93%)	-0.12	95 (4%) 38 37	24, 44, 79, 118	0

All (95) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	192	LEU	7.5
1	B	426	GLY	7.2
1	A	428	PRO	5.8
1	C	29	SER	5.6
1	C	195	VAL	5.3
1	C	118	GLN	5.1
1	B	493	PHE	4.8
1	A	527	PRO	4.6
1	A	494	GLY	4.5
1	B	193	GLY	4.5
1	C	117	ASN	4.5
1	B	429	ASP	4.5
1	B	428	PRO	4.4
1	C	116	ALA	4.3
1	B	528	GLY	4.3
1	C	425	THR	4.2
1	C	528	GLY	4.1
1	D	195	VAL	4.1
1	A	289	ALA	4.1
1	B	194	ALA	4.0
1	D	429	ASP	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	291	ALA	3.9
1	D	184	PRO	3.9
1	A	426	GLY	3.7
1	B	527	PRO	3.5
1	A	495	THR	3.5
1	C	36	PHE	3.5
1	B	191	PRO	3.4
1	A	496	PRO	3.4
1	C	364	HIS	3.2
1	D	141	ASP	3.2
1	C	554	LEU	3.2
1	B	425	THR	3.1
1	A	486	SER	3.1
1	D	426	GLY	3.1
1	A	430	SER	3.0
1	D	119	THR	3.0
1	C	552	ALA	3.0
1	C	460	ARG	3.0
1	C	422	HIS	3.0
1	A	427	SER	2.9
1	D	118	GLN	2.9
1	C	529	ALA	2.8
1	D	116	ALA	2.8
1	D	120	MET	2.8
1	B	282	ARG	2.8
1	A	429	ASP	2.7
1	B	256	ASP	2.7
1	A	195	VAL	2.7
1	C	141	ASP	2.7
1	C	526	GLN	2.7
1	A	425	THR	2.7
1	C	119	THR	2.6
1	D	430	SER	2.6
1	B	497	HIS	2.6
1	D	526	GLN	2.6
1	C	483	PRO	2.6
1	C	183	GLU	2.6
1	B	430	SER	2.6
1	D	425	THR	2.6
1	B	489	SER	2.5
1	A	493	PHE	2.5
1	A	191	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	144	GLU	2.4
1	C	2	ASN	2.4
1	B	487	ASP	2.4
1	A	529	ALA	2.4
1	C	43	ARG	2.4
1	B	498	ASP	2.4
1	D	114	THR	2.4
1	B	526	GLN	2.4
1	C	256	ASP	2.3
1	B	364	HIS	2.3
1	D	143	PRO	2.3
1	C	487	ASP	2.3
1	B	424	ARG	2.3
1	D	527	PRO	2.3
1	C	292	GLU	2.2
1	D	29	SER	2.2
1	B	195	VAL	2.2
1	C	431	PRO	2.2
1	A	256	ASP	2.2
1	B	541	SER	2.2
1	C	525	ASP	2.1
1	A	283	PRO	2.1
1	A	351	PRO	2.1
1	A	528	GLY	2.1
1	D	142	ALA	2.1
1	D	460	ARG	2.1
1	C	144	GLU	2.1
1	C	424	ARG	2.1
1	A	228	VAL	2.1
1	D	115	GLY	2.1
1	A	290	ASP	2.0
1	A	552	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	TOI	C	601	49/49	0.93	0.14	1.41	41,52,67,70	0
3	FMT	B	601	3/3	0.86	0.13	1.10	44,44,56,57	0
5	BME	D	603	4/4	0.89	0.15	0.55	53,58,65,73	0
5	BME	C	603	4/4	0.90	0.14	0.16	60,60,62,69	0
4	TOI	D	602	49/49	0.97	0.11	0.14	26,35,52,59	0
2	MG	D	601	1/1	0.97	0.11	-0.23	33,33,33,33	0
3	FMT	A	602	3/3	0.90	0.09	-0.76	53,53,55,63	0
2	MG	A	601	1/1	0.96	0.10	-0.89	56,56,56,56	0
2	MG	C	602	1/1	0.97	0.08	-1.68	42,42,42,42	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.