



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 10:58 PM GMT

PDB ID : 5EUH
Title : Crystal structure of the c-di-GMP-bound GGDEF domain of *P. fluorescens* GcbC
Authors : Giglio, K.M.; Cooley, R.B.; Sondermann, H.
Deposited on : 2015-11-18
Resolution : 2.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026982
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20026982


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1992 (3.00-2.96)
Clashscore	102246	2349 (3.00-2.96)
Ramachandran outliers	100387	2274 (3.00-2.96)
Sidechain outliers	100360	2277 (3.00-2.96)
RSRZ outliers	91569	2007 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	172	<div> <div>80%</div> <div>15%</div> <div>5%</div> </div>
1	B	172	<div> <div>82%</div> <div>13%</div> <div>5%</div> </div>
1	C	172	<div> <div>9%</div> <div>73%</div> <div>9%</div> <div>17%</div> </div>
1	D	172	<div> <div>9%</div> <div>69%</div> <div>14%</div> <div>17%</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4803 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative GGDEF domain membrane protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	164	Total	C	N	O	S	0	0	0
			1254	776	236	239	3			
1	B	164	Total	C	N	O	S	0	0	0
			1254	776	236	239	3			
1	C	142	Total	C	N	O	S	0	0	0
			1020	635	183	200	2			
1	D	142	Total	C	N	O	S	0	0	0
			1058	658	193	205	2			

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	502	ALA	-	expression tag	UNP Q3K751
A	503	LEU	-	expression tag	UNP Q3K751
A	504	GLU	-	expression tag	UNP Q3K751
A	505	HIS	-	expression tag	UNP Q3K751
A	506	HIS	-	expression tag	UNP Q3K751
A	507	HIS	-	expression tag	UNP Q3K751
A	508	HIS	-	expression tag	UNP Q3K751
A	509	HIS	-	expression tag	UNP Q3K751
A	510	HIS	-	expression tag	UNP Q3K751
B	502	ALA	-	expression tag	UNP Q3K751
B	503	LEU	-	expression tag	UNP Q3K751
B	504	GLU	-	expression tag	UNP Q3K751
B	505	HIS	-	expression tag	UNP Q3K751
B	506	HIS	-	expression tag	UNP Q3K751
B	507	HIS	-	expression tag	UNP Q3K751
B	508	HIS	-	expression tag	UNP Q3K751
B	509	HIS	-	expression tag	UNP Q3K751
B	510	HIS	-	expression tag	UNP Q3K751
C	502	ALA	-	expression tag	UNP Q3K751
C	503	LEU	-	expression tag	UNP Q3K751
C	504	GLU	-	expression tag	UNP Q3K751

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	505	HIS	-	expression tag	UNP Q3K751
C	506	HIS	-	expression tag	UNP Q3K751
C	507	HIS	-	expression tag	UNP Q3K751
C	508	HIS	-	expression tag	UNP Q3K751
C	509	HIS	-	expression tag	UNP Q3K751
C	510	HIS	-	expression tag	UNP Q3K751
D	502	ALA	-	expression tag	UNP Q3K751
D	503	LEU	-	expression tag	UNP Q3K751
D	504	GLU	-	expression tag	UNP Q3K751
D	505	HIS	-	expression tag	UNP Q3K751
D	506	HIS	-	expression tag	UNP Q3K751
D	507	HIS	-	expression tag	UNP Q3K751
D	508	HIS	-	expression tag	UNP Q3K751
D	509	HIS	-	expression tag	UNP Q3K751
D	510	HIS	-	expression tag	UNP Q3K751

- Molecule 2 is 9,9'-[(2R,3R,3aS,5S,7aR,9R,10R,10aS,12S,14aR)-3,5,10,12-tetrahydroxy-5,12-dioxidoctahydro-2H,7H-difuro[3,2-d:3',2'-j][1,3,7,9,2,8]tetraoxadiphosphacyclododecine-2,9-diyl]bis(2-amino-1,9-dihydro-6H-purin-6-one) (three-letter code: C2E) (formula: C₂₀H₂₄N₁₀O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 46	C 20	N 10	O 14	P 2	0	0
2	B	1	Total 46	C 20	N 10	O 14	P 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
2	C	1	Total	C	N	O	P	0	0
			46	20	10	14	2		

- Molecule 3 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O	0	0
			1	1		
4	B	3	Total	O	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	2	Total	O	0	0
			2	2		
4	D	2	Total	O	0	0
			2	2		

4 Data and refinement statistics

Property	Value	Source
Space group	P 62	Depositor
Cell constants a, b, c, α , β , γ	141.91Å 141.91Å 106.17Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.45 – 2.99 48.73 – 2.99	Depositor EDS
% Data completeness (in resolution range)	99.5 (46.45-2.99) 94.8 (48.73-2.99)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.25 (at 3.01Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, R_{free}	0.226 , 0.243 0.232 , 0.246	Depositor DCC
R_{free} test set	2001 reflections (9.29%)	DCC
Wilson B-factor (Å ²)	45.5	Xtriage
Anisotropy	0.635	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 24.9	EDS
Estimated twinning fraction	0.478 for h,-h-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 24680 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4803	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, C2E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.24	0/1272	0.41	0/1721
1	B	0.24	0/1272	0.43	0/1721
1	C	0.23	0/1030	0.43	0/1399
1	D	0.23	0/1069	0.40	0/1444
All	All	0.24	0/4643	0.42	0/6285

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1254	0	1239	14	0
1	B	1254	0	1239	13	0
1	C	1020	0	966	12	0
1	D	1058	0	1023	15	0
2	A	46	0	22	3	0
2	B	92	0	44	5	0
2	C	46	0	22	2	0
3	A	10	0	0	1	0
3	B	15	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	1	0	0	0	0
4	B	3	0	0	1	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
All	All	4803	0	4555	59	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:369:LYS:NZ	3:B:1003:SO4:O2	2.13	0.81
2:B:1002:C2E:N71	4:B:1101:HOH:O	2.16	0.78
1:D:385:ASN:O	1:D:389:GLY:N	2.24	0.68
1:D:421:GLU:OE2	1:D:421:GLU:N	2.28	0.67
1:C:402:ARG:HH11	1:C:402:ARG:HB3	1.65	0.62
1:C:404:ILE:O	1:C:408:VAL:N	2.33	0.61
1:D:427:LEU:HB3	1:D:430:THR:HG21	1.83	0.61
1:D:377:ASP:OD2	1:D:487:LEU:HD11	2.02	0.59
1:D:396:ALA:O	1:D:400:LEU:N	2.32	0.58
1:C:374:LEU:HB2	1:C:425:VAL:HG22	1.85	0.57
1:A:494:GLY:O	1:A:497:ARG:NE	2.38	0.56
1:D:388:HIS:HB3	1:D:392:ALA:HB3	1.88	0.55
1:B:357:LEU:HG	1:B:476:LEU:HD11	1.88	0.55
1:C:416:ALA:O	1:C:423:PHE:HB2	2.07	0.55
1:B:443:ARG:NH1	1:B:496:ASN:OD1	2.38	0.54
1:C:418:TYR:H	1:C:423:PHE:HA	1.73	0.54
1:C:402:ARG:NH1	1:C:402:ARG:HB3	2.23	0.54
1:D:439:ALA:HB2	1:D:465:ILE:HD11	1.91	0.52
1:B:379:ASP:HB3	1:B:495:ARG:HD3	1.91	0.52
1:D:377:ASP:N	1:D:377:ASP:OD2	2.42	0.52
1:B:379:ASP:OD2	1:B:495:ARG:HB3	2.11	0.50
1:A:380:HIS:N	3:A:603:SO4:O1	2.35	0.50
1:A:470:ALA:HB3	1:D:354:ASP:HB3	1.93	0.50
1:D:416:ALA:O	1:D:423:PHE:HB2	2.14	0.48
2:A:601:C2E:O6	1:B:366:ARG:NH2	2.47	0.48
1:D:481:PHE:O	1:D:485:LYS:N	2.36	0.48
1:A:345:THR:HG21	1:A:423:PHE:HZ	1.79	0.47
1:A:463:ILE:HB	1:A:498:VAL:HG22	1.96	0.47
1:A:446:VAL:HG11	1:A:461:VAL:HG13	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:354:ASP:O	1:B:358:ARG:HG3	2.15	0.47
1:A:377:ASP:OD2	1:A:422:GLU:HG3	2.14	0.47
1:B:446:VAL:HG11	1:B:461:VAL:HG13	1.96	0.46
1:A:366:ARG:NH2	2:B:1002:C2E:O6	2.48	0.46
1:B:361:TRP:O	1:B:365:GLN:HG2	2.16	0.46
1:C:348:ALA:HB1	1:C:352:MET:HB3	1.97	0.46
1:B:374:LEU:HB2	1:B:425:VAL:HG22	1.97	0.45
1:C:376:ILE:HD13	1:C:442:ILE:HG21	1.97	0.45
1:D:418:TYR:H	1:D:423:PHE:HA	1.82	0.45
1:B:396:ALA:HB1	1:B:459:MET:SD	2.57	0.45
1:A:379:ASP:OD2	1:A:495:ARG:HB3	2.18	0.44
1:A:412:ALA:HB1	1:A:428:ALA:HB3	1.99	0.44
1:B:345:THR:HG21	1:B:423:PHE:HZ	1.82	0.44
1:D:361:TRP:O	1:D:365:GLN:HG2	2.19	0.43
1:C:356:SER:HB2	1:C:414:LEU:HD22	2.00	0.43
1:A:357:LEU:HG	1:A:476:LEU:HD11	2.00	0.42
1:C:353:LEU:HD23	1:C:418:TYR:HD1	1.85	0.42
1:B:432:SER:O	1:B:436:GLN:HG3	2.19	0.42
2:B:1001:C2E:H2A	2:B:1002:C2E:HN1	1.84	0.42
2:B:1001:C2E:H2A	2:B:1002:C2E:N1	2.35	0.42
2:A:601:C2E:H2'	2:C:1001:C2E:N11	2.34	0.42
1:D:413:ASP:OD2	1:D:427:LEU:HD23	2.20	0.41
1:A:432:SER:O	1:A:436:GLN:HG3	2.20	0.41
1:D:377:ASP:OD2	1:D:462:SER:HB2	2.21	0.41
1:C:417:ARG:HA	1:C:423:PHE:CB	2.51	0.41
2:A:601:C2E:N1	2:C:1001:C2E:H2A	2.35	0.41
1:A:361:TRP:O	1:A:365:GLN:HG2	2.21	0.41
1:C:398:ARG:O	1:C:402:ARG:HG3	2.20	0.41
2:B:1001:C2E:N11	2:B:1002:C2E:H2'	2.36	0.40
1:A:375:MET:HB3	1:A:487:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	162/172 (94%)	154 (95%)	8 (5%)	0	100	100
1	B	162/172 (94%)	156 (96%)	6 (4%)	0	100	100
1	C	136/172 (79%)	127 (93%)	9 (7%)	0	100	100
1	D	134/172 (78%)	128 (96%)	6 (4%)	0	100	100
All	All	594/688 (86%)	565 (95%)	29 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	127/138 (92%)	126 (99%)	1 (1%)	86	95
1	B	127/138 (92%)	125 (98%)	2 (2%)	70	91
1	C	94/138 (68%)	93 (99%)	1 (1%)	80	94
1	D	102/138 (74%)	101 (99%)	1 (1%)	82	94
All	All	450/552 (82%)	445 (99%)	5 (1%)	80	94

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	425	VAL
1	B	418	TYR
1	B	425	VAL
1	C	425	VAL
1	D	498	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	437	GLN
1	B	388	HIS
1	D	355	GLN
1	D	388	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	C2E	A	601	-	44,52,52	1.11	4 (9%)	50,82,82	1.97	10 (20%)
3	SO4	A	602	-	4,4,4	0.28	0	6,6,6	0.06	0
3	SO4	A	603	-	4,4,4	0.33	0	6,6,6	0.11	0
2	C2E	B	1001	-	44,52,52	1.12	4 (9%)	50,82,82	1.95	11 (22%)
2	C2E	B	1002	-	44,52,52	1.10	4 (9%)	50,82,82	1.95	10 (20%)
3	SO4	B	1003	-	4,4,4	0.29	0	6,6,6	0.07	0
3	SO4	B	1004	-	4,4,4	0.32	0	6,6,6	0.09	0
3	SO4	B	1005	-	4,4,4	0.27	0	6,6,6	0.07	0
2	C2E	C	1001	-	44,52,52	1.12	4 (9%)	50,82,82	1.95	11 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	C2E	A	601	-	-	0/22/62/62	0/6/7/7
3	SO4	A	602	-	-	0/0/0/0	0/0/0/0
3	SO4	A	603	-	-	0/0/0/0	0/0/0/0
2	C2E	B	1001	-	-	0/22/62/62	0/6/7/7
2	C2E	B	1002	-	-	0/22/62/62	0/6/7/7
3	SO4	B	1003	-	-	0/0/0/0	0/0/0/0
3	SO4	B	1004	-	-	0/0/0/0	0/0/0/0
3	SO4	B	1005	-	-	0/0/0/0	0/0/0/0
2	C2E	C	1001	-	-	0/22/62/62	0/6/7/7

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1002	C2E	C51-C41	2.72	1.46	1.40
2	A	601	C2E	C51-C41	2.78	1.46	1.40
2	B	1002	C2E	C5-C4	2.83	1.46	1.40
2	B	1001	C2E	C5-C4	2.85	1.46	1.40
2	A	601	C2E	C5-C4	2.85	1.46	1.40
2	B	1001	C2E	C51-C41	2.88	1.47	1.40
2	C	1001	C2E	C5-C4	2.88	1.47	1.40
2	C	1001	C2E	C51-C41	2.91	1.47	1.40
2	B	1002	C2E	C61-C51	3.26	1.47	1.41
2	C	1001	C2E	C61-C51	3.30	1.48	1.41
2	B	1001	C2E	C6-C5	3.30	1.48	1.41
2	A	601	C2E	C61-C51	3.32	1.48	1.41
2	C	1001	C2E	C6-C5	3.33	1.48	1.41
2	A	601	C2E	C6-C5	3.33	1.48	1.41
2	B	1002	C2E	C6-C5	3.36	1.48	1.41
2	B	1001	C2E	C61-C51	3.36	1.48	1.41

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1002	C2E	C51-C61-N11	-4.71	117.37	123.52
2	B	1001	C2E	C51-C61-N11	-4.54	117.59	123.52
2	C	1001	C2E	C51-C61-N11	-4.51	117.63	123.52
2	C	1001	C2E	C5-C6-N1	-4.44	117.72	123.52
2	A	601	C2E	C51-C61-N11	-4.42	117.75	123.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1002	C2E	C5-C6-N1	-4.38	117.80	123.52
2	B	1001	C2E	C5-C6-N1	-4.36	117.82	123.52
2	A	601	C2E	C5-C6-N1	-4.32	117.88	123.52
2	A	601	C2E	N31-C21-N11	-3.85	122.31	127.56
2	A	601	C2E	N3-C2-N1	-3.78	122.41	127.56
2	B	1002	C2E	N3-C2-N1	-3.78	122.42	127.56
2	C	1001	C2E	N31-C21-N11	-3.76	122.44	127.56
2	B	1001	C2E	N31-C21-N11	-3.73	122.49	127.56
2	C	1001	C2E	N3-C2-N1	-3.64	122.60	127.56
2	B	1001	C2E	N3-C2-N1	-3.61	122.65	127.56
2	B	1002	C2E	N31-C21-N11	-3.44	122.88	127.56
2	A	601	C2E	C61-C51-C41	-3.41	116.97	120.86
2	B	1001	C2E	C6-C5-C4	-3.28	117.11	120.86
2	A	601	C2E	C6-C5-C4	-3.26	117.13	120.86
2	B	1002	C2E	C6-C5-C4	-3.24	117.15	120.86
2	C	1001	C2E	C6-C5-C4	-3.20	117.20	120.86
2	C	1001	C2E	C61-C51-C41	-3.16	117.25	120.86
2	B	1001	C2E	C61-C51-C41	-3.14	117.27	120.86
2	B	1002	C2E	C61-C51-C41	-2.90	117.55	120.86
2	B	1002	C2E	C2'-C1'-N9	-2.60	106.52	113.47
2	A	601	C2E	C2'-C1'-N9	-2.53	106.69	113.47
2	B	1001	C2E	C2A-C1A-N91	-2.37	107.12	113.47
2	C	1001	C2E	C2A-C1A-N91	-2.24	107.47	113.47
2	B	1001	C2E	C3'-C2'-C1'	2.03	104.47	100.06
2	C	1001	C2E	C3'-C2'-C1'	2.11	104.66	100.06
2	C	1001	C2E	C3A-C2A-C1A	2.16	104.77	100.06
2	B	1001	C2E	C3A-C2A-C1A	2.26	104.97	100.06
2	A	601	C2E	C3'-C2'-C1'	2.57	105.65	100.06
2	B	1002	C2E	C3'-C2'-C1'	2.59	105.69	100.06
2	B	1001	C2E	C6-N1-C2	5.70	122.56	115.88
2	C	1001	C2E	C6-N1-C2	5.77	122.64	115.88
2	B	1002	C2E	C61-N11-C21	5.78	122.65	115.88
2	A	601	C2E	C6-N1-C2	5.82	122.70	115.88
2	B	1002	C2E	C6-N1-C2	5.86	122.75	115.88
2	B	1001	C2E	C61-N11-C21	5.92	122.82	115.88
2	C	1001	C2E	C61-N11-C21	5.94	122.84	115.88
2	A	601	C2E	C61-N11-C21	6.00	122.91	115.88

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	C2E	3	0
3	A	603	SO4	1	0
2	B	1001	C2E	3	0
2	B	1002	C2E	5	0
3	B	1003	SO4	1	0
2	C	1001	C2E	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	164/172 (95%)	0.30	0	100 100	26, 39, 87, 118	0
1	B	164/172 (95%)	0.36	0	100 100	27, 39, 85, 109	0
1	C	142/172 (82%)	0.70	15 (10%)	8 4	49, 89, 145, 178	0
1	D	142/172 (82%)	0.80	15 (10%)	8 4	49, 90, 164, 188	0
All	All	612/688 (88%)	0.52	30 (4%)	33 18	26, 60, 136, 188	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	391	GLN	5.8
1	D	392	ALA	4.5
1	C	390	HIS	4.5
1	D	377	ASP	4.1
1	C	440	GLU	3.5
1	C	442	ILE	3.2
1	C	446	VAL	3.2
1	D	419	GLY	3.2
1	C	489	GLN	3.1
1	D	442	ILE	3.1
1	D	389	GLY	3.1
1	C	391	GLN	3.0
1	C	424	SER	3.0
1	D	398	ARG	2.9
1	D	424	SER	2.9
1	D	396	ALA	2.6
1	D	462	SER	2.6
1	D	404	ILE	2.5
1	C	389	GLY	2.5
1	D	387	ARG	2.3
1	C	482	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	418	TYR	2.2
1	D	371	LEU	2.1
1	D	482	ALA	2.1
1	C	419	GLY	2.1
1	C	414	LEU	2.1
1	C	372	SER	2.1
1	C	402	ARG	2.1
1	D	427	LEU	2.0
1	C	499	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SO4	B	1003	5/5	0.96	0.20	-0.22	70,71,72,78	0
2	C2E	A	601	46/46	0.97	0.20	-0.87	7,29,42,47	0
2	C2E	B	1001	46/46	0.98	0.21	-1.03	7,20,31,35	0
2	C2E	C	1001	46/46	0.98	0.20	-1.46	3,23,33,37	0
3	SO4	A	603	5/5	0.97	0.19	-1.50	34,36,55,57	0
2	C2E	B	1002	46/46	0.97	0.19	-1.78	12,26,42,50	0
3	SO4	B	1004	5/5	0.99	0.18	-1.83	35,42,52,58	0
3	SO4	A	602	5/5	0.94	0.22	-	95,97,99,103	0
3	SO4	B	1005	5/5	0.92	0.28	-	99,100,102,107	0

6.5 Other polymers [i](#)

There are no such residues in this entry.