



Full wwPDB X-ray Structure Validation Report i

Feb 19, 2016 – 10:59 PM GMT

PDB ID : 5EZK
Title : RNA polymerase model placed by Molecular replacement into X-ray diffraction map of DNA-bound RNA Polymerase-Sigma 54 holoenzyme complex.
Authors : Darbari, V.C.; Yang, Y.; Lu, D.; Zhang, N.; Glyde, R.; Wang, Y.; Murakami, K.S.; Buck, M.; Zhang, X.
Deposited on : 2015-11-26
Resolution : 8.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	unknown
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026982
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20026982


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 8.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1015 (11.50-3.66)
Clashscore	102246	1064 (11.50-3.70)
Ramachandran outliers	100387	1036 (11.50-3.66)
RSRZ outliers	91569	1014 (11.50-3.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There are 4 unique types of molecules in this entry. The entry contains 15410 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
1	A	323	Total C N O 1595 949 323 323	0	0	0
1	B	221	Total C N O 1090 648 221 221	0	0	0

- Molecule 2 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	C	1335	Total C N O 6569 3899 1335 1335	0	0	0

- Molecule 3 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	D	1160	Total C N O 5711 3391 1160 1160	0	0	0


- Molecule 4 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
4	E	90	Total C N O 445 265 90 90	0	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA-directed RNA polymerase subunit alpha




- Molecule 1: DNA-directed RNA polymerase subunit alpha



- Molecule 2: DNA-directed RNA polymerase subunit beta





- Molecule 4: DNA-directed RNA polymerase subunit omega

Chain E: 10% 97%



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	255.54Å 255.54Å 189.39Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	143.89 – 8.50 143.89 – 7.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (143.89-8.50) 99.4 (143.89-7.50)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	0.08	Depositor
$< I/\sigma(I) >$ ¹	1.79 (at 7.44Å)	Xtriage
Refinement program	REFMAC	Depositor
R , R_{free}	0.470 , 0.470 0.462 , 0.465	Depositor DCC
R_{free} test set	300 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	313.9	Xtriage
Anisotropy	0.720	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	-0.05 , -5.6	EDS
Estimated twinning fraction	0.103 for h,-h-k,-l	Xtriage
L-test for twinning ²	$< L > = 0.39$, $< L^2 > = 0.21$	Xtriage
Outliers	0 of 9089 reflections	Xtriage
F_o, F_c correlation	0.63	EDS
Total number of atoms	15410	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.30	0/1594	0.49	0/2218
1	B	0.30	0/1088	0.49	0/1511
2	C	0.29	0/6568	0.47	0/9130
3	D	0.29	0/5708	0.47	0/7933
4	E	0.30	0/444	0.46	0/617
All	All	0.29	0/15402	0.47	0/21409

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	D	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	D	1173	ARG	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1595	0	715	0	0
1	B	1090	0	498	1	0
2	C	6569	0	2956	1	0
3	D	5711	0	2659	3	0
4	E	445	0	215	0	0
All	All	15410	0	7043	5	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (5) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:19:VAL:O	1:B:20:SER:CB	2.58	0.51
3:D:712:GLN:O	3:D:713:GLU:CB	2.63	0.46
3:D:1173:ARG:O	3:D:1174:ARG:CB	2.67	0.43
3:D:846:GLU:O	3:D:847:ASP:C	2.58	0.41
2:C:893:THR:O	2:C:894:GLN:CB	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	321/329 (98%)	276 (86%)	37 (12%)	8 (2%)	7 46
1	B	217/329 (66%)	194 (89%)	17 (8%)	6 (3%)	6 44
2	C	1333/1342 (99%)	1097 (82%)	198 (15%)	38 (3%)	6 43
3	D	1154/1407 (82%)	956 (83%)	156 (14%)	42 (4%)	4 38
4	E	88/91 (97%)	79 (90%)	7 (8%)	2 (2%)	8 48
All	All	3113/3498 (89%)	2602 (84%)	415 (13%)	96 (3%)	5 42

All (96) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	322	PRO
1	B	20	SER
2	C	39	ILE
2	C	43	PRO
2	C	56	VAL
2	C	110	PRO
2	C	661	VAL
2	C	748	ILE
2	C	1181	PRO
2	C	1186	VAL
3	D	120	LEU
3	D	390	LEU
3	D	707	ILE
3	D	713	GLU
3	D	1174	ARG
1	B	52	PRO
1	B	194	GLN
1	B	235	ARG
2	C	170	VAL
2	C	540	ARG
2	C	543	ALA
2	C	894	GLN
2	C	1185	PRO
2	C	1207	SER
3	D	284	ASP
3	D	310	GLY
3	D	316	ILE
3	D	847	ASP
3	D	855	ASP
3	D	901	ARG
3	D	902	ASP
3	D	1274	PHE
1	A	52	PRO
1	A	188	GLU
1	A	194	GLN
1	B	188	GLU
2	C	11	ILE
2	C	13	LYS
2	C	542	ARG
2	C	812	PHE
3	D	543	SER
3	D	672	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	812	ASP
3	D	834	PRO
3	D	1134	ILE
3	D	1211	SER
3	D	1267	VAL
3	D	1268	ASN
1	A	320	ASN
2	C	116	ASP
2	C	511	LEU
2	C	737	ASN
2	C	892	GLU
2	C	993	PRO
2	C	1007	LYS
2	C	1080	ASN
2	C	1167	GLU
2	C	1237	HIS
3	D	404	GLU
3	D	542	ALA
3	D	559	ALA
3	D	595	ALA
3	D	710	ASP
3	D	887	SER
3	D	1173	ARG
3	D	1290	ARG
4	E	35	LYS
1	A	49	SER
1	A	166	ARG
1	B	49	SER
2	C	44	GLU
2	C	114	VAL
2	C	437	ASN
3	D	703	THR
3	D	831	VAL
3	D	1194	ARG
2	C	69	GLN
2	C	77	GLU
2	C	753	LEU
2	C	1139	ALA
3	D	816	THR
3	D	832	LYS
3	D	859	PRO
3	D	1185	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	1198	VAL
2	C	1045	GLY
3	D	848	VAL
4	E	59	ILE
2	C	21	VAL
3	D	742	GLY
3	D	1176	VAL
1	A	323	PRO
2	C	373	GLY
2	C	98	VAL
3	D	825	VAL
3	D	1184	ASP

5.3.2 Protein sidechains [\(i\)](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	323/329 (98%)	1.18	76 (23%) 1 6	6, 56, 135, 172	0
1	B	221/329 (67%)	0.73	34 (15%) 3 9	23, 82, 126, 152	0
2	C	1335/1342 (99%)	0.62	188 (14%) 4 10	3, 40, 141, 193	0
3	D	1160/1407 (82%)	0.88	202 (17%) 2 8	2, 35, 126, 176	0
4	E	90/91 (98%)	0.79	9 (10%) 9 14	4, 34, 66, 94	0
All	All	3129/3498 (89%)	0.79	509 (16%) 2 8	2, 42, 134, 193	0

All (509) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	D	1161	GLY	17.1
3	D	1160	SER	15.4
3	D	234	PRO	14.9
3	D	1204	VAL	14.4
3	D	233	LYS	14.2
1	A	292	THR	13.0
3	D	235	GLU	12.4
3	D	1181	ASP	12.1
3	D	236	TRP	12.0
3	D	1205	GLU	11.4
3	D	106	GLU	10.9
3	D	1203	ARG	10.9
1	A	320	ASN	10.9
1	A	294	ASN	10.9
2	C	333	ILE	10.8
1	A	250	ASP	10.4
3	D	107	LEU	10.4
2	C	288	PRO	10.2
2	C	287	VAL	10.2
1	A	295	LEU	10.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	293	PRO	10.0
2	C	205	PRO	9.9
2	C	230	PHE	9.5
2	C	115	LYS	9.4
3	D	109	SER	9.0
3	D	242	LEU	9.0
1	A	285	THR	9.0
2	C	254	ASP	8.9
3	D	182	ALA	8.8
3	D	1159	ILE	8.8
1	A	276	HIS	8.8
3	D	181	GLY	8.7
3	D	108	ALA	8.7
2	C	884	VAL	8.5
3	D	1182	GLY	8.4
2	C	332	ARG	8.4
2	C	995	ASP	8.3
3	D	110	PRO	8.1
3	D	241	VAL	8.1
2	C	193	ASN	7.9
3	D	1183	SER	7.9
3	D	1184	ASP	7.8
1	A	261	GLU	7.8
3	D	237	MET	7.8
1	A	257	VAL	7.6
3	D	1179	PRO	7.6
3	D	1158	GLU	7.4
1	A	318	LEU	7.4
2	C	1003	THR	7.4
3	D	1202	GLU	7.3
1	A	259	ASP	7.3
1	A	286	GLU	7.2
3	D	1206	ARG	7.2
2	C	982	GLY	7.2
2	C	835	GLU	7.1
2	C	978	VAL	7.1
2	C	231	GLU	7.0
1	A	319	GLU	7.0
2	C	997	TRP	6.9
1	A	317	ARG	6.8
1	A	258	ASP	6.8
3	D	875	ASN	6.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	114	ASP	6.7
2	C	983	GLY	6.7
2	C	981	ALA	6.7
2	C	899	GLU	6.6
1	A	284	ARG	6.6
3	D	238	ILE	6.6
2	C	838	CYS	6.6
1	A	256	PRO	6.6
2	C	994	ARG	6.6
1	A	4	SER	6.5
3	D	143	SER	6.5
2	C	631	GLU	6.5
1	A	249	PHE	6.5
2	C	883	LEU	6.5
2	C	1004	ASP	6.5
2	C	993	PRO	6.5
3	D	105	ILE	6.4
1	A	247	PRO	6.4
1	A	266	SER	6.3
2	C	836	LEU	6.3
1	A	269	CYS	6.3
2	C	194	LEU	6.2
3	D	232	ASN	6.2
2	C	289	VAL	6.1
2	C	898	GLU	6.1
3	D	876	SER	6.1
2	C	1334	GLY	6.1
1	A	251	PRO	6.1
2	C	235	ASN	6.1
2	C	977	ALA	6.0
3	D	184	ALA	6.0
1	A	260	LEU	6.0
2	C	206	ALA	6.0
1	A	262	LEU	5.9
1	A	263	THR	5.9
2	C	229	ILE	5.8
1	B	112	ALA	5.8
1	A	291	LYS	5.8
1	A	290	LEU	5.8
2	C	192	ASP	5.7
3	D	1162	ILE	5.7
1	A	3	GLY	5.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	979	LEU	5.7
2	C	236	LYS	5.7
3	D	855	ASP	5.7
1	A	275	ILE	5.7
1	A	288	GLU	5.6
1	A	268	ASN	5.6
3	D	183	GLU	5.5
1	A	321	TRP	5.4
3	D	1185	PRO	5.4
1	A	277	TYR	5.4
1	A	248	GLU	5.3
2	C	998	LEU	5.3
3	D	256	ASP	5.3
2	C	980	VAL	5.2
2	C	237	LEU	5.2
2	C	996	ARG	5.2
2	C	240	GLU	5.2
3	D	91	GLU	5.1
3	D	848	VAL	5.1
2	C	918	LEU	5.1
2	C	897	PRO	5.0
2	C	834	GLN	5.0
3	D	676	GLY	5.0
1	A	289	LEU	5.0
1	A	296	GLY	5.0
1	B	113	ALA	5.0
2	C	837	ALA	5.0
1	A	283	GLN	5.0
3	D	517	CYS	4.9
2	C	189	ASP	4.9
1	A	306	VAL	4.9
2	C	630	VAL	4.9
2	C	1179	GLY	4.9
2	C	286	GLU	4.9
1	A	315	GLY	4.9
2	C	116	ASP	4.9
4	E	81	GLN	4.8
2	C	421	SER	4.8
3	D	72	CYS	4.8
1	A	267	ALA	4.8
3	D	1180	VAL	4.8
3	D	856	ILE	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	316	MET	4.7
2	C	896	THR	4.7
4	E	80	LEU	4.7
2	C	350	THR	4.7
2	C	487	LEU	4.7
1	A	264	VAL	4.7
2	C	1002	LEU	4.7
3	D	240	THR	4.7
1	A	246	LYS	4.7
2	C	253	PHE	4.7
3	D	874	GLU	4.6
1	B	220	ALA	4.6
3	D	1186	TYR	4.6
3	D	847	ASP	4.6
3	D	111	THR	4.6
2	C	975	ILE	4.6
2	C	252	SER	4.5
3	D	1189	MET	4.5
1	A	322	PRO	4.5
3	D	586	GLY	4.5
3	D	286	ALA	4.5
1	A	280	ASP	4.5
3	D	1177	ILE	4.5
3	D	185	ILE	4.5
1	B	73	GLY	4.4
2	C	486	THR	4.4
3	D	266	ASN	4.4
2	C	331	LYS	4.4
2	C	901	LEU	4.4
3	D	104	HIS	4.4
3	D	64	PRO	4.4
2	C	238	GLN	4.4
2	C	291	TYR	4.3
3	D	873	GLU	4.3
3	D	877	VAL	4.3
2	C	190	PRO	4.3
3	D	26	SER	4.3
3	D	587	LEU	4.3
2	C	239	MET	4.3
3	D	144	TYR	4.2
3	D	258	GLY	4.2
1	B	111	THR	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	D	854	ALA	4.2
3	D	853	THR	4.2
2	C	885	GLY	4.2
3	D	1157	ALA	4.2
3	D	71	LEU	4.1
2	C	622	ASN	4.1
3	D	675	ALA	4.1
1	A	270	LEU	4.1
2	C	632	ASP	4.1
3	D	1201	GLY	4.1
2	C	976	ARG	4.1
3	D	516	ASP	4.0
1	B	72	GLU	4.0
3	D	186	GLN	4.0
2	C	539	THR	4.0
2	C	999	GLU	4.0
1	A	287	VAL	4.0
3	D	1188	GLU	4.0
2	C	114	VAL	4.0
2	C	925	SER	4.0
1	A	323	PRO	4.0
1	B	223	ILE	4.0
3	D	63	GLY	3.9
2	C	166	SER	3.9
2	C	334	GLU	3.9
3	D	1259	GLN	3.9
3	D	1260	MET	3.9
4	E	82	ALA	3.9
2	C	1332	SER	3.9
3	D	88	CYS	3.9
2	C	290	GLU	3.8
3	D	112	ALA	3.8
1	A	309	SER	3.8
1	A	265	ARG	3.8
2	C	900	LYS	3.8
2	C	882	ILE	3.8
3	D	70	CYS	3.8
1	A	255	ARG	3.8
4	E	84	THR	3.7
3	D	162	GLU	3.7
3	D	89	GLY	3.7
1	B	52	PRO	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	D	90	VAL	3.7
1	A	6	THR	3.7
3	D	86	GLU	3.7
3	D	142	GLU	3.7
3	D	588	PRO	3.7
3	D	180	MET	3.7
2	C	167	SER	3.7
1	A	274	ALA	3.7
3	D	285	LEU	3.7
1	A	252	ILE	3.6
2	C	878	THR	3.6
2	C	902	LEU	3.6
2	C	1005	GLU	3.6
2	C	992	LEU	3.6
3	D	677	GLU	3.6
3	D	263	SER	3.6
2	C	877	VAL	3.6
1	A	5	VAL	3.6
2	C	634	VAL	3.6
3	D	839	VAL	3.6
3	D	113	HIS	3.5
1	B	115	ILE	3.5
3	D	585	LYS	3.5
3	D	1187	GLU	3.5
3	D	47	ARG	3.5
2	C	635	THR	3.5
2	C	1052	VAL	3.5
3	D	92	VAL	3.5
4	E	83	VAL	3.5
2	C	633	LEU	3.5
3	D	850	LYS	3.5
3	D	1190	ILE	3.5
3	D	1261	LEU	3.5
3	D	163	GLU	3.5
3	D	27	PRO	3.4
3	D	15	GLU	3.4
1	B	221	ALA	3.4
2	C	990	ASP	3.4
3	D	1207	GLY	3.4
3	D	879	ALA	3.4
3	D	878	ASP	3.4
3	D	14	THR	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	273	GLU	3.4
2	C	597	GLY	3.3
3	D	1257	VAL	3.3
2	C	207	THR	3.3
2	C	935	THR	3.3
2	C	911	SER	3.3
3	D	674	THR	3.3
2	C	424	ASP	3.3
2	C	330	HIS	3.3
2	C	974	ARG	3.3
3	D	87	LYS	3.3
2	C	320	ASP	3.3
2	C	544	GLY	3.3
2	C	642	SER	3.2
1	A	221	ALA	3.2
2	C	858	GLY	3.2
3	D	1258	ARG	3.2
3	D	243	PRO	3.2
3	D	584	PRO	3.2
1	A	279	GLY	3.2
1	A	254	LEU	3.2
2	C	256	GLU	3.2
2	C	643	SER	3.2
2	C	255	ILE	3.2
3	D	694	SER	3.1
2	C	485	ASP	3.1
3	D	1250	ASP	3.1
2	C	101	ARG	3.1
1	A	253	LEU	3.1
3	D	257	GLY	3.1
3	D	844	THR	3.1
2	C	1333	LEU	3.1
3	D	73	GLY	3.1
1	A	272	ALA	3.1
1	B	51	MET	3.1
1	B	91	ARG	3.1
2	C	204	LEU	3.0
2	C	298	ALA	3.0
2	C	1006	GLU	3.0
4	E	47	THR	3.0
3	D	1256	ILE	3.0
4	E	57	GLY	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	D	1176	VAL	3.0
1	B	50	SER	3.0
3	D	849	LEU	3.0
3	D	231	GLY	3.0
3	D	1307	LEU	3.0
3	D	239	LEU	2.9
3	D	65	VAL	2.9
2	C	854	ILE	2.9
3	D	1133	ASP	2.9
3	D	319	SER	2.9
3	D	695	LYS	2.9
2	C	543	ALA	2.9
2	C	926	GLY	2.9
3	D	189	LEU	2.9
2	C	859	GLU	2.9
3	D	678	ARG	2.9
3	D	1199	PHE	2.8
2	C	283	LYS	2.8
2	C	744	GLY	2.8
3	D	1208	ASP	2.8
3	D	173	GLY	2.8
1	A	314	LEU	2.8
2	C	234	ASP	2.8
3	D	861	ASN	2.8
2	C	881	ASP	2.8
2	C	191	LYS	2.8
3	D	16	GLU	2.8
1	B	211	ILE	2.8
2	C	629	PHE	2.8
3	D	857	LEU	2.8
2	C	313	ALA	2.8
3	D	264	ASP	2.7
3	D	851	PRO	2.7
2	C	548	ARG	2.7
1	B	222	THR	2.7
2	C	342	ASP	2.7
2	C	226	GLU	2.7
3	D	1178	THR	2.7
1	B	208	ASN	2.7
1	B	224	LEU	2.7
2	C	103	VAL	2.7
2	C	621	SER	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	D	46	TYR	2.7
2	C	374	GLU	2.7
3	D	1175	LEU	2.7
3	D	698	MET	2.7
3	D	860	ARG	2.7
4	E	56	GLU	2.7
2	C	549	ASP	2.6
2	C	938	GLY	2.6
2	C	241	LEU	2.6
3	D	284	ASP	2.6
1	B	225	ALA	2.6
3	D	9	LYS	2.6
3	D	545	HIS	2.6
1	A	271	LYS	2.6
2	C	113	THR	2.6
3	D	161	THR	2.6
3	D	526	VAL	2.6
3	D	174	ASP	2.6
2	C	285	ILE	2.6
3	D	164	GLN	2.6
3	D	606	ASN	2.6
3	D	1306	LEU	2.5
2	C	488	MET	2.5
1	B	209	GLY	2.5
2	C	876	GLU	2.5
2	C	933	VAL	2.5
1	A	308	ALA	2.5
3	D	498	PRO	2.5
3	D	872	LEU	2.5
2	C	909	LYS	2.5
2	C	1001	GLY	2.5
3	D	93	THR	2.5
2	C	853	ASP	2.5
2	C	228	VAL	2.5
2	C	1007	LYS	2.5
3	D	880	VAL	2.5
3	D	871	LEU	2.5
3	D	852	GLY	2.5
3	D	1163	VAL	2.5
1	A	299	SER	2.5
3	D	267	ASP	2.5
4	E	46	THR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	210	THR	2.5
2	C	423	ASP	2.4
1	A	220	ALA	2.4
3	D	1289	ASN	2.4
3	D	544	LEU	2.4
2	C	871	VAL	2.4
2	C	940	GLU	2.4
3	D	25	ALA	2.4
2	C	917	SER	2.4
2	C	560	PRO	2.4
3	D	443	GLU	2.4
2	C	422	LYS	2.4
3	D	697	MET	2.4
1	A	324	ALA	2.4
2	C	852	ALA	2.4
3	D	515	ARG	2.4
3	D	101	ARG	2.4
2	C	218	GLU	2.4
3	D	10	ALA	2.4
3	D	84	ILE	2.4
1	B	139	SER	2.4
3	D	265	LEU	2.4
1	A	278	ILE	2.4
1	B	43	LEU	2.4
2	C	636	CYS	2.4
2	C	429	MET	2.3
3	D	85	CYS	2.3
3	D	870	ASP	2.3
2	C	165	HIS	2.3
1	A	297	LYS	2.3
3	D	187	ALA	2.3
2	C	743	PRO	2.3
2	C	912	ASP	2.3
2	C	337	PHE	2.3
3	D	172	PHE	2.3
3	D	1198	VAL	2.3
2	C	910	ALA	2.3
3	D	1288	ALA	2.3
1	A	307	LEU	2.3
3	D	145	VAL	2.3
2	C	282	VAL	2.3
3	D	289	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	39	LEU	2.3
3	D	1200	GLU	2.3
2	C	1181	PRO	2.3
3	D	139	LEU	2.3
3	D	1169	THR	2.3
3	D	1213	GLY	2.3
1	B	46	ILE	2.3
3	D	100	GLU	2.3
2	C	299	LYS	2.3
3	D	838	ARG	2.3
2	C	942	ASP	2.3
2	C	102	LEU	2.3
2	C	971	LEU	2.3
3	D	846	GLU	2.3
3	D	1197	ASN	2.3
2	C	628	HIS	2.3
2	C	857	VAL	2.3
2	C	745	GLU	2.2
2	C	232	ILE	2.2
1	B	42	ALA	2.2
3	D	605	LEU	2.2
2	C	329	GLY	2.2
3	D	36	GLY	2.2
2	C	641	GLU	2.2
3	D	188	LEU	2.2
3	D	859	PRO	2.2
2	C	644	LEU	2.2
3	D	94	GLN	2.2
2	C	266	GLY	2.2
2	C	425	ILE	2.2
2	C	919	ARG	2.2
2	C	941	LYS	2.2
3	D	318	GLY	2.2
1	B	90	VAL	2.2
2	C	104	ILE	2.2
1	B	212	ASP	2.2
1	A	224	LEU	2.2
2	C	698	PRO	2.2
2	C	1331	ARG	2.2
2	C	373	GLY	2.2
3	D	293	ARG	2.2
2	C	851	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	D	645	VAL	2.1
2	C	640	GLY	2.1
3	D	858	VAL	2.1
1	B	53	GLY	2.1
3	D	48	THR	2.1
1	B	227	GLN	2.1
3	D	69	GLU	2.1
2	C	1237	HIS	2.1
1	A	305	ASP	2.1
2	C	627	GLY	2.1
1	B	179	PRO	2.1
2	C	889	PRO	2.1
3	D	140	TYR	2.1
2	C	349	GLU	2.1
3	D	1254	GLU	2.1
2	C	217	THR	2.1
3	D	1262	ARG	2.1
1	A	300	LEU	2.1
2	C	984	VAL	2.1
1	B	16	ILE	2.1
2	C	420	LEU	2.0
3	D	262	THR	2.0
2	C	1178	LYS	2.0
1	B	126	PRO	2.0
1	B	6	THR	2.0
3	D	659	ALA	2.0
1	B	14	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.