



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:19 PM GMT

PDB ID : 1F2N
Title : RICE YELLOW MOTTLE VIRUS
Authors : Qu, C.; Liljas, L.; Opalka, N.; Brugidou, C.; Yeager, M.; Beachy, R.N.; Fauquet, C.M.; Johnson, J.E.; Lin, T.
Deposited on : 2000-05-26
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	238	
1	B	238	
1	C	238	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4730 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CAPSID PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	189	1455	923	247	275	10	0	0	0
1	B	189	1455	923	247	275	10	0	0	0
1	C	212	1618	1023	279	306	10	0	0	0

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Ca	0	0
			1	1		
2	A	1	Total	Ca	0	0
			1	1		
2	C	1	Total	Ca	0	0
			1	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	75	Total	O	0	0
			75	75		
3	B	59	Total	O	0	0
			59	59		
3	C	65	Total	O	0	0
			65	65		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	283.50Å 401.80Å 284.00Å 90.00° 89.40° 90.00°	Depositor
Resolution (Å)	30.00 – 2.80 50.22 – 2.80	Depositor EDS
% Data completeness (in resolution range)	37.2 (30.00-2.80) 47.7 (50.22-2.80)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.32 (at 2.81Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.218 , 0.219 0.248 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	37.1	Xtriage
Anisotropy	0.502	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 42.1	EDS
Estimated twinning fraction	0.012 for -l,k,h 0.026 for h,-k,-l 0.018 for -l,-k,-h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 739272 reflections	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	4730	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/1494	0.68	0/2044
1	B	0.42	0/1494	0.69	1/2044 (0.0%)
1	C	0.45	0/1661	0.67	0/2274
All	All	0.43	0/4649	0.68	1/6362 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
All	All	0	2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	165	ARG	N-CA-C	-5.02	97.44	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	134	TYR	Sidechain
1	C	134	TYR	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1455	0	1437	68	0
1	B	1455	0	1437	73	0
1	C	1618	0	1604	71	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	75	0	0	7	0
3	B	59	0	0	5	0
3	C	65	0	0	11	0
All	All	4730	0	4478	198	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (198) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:111:VAL:HB	1:C:115:VAL:HG21	1.42	0.97
1:A:127:TYR:H	1:A:196:ASN:HD21	1.05	0.95
1:C:102:ARG:HB2	1:C:225:SER:HB2	1.48	0.94
1:C:127:TYR:H	1:C:196:ASN:HD21	1.16	0.93
1:C:187:PRO:HB2	1:C:190:VAL:HG21	1.53	0.91
1:B:127:TYR:H	1:B:196:ASN:HD21	1.21	0.88
1:C:130:THR:HG21	1:C:133:ARG:HH21	1.36	0.88
1:A:63:LEU:HB2	1:A:222:VAL:HG23	1.57	0.86
1:A:112:SER:O	1:A:115:VAL:HG13	1.78	0.82
1:C:105:VAL:HG22	1:C:222:VAL:HG22	1.60	0.82
1:C:63:LEU:HB2	1:C:222:VAL:HG23	1.60	0.81
1:A:176:ARG:HG3	1:B:229:ARG:HH21	1.47	0.79
1:B:112:SER:O	1:B:115:VAL:HG13	1.84	0.78
1:B:137:LYS:O	1:B:141:THR:HG23	1.85	0.76
1:C:133:ARG:H	1:C:133:ARG:HD2	1.50	0.76
1:B:54:THR:OG1	1:B:229:ARG:HD3	1.86	0.76
1:C:133:ARG:N	1:C:133:ARG:HD2	2.02	0.75
1:B:151:TYR:OH	1:B:166:ASN:HB3	1.90	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:102:ARG:CB	1:C:225:SER:HB2	2.21	0.71
1:A:176:ARG:HG3	1:B:229:ARG:NH2	2.06	0.70
1:B:58:HIS:HB3	3:B:1011:HOH:O	1.92	0.69
1:B:87:ARG:HH11	1:B:87:ARG:HG2	1.57	0.68
1:C:68:ARG:HG3	1:C:207:SER:HB2	1.75	0.68
1:A:190:VAL:HG12	1:A:191:ASP:N	2.10	0.67
1:A:176:ARG:NH1	1:B:229:ARG:HE	1.92	0.67
1:A:197:THR:HG21	3:C:1032:HOH:O	1.95	0.67
1:B:53:ASN:HA	3:B:1050:HOH:O	1.93	0.67
1:C:77:THR:HG21	3:C:1025:HOH:O	1.95	0.66
1:B:53:ASN:O	1:B:229:ARG:CD	2.43	0.66
1:C:216:THR:HG22	1:C:216:THR:O	1.96	0.65
1:B:53:ASN:O	1:B:229:ARG:HD3	1.97	0.65
1:B:111:VAL:HB	1:B:115:VAL:HG11	1.78	0.64
1:B:57:LEU:HD12	3:B:1032:HOH:O	1.98	0.64
1:C:94:CYS:SG	1:C:234:PRO:HG3	2.38	0.63
1:A:176:ARG:HH12	1:B:229:ARG:HE	1.47	0.63
1:C:120:GLU:HG2	1:C:146:THR:HG23	1.80	0.63
1:B:112:SER:OG	1:B:114:THR:HG22	1.99	0.62
1:B:190:VAL:HG12	3:B:1060:HOH:O	1.99	0.62
1:B:141:THR:HG22	1:C:233:ASP:H	1.66	0.61
1:C:117:GLY:O	1:C:149:VAL:HG23	2.00	0.61
1:B:97:MET:SD	1:B:181:ARG:HG3	2.41	0.61
1:B:134:TYR:HD1	1:B:136:GLY:H	1.49	0.60
1:C:32:GLN:HB2	3:C:1011:HOH:O	2.02	0.59
1:A:108:LEU:HD11	1:A:159:LEU:HD11	1.84	0.59
1:B:158:LEU:HA	1:B:162:GLY:HA2	1.84	0.59
1:C:175:SER:O	1:C:176:ARG:HB2	2.03	0.58
1:A:53:ASN:HB3	1:A:229:ARG:O	2.04	0.58
1:B:87:ARG:NH1	1:B:87:ARG:HG2	2.19	0.57
1:B:102:ARG:HB2	1:B:225:SER:HB2	1.85	0.57
1:A:111:VAL:CG1	1:A:217:PRO:HA	2.34	0.57
1:C:57:LEU:C	1:C:57:LEU:HD12	2.24	0.57
1:B:134:TYR:HE1	1:B:136:GLY:HA3	1.69	0.57
1:C:68:ARG:HD3	1:C:217:PRO:HG2	1.87	0.56
1:A:190:VAL:HG13	3:A:1042:HOH:O	2.05	0.56
1:B:89:TRP:O	1:B:93:ARG:HG2	2.05	0.56
1:C:132:PRO:HB2	1:C:138:MET:HE3	1.88	0.55
1:A:111:VAL:HB	1:A:115:VAL:HG11	1.88	0.55
1:A:134:TYR:CD2	1:A:137:LYS:HE2	2.41	0.55
1:C:112:SER:O	1:C:115:VAL:HG23	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:176:ARG:HH11	1:A:176:ARG:HG3	1.72	0.55
1:B:233:ASP:HB3	1:B:236:LEU:HG	1.88	0.55
1:B:120:GLU:HB3	1:B:138:MET:HG2	1.89	0.55
1:C:190:VAL:HG12	3:C:1050:HOH:O	2.06	0.54
1:C:134:TYR:CD2	1:C:137:LYS:HE2	2.41	0.54
1:C:131:ILE:HD12	3:C:1047:HOH:O	2.07	0.54
1:C:187:PRO:HB2	1:C:190:VAL:CG2	2.32	0.54
1:A:79:ASP:OD2	1:A:186:ILE:HD12	2.07	0.54
1:A:102:ARG:CB	1:A:225:SER:HB2	2.38	0.54
1:A:179:TRP:CH2	1:A:229:ARG:HG3	2.43	0.54
1:C:186:ILE:HG12	1:C:198:ILE:HD11	1.90	0.53
1:A:238:THR:HG21	3:C:1065:HOH:O	2.07	0.53
1:A:190:VAL:HG12	1:A:191:ASP:H	1.73	0.53
1:A:53:ASN:O	1:A:229:ARG:HA	2.08	0.53
1:B:102:ARG:CB	1:B:225:SER:HB2	2.39	0.53
1:C:133:ARG:HD3	1:C:137:LYS:HE3	1.90	0.53
1:B:53:ASN:O	1:B:229:ARG:HD2	2.08	0.53
1:A:94:CYS:SG	1:A:234:PRO:HG3	2.49	0.53
1:A:111:VAL:HG11	1:A:217:PRO:HA	1.90	0.52
1:B:187:PRO:HB2	1:B:190:VAL:CG2	2.39	0.52
1:B:96:SER:HB2	1:B:230:ASP:O	2.09	0.52
1:A:197:THR:CG2	3:C:1032:HOH:O	2.56	0.52
1:B:51:SER:O	1:B:52:SER:HB2	2.09	0.52
1:C:134:TYR:HE1	1:C:136:GLY:HA3	1.74	0.52
1:A:58:HIS:HB3	3:A:1012:HOH:O	2.09	0.52
1:C:113:ALA:HA	1:C:150:TRP:CG	2.45	0.52
1:C:139:SER:HA	1:C:144:PHE:CG	2.45	0.52
1:A:105:VAL:HG22	1:A:222:VAL:HG22	1.91	0.51
1:A:117:GLY:HA2	1:A:209:ILE:HD12	1.92	0.51
1:B:134:TYR:HD1	1:B:136:GLY:N	2.07	0.51
1:A:190:VAL:CG1	1:A:191:ASP:N	2.74	0.51
1:A:134:TYR:HD1	1:A:137:LYS:H	1.58	0.51
1:B:134:TYR:CD1	1:B:134:TYR:C	2.83	0.51
1:A:149:VAL:HG13	1:A:217:PRO:HB2	1.94	0.50
1:C:117:GLY:C	1:C:149:VAL:HG23	2.32	0.50
1:A:139:SER:HA	1:A:144:PHE:CG	2.46	0.50
1:C:130:THR:HG21	1:C:133:ARG:NH2	2.15	0.50
1:A:108:LEU:CD1	1:A:159:LEU:HD11	2.41	0.50
1:A:74:ASP:OD1	1:A:133:ARG:HD3	2.12	0.50
1:C:81:VAL:HG22	1:C:82:PRO:HD2	1.93	0.50
1:A:137:LYS:O	1:A:141:THR:HG23	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:105:VAL:HG21	1:C:203:LEU:HD22	1.94	0.50
1:A:190:VAL:HG21	3:C:1064:HOH:O	2.12	0.50
1:C:191:ASP:O	1:C:194:VAL:HG13	2.11	0.50
1:A:121:MET:O	1:A:144:PHE:HA	2.11	0.50
1:B:202:ARG:HD2	3:B:1020:HOH:O	2.11	0.50
1:A:163:SER:HB3	3:A:1062:HOH:O	2.11	0.50
1:B:139:SER:HA	1:B:144:PHE:CG	2.47	0.49
1:A:187:PRO:HB2	1:A:190:VAL:HG21	1.94	0.49
1:A:181:ARG:NH1	1:C:125:TYR:O	2.41	0.49
1:B:112:SER:OG	1:B:114:THR:CG2	2.60	0.49
1:C:132:PRO:HB2	1:C:138:MET:CE	2.43	0.49
1:B:137:LYS:HD3	1:C:236:LEU:HD21	1.94	0.49
1:A:163:SER:C	1:A:165:ARG:H	2.15	0.49
1:A:154:GLU:HG3	1:A:166:ASN:CB	2.43	0.49
1:C:134:TYR:HD1	1:C:136:GLY:N	2.11	0.49
1:B:115:VAL:HG21	1:B:149:VAL:HG11	1.95	0.49
1:B:134:TYR:CD1	1:B:136:GLY:N	2.79	0.49
1:B:187:PRO:HB2	1:B:190:VAL:HG21	1.94	0.49
1:C:82:PRO:HD3	1:C:98:TRP:CZ2	2.48	0.49
1:A:115:VAL:HG21	1:A:149:VAL:CG1	2.43	0.48
1:A:102:ARG:HB2	1:A:225:SER:HB2	1.95	0.48
1:C:120:GLU:CG	1:C:146:THR:HG23	2.44	0.48
1:C:97:MET:SD	1:C:181:ARG:HD3	2.54	0.48
1:A:187:PRO:HB2	1:A:190:VAL:CG2	2.44	0.48
1:A:176:ARG:NH1	1:A:176:ARG:HG3	2.28	0.47
1:B:99:LYS:HB3	1:B:227:VAL:HG23	1.96	0.47
1:C:134:TYR:CE2	1:C:137:LYS:HE2	2.49	0.47
1:C:68:ARG:HG3	1:C:207:SER:CB	2.44	0.47
1:C:119:ILE:O	1:C:146:THR:HA	2.14	0.47
1:C:149:VAL:HG11	1:C:217:PRO:CB	2.45	0.47
1:A:216:THR:O	1:A:216:THR:HG23	2.15	0.47
1:B:158:LEU:HD23	1:B:158:LEU:HA	1.78	0.46
1:A:89:TRP:O	1:A:93:ARG:HG2	2.15	0.46
1:B:134:TYR:HE1	1:B:136:GLY:CA	2.28	0.46
1:C:134:TYR:HD1	1:C:136:GLY:H	1.64	0.46
1:A:99:LYS:HB3	1:A:227:VAL:HG23	1.96	0.46
1:B:140:ARG:HD2	1:C:233:ASP:OD2	2.16	0.46
1:A:115:VAL:HG21	1:A:149:VAL:HG12	1.98	0.46
1:C:133:ARG:HD2	1:C:137:LYS:HD2	1.99	0.45
1:B:115:VAL:HG21	1:B:149:VAL:CG1	2.46	0.45
1:A:133:ARG:H	1:A:137:LYS:HD2	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:SER:HB3	1:B:211:PRO:O	2.17	0.45
1:C:186:ILE:HG12	1:C:198:ILE:CD1	2.46	0.45
1:C:154:GLU:HG2	3:C:1023:HOH:O	2.15	0.45
1:A:176:ARG:HD2	1:B:179:TRP:HE1	1.82	0.45
1:B:215:ASP:OD1	1:B:215:ASP:C	2.55	0.45
1:B:190:VAL:HG12	1:B:191:ASP:H	1.81	0.45
1:A:134:TYR:CE1	1:A:137:LYS:HG3	2.52	0.45
1:B:187:PRO:O	1:B:190:VAL:HG23	2.17	0.45
1:B:133:ARG:H	1:B:133:ARG:HG2	1.60	0.44
1:B:119:ILE:O	1:B:146:THR:HA	2.16	0.44
1:B:126:ASP:HB2	1:C:181:ARG:HG3	1.98	0.44
1:A:102:ARG:HB3	1:A:225:SER:HB2	2.00	0.44
1:B:77:THR:HA	1:B:203:LEU:O	2.18	0.44
1:A:134:TYR:CE1	1:A:137:LYS:N	2.85	0.44
1:A:131:ILE:HG13	3:A:1027:HOH:O	2.17	0.44
1:B:139:SER:HA	1:B:144:PHE:CD1	2.53	0.43
1:B:100:PRO:HG2	1:B:177:VAL:HG11	1.99	0.43
1:A:190:VAL:CG1	1:A:191:ASP:H	2.30	0.43
1:C:133:ARG:CD	1:C:137:LYS:HD2	2.49	0.43
1:C:133:ARG:HD3	1:C:137:LYS:CE	2.48	0.43
1:A:229:ARG:NH1	1:C:176:ARG:CZ	2.81	0.43
1:B:146:THR:CG2	1:C:42:ILE:HB	2.48	0.43
1:A:176:ARG:NH1	1:B:229:ARG:NE	2.63	0.43
1:B:54:THR:HA	1:B:228:LEU:O	2.18	0.43
1:B:209:ILE:HD12	1:B:209:ILE:C	2.38	0.43
1:A:115:VAL:CG2	1:A:149:VAL:HG12	2.49	0.43
1:B:198:ILE:O	1:B:200:PRO:HD3	2.19	0.42
1:A:154:GLU:HG3	1:A:166:ASN:HB3	2.00	0.42
1:C:198:ILE:O	1:C:200:PRO:HD3	2.20	0.42
1:C:133:ARG:N	1:C:133:ARG:CD	2.70	0.42
1:B:209:ILE:HD12	1:B:210:LYS:N	2.34	0.42
1:B:209:ILE:HD12	1:B:210:LYS:C	2.40	0.42
1:B:179:TRP:CH2	1:B:229:ARG:HG2	2.54	0.42
1:B:134:TYR:CE2	1:B:137:LYS:NZ	2.84	0.42
1:A:95:TYR:CG	1:A:228:LEU:HB3	2.55	0.42
1:C:121:MET:HG2	1:C:205:VAL:HG22	2.02	0.42
3:A:1049:HOH:O	1:B:197:THR:HG23	2.20	0.42
1:A:118:SER:HB2	1:A:147:SER:O	2.20	0.41
1:C:128:ALA:HB2	1:C:192:PRO:HB2	2.02	0.41
1:C:132:PRO:HG2	1:C:138:MET:HE2	2.03	0.41
1:A:77:THR:HB	3:A:1048:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:149:VAL:CG1	1:C:217:PRO:CB	2.98	0.41
1:C:97:MET:SD	1:C:181:ARG:CD	3.09	0.41
1:A:190:VAL:CG2	3:C:1064:HOH:O	2.69	0.41
1:A:154:GLU:HG3	1:A:166:ASN:HB2	2.01	0.41
1:A:111:VAL:HG13	1:A:217:PRO:O	2.20	0.41
3:A:1065:HOH:O	1:B:190:VAL:HG21	2.21	0.41
1:A:97:MET:SD	1:A:181:ARG:HD3	2.61	0.41
1:C:208:SER:OG	1:C:209:ILE:HG23	2.20	0.41
1:C:134:TYR:CD1	1:C:136:GLY:N	2.89	0.40
1:B:134:TYR:HD1	1:B:134:TYR:C	2.24	0.40
1:B:125:TYR:O	1:C:181:ARG:HD2	2.22	0.40
1:C:180:LYS:HE2	3:C:1055:HOH:O	2.21	0.40
1:B:55:TRP:HA	1:B:56:PRO:HD3	1.93	0.40
1:C:63:LEU:O	1:C:64:ALA:HB2	2.22	0.40
1:B:195:VAL:O	1:B:198:ILE:HG13	2.20	0.40
1:C:114:THR:HG22	1:C:114:THR:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	187/238 (79%)	174 (93%)	11 (6%)	2 (1%)	17	50
1	B	187/238 (79%)	171 (91%)	13 (7%)	3 (2%)	12	38
1	C	210/238 (88%)	192 (91%)	14 (7%)	4 (2%)	10	32
All	All	584/714 (82%)	537 (92%)	38 (6%)	9 (2%)	13	40

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	164	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	52	SER
1	C	103	TRP
1	C	161	GLY
1	B	103	TRP
1	A	103	TRP
1	C	163	SER
1	A	86	PRO
1	C	230	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	165/203 (81%)	148 (90%)	17 (10%)	9	26
1	B	165/203 (81%)	145 (88%)	20 (12%)	6	18
1	C	182/203 (90%)	160 (88%)	22 (12%)	6	18
All	All	512/609 (84%)	453 (88%)	59 (12%)	7	21

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	LEU
1	A	52	SER
1	A	74	ASP
1	A	77	THR
1	A	97	MET
1	A	112	SER
1	A	114	THR
1	A	115	VAL
1	A	134	TYR
1	A	147	SER
1	A	149	VAL
1	A	157	HIS
1	A	158	LEU
1	A	176	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	209	ILE
1	A	227	VAL
1	A	229	ARG
1	B	52	SER
1	B	70	SER
1	B	93	ARG
1	B	96	SER
1	B	99	LYS
1	B	114	THR
1	B	118	SER
1	B	133	ARG
1	B	134	TYR
1	B	147	SER
1	B	166	ASN
1	B	181	ARG
1	B	186	ILE
1	B	188	SER
1	B	190	VAL
1	B	216	THR
1	B	222	VAL
1	B	223	ILE
1	B	227	VAL
1	B	229	ARG
1	C	31	LEU
1	C	38	GLN
1	C	52	SER
1	C	57	LEU
1	C	67	LYS
1	C	68	ARG
1	C	70	SER
1	C	77	THR
1	C	93	ARG
1	C	102	ARG
1	C	118	SER
1	C	133	ARG
1	C	134	TYR
1	C	146	THR
1	C	148	SER
1	C	160	SER
1	C	180	LYS
1	C	181	ARG
1	C	185	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	189	SER
1	C	198	ILE
1	C	225	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	58	HIS
1	A	196	ASN
1	B	58	HIS
1	B	196	ASN
1	C	53	ASN
1	C	166	ASN
1	C	196	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	189/238 (79%)	-0.37	5 (2%) 59 47	12, 22, 61, 93	0
1	B	189/238 (79%)	-0.11	2 (1%) 82 74	11, 23, 52, 93	0
1	C	212/238 (89%)	-0.45	1 (0%) 91 88	11, 25, 52, 81	0
All	All	590/714 (82%)	-0.31	8 (1%) 78 69	11, 23, 55, 93	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	50	LEU	7.3
1	B	50	LEU	4.3
1	A	51	SER	3.8
1	A	55	TRP	3.1
1	A	52	SER	2.7
1	C	27	ALA	2.7
1	A	53	ASN	2.5
1	B	53	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CA	A	1002	1/1	0.95	0.13	-1.02	18,18,18,18	0
2	CA	C	1001	1/1	0.96	0.08	-3.30	21,21,21,21	0
2	CA	B	1003	1/1	0.97	0.08	-3.88	17,17,17,17	0

6.5 Other polymers [i](#)

There are no such residues in this entry.