



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:35 AM GMT

PDB ID : 3F5O
Title : Crystal Structure of hTHEM2(undecan-2-one-CoA) complex
Authors : Xu, H.; Gong, W.
Deposited on : 2008-11-04
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3190 (1.70-1.70)
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	148	<div> <div>2%</div> <div>84%</div> <div>9%</div> <div>7%</div> </div>
1	B	148	<div> <div>3%</div> <div>78%</div> <div>13%</div> <div>8%</div> </div>
1	C	148	<div> <div>%</div> <div>71%</div> <div>19%</div> <div>7%</div> </div>
1	D	148	<div> <div>4%</div> <div>79%</div> <div>14%</div> <div>7%</div> </div>
1	E	148	<div> <div>3%</div> <div>76%</div> <div>14%</div> <div>7%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	148	
1	G	148	
1	H	148	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	UOC	A	149	-	-	-	X
3	UOC	B	149	-	-	-	X
3	UOC	C	149	-	-	-	X
3	UOC	D	149	-	-	-	X
3	UOC	F	149	-	-	-	X
3	UOC	G	149	-	-	-	X
3	UOC	H	149	-	-	-	X
4	COA	A	150	X	-	-	-
4	COA	B	150	-	-	-	X
4	COA	E	150	-	-	-	X
4	COA	G	150	-	-	-	X
5	P6G	B	1001	-	-	-	X
5	P6G	E	1001	-	-	-	X
5	P6G	G	1001	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9600 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thioesterase superfamily member 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	138	Total	C	N	O	S	0	3	0
			1039	651	180	198	10			
1	B	136	Total	C	N	O	S	0	4	0
			1025	643	182	192	8			
1	C	137	Total	C	N	O	S	0	4	0
			1036	650	182	195	9			
1	D	137	Total	C	N	O	S	0	5	0
			1025	643	177	195	10			
1	E	138	Total	C	N	O	S	0	1	0
			1021	639	178	196	8			
1	F	138	Total	C	N	O	S	0	1	0
			1024	639	181	196	8			
1	G	136	Total	C	N	O	S	0	3	0
			1017	642	177	189	9			
1	H	138	Total	C	N	O	S	0	5	0
			1036	651	181	194	10			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	141	LEU	-	EXPRESSION TAG	UNP Q9NPJ3
A	142	GLU	-	EXPRESSION TAG	UNP Q9NPJ3
A	143	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
A	144	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
A	145	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
A	146	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
A	147	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
A	148	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
B	141	LEU	-	EXPRESSION TAG	UNP Q9NPJ3
B	142	GLU	-	EXPRESSION TAG	UNP Q9NPJ3
B	143	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
B	144	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
B	145	HIS	-	EXPRESSION TAG	UNP Q9NPJ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	146	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
B	147	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
B	148	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
C	141	LEU	-	EXPRESSION TAG	UNP Q9NPJ3
C	142	GLU	-	EXPRESSION TAG	UNP Q9NPJ3
C	143	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
C	144	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
C	145	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
C	146	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
C	147	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
C	148	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
D	141	LEU	-	EXPRESSION TAG	UNP Q9NPJ3
D	142	GLU	-	EXPRESSION TAG	UNP Q9NPJ3
D	143	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
D	144	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
D	145	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
D	146	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
D	147	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
D	148	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
E	141	LEU	-	EXPRESSION TAG	UNP Q9NPJ3
E	142	GLU	-	EXPRESSION TAG	UNP Q9NPJ3
E	143	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
E	144	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
E	145	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
E	146	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
E	147	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
E	148	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
F	141	LEU	-	EXPRESSION TAG	UNP Q9NPJ3
F	142	GLU	-	EXPRESSION TAG	UNP Q9NPJ3
F	143	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
F	144	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
F	145	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
F	146	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
F	147	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
F	148	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
G	141	LEU	-	EXPRESSION TAG	UNP Q9NPJ3
G	142	GLU	-	EXPRESSION TAG	UNP Q9NPJ3
G	143	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
G	144	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
G	145	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
G	146	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
G	147	HIS	-	EXPRESSION TAG	UNP Q9NPJ3

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	148	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
H	141	LEU	-	EXPRESSION TAG	UNP Q9NPJ3
H	142	GLU	-	EXPRESSION TAG	UNP Q9NPJ3
H	143	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
H	144	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
H	145	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
H	146	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
H	147	HIS	-	EXPRESSION TAG	UNP Q9NPJ3
H	148	HIS	-	EXPRESSION TAG	UNP Q9NPJ3

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	1	Total Cl 1 1	0	0
2	D	1	Total Cl 1 1	0	0
2	E	1	Total Cl 1 1	0	0
2	H	1	Total Cl 1 1	0	0
2	C	1	Total Cl 1 1	0	0
2	A	1	Total Cl 1 1	0	0
2	F	1	Total Cl 1 1	0	0

- Molecule 3 is UNDECAN-2-ONE (three-letter code: UOC) (formula: C₁₁H₂₂O).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			12	11	1		
3	B	1	Total	C	O	0	0
			12	11	1		
3	C	1	Total	C	O	0	0
			12	11	1		
3	D	1	Total	C	O	0	0
			12	11	1		
3	E	1	Total	C	O	0	0
			12	11	1		
3	F	1	Total	C	O	0	0
			12	11	1		
3	G	1	Total	C	O	0	0
			12	11	1		
3	H	1	Total	C	O	0	0
			12	11	1		

- Molecule 4 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			38	16	2	16	3	1		
4	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
4	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
4	D	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
4	E	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
4	F	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
4	G	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
4	H	1	Total	C	N	O	P	S	0	0
			38	16	2	16	3	1		

- Molecule 5 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: C₁₂H₂₆O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			15	10	5		
5	C	1	Total	C	O	0	0
			15	10	5		
5	E	1	Total	C	O	0	0
			15	10	5		
5	G	1	Total	C	O	0	0
			15	10	5		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	111	Total	O	0	0
			111	111		
6	B	95	Total	O	0	0
			95	95		
6	C	127	Total	O	0	0
			127	127		
6	D	92	Total	O	0	0
			92	92		
6	E	118	Total	O	0	0
			118	118		
6	F	107	Total	O	0	0
			107	107		
6	G	102	Total	O	0	0
			102	102		
6	H	98	Total	O	0	0
			98	98		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Thioesterase superfamily member 2





- Molecule 1: Thioesterase superfamily member 2





- Molecule 1: Thioesterase superfamily member 2




- Molecule 1: Thioesterase superfamily member 2




- Molecule 1: Thioesterase superfamily member 2




- Molecule 1: Thioesterase superfamily member 2



- Molecule 1: Thioesterase superfamily member 2



- Molecule 1: Thioesterase superfamily member 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	91.03Å 110.63Å 119.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.73 – 1.70 20.73 – 1.70	Depositor EDS
% Data completeness (in resolution range)	98.8 (20.73-1.70) 98.9 (20.73-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 1.69Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.199 , 0.237 0.197 , 0.236	Depositor DCC
R_{free} test set	6622 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	26.4	Xtriage
Anisotropy	0.368	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 54.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	3 of 132547 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9600	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.19 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.3689e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, UOC, P6G, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/1055	0.68	0/1422
1	B	0.63	0/1048	0.75	0/1415
1	C	0.61	0/1059	0.71	0/1427
1	D	0.63	0/1050	0.71	0/1419
1	E	0.66	0/1034	0.75	2/1397 (0.1%)
1	F	0.64	0/1037	0.76	2/1401 (0.1%)
1	G	0.62	0/1037	0.69	0/1399
1	H	0.58	0/1062	0.74	1/1434 (0.1%)
All	All	0.62	0/8382	0.72	5/11314 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	116	THR	N-CA-CB	-5.93	99.04	110.30
1	H	116	THR	N-CA-CB	-5.81	99.26	110.30
1	E	116	THR	OG1-CB-CG2	5.72	123.17	110.00
1	F	121	THR	OG1-CB-CG2	5.54	122.75	110.00
1	F	121	THR	N-CA-CB	-5.23	100.37	110.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1039	0	1090	19	0
1	B	1025	0	1074	19	0
1	C	1036	0	1092	32	0
1	D	1025	0	1068	23	0
1	E	1021	0	1062	32	0
1	F	1024	0	1073	18	0
1	G	1017	0	1058	15	0
1	H	1036	0	1087	37	0
2	A	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
3	A	12	0	20	5	0
3	B	12	0	21	0	0
3	C	12	0	21	1	0
3	D	12	0	21	1	0
3	E	12	0	21	2	0
3	F	12	0	21	0	0
3	G	12	0	21	1	0
3	H	12	0	21	2	0
4	A	38	0	26	6	0
4	B	48	0	31	1	0
4	C	48	0	31	0	0
4	D	48	0	31	0	0
4	E	48	0	31	1	0
4	F	48	0	31	3	0
4	G	48	0	31	5	0
4	H	38	0	26	3	0
5	B	15	0	16	0	0
5	C	15	0	16	0	0
5	E	15	0	16	1	0
5	G	15	0	16	1	0
6	A	111	0	0	1	0
6	B	95	0	0	3	0
6	C	127	0	0	0	0
6	D	92	0	0	1	0
6	E	118	0	0	5	0
6	F	107	0	0	1	0
6	G	102	0	0	1	0
6	H	98	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	9600	0	9073	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:56:HIS:HD2	1:C:58:GLY:H	1.08	0.99
1:D:56:HIS:HD2	1:D:58:GLY:H	1.08	0.97
1:C:27:LYS:HE3	1:C:45:GLU:HG3	1.45	0.97
1:A:133:ARG:HE	1:D:131:GLN:HE21	1.10	0.96
1:F:133:ARG:HE	1:G:131:GLN:HE21	1.14	0.96
1:G:56:HIS:HD2	1:G:58:GLY:H	1.04	0.95
1:A:131:GLN:HE21	1:D:133:ARG:HE	1.09	0.94
1:E:131:GLN:HE21	1:H:133:ARG:HE	1.15	0.93
1:E:56:HIS:HD2	1:E:58:GLY:H	1.13	0.93
1:B:56:HIS:HD2	1:B:58:GLY:H	1.13	0.93
1:B:133:ARG:HE	1:C:131:GLN:HE21	1.16	0.93
1:E:16:THR:HG21	1:E:26:GLY:HA2	1.51	0.93
1:A:56:HIS:HD2	1:A:58:GLY:H	1.13	0.92
1:H:56:HIS:HD2	1:H:58:GLY:H	1.13	0.91
1:F:56:HIS:HD2	1:F:58:GLY:H	1.08	0.91
1:E:133:ARG:HE	1:H:131:GLN:HE21	1.16	0.91
1:A:86[B]:MET:HE1	1:A:88:ILE:HD11	1.51	0.91
1:E:16:THR:CG2	1:E:26:GLY:HA2	2.01	0.91
3:H:149:UOC:HCBA	6:H:1204:HOH:O	1.69	0.90
1:E:93:PRO:HG3	4:F:150:COA:H2A	1.53	0.90
1:H:38:VAL:HG11	1:H:70[B]:MET:CE	2.02	0.90
1:B:131:GLN:HE21	1:C:133:ARG:HE	1.20	0.88
1:F:131:GLN:HE21	1:G:133:ARG:HE	1.16	0.87
1:E:2:THR:O	1:E:6[B]:GLN:HG2	1.78	0.84
1:E:111:LYS:NZ	4:G:150:COA:H52A	1.93	0.83
1:D:68:SER:HB2	1:D:116:THR:HG21	1.61	0.82
1:G:56:HIS:CD2	1:G:58:GLY:H	1.95	0.82
1:E:9:ARG:O	1:E:13:LYS:HD2	1.79	0.82
1:B:5:THR:O	1:B:9[B]:ARG:HG3	1.80	0.81
1:D:56:HIS:CD2	1:D:58:GLY:H	1.97	0.81
1:C:56:HIS:CD2	1:C:58:GLY:H	1.98	0.80
1:F:56:HIS:CD2	1:F:58:GLY:H	1.98	0.79
1:E:111:LYS:HZ2	4:G:150:COA:H52A	1.46	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:93:PRO:CG	4:F:150:COA:H2A	2.13	0.78
1:H:116:THR:HG22	1:H:134:HIS:HB3	1.65	0.77
1:H:56:HIS:CD2	1:H:58:GLY:H	2.02	0.76
1:D:116:THR:CG2	1:D:134:HIS:HB3	2.17	0.75
1:H:38:VAL:HG11	1:H:70[B]:MET:HE3	1.69	0.73
1:B:56:HIS:CD2	1:B:58:GLY:H	2.03	0.72
1:H:68:SER:HB2	1:H:116:THR:CG2	2.18	0.72
1:E:116:THR:HG22	1:E:134:HIS:HB3	1.72	0.72
1:E:101:VAL:HB	1:E:121:THR:HG22	1.70	0.72
1:H:68:SER:HB2	1:H:116:THR:HG21	1.70	0.71
1:E:56:HIS:CD2	1:E:58:GLY:H	2.02	0.71
1:F:10:GLU:OE2	1:F:13:LYS:NZ	2.20	0.71
1:A:56:HIS:CD2	1:A:58:GLY:H	2.02	0.71
1:C:111:LYS:HB2	1:C:111:LYS:NZ	2.05	0.70
3:G:149:UOC:HCD A	5:G:1001:P6G:H52	1.74	0.70
1:D:116:THR:HG22	1:D:134:HIS:O	1.93	0.68
1:F:101:VAL:HB	1:F:121:THR:HG22	1.75	0.68
4:H:150:COA:O9A	4:H:150:COA:H4B	1.84	0.68
1:H:86[B]:MET:HE2	1:H:88:ILE:HD11	1.75	0.68
1:D:56:HIS:HD2	1:D:58:GLY:N	1.88	0.67
1:C:95:LYS:NZ	1:F:46:GLU:OE2	2.28	0.66
1:C:49:THR:HG21	1:C:96:LEU:HG	1.76	0.66
1:H:86[A]:MET:SD	1:H:88:ILE:HD11	2.36	0.65
1:F:56:HIS:HD2	1:F:58:GLY:N	1.90	0.65
1:E:133:ARG:NE	1:H:131:GLN:HE21	1.94	0.65
1:C:67:ILE:HD12	1:C:102:ILE:HG21	1.78	0.64
1:F:127:LYS:HA	1:F:127:LYS:HE2	1.80	0.64
4:A:150:COA:O2A	1:C:111:LYS:N	2.28	0.64
1:B:55:LEU:HD11	1:B:59:LEU:HD12	1.80	0.64
1:B:27:LYS:HB3	6:B:1158:HOH:O	1.98	0.63
1:H:116:THR:CG2	1:H:134:HIS:HB3	2.29	0.62
1:H:105[A]:HIS:CE1	1:H:117[A]:SER:OG	2.52	0.62
1:E:68:SER:HB2	1:E:116:THR:CG2	2.29	0.62
1:F:25:LEU:HD12	1:F:66:ASN:HD22	1.65	0.61
1:H:56:HIS:HD2	1:H:58:GLY:N	1.93	0.61
1:A:131:GLN:HE21	1:D:133:ARG:NE	1.91	0.61
1:B:25:LEU:HA	6:B:159:HOH:O	2.00	0.61
1:G:56:HIS:HD2	1:G:58:GLY:N	1.87	0.60
1:C:27:LYS:CE	1:C:45:GLU:HG3	2.28	0.60
1:A:56:HIS:HD2	1:A:58:GLY:N	1.93	0.60
1:E:56:HIS:HD2	1:E:58:GLY:N	1.93	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:1001:P6G:H82	1:F:11:VAL:HG13	1.84	0.60
6:E:893:HOH:O	4:G:150:COA:H2A	2.01	0.60
1:G:56:HIS:CE1	1:H:66:ASN:HD21	2.19	0.59
1:E:68:SER:HB2	1:E:116:THR:HG21	1.83	0.59
1:C:96:LEU:HD13	1:F:52:ILE:HG22	1.84	0.59
1:D:15[B]:MET:HG3	1:D:22:GLU:HB3	1.85	0.59
1:E:116:THR:CG2	1:E:134:HIS:HB3	2.32	0.59
1:C:56:HIS:HD2	1:C:58:GLY:N	1.89	0.58
1:D:35:PRO:HA	1:D:74:CYS:O	2.03	0.58
1:D:68:SER:HB2	1:D:116:THR:CG2	2.34	0.57
1:B:105[A]:HIS:CE1	1:B:117[A]:SER:OG	2.58	0.57
1:D:91[A]:MET:SD	1:D:128:LEU:HD23	2.46	0.56
4:B:150:COA:O2B	4:B:150:COA:N3A	2.33	0.56
4:A:150:COA:O2B	4:A:150:COA:P3B	2.63	0.56
1:H:38:VAL:HG11	1:H:70[B]:MET:HE2	1.86	0.56
1:C:111:LYS:HB2	1:C:111:LYS:HZ3	1.70	0.55
4:A:150:COA:H141	1:B:91:MET:O	2.06	0.55
1:A:86[B]:MET:CE	1:A:88:ILE:HD11	2.30	0.55
1:A:13:LYS:O	1:A:17:LYS:HG2	2.07	0.54
1:F:3:SER:HB2	1:F:6:GLN:HB3	1.89	0.54
1:C:16:THR:HG22	1:C:26:GLY:O	2.08	0.53
1:C:12:ILE:O	1:C:16:THR:HG23	2.07	0.53
1:C:66:ASN:HD21	1:D:56:HIS:CE1	2.28	0.52
1:B:56:HIS:HD2	1:B:58:GLY:N	1.94	0.52
1:B:115:PHE:CD1	1:C:91[A]:MET:HG2	2.44	0.52
1:A:105:HIS:HD2	6:A:164:HOH:O	1.91	0.52
1:E:121:THR:CG2	6:E:159:HOH:O	2.56	0.52
1:D:68:SER:CB	1:D:116:THR:HG21	2.36	0.51
1:C:56:HIS:CE1	1:D:66:ASN:HD21	2.29	0.51
1:E:105:HIS:HD2	6:E:177:HOH:O	1.93	0.51
4:H:150:COA:O8A	4:H:150:COA:C4B	2.59	0.51
4:A:150:COA:H132	4:A:150:COA:O1A	2.11	0.50
1:G:15:MET:CE	1:G:25:LEU:HB2	2.42	0.50
1:G:15:MET:HE2	1:G:25:LEU:HB2	1.93	0.49
1:H:72:LEU:HD11	1:H:114:ALA:HB1	1.93	0.49
1:E:111:LYS:HZ3	4:G:150:COA:H52A	1.75	0.49
1:C:14:ALA:O	1:C:17:LYS:HD3	2.12	0.49
1:D:116:THR:HG22	1:D:134:HIS:HB3	1.93	0.49
1:G:94:ALA:HB2	1:G:129:ILE:HD13	1.95	0.49
1:H:86[A]:MET:SD	1:H:88:ILE:CD1	3.00	0.49
1:G:16:THR:HG22	1:G:26:GLY:O	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:64:VAL:HB	1:H:86[B]:MET:HE1	1.95	0.49
1:F:137:HIS:NE2	4:F:150:COA:O7A	2.42	0.48
4:G:150:COA:H122	4:G:150:COA:O1A	2.13	0.48
1:H:12:ILE:HD11	1:H:70[B]:MET:SD	2.54	0.48
1:G:66:ASN:HD21	1:H:56:HIS:CE1	2.32	0.48
1:H:61:ALA:O	1:H:86[B]:MET:HE1	2.14	0.48
1:B:11:VAL:O	1:B:15:MET:HG2	2.13	0.47
1:B:37:LYS:HE3	1:B:105[B]:HIS:CE1	2.49	0.47
4:H:150:COA:O8A	4:H:150:COA:H4B	2.01	0.47
1:H:40:CYS:SG	1:H:70[B]:MET:HE1	2.54	0.47
1:H:68:SER:HB2	1:H:116:THR:HG23	1.95	0.47
1:G:67:ILE:HD13	1:G:67:ILE:N	2.29	0.47
1:A:86[B]:MET:CE	1:A:88:ILE:CG1	2.93	0.47
1:A:86[B]:MET:HE2	1:A:88:ILE:CG1	2.45	0.47
1:D:110:GLY:HA3	6:D:298:HOH:O	2.14	0.47
1:H:86[B]:MET:CE	1:H:88:ILE:HD11	2.45	0.46
1:A:86[B]:MET:HE1	1:A:88:ILE:CD1	2.35	0.46
4:A:150:COA:H132	4:A:150:COA:P1A	2.55	0.46
1:A:15:MET:CE	3:A:149:UOC:HCE	2.45	0.46
1:H:12:ILE:CD1	1:H:70[B]:MET:SD	3.04	0.46
1:D:10:GLU:OE1	1:E:3:SER:HB3	2.16	0.46
1:B:133:ARG:HE	1:C:131:GLN:NE2	1.99	0.45
1:G:48:HIS:HB3	1:G:59:LEU:HD23	1.97	0.45
1:E:121:THR:HG23	6:E:159:HOH:O	2.16	0.45
1:E:69:THR:HG21	3:E:149:UOC:HCCA	1.98	0.45
1:G:56:HIS:HE1	1:H:66:ASN:HD21	1.63	0.45
1:H:66:ASN:O	1:H:70[B]:MET:HG3	2.17	0.44
1:E:131:GLN:HE21	1:H:133:ARG:NE	1.97	0.44
1:A:136:LYS:HZ1	3:A:149:UOC:HBWA	1.83	0.44
3:A:149:UOC:HBV	3:A:149:UOC:HCCA	2.00	0.44
1:E:115:PHE:CD1	1:H:91:MET:HG2	2.52	0.44
1:C:27:LYS:HZ3	1:C:27:LYS:HB3	1.83	0.43
1:H:116:THR:HG22	1:H:134:HIS:O	2.19	0.43
1:H:67:ILE:HG23	1:H:70[B]:MET:HE2	2.01	0.43
1:A:133:ARG:HE	1:D:131:GLN:NE2	1.94	0.42
1:B:37:LYS:CE	1:B:105[B]:HIS:CE1	3.02	0.42
1:E:70:MET:HG3	3:E:149:UOC:HCG	2.01	0.42
1:E:16:THR:HG23	1:E:26:GLY:HA2	1.93	0.42
1:G:35:PRO:HA	1:G:74:CYS:O	2.18	0.42
1:C:27:LYS:HD3	1:C:48:HIS:CE1	2.55	0.42
1:E:121:THR:HG21	6:E:159:HOH:O	2.16	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:110:GLY:HA3	6:F:1259:HOH:O	2.19	0.42
1:A:15:MET:HE3	3:A:149:UOC:HCE	2.01	0.42
4:E:150:COA:H2A	1:F:93:PRO:HG3	2.02	0.42
1:C:48:HIS:HB3	1:C:59:LEU:HD23	2.01	0.42
1:E:66:ASN:HD21	1:F:56:HIS:CE1	2.38	0.42
1:D:116:THR:HG23	1:D:134:HIS:HB3	1.97	0.42
1:E:54:THR:HG22	1:E:95:LYS:HD3	2.02	0.42
1:C:8:LEU:HB3	1:C:30:LEU:HD22	2.02	0.42
1:B:91:MET:HG2	1:C:115:PHE:CD1	2.55	0.41
1:H:67:ILE:HD12	1:H:70[B]:MET:CE	2.50	0.41
1:C:91[B]:MET:HE2	1:C:128:LEU:HG	2.02	0.41
1:B:87:ASN:C	1:B:88:ILE:HG13	2.39	0.41
1:C:8:LEU:HA	1:C:8:LEU:HD12	1.92	0.41
1:F:35:PRO:HA	1:F:74:CYS:O	2.20	0.41
1:H:2:THR:O	1:H:2:THR:HG22	2.21	0.41
1:A:57:GLY:HA3	6:B:187:HOH:O	2.20	0.41
4:A:150:COA:H121	1:C:113:LEU:HD12	2.03	0.41
1:H:12:ILE:HG12	1:H:70[B]:MET:SD	2.61	0.41
1:D:13:LYS:O	1:D:16:THR:HB	2.21	0.40
3:D:149:UOC:HCGA	3:D:149:UOC:HCD	1.53	0.40
3:H:149:UOC:HBZ	3:H:149:UOC:HCC	1.95	0.40
1:C:94:ALA:HB2	1:C:129:ILE:HD13	2.04	0.40
1:C:15:MET:HE3	1:C:15:MET:HB2	1.90	0.40
1:C:91[B]:MET:CE	1:C:128:LEU:HG	2.52	0.40
3:C:149:UOC:HBWB	1:D:50:ASN:ND2	2.35	0.40
1:A:136:LYS:NZ	3:A:149:UOC:HBWA	2.36	0.40
6:G:159:HOH:O	1:H:57:GLY:HA3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	139/148 (94%)	136 (98%)	3 (2%)	0	100	100
1	B	138/148 (93%)	134 (97%)	4 (3%)	0	100	100
1	C	139/148 (94%)	137 (99%)	2 (1%)	0	100	100
1	D	140/148 (95%)	139 (99%)	1 (1%)	0	100	100
1	E	137/148 (93%)	133 (97%)	4 (3%)	0	100	100
1	F	137/148 (93%)	135 (98%)	2 (2%)	0	100	100
1	G	136/148 (92%)	134 (98%)	2 (2%)	0	100	100
1	H	141/148 (95%)	140 (99%)	1 (1%)	0	100	100
All	All	1107/1184 (94%)	1088 (98%)	19 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	114/123 (93%)	113 (99%)	1 (1%)	84	76
1	B	111/123 (90%)	107 (96%)	4 (4%)	42	19
1	C	115/123 (94%)	108 (94%)	7 (6%)	23	7
1	D	112/123 (91%)	111 (99%)	1 (1%)	84	76
1	E	111/123 (90%)	105 (95%)	6 (5%)	27	9
1	F	113/123 (92%)	111 (98%)	2 (2%)	66	49
1	G	108/123 (88%)	108 (100%)	0	100	100
1	H	114/123 (93%)	110 (96%)	4 (4%)	43	20
All	All	898/984 (91%)	873 (97%)	25 (3%)	51	29

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	127	LYS
1	B	9[A]	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	9[B]	ARG
1	B	15	MET
1	B	72	LEU
1	C	4	MET
1	C	8	LEU
1	C	17	LYS
1	C	66	ASN
1	C	108	LYS
1	C	111	LYS
1	C	127	LYS
1	D	96	LEU
1	E	3	SER
1	E	13	LYS
1	E	66	ASN
1	E	108	LYS
1	E	116	THR
1	E	121	THR
1	F	2	THR
1	F	121	THR
1	H	72	LEU
1	H	96	LEU
1	H	99	ASP
1	H	116	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	56	HIS
1	A	105	HIS
1	A	131	GLN
1	B	56	HIS
1	B	131	GLN
1	C	6	GLN
1	C	56	HIS
1	C	66	ASN
1	C	131	GLN
1	D	56	HIS
1	D	66	ASN
1	D	131	GLN
1	E	56	HIS
1	E	66	ASN
1	E	105	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	131	GLN
1	F	56	HIS
1	F	131	GLN
1	G	56	HIS
1	G	66	ASN
1	G	131	GLN
1	H	56	HIS
1	H	66	ASN
1	H	131	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 27 ligands modelled in this entry, 7 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	UOC	A	149	4	11,11,11	0.93	1 (9%)	11,11,11	1.29	1 (9%)
4	COA	A	150	3	33,38,50	1.69	11 (33%)	43,56,75	1.89	11 (25%)
5	P6G	B	1001	-	14,14,18	0.72	0	13,13,17	0.41	0
3	UOC	B	149	4	11,11,11	0.48	0	11,11,11	0.90	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	COA	B	150	3	40,50,50	1.55	8 (20%)	50,75,75	2.08	11 (22%)
5	P6G	C	1001	-	14,14,18	0.64	0	13,13,17	0.62	0
3	UOC	C	149	4	11,11,11	0.61	0	11,11,11	0.64	0
4	COA	C	150	3	40,50,50	1.77	8 (20%)	50,75,75	2.18	10 (20%)
3	UOC	D	149	4	11,11,11	0.64	0	11,11,11	0.99	0
4	COA	D	150	3	40,50,50	1.95	10 (25%)	50,75,75	2.24	10 (20%)
5	P6G	E	1001	-	14,14,18	0.79	0	13,13,17	0.57	0
3	UOC	E	149	4	11,11,11	0.41	0	11,11,11	0.68	0
4	COA	E	150	3	40,50,50	1.88	9 (22%)	50,75,75	1.89	9 (18%)
3	UOC	F	149	4	11,11,11	0.46	0	11,11,11	1.49	2 (18%)
4	COA	F	150	3	40,50,50	1.49	7 (17%)	50,75,75	1.95	9 (18%)
5	P6G	G	1001	-	14,14,18	0.66	0	13,13,17	0.75	0
3	UOC	G	149	4	11,11,11	0.55	0	11,11,11	1.19	2 (18%)
4	COA	G	150	3	40,50,50	1.59	5 (12%)	50,75,75	2.25	10 (20%)
3	UOC	H	149	4	11,11,11	0.71	0	11,11,11	0.73	0
4	COA	H	150	3	33,38,50	1.54	7 (21%)	43,56,75	1.54	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UOC	A	149	4	-	0/9/9/9	0/0/0/0
4	COA	A	150	3	1/1/10/13	0/44/57/64	0/1/1/3
5	P6G	B	1001	-	-	0/12/12/16	0/0/0/0
3	UOC	B	149	4	-	0/9/9/9	0/0/0/0
4	COA	B	150	3	-	0/44/64/64	0/3/3/3
5	P6G	C	1001	-	-	0/12/12/16	0/0/0/0
3	UOC	C	149	4	-	0/9/9/9	0/0/0/0
4	COA	C	150	3	-	0/44/64/64	0/3/3/3
3	UOC	D	149	4	-	0/9/9/9	0/0/0/0
4	COA	D	150	3	-	0/44/64/64	0/3/3/3
5	P6G	E	1001	-	-	0/12/12/16	0/0/0/0
3	UOC	E	149	4	-	0/9/9/9	0/0/0/0
4	COA	E	150	3	-	0/44/64/64	0/3/3/3
3	UOC	F	149	4	-	0/9/9/9	0/0/0/0
4	COA	F	150	3	-	0/44/64/64	0/3/3/3
5	P6G	G	1001	-	-	0/12/12/16	0/0/0/0
3	UOC	G	149	4	-	0/9/9/9	0/0/0/0
4	COA	G	150	3	-	0/44/64/64	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UOC	H	149	4	-	0/9/9/9	0/0/0/0
4	COA	H	150	3	-	1/44/57/64	0/1/1/3

All (66) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	150	COA	P2A-O4A	-5.02	1.32	1.51
4	C	150	COA	P1A-O2A	-4.61	1.35	1.54
4	E	150	COA	P2A-O5A	-4.59	1.35	1.54
4	G	150	COA	P2A-O4A	-4.59	1.34	1.51
4	G	150	COA	P2A-O5A	-4.47	1.35	1.54
4	E	150	COA	P2A-O4A	-4.26	1.35	1.51
4	D	150	COA	P2A-O5A	-4.19	1.37	1.54
4	C	150	COA	P2A-O5A	-4.17	1.37	1.54
4	B	150	COA	P2A-O5A	-4.00	1.37	1.54
4	D	150	COA	P1A-O5B	-3.87	1.41	1.59
4	E	150	COA	O6A-CCP	-3.87	1.30	1.43
4	D	150	COA	P1A-O2A	-3.83	1.38	1.54
4	E	150	COA	P1A-O2A	-3.81	1.38	1.54
4	D	150	COA	O4B-C4B	-3.72	1.36	1.45
4	F	150	COA	P2A-O4A	-3.70	1.37	1.51
4	C	150	COA	P2A-O4A	-3.68	1.37	1.51
4	H	150	COA	P1A-O2A	-3.65	1.39	1.54
4	F	150	COA	O6A-CCP	-3.65	1.30	1.43
4	D	150	COA	P3B-O9A	-3.64	1.41	1.54
4	A	150	COA	C2B-C3B	-3.58	1.45	1.53
4	B	150	COA	P2A-O4A	-3.55	1.38	1.51
4	G	150	COA	O6A-CCP	-3.48	1.31	1.43
4	G	150	COA	P3B-O9A	-3.44	1.42	1.54
4	A	150	COA	P2A-O5A	-3.44	1.40	1.54
4	E	150	COA	P3B-O9A	-3.41	1.42	1.54
4	F	150	COA	P3B-O9A	-3.21	1.43	1.54
4	F	150	COA	P2A-O5A	-3.20	1.41	1.54
4	B	150	COA	P1A-O2A	-3.15	1.41	1.54
4	A	150	COA	P1A-O2A	-3.09	1.41	1.54
4	H	150	COA	P2A-O5A	-3.06	1.41	1.54
4	A	150	COA	P2A-O4A	-3.05	1.40	1.51
4	F	150	COA	P1A-O2A	-2.99	1.42	1.54
4	C	150	COA	O6A-CCP	-2.97	1.33	1.43
4	G	150	COA	P1A-O2A	-2.90	1.42	1.54
4	B	150	COA	O6A-CCP	-2.89	1.33	1.43
4	B	150	COA	P3B-O9A	-2.88	1.44	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	150	COA	O3B-C3B	-2.77	1.35	1.44
4	E	150	COA	C5A-N7A	-2.71	1.30	1.39
4	D	150	COA	O4B-C1B	-2.60	1.37	1.41
4	C	150	COA	P3B-O9A	-2.60	1.45	1.54
4	D	150	COA	P1A-O1A	-2.58	1.41	1.51
4	C	150	COA	P3B-O8A	-2.54	1.45	1.54
4	H	150	COA	P3B-O9A	-2.53	1.45	1.54
4	B	150	COA	O4B-C1B	-2.52	1.38	1.41
4	C	150	COA	O4B-C1B	-2.50	1.38	1.41
4	B	150	COA	CEP-CBP	-2.44	1.48	1.53
4	E	150	COA	P3B-O3B	-2.37	1.52	1.60
4	H	150	COA	O5B-C5B	-2.37	1.35	1.44
4	E	150	COA	O4B-C4B	-2.24	1.39	1.45
4	H	150	COA	O4B-C4B	-2.22	1.40	1.44
4	H	150	COA	OAP-CAP	-2.22	1.37	1.42
4	F	150	COA	C5A-N7A	-2.21	1.31	1.39
4	A	150	COA	C6P-C5P	-2.19	1.47	1.51
4	A	150	COA	O6A-CCP	-2.18	1.36	1.43
4	A	150	COA	P3B-O9A	-2.18	1.46	1.54
4	D	150	COA	O6A-CCP	-2.16	1.36	1.43
4	E	150	COA	P3B-O7A	-2.15	1.44	1.51
4	F	150	COA	CEP-CBP	-2.15	1.49	1.53
4	C	150	COA	O4B-C4B	-2.12	1.40	1.45
4	B	150	COA	C2B-C3B	-2.06	1.48	1.53
4	A	150	COA	C9P-N8P	-2.05	1.29	1.33
4	D	150	COA	C5A-N7A	-2.03	1.32	1.39
4	A	150	COA	C5B-C4B	2.11	1.58	1.51
4	A	150	COA	P1A-O1A	2.20	1.59	1.51
3	A	149	UOC	CBY-CBX	2.68	1.55	1.50
4	H	150	COA	P3B-O7A	3.05	1.61	1.51

All (84) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	150	COA	N3A-C2A-N1A	-9.28	121.79	128.89
4	G	150	COA	N3A-C2A-N1A	-9.22	121.83	128.89
4	C	150	COA	C2B-C1B-N9A	-9.04	100.48	114.29
4	G	150	COA	C2B-C1B-N9A	-8.03	102.03	114.29
4	C	150	COA	N3A-C2A-N1A	-7.99	122.78	128.89
4	D	150	COA	N3A-C2A-N1A	-7.56	123.11	128.89
4	F	150	COA	N3A-C2A-N1A	-6.72	123.75	128.89
4	E	150	COA	O4B-C1B-N9A	-6.61	94.26	108.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	150	COA	N3A-C2A-N1A	-5.73	124.50	128.89
4	A	150	COA	O3A-P2A-O6A	-5.07	89.49	102.94
4	E	150	COA	C2B-C1B-N9A	-4.84	106.90	114.29
4	D	150	COA	C1B-N9A-C4A	-4.32	120.43	126.94
4	C	150	COA	O8A-P3B-O7A	-4.04	97.57	110.58
4	A	150	COA	C6P-C7P-N8P	-3.86	103.42	111.88
4	G	150	COA	O8A-P3B-O7A	-3.75	98.51	110.58
4	A	150	COA	O5B-P1A-O1A	-3.71	95.22	109.62
4	A	150	COA	CEP-CBP-CCP	-3.59	103.84	108.50
3	F	149	UOC	CBZ-CBY-CBX	-3.47	106.00	116.15
4	H	150	COA	O4B-C4B-C5B	-3.43	102.04	109.53
4	F	150	COA	O8A-P3B-O7A	-3.33	99.87	110.58
4	F	150	COA	O3A-P2A-O6A	-3.20	94.45	102.94
4	G	150	COA	C4A-C5A-N7A	-3.19	106.55	109.48
4	D	150	COA	O5B-P1A-O1A	-3.17	97.32	109.62
4	B	150	COA	C4A-C5A-N7A	-3.14	106.59	109.48
4	H	150	COA	O5B-P1A-O1A	-3.08	97.66	109.62
4	H	150	COA	O3A-P2A-O6A	-2.99	95.01	102.94
4	G	150	COA	C2P-C3P-N4P	-2.90	106.64	112.37
3	A	149	UOC	CBZ-CBY-CBX	-2.86	107.78	116.15
4	E	150	COA	O5B-P1A-O1A	-2.86	98.52	109.62
4	B	150	COA	O3A-P1A-O5B	-2.86	95.35	102.94
4	C	150	COA	O5B-P1A-O1A	-2.81	98.71	109.62
4	F	150	COA	O3A-P1A-O5B	-2.78	95.57	102.94
4	C	150	COA	C4A-C5A-N7A	-2.70	107.00	109.48
4	A	150	COA	CEP-CBP-CAP	-2.69	104.44	109.34
4	E	150	COA	O3A-P2A-O6A	-2.67	95.84	102.94
4	B	150	COA	C4B-O4B-C1B	-2.61	106.85	109.72
3	G	149	UOC	CBZ-CBY-CBX	-2.56	108.67	116.15
4	C	150	COA	C2B-C3B-C4B	-2.51	98.57	103.29
4	D	150	COA	O4B-C4B-C5B	-2.51	100.36	109.32
4	C	150	COA	O6A-P2A-O4A	-2.42	100.21	109.62
4	A	150	COA	O5P-C5P-C6P	-2.38	117.88	121.98
4	E	150	COA	C4A-C5A-N7A	-2.29	107.37	109.48
4	G	150	COA	C7P-C6P-C5P	-2.27	108.56	112.31
4	H	150	COA	O4B-C1B-C2B	-2.26	101.53	106.16
3	G	149	UOC	CCA-CBZ-CBY	-2.21	105.17	113.29
4	B	150	COA	C7P-C6P-C5P	-2.16	108.75	112.31
4	D	150	COA	C4B-O4B-C1B	-2.15	107.35	109.72
4	D	150	COA	C4A-C5A-N7A	-2.13	107.52	109.48
4	B	150	COA	C1B-N9A-C4A	-2.13	123.73	126.94
4	H	150	COA	P3B-O3B-C3B	-2.05	116.65	121.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	149	UOC	CCA-CBZ-CBY	-2.05	105.78	113.29
4	B	150	COA	C6P-C5P-N4P	-2.04	112.92	116.46
4	B	150	COA	O2A-P1A-O3A	2.03	114.28	105.09
4	A	150	COA	CDP-CBP-CAP	2.08	113.14	109.34
4	C	150	COA	O5A-P2A-O3A	2.10	114.61	105.09
4	F	150	COA	O5A-P2A-O3A	2.10	114.62	105.09
4	F	150	COA	OAP-CAP-C9P	2.13	115.26	110.38
4	C	150	COA	O9A-P3B-O8A	2.15	115.56	107.38
4	E	150	COA	O5A-P2A-O3A	2.17	114.95	105.09
4	A	150	COA	O9A-P3B-O7A	2.23	117.75	110.58
4	A	150	COA	O5A-P2A-O3A	2.26	115.35	105.09
4	G	150	COA	O9A-P3B-O7A	2.31	118.01	110.58
4	H	150	COA	O6A-CCP-CBP	2.35	114.33	110.55
4	D	150	COA	O2A-P1A-O3A	2.46	116.25	105.09
4	F	150	COA	C1B-N9A-C4A	2.47	130.67	126.94
4	D	150	COA	C5B-C4B-C3B	2.48	123.26	114.31
4	E	150	COA	O2A-P1A-O3A	2.53	116.59	105.09
4	A	150	COA	CEP-CBP-CDP	2.59	114.47	109.28
4	H	150	COA	OAP-CAP-C9P	2.64	116.44	110.38
4	G	150	COA	O2A-P1A-O3A	2.70	117.32	105.09
4	F	150	COA	O2A-P1A-O3A	2.75	117.59	105.09
4	C	150	COA	O6A-CCP-CBP	2.78	115.01	110.55
4	B	150	COA	O3B-P3B-O7A	2.85	114.23	107.11
4	E	150	COA	CEP-CBP-CCP	2.87	112.23	108.50
4	A	150	COA	O6A-CCP-CBP	2.98	115.33	110.55
4	G	150	COA	CEP-CBP-CCP	3.00	112.39	108.50
4	H	150	COA	O2A-P1A-O3A	3.07	119.03	105.09
4	H	150	COA	O5A-P2A-O3A	3.38	120.42	105.09
4	G	150	COA	OAP-CAP-C9P	4.09	119.76	110.38
4	B	150	COA	CEP-CBP-CCP	4.25	114.02	108.50
4	D	150	COA	O6A-CCP-CBP	4.67	118.06	110.55
4	B	150	COA	O4B-C1B-N9A	5.17	118.91	108.10
4	F	150	COA	C2B-C1B-N9A	7.82	126.24	114.29
4	D	150	COA	O4B-C1B-N9A	9.38	127.72	108.10

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	150	COA	CAP

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	150	COA	P3B-O3B-C3B-C4B

There are no ring outliers.

14 monomers are involved in 32 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	149	UOC	5	0
4	A	150	COA	6	0
4	B	150	COA	1	0
3	C	149	UOC	1	0
3	D	149	UOC	1	0
5	E	1001	P6G	1	0
3	E	149	UOC	2	0
4	E	150	COA	1	0
4	F	150	COA	3	0
5	G	1001	P6G	1	0
3	G	149	UOC	1	0
4	G	150	COA	5	0
3	H	149	UOC	2	0
4	H	150	COA	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	138/148 (93%)	0.05	3 (2%) 65 70	18, 26, 36, 44	4 (2%)
1	B	136/148 (91%)	0.20	5 (3%) 45 50	18, 27, 37, 42	6 (4%)
1	C	137/148 (92%)	-0.06	2 (1%) 76 80	18, 24, 32, 43	6 (4%)
1	D	137/148 (92%)	0.14	6 (4%) 38 42	17, 25, 37, 45	3 (2%)
1	E	138/148 (93%)	0.07	4 (2%) 55 59	18, 25, 34, 40	6 (4%)
1	F	138/148 (93%)	0.21	4 (2%) 55 59	17, 25, 37, 53	11 (7%)
1	G	136/148 (91%)	0.07	2 (1%) 76 80	18, 26, 33, 38	9 (6%)
1	H	138/148 (93%)	0.14	5 (3%) 46 51	18, 27, 37, 45	1 (0%)
All	All	1098/1184 (92%)	0.10	31 (2%) 56 61	17, 25, 36, 53	46 (4%)

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	2	THR	10.5
1	H	2	THR	7.9
1	F	139	GLY	6.6
1	H	139	GLY	6.4
1	B	25	LEU	5.1
1	F	3	SER	5.0
1	E	2	THR	4.7
1	A	139	GLY	3.5
1	D	16	THR	3.4
1	H	19	ARG	3.4
1	D	139	GLY	3.2
1	D	3	SER	3.2
1	G	125	THR	2.8
1	D	6	GLN	2.8
1	E	6[A]	GLN	2.7
1	B	139	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	6	GLN	2.6
1	A	52	ILE	2.4
1	H	14	ALA	2.4
1	H	12	ILE	2.3
1	A	3	SER	2.3
1	E	3	SER	2.3
1	C	17	LYS	2.3
1	B	15	MET	2.2
1	C	139	GLY	2.2
1	E	18	ALA	2.2
1	D	12	ILE	2.1
1	D	15[A]	MET	2.1
1	G	24	VAL	2.0
1	B	84	VAL	2.0
1	F	6	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	UOC	A	149	12/12	0.63	0.30	10.89	35,38,45,46	12
5	P6G	B	1001	15/19	0.31	0.31	6.20	72,77,79,79	0
5	P6G	E	1001	15/19	0.69	0.24	5.87	63,67,70,70	0
3	UOC	G	149	12/12	0.69	0.25	5.10	37,45,50,51	0
3	UOC	F	149	12/12	0.75	0.19	4.61	37,46,53,53	0
4	COA	B	150	48/48	0.81	0.25	4.08	33,43,61,61	33

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	UOC	D	149	12/12	0.86	0.17	3.66	29,38,49,51	0
3	UOC	C	149	12/12	0.77	0.17	3.61	31,38,42,42	0
3	UOC	H	149	12/12	0.67	0.20	3.39	35,47,53,53	0
5	P6G	G	1001	15/19	0.79	0.16	2.91	63,67,69,69	0
3	UOC	B	149	12/12	0.73	0.18	2.79	36,46,52,52	0
4	COA	G	150	48/48	0.88	0.18	2.31	28,45,56,57	30
4	COA	E	150	48/48	0.90	0.17	2.04	20,36,52,53	17
5	P6G	C	1001	15/19	0.76	0.21	1.99	48,52,53,53	0
3	UOC	E	149	12/12	0.88	0.13	1.97	26,37,48,49	0
4	COA	A	150	38/48	0.78	0.23	1.76	33,43,54,55	38
4	COA	H	150	38/48	0.80	0.20	1.16	33,47,64,64	21
4	COA	C	150	48/48	0.91	0.15	1.11	22,34,48,48	17
4	COA	F	150	48/48	0.85	0.19	1.00	32,43,56,56	27
4	COA	D	150	48/48	0.92	0.14	0.57	21,40,58,60	14
2	CL	G	151	1/1	0.98	0.03	-2.29	36,36,36,36	0
2	CL	E	151	1/1	0.98	0.04	-2.51	33,33,33,33	0
2	CL	C	151	1/1	0.99	0.04	-	25,25,25,25	0
2	CL	D	151	1/1	0.99	0.04	-	27,27,27,27	0
2	CL	A	151	1/1	0.99	0.06	-	36,36,36,36	0
2	CL	F	151	1/1	0.99	0.04	-	25,25,25,25	0
2	CL	H	151	1/1	0.98	0.03	-	33,33,33,33	0

6.5 Other polymers ⓘ

There are no such residues in this entry.