



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:27 PM GMT

PDB ID : 1FMJ
Title : CRYSTAL STRUCTURE OF MERCURY DERIVATIVE OF RETINOL DEHYDRATASE IN A COMPLEX WITH RETINOL AND PAP
Authors : Pakhomova, S.; Kobayashi, M.; Buck, J.; Newcomer, M.E.
Deposited on : 2000-08-17
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	351	 77% 20% . .
1	B	351	 75% 21% . .

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6023 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RETINOL DEHYDRATASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	342	Total	C	N	O	S	0	0	0
			2818	1826	466	509	17			
1	B	342	Total	C	N	O	S	0	0	0
			2826	1830	467	512	17			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	142	SER	PHE	SEE REMARK 999	UNP Q26490
B	142	SER	PHE	SEE REMARK 999	UNP Q26490


- Molecule 2 is MERCURY (II) ION (three-letter code: HG) (formula: Hg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	3	Total	Hg	0	1
			4	4		
2	A	3	Total	Hg	0	1
			4	4		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Ca	0	0
			1	1		
3	A	1	Total	Ca	0	0
			1	1		

- Molecule 4 is ADENOSINE-3'-5'-DIPHOSPHATE (three-letter code: A3P) (formula: C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0
			27	10	5	10	2	
4	B	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 5 is RETINOL (three-letter code: RTL) (formula: $C_{20}H_{30}O$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			21	20	1		
5	B	1	Total	C	O	0	0
			21	20	1		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	135	Total 135	O 135	0	0
6	B	138	Total 138	O 138	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: RETINOL DEHYDRATASE



• Molecule 1: RETINOL DEHYDRATASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	79.43 Å 66.18 Å 83.34 Å 90.00° 108.89° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00	Depositor
% Data completeness (in resolution range)	88.1 (30.00-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.231 , 0.264	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6023	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: RTL, CA, A3P, HG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/2899	0.60	1/3926 (0.0%)
1	B	0.35	0/2907	0.61	1/3936 (0.0%)
All	All	0.35	0/5806	0.61	2/7862 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	71	TYR	N-CA-C	-5.53	96.08	111.00
1	A	71	TYR	N-CA-C	-5.33	96.62	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	71	TYR	Sidechain
1	B	71	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2818	0	2736	54	0
1	B	2826	0	2746	55	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	27	0	11	0	0
4	B	27	0	11	0	0
5	A	21	0	30	2	0
5	B	21	0	29	1	0
6	A	135	0	0	1	0
6	B	138	0	0	2	0
All	All	6023	0	5563	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27:ASN:HD21	1:A:212:ASP:HB3	1.33	0.93
1:A:27:ASN:HD21	1:A:212:ASP:CB	1.87	0.86
1:A:24:VAL:HG13	1:A:28:LEU:HD12	1.60	0.83
1:B:328:THR:O	1:B:332:GLU:HG2	1.80	0.82
1:B:223:THR:HG22	1:B:224:LEU:HD22	1.61	0.81
1:B:48:PRO:O	1:B:51:LYS:HG2	1.88	0.74
1:B:187:PRO:HG3	1:B:227:TYR:CE2	2.28	0.69
1:A:153:VAL:HG11	1:A:159:ARG:HG2	1.74	0.68
1:B:325:GLU:H	1:B:325:GLU:CD	1.98	0.65
1:A:120:TYR:O	1:A:123:ILE:HG12	1.97	0.65
1:A:197:HIS:NE2	5:A:401:RTL:H14	2.13	0.63
1:A:198:ALA:HB1	1:A:204:LEU:HG	1.82	0.61
1:B:339:LEU:O	1:B:342:THR:HG22	2.00	0.60
1:A:82:LEU:HG	1:A:282:LEU:HD11	1.83	0.60
1:A:325:GLU:CD	1:A:325:GLU:H	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:294:ASN:ND2	1:B:296:GLU:H	2.01	0.59
1:A:187:PRO:HG3	1:A:227:TYR:CE2	2.39	0.57
1:A:164:HIS:O	1:A:224:LEU:HD13	2.05	0.56
1:B:276:GLN:HE21	1:B:276:GLN:HA	1.70	0.56
1:B:325:GLU:O	1:B:329:LYS:HG2	2.05	0.56
1:A:48:PRO:O	1:A:51:LYS:HG2	2.05	0.56
1:B:276:GLN:HA	1:B:276:GLN:NE2	2.20	0.55
1:B:120:TYR:O	1:B:123:ILE:HG12	2.07	0.55
1:B:135:TYR:CE2	1:B:139:LEU:HD11	2.42	0.55
1:B:238:ARG:NH2	1:B:343:ASP:OD2	2.39	0.55
1:B:294:ASN:HD22	1:B:294:ASN:C	2.11	0.54
1:A:215:GLU:HA	1:A:218:HIS:CE1	2.43	0.54
1:A:27:ASN:ND2	1:A:212:ASP:HB3	2.13	0.54
1:A:28:LEU:HD11	1:A:216:MET:SD	2.48	0.53
1:A:271:SER:OG	1:A:274:GLN:HG3	2.09	0.53
1:A:335:ILE:HG21	1:A:349:MET:CE	2.37	0.53
1:A:315:LYS:HB2	1:A:318:CYS:SG	2.48	0.53
1:A:28:LEU:HD23	1:A:204:LEU:HD23	1.90	0.53
1:B:144:ARG:NH2	1:B:149:LEU:HD23	2.24	0.53
1:A:8:PRO:O	1:A:10:PRO:HD3	2.09	0.52
1:A:228:PHE:O	1:A:232:LYS:HG3	2.08	0.52
1:B:27:ASN:HD21	1:B:212:ASP:HB3	1.74	0.52
1:A:173:ASN:HB3	1:A:176:ASP:OD2	2.10	0.52
1:B:136:LEU:HD23	1:B:139:LEU:HD12	1.93	0.51
1:B:124:LEU:HD13	1:B:130:LEU:HD21	1.91	0.51
1:A:298:TYR:HD1	1:A:301:ILE:HD12	1.76	0.51
1:B:340:LYS:HG2	1:B:341:ASP:OD1	2.10	0.50
1:A:82:LEU:CG	1:A:282:LEU:HD11	2.40	0.50
1:A:198:ALA:CB	1:A:204:LEU:HG	2.41	0.50
1:A:62:ARG:HG3	1:A:159:ARG:NH2	2.27	0.49
1:B:173:ASN:HB3	1:B:176:ASP:OD2	2.12	0.49
1:B:294:ASN:HD22	1:B:295:MET:N	2.11	0.49
1:A:65:ASP:HB2	1:A:178:VAL:HG12	1.95	0.49
1:B:27:ASN:HD22	1:B:27:ASN:N	2.11	0.48
1:A:32:PRO:HB2	1:A:120:TYR:CE2	2.48	0.48
1:B:335:ILE:HG21	1:B:349:MET:CE	2.43	0.48
1:A:277:ARG:HA	1:A:280:GLU:OE2	2.13	0.48
1:B:26:ALA:C	1:B:27:ASN:HD22	2.17	0.47
1:A:104:ILE:HD12	1:A:150:LEU:HD23	1.95	0.47
1:A:335:ILE:HG21	1:A:349:MET:HE3	1.96	0.47
1:B:24:VAL:HG13	1:B:28:LEU:HD12	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:179:LYS:HE3	6:B:563:HOH:O	2.13	0.47
1:B:30:ALA:HB3	6:B:675:HOH:O	2.14	0.47
1:B:119:GLU:HA	1:B:122:ASP:OD2	2.15	0.46
1:B:65:ASP:HB2	1:B:178:VAL:HG12	1.96	0.46
1:B:17:ASN:ND2	1:B:20:GLU:HG3	2.31	0.45
1:A:171:PRO:O	1:A:174:MET:HB3	2.17	0.45
1:B:276:GLN:O	1:B:280:GLU:HG2	2.15	0.45
1:B:313:LYS:HD2	1:B:315:LYS:HG2	1.97	0.45
1:B:332:GLU:O	1:B:336:LYS:HG3	2.17	0.44
1:A:214:TRP:NE1	1:A:330:GLN:OE1	2.48	0.44
1:B:154:PRO:HA	1:B:155:PRO:HD3	1.78	0.44
1:A:56:ILE:O	1:A:171:PRO:HD3	2.17	0.44
1:A:139:LEU:CD2	5:A:401:RTL:H41	2.48	0.44
1:A:172:PRO:O	1:A:173:ASN:HB2	2.16	0.44
1:B:76:THR:HG22	1:B:80:GLN:HE21	1.83	0.44
1:A:76:THR:HG22	1:A:80:GLN:HE21	1.82	0.44
1:A:47:ARG:HB3	1:A:48:PRO:HD3	1.98	0.44
1:B:153:VAL:HG11	1:B:159:ARG:HG2	2.00	0.44
1:B:59:MET:HA	1:B:60:PRO:HD3	1.92	0.44
1:B:339:LEU:C	1:B:342:THR:HG22	2.38	0.44
1:B:69:ALA:O	1:B:70:SER:HB3	2.18	0.43
1:A:65:ASP:HB2	1:A:178:VAL:CG1	2.48	0.43
1:A:103:TYR:CE2	1:A:160:PHE:HB3	2.53	0.43
1:B:172:PRO:O	1:B:173:ASN:HB2	2.18	0.43
1:B:27:ASN:O	1:B:205:ASN:N	2.48	0.43
1:A:104:ILE:HD11	1:A:153:VAL:CG2	2.49	0.43
1:B:335:ILE:O	1:B:339:LEU:HG	2.19	0.42
1:A:82:LEU:O	1:A:86:ILE:HG13	2.18	0.42
1:B:255:LEU:HB3	1:B:256:PRO:HD3	2.00	0.42
1:A:215:GLU:HA	1:A:218:HIS:HE1	1.83	0.42
1:B:248:TYR:O	1:B:251:TYR:HB2	2.18	0.42
1:B:198:ALA:CB	1:B:204:LEU:HG	2.49	0.42
1:A:255:LEU:N	1:A:256:PRO:CD	2.82	0.42
1:A:28:LEU:CD2	1:A:204:LEU:HD23	2.50	0.42
1:A:82:LEU:CD2	1:A:282:LEU:HD11	2.50	0.42
1:A:69:ALA:O	1:A:70:SER:HB3	2.19	0.42
1:A:338:ASN:ND2	6:A:472:HOH:O	2.46	0.42
1:A:27:ASN:HD21	1:A:212:ASP:HB2	1.74	0.42
1:A:238:ARG:HG2	1:A:238:ARG:HH11	1.85	0.42
1:A:346:TYR:HA	1:A:347:PRO:HD3	1.91	0.42
1:B:223:THR:HG22	1:B:224:LEU:CD2	2.40	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:27:ASN:ND2	1:B:212:ASP:HB3	2.35	0.41
1:B:198:ALA:HB1	1:B:204:LEU:HG	2.01	0.41
1:B:17:ASN:CG	1:B:20:GLU:HG3	2.41	0.41
1:A:56:ILE:O	1:A:59:MET:HG2	2.20	0.41
1:B:272:GLU:HA	1:B:272:GLU:OE1	2.20	0.41
1:B:346:TYR:HA	1:B:347:PRO:HD3	1.97	0.41
1:A:24:VAL:C	1:A:26:ALA:H	2.23	0.41
1:B:28:LEU:HD23	1:B:204:LEU:HD23	2.03	0.41
1:A:222:TYR:CG	1:A:223:THR:N	2.89	0.40
1:B:79:THR:O	1:B:83:VAL:HG23	2.22	0.40
1:B:228:PHE:O	1:B:232:LYS:HG3	2.21	0.40
1:B:112:TYR:HB2	5:B:501:RTL:H183	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	340/351 (97%)	332 (98%)	8 (2%)	0	100	100
1	B	340/351 (97%)	328 (96%)	12 (4%)	0	100	100
All	All	680/702 (97%)	660 (97%)	20 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	299/316 (95%)	296 (99%)	3 (1%)	82	85
1	B	301/316 (95%)	297 (99%)	4 (1%)	76	79
All	All	600/632 (95%)	593 (99%)	7 (1%)	78	81

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	105	TYR
1	A	297	ASP
1	A	325	GLU
1	B	105	TYR
1	B	224	LEU
1	B	294	ASN
1	B	313	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	A	55	ASN
1	A	80	GLN
1	A	117	GLN
1	A	338	ASN
1	B	27	ASN
1	B	72	GLN
1	B	80	GLN
1	B	117	GLN
1	B	276	GLN
1	B	294	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 10 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	A3P	A	400	-	24,29,29	1.40	2 (8%)	28,45,45	1.07	2 (7%)
5	RTL	A	401	-	21,21,21	1.65	3 (14%)	26,28,28	3.22	13 (50%)
4	A3P	B	500	-	24,29,29	1.41	6 (25%)	28,45,45	1.12	3 (10%)
5	RTL	B	501	-	21,21,21	1.59	3 (14%)	26,28,28	3.24	13 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	A3P	A	400	-	-	0/11/31/31	0/3/3/3
5	RTL	A	401	-	-	2/14/31/31	0/1/1/1
4	A3P	B	500	-	-	0/11/31/31	0/3/3/3
5	RTL	B	501	-	-	2/14/31/31	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	500	A3P	P2-O5P	-2.20	1.46	1.54
4	B	500	A3P	P1-O2P	-2.05	1.47	1.54
4	B	500	A3P	P1-O3P	-2.02	1.47	1.54
4	B	500	A3P	C2-N1	2.04	1.37	1.33
5	B	501	RTL	C10-C9	2.04	1.38	1.35
5	A	401	RTL	C10-C9	2.25	1.38	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	500	A3P	C2-N3	2.66	1.36	1.32
5	B	501	RTL	C1-C6	2.70	1.57	1.53
4	A	400	A3P	C2-N3	2.91	1.37	1.32
5	A	401	RTL	C1-C6	2.96	1.58	1.53
4	A	400	A3P	C4-N3	3.15	1.40	1.35
4	B	500	A3P	C4-N3	3.63	1.41	1.35
5	B	501	RTL	C5-C6	3.94	1.40	1.34
5	A	401	RTL	C5-C6	4.08	1.40	1.34

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	401	RTL	C20-C13-C12	-6.97	106.50	118.10
5	B	501	RTL	C20-C13-C12	-6.93	106.56	118.10
5	B	501	RTL	C3-C4-C5	-5.51	105.13	113.87
5	A	401	RTL	C3-C4-C5	-5.27	105.50	113.87
5	A	401	RTL	C10-C11-C12	-3.78	111.60	123.13
5	B	501	RTL	C10-C11-C12	-3.54	112.34	123.13
5	B	501	RTL	C18-C5-C6	-3.28	121.39	124.61
4	B	500	A3P	N3-C2-N1	-3.21	126.44	128.89
5	A	401	RTL	C18-C5-C6	-3.11	121.56	124.61
4	A	400	A3P	N3-C2-N1	-2.85	126.71	128.89
5	B	501	RTL	C16-C1-C2	-2.54	99.67	108.79
5	A	401	RTL	C16-C1-C2	-2.50	99.84	108.79
5	B	501	RTL	C18-C5-C4	-2.27	109.13	113.43
5	A	401	RTL	C18-C5-C4	-2.22	109.22	113.43
5	B	501	RTL	C7-C8-C9	-2.14	122.95	126.22
4	B	500	A3P	C4-C5-N7	2.04	111.36	109.48
5	A	401	RTL	C11-C10-C9	2.12	130.26	127.20
4	B	500	A3P	O2'-C2'-C3'	2.39	118.05	111.16
5	A	401	RTL	C16-C1-C6	2.40	114.07	110.30
4	A	400	A3P	O2'-C2'-C3'	2.40	118.10	111.16
5	B	501	RTL	C16-C1-C6	2.50	114.22	110.30
5	A	401	RTL	C17-C1-C6	2.65	114.47	110.30
5	B	501	RTL	C17-C1-C6	2.67	114.48	110.30
5	B	501	RTL	C11-C12-C13	3.09	135.40	126.32
5	A	401	RTL	C11-C12-C13	3.21	135.77	126.32
5	B	501	RTL	C2-C1-C6	3.57	116.01	110.36
5	A	401	RTL	C2-C1-C6	3.63	116.11	110.36
5	A	401	RTL	C4-C5-C6	5.05	129.22	122.78
5	B	501	RTL	C4-C5-C6	5.25	129.47	122.78
5	A	401	RTL	C2-C3-C4	8.89	133.94	111.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	501	RTL	C2-C3-C4	8.96	134.11	111.53

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	401	RTL	C15-C14-C13-C20
5	B	501	RTL	C15-C14-C13-C20
5	A	401	RTL	C15-C14-C13-C12
5	B	501	RTL	C15-C14-C13-C12

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	401	RTL	2	0
5	B	501	RTL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.