



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 31, 2016 – 08:17 PM EDT

PDB ID : 5FMB  
Title : Structure of D80A-fructofuranosidase from Xanthophyllomyces dendrorhous complexed with fructose and HEPES buffer  
Authors : Ramirez-Escudero, M.; Sanz-Aparicio, J.  
Deposited on : 2015-11-02  
Resolution : 1.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20027107  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027107


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	5832 (1.94-1.90)
Clashscore	102246	6540 (1.94-1.90)
Ramachandran outliers	100387	6464 (1.94-1.90)
Sidechain outliers	100360	6465 (1.94-1.90)
RSRZ outliers	91569	5846 (1.94-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	665	
1	B	665	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EPE	A	1667	-	-	-	X
3	EPE	B	1667	-	-	-	X
4	NAG	A	1696	-	-	-	X
4	NAG	A	1700	-	-	-	X
4	NAG	B	1691	-	-	-	X
4	NAG	B	1693	-	-	-	X
5	MAN	A	1673	-	-	-	X
8	MAN	B	1674	-	-	-	X

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 11973 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called BETA-FRUCTOFURANOSIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	624	Total	C	N	O	S	0	1	0
			4805	3063	784	951	7			
1	B	624	Total	C	N	O	S	0	1	0
			4805	3063	784	951	7			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	663	ALA	SER	CONFLICT	UNP J7HDY4
A	665	TYR	ARG	CONFLICT	UNP J7HDY4
A	80	ALA	ASP	ENGINEERED	UNP J7HDY4
B	663	ALA	SER	CONFLICT	UNP J7HDY4
B	665	TYR	ARG	CONFLICT	UNP J7HDY4
B	80	ALA	ASP	ENGINEERED	UNP J7HDY4

- Molecule 2 is SUGAR (FRUCTOSE) (three-letter code: FRU) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	6	6		
2	B	1	Total	C	O	0	0
			12	6	6		

- Molecule 3 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C<sub>8</sub>H<sub>18</sub>N<sub>2</sub>O<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 4 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		
4	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is a polymer of unknown type called SUGAR (7-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	7	Total	C	N	O	0	0
			83	46	2	35		

- Molecule 6 is a polymer of unknown type called SUGAR (10-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	10	Total	C	N	O	0	0
			116	64	2	50		
6	B	10	Total	C	N	O	0	0
			116	64	2	50		

- Molecule 7 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	2	Total	C	N	O	0	0
			28	16	2	10		
7	B	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 8 is a polymer of unknown type called SUGAR (6-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	B	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	831	Total	O	0	0
			831	831		
9	B	657	Total	O	0	0
			657	657		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: BETA-FRUCTOFURANOSIDASE

Chain A:  92% 6%



- Molecule 1: BETA-FRUCTOFURANOSIDASE

Chain B:  92% 6%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.66Å 205.07Å 146.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	119.07 – 1.91 119.07 – 1.91	Depositor EDS
% Data completeness (in resolution range)	99.9 (119.07-1.91) 99.9 (119.07-1.91)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.21 (at 1.91Å)	Xtriage
Refinement program	REFMAC 5.8.0131	Depositor
R, $R_{free}$	0.170 , 0.185 0.179 , 0.195	Depositor DCC
$R_{free}$ test set	8633 reflections (5.22%)	DCC
Wilson B-factor (Å <sup>2</sup> )	21.2	Xtriage
Anisotropy	0.777	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 48.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 174173 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	11973	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.05% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EPE, BMA, NAG, FRU, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.41	0/4940	0.64	0/6754
1	B	0.39	0/4940	0.63	0/6754
All	All	0.40	0/9880	0.63	0/13508

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4805	0	4500	7	0
1	B	4805	0	4503	7	0
2	A	12	0	12	0	0
2	B	12	0	12	0	0
3	A	15	0	17	0	0
3	B	15	0	18	0	0
4	A	210	0	195	0	0
4	B	168	0	156	0	0
5	A	83	0	70	1	0
6	A	116	0	97	0	1
6	B	116	0	97	0	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	A	28	0	25	0	0
7	B	28	0	25	0	0
8	B	72	0	61	0	0
9	A	831	0	0	2	1
9	B	657	0	0	0	2
All	All	11973	0	9788	15	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (15) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:237:THR:HG23	9:A:2332:HOH:O	2.03	0.57
5:A:1670:NAG:H83	9:A:2756:HOH:O	2.05	0.55
1:B:150:ILE:HG12	1:B:224:VAL:HG11	1.90	0.53
1:A:150:ILE:HG12	1:A:224:VAL:HG11	1.90	0.53
1:B:393:TRP:CZ2	1:B:395:TYR:HB3	2.52	0.44
1:A:393:TRP:CZ2	1:A:395:TYR:HB3	2.53	0.44
1:B:84:LEU:HD23	1:B:94:ALA:HA	2.00	0.43
1:A:84:LEU:HD23	1:A:94:ALA:HA	2.00	0.43
1:B:250:THR:HB	1:B:262:LEU:HD11	2.01	0.42
1:B:504:THR:HG22	1:B:629:GLU:HB3	2.02	0.41
1:A:504:THR:HG22	1:A:629:GLU:HB3	2.02	0.41
1:B:115:SER:HB2	1:B:121:TRP:CD2	2.55	0.41
1:B:145:PHE:HB2	1:B:163:THR:HB	2.03	0.41
1:A:77:TRP:HB3	1:A:99:HIS:HB3	2.03	0.40
1:A:250:THR:HB	1:A:262:LEU:HD11	2.02	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:1681:MAN:O4	6:A:1681:MAN:O4[2_555]	1.46	0.74
9:B:2638:HOH:O	9:B:2638:HOH:O[2_555]	1.74	0.46
9:A:2800:HOH:O	9:A:2800:HOH:O[2_555]	1.75	0.45
6:B:1683:MAN:O4	6:B:1683:MAN:O4[2_555]	1.83	0.37
9:B:2646:HOH:O	9:B:2646:HOH:O[2_555]	1.98	0.22

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	623/665 (94%)	597 (96%)	26 (4%)	0	100	100
1	B	623/665 (94%)	596 (96%)	27 (4%)	0	100	100
All	All	1246/1330 (94%)	1193 (96%)	53 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	498/529 (94%)	497 (100%)	1 (0%)	95	95
1	B	498/529 (94%)	497 (100%)	1 (0%)	95	95
All	All	996/1058 (94%)	994 (100%)	2 (0%)	95	95

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	142	ARG
1	B	142	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	99	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	268	HIS
1	A	370	GLN
1	A	458	GLN
1	A	647	GLN
1	B	99	HIS
1	B	268	HIS
1	B	341	GLN
1	B	370	GLN
1	B	458	GLN
1	B	647	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

37 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	NAG	A	1669	1,5	14,14,15	0.36	0	15,19,21	0.96	1 (6%)
5	NAG	A	1670	5	14,14,15	0.70	0	15,19,21	1.57	4 (26%)
5	BMA	A	1671	5	11,11,12	1.36	1 (9%)	15,15,17	2.16	3 (20%)
5	MAN	A	1672	5	11,11,12	0.78	0	15,15,17	0.93	0
5	MAN	A	1673	5	11,11,12	0.48	0	15,15,17	0.86	0
5	MAN	A	1674	5	11,11,12	0.88	1 (9%)	15,15,17	1.97	3 (20%)
5	BMA	A	1675	5	11,11,12	0.87	0	15,15,17	2.22	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	NAG	A	1676	1,6	14,14,15	0.85	1 (7%)	15,19,21	0.78	0
6	NAG	A	1677	6	14,14,15	0.43	0	15,19,21	0.85	0
6	BMA	A	1678	6	11,11,12	0.68	0	15,15,17	1.34	1 (6%)
6	MAN	A	1679	6	11,11,12	0.52	0	15,15,17	0.88	0
6	MAN	A	1680	6	11,11,12	0.43	0	15,15,17	0.80	1 (6%)
6	MAN	A	1681	6	11,11,12	0.70	0	15,15,17	1.64	3 (20%)
6	MAN	A	1682	6	11,11,12	0.59	0	15,15,17	0.97	0
6	MAN	A	1683	6	11,11,12	1.36	2 (18%)	15,15,17	1.54	3 (20%)
6	MAN	A	1684	6	11,11,12	0.32	0	15,15,17	1.30	2 (13%)
6	MAN	A	1685	6	11,11,12	0.38	0	15,15,17	0.89	1 (6%)
7	NAG	A	1698	1,7	14,14,15	0.34	0	15,19,21	1.02	0
7	NAG	A	1699	7	14,14,15	0.46	0	15,19,21	1.87	4 (26%)
8	NAG	B	1669	1,8	14,14,15	0.40	0	15,19,21	1.03	1 (6%)
8	NAG	B	1670	8	14,14,15	0.58	0	15,19,21	0.81	0
8	BMA	B	1671	8	11,11,12	0.95	1 (9%)	15,15,17	1.78	5 (33%)
8	MAN	B	1672	8	11,11,12	0.44	0	15,15,17	0.91	0
8	MAN	B	1673	8	11,11,12	1.43	1 (9%)	15,15,17	2.11	5 (33%)
8	MAN	B	1674	8	11,11,12	0.41	0	15,15,17	0.86	1 (6%)
6	NAG	B	1675	1,6	14,14,15	0.80	1 (7%)	15,19,21	0.98	0
6	NAG	B	1676	6	14,14,15	0.48	0	15,19,21	0.94	1 (6%)
6	BMA	B	1677	6	11,11,12	0.37	0	15,15,17	1.05	1 (6%)
6	MAN	B	1678	6	11,11,12	0.34	0	15,15,17	0.91	1 (6%)
6	MAN	B	1679	6	11,11,12	0.41	0	15,15,17	0.68	1 (6%)
6	MAN	B	1680	6	11,11,12	0.55	0	15,15,17	2.18	4 (26%)
6	MAN	B	1681	6	11,11,12	0.80	0	15,15,17	1.02	0
6	MAN	B	1682	6	11,11,12	0.43	0	15,15,17	0.85	0
6	MAN	B	1683	6	11,11,12	0.53	0	15,15,17	1.55	3 (20%)
6	MAN	B	1684	6	11,11,12	0.65	0	15,15,17	0.99	0
7	NAG	B	1695	1,7	14,14,15	0.36	0	15,19,21	0.88	0
7	NAG	B	1696	7	14,14,15	0.54	0	15,19,21	1.49	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	1669	1,5	-	0/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	1670	5	-	0/6/23/26	0/1/1/1
5	BMA	A	1671	5	-	0/2/19/22	0/1/1/1
5	MAN	A	1672	5	-	0/2/19/22	0/1/1/1
5	MAN	A	1673	5	-	0/2/19/22	0/1/1/1
5	MAN	A	1674	5	-	0/2/19/22	0/1/1/1
5	BMA	A	1675	5	-	0/2/19/22	0/1/1/1
6	NAG	A	1676	1,6	-	0/6/23/26	0/1/1/1
6	NAG	A	1677	6	-	0/6/23/26	0/1/1/1
6	BMA	A	1678	6	-	0/2/19/22	0/1/1/1
6	MAN	A	1679	6	-	0/2/19/22	0/1/1/1
6	MAN	A	1680	6	-	0/2/19/22	0/1/1/1
6	MAN	A	1681	6	-	0/2/19/22	0/1/1/1
6	MAN	A	1682	6	-	0/2/19/22	0/1/1/1
6	MAN	A	1683	6	-	0/2/19/22	0/1/1/1
6	MAN	A	1684	6	-	0/2/19/22	0/1/1/1
6	MAN	A	1685	6	-	0/2/19/22	0/1/1/1
7	NAG	A	1698	1,7	-	0/6/23/26	0/1/1/1
7	NAG	A	1699	7	-	0/6/23/26	0/1/1/1
8	NAG	B	1669	1,8	-	0/6/23/26	0/1/1/1
8	NAG	B	1670	8	-	0/6/23/26	0/1/1/1
8	BMA	B	1671	8	-	0/2/19/22	0/1/1/1
8	MAN	B	1672	8	-	0/2/19/22	0/1/1/1
8	MAN	B	1673	8	-	0/2/19/22	0/1/1/1
8	MAN	B	1674	8	-	0/2/19/22	0/1/1/1
6	NAG	B	1675	1,6	-	0/6/23/26	0/1/1/1
6	NAG	B	1676	6	-	0/6/23/26	0/1/1/1
6	BMA	B	1677	6	-	0/2/19/22	0/1/1/1
6	MAN	B	1678	6	-	0/2/19/22	0/1/1/1
6	MAN	B	1679	6	-	0/2/19/22	0/1/1/1
6	MAN	B	1680	6	-	0/2/19/22	0/1/1/1
6	MAN	B	1681	6	-	0/2/19/22	0/1/1/1
6	MAN	B	1682	6	-	0/2/19/22	0/1/1/1
6	MAN	B	1683	6	-	0/2/19/22	0/1/1/1
6	MAN	B	1684	6	-	0/2/19/22	0/1/1/1
7	NAG	B	1695	1,7	-	0/6/23/26	0/1/1/1
7	NAG	B	1696	7	-	0/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	1671	BMA	C6-C5	-3.06	1.41	1.51
6	A	1683	MAN	O2-C2	-2.57	1.37	1.43

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1683	MAN	O5-C1	-2.53	1.39	1.43
5	A	1674	MAN	O5-C1	-2.14	1.40	1.43
6	B	1675	NAG	C1-C2	2.38	1.55	1.52
6	A	1676	NAG	C1-C2	2.84	1.56	1.52
5	A	1671	BMA	O3-C3	4.27	1.53	1.43
8	B	1673	MAN	O3-C3	4.62	1.53	1.43

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1675	BMA	O5-C1-C2	-5.91	101.45	110.89
5	A	1671	BMA	O3-C3-C4	-5.50	97.95	110.36
5	A	1674	MAN	O2-C2-C1	-4.62	99.99	109.23
5	A	1674	MAN	O5-C1-C2	-3.99	104.51	110.89
6	B	1683	MAN	O2-C2-C3	-3.94	102.25	110.19
5	A	1675	BMA	C1-C2-C3	-3.87	104.87	109.55
6	A	1678	BMA	O3-C3-C2	-3.44	103.71	110.01
8	B	1673	MAN	O3-C3-C4	-3.43	102.63	110.36
6	A	1681	MAN	O5-C1-C2	-3.38	105.48	110.89
5	A	1675	BMA	O5-C5-C6	-3.21	100.46	107.34
5	A	1671	BMA	O3-C3-C2	-3.17	104.20	110.01
8	B	1673	MAN	O2-C2-C3	-3.02	104.11	110.19
8	B	1673	MAN	O3-C3-C2	-3.01	104.49	110.01
6	B	1683	MAN	O5-C1-C2	-2.62	106.70	110.89
6	A	1681	MAN	O2-C2-C3	-2.44	105.26	110.19
5	A	1670	NAG	C4-C3-C2	-2.32	107.74	111.34
8	B	1671	BMA	O6-C6-C5	-2.24	103.81	111.30
6	A	1683	MAN	C6-C5-C4	-2.23	107.39	112.99
6	B	1677	BMA	O6-C6-C5	-2.18	104.04	111.30
8	B	1671	BMA	O3-C3-C4	-2.13	105.56	110.36
5	A	1670	NAG	O7-C7-C8	-2.11	118.18	122.07
7	B	1696	NAG	C3-C4-C5	2.02	113.82	110.23
6	A	1684	MAN	O5-C5-C4	2.03	113.50	110.13
6	A	1683	MAN	O5-C5-C4	2.08	113.59	110.13
6	B	1679	MAN	C1-O5-C5	2.13	115.28	112.14
6	B	1676	NAG	C2-N2-C7	2.18	125.94	123.11
5	A	1669	NAG	C1-O5-C5	2.18	115.35	112.14
8	B	1669	NAG	O4-C4-C5	2.21	115.06	109.23
6	A	1685	MAN	C1-O5-C5	2.25	115.45	112.14
6	A	1680	MAN	C1-O5-C5	2.31	115.54	112.14
7	A	1699	NAG	C3-C4-C5	2.42	114.54	110.23
5	A	1670	NAG	C8-C7-N2	2.49	120.87	116.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	1674	MAN	C1-O5-C5	2.52	115.84	112.14
6	B	1683	MAN	O5-C5-C6	2.54	112.78	107.34
8	B	1671	BMA	C3-C4-C5	2.59	114.85	110.23
8	B	1671	BMA	O5-C5-C4	2.61	114.46	110.13
6	B	1678	MAN	C1-O5-C5	2.68	116.09	112.14
7	A	1699	NAG	C2-N2-C7	2.79	126.73	123.11
7	A	1699	NAG	C8-C7-N2	2.89	121.63	116.10
6	B	1680	MAN	C2-C3-C4	2.91	116.12	111.05
8	B	1673	MAN	C1-O5-C5	2.97	116.50	112.14
6	A	1681	MAN	O5-C5-C6	3.12	114.02	107.34
5	A	1671	BMA	C1-O5-C5	3.20	116.84	112.14
5	A	1674	MAN	C1-O5-C5	3.29	116.98	112.14
8	B	1673	MAN	C1-C2-C3	3.38	113.64	109.55
5	A	1670	NAG	C2-N2-C7	3.41	127.55	123.11
6	B	1680	MAN	O5-C5-C4	3.77	116.38	110.13
6	A	1683	MAN	C1-O5-C5	3.77	117.69	112.14
6	A	1684	MAN	C1-O5-C5	3.88	117.85	112.14
6	B	1680	MAN	C3-C4-C5	3.96	117.30	110.23
8	B	1671	BMA	C1-O5-C5	4.23	118.36	112.14
6	B	1680	MAN	C1-O5-C5	4.66	118.99	112.14
7	B	1696	NAG	C1-O5-C5	4.71	119.07	112.14
7	A	1699	NAG	C1-O5-C5	4.83	119.25	112.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1670	NAG	1	0
6	A	1681	MAN	0	1
6	B	1683	MAN	0	1

## 5.6 Ligand geometry

31 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	FRU	A	1666	-	11,12,12	0.66	0	10,18,18	0.61	0
3	EPE	A	1667	-	15,15,15	1.66	1 (6%)	19,20,20	1.86	2 (10%)
4	NAG	A	1668	1	14,14,15	0.22	0	15,19,21	1.21	2 (13%)
4	NAG	A	1686	1	14,14,15	0.55	0	15,19,21	1.08	1 (6%)
4	NAG	A	1687	1	14,14,15	0.60	0	15,19,21	2.14	3 (20%)
4	NAG	A	1688	1	14,14,15	0.37	0	15,19,21	0.78	0
4	NAG	A	1689	1	14,14,15	0.28	0	15,19,21	0.81	0
4	NAG	A	1690	1	14,14,15	0.41	0	15,19,21	0.99	0
4	NAG	A	1691	1	14,14,15	0.27	0	15,19,21	1.22	2 (13%)
4	NAG	A	1692	1	14,14,15	0.60	0	15,19,21	1.00	1 (6%)
4	NAG	A	1693	1	14,14,15	0.43	0	15,19,21	1.46	3 (20%)
4	NAG	A	1694	1	14,14,15	0.30	0	15,19,21	1.01	1 (6%)
4	NAG	A	1695	1	14,14,15	0.32	0	15,19,21	1.14	2 (13%)
4	NAG	A	1696	1	14,14,15	0.60	0	15,19,21	1.22	1 (6%)
4	NAG	A	1697	1	14,14,15	0.45	0	15,19,21	1.37	3 (20%)
4	NAG	A	1700	1	14,14,15	0.47	0	15,19,21	1.88	4 (26%)
4	NAG	A	1701	1	14,14,15	0.37	0	15,19,21	0.63	0
2	FRU	B	1666	-	11,12,12	0.56	0	10,18,18	0.73	0
3	EPE	B	1667	-	15,15,15	1.73	1 (6%)	19,20,20	1.11	2 (10%)
4	NAG	B	1668	1	14,14,15	0.32	0	15,19,21	0.80	0
4	NAG	B	1685	1	14,14,15	0.50	0	15,19,21	0.93	0
4	NAG	B	1686	1	14,14,15	0.42	0	15,19,21	1.18	1 (6%)
4	NAG	B	1687	1	14,14,15	0.32	0	15,19,21	1.19	2 (13%)
4	NAG	B	1688	1	14,14,15	0.40	0	15,19,21	2.04	2 (13%)
4	NAG	B	1689	1	14,14,15	0.32	0	15,19,21	0.86	0
4	NAG	B	1690	1	14,14,15	0.53	0	15,19,21	1.23	2 (13%)
4	NAG	B	1691	1	14,14,15	0.32	0	15,19,21	0.79	1 (6%)
4	NAG	B	1692	1	14,14,15	0.27	0	15,19,21	0.85	0
4	NAG	B	1693	1	14,14,15	0.58	0	15,19,21	1.34	1 (6%)
4	NAG	B	1694	1	14,14,15	0.43	0	15,19,21	0.77	1 (6%)
4	NAG	B	1697	1	14,14,15	0.44	0	15,19,21	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FRU	A	1666	-	-	0/5/24/24	0/1/1/1
3	EPE	A	1667	-	-	0/9/19/19	0/1/1/1
4	NAG	A	1668	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1686	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1687	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1688	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1689	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1690	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1691	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1692	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1693	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1694	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1695	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1696	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1697	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1700	1	-	0/6/23/26	0/1/1/1
4	NAG	A	1701	1	-	0/6/23/26	0/1/1/1
2	FRU	B	1666	-	-	0/5/24/24	0/1/1/1
3	EPE	B	1667	-	-	0/9/19/19	0/1/1/1
4	NAG	B	1668	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1685	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1686	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1687	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1688	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1689	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1690	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1691	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1692	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1693	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1694	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1697	1	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1667	EPE	C10-S	-6.32	1.68	1.77
3	A	1667	EPE	C10-S	-6.14	1.68	1.77

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1697	NAG	C4-C3-C2	-2.72	107.12	111.34
4	A	1700	NAG	C4-C3-C2	-2.49	107.47	111.34
4	A	1700	NAG	O7-C7-C8	-2.45	117.56	122.07
3	A	1667	EPE	O2S-S-O1S	-2.18	107.79	113.96
4	A	1687	NAG	C4-C3-C2	-2.04	108.17	111.34
4	A	1691	NAG	C1-O5-C5	2.04	115.14	112.14
4	A	1692	NAG	C1-O5-C5	2.04	115.15	112.14
3	B	1667	EPE	O1S-S-C10	2.10	108.35	106.87
4	A	1668	NAG	C2-N2-C7	2.10	125.83	123.11
4	B	1691	NAG	C1-O5-C5	2.14	115.29	112.14
4	A	1693	NAG	C1-O5-C5	2.32	115.55	112.14
4	B	1690	NAG	O5-C5-C4	2.38	114.07	110.13
4	A	1697	NAG	C2-N2-C7	2.38	126.21	123.11
4	A	1693	NAG	C8-C7-N2	2.40	120.69	116.10
4	B	1694	NAG	C1-O5-C5	2.40	115.67	112.14
4	A	1695	NAG	C2-N2-C7	2.48	126.33	123.11
4	A	1668	NAG	C8-C7-N2	2.49	120.87	116.10
4	A	1686	NAG	C1-O5-C5	2.53	115.86	112.14
4	B	1687	NAG	C8-C7-N2	2.55	120.99	116.10
4	A	1697	NAG	C8-C7-N2	2.58	121.05	116.10
4	A	1695	NAG	C8-C7-N2	2.60	121.07	116.10
4	B	1687	NAG	C2-N2-C7	2.63	126.53	123.11
4	B	1688	NAG	O5-C5-C4	2.77	114.71	110.13
4	A	1687	NAG	O5-C5-C4	2.89	114.93	110.13
4	A	1691	NAG	C2-N2-C7	2.97	126.97	123.11
4	B	1686	NAG	C1-O5-C5	2.99	116.54	112.14
3	B	1667	EPE	O3S-S-C10	3.01	111.24	104.99
4	A	1693	NAG	C2-N2-C7	3.01	127.02	123.11
4	A	1694	NAG	C1-O5-C5	3.26	116.93	112.14
4	A	1700	NAG	C8-C7-N2	3.31	122.44	116.10
4	B	1690	NAG	C1-O5-C5	3.57	117.39	112.14
4	A	1696	NAG	C1-O5-C5	4.02	118.05	112.14
4	B	1693	NAG	C1-O5-C5	4.35	118.53	112.14
4	A	1700	NAG	C2-N2-C7	4.96	129.55	123.11
4	A	1687	NAG	C1-O5-C5	6.69	121.98	112.14
4	B	1688	NAG	C1-O5-C5	6.71	122.01	112.14
3	A	1667	EPE	O2S-S-C10	7.09	111.88	106.87

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	624/665 (93%)	0.05	0 100 100	13, 21, 33, 44	0
1	B	624/665 (93%)	0.07	3 (0%) 91 92	15, 28, 44, 53	0
All	All	1248/1330 (93%)	0.06	3 (0%) 95 95	13, 25, 41, 53	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	240	ILE	2.8
1	B	435	PHE	2.3
1	B	619	ALA	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
8	MAN	B	1674	11/12	0.73	0.35	32.69	72,75,77,77	0
5	MAN	A	1673	11/12	0.71	0.30	13.60	53,58,61,61	0
8	NAG	B	1669	14/15	0.97	0.11	0.94	23,27,33,33	0
6	NAG	A	1676	14/15	0.98	0.11	0.46	15,16,18,18	0
6	NAG	B	1676	14/15	0.97	0.10	-0.75	20,20,22,22	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
6	NAG	B	1675	14/15	0.97	0.10	-0.84	18,19,20,21	0
5	NAG	A	1669	14/15	0.97	0.11	-1.04	18,21,28,28	0
6	NAG	A	1677	14/15	0.97	0.10	-2.46	17,18,18,19	0
5	MAN	A	1672	11/12	0.69	0.32	-	55,59,64,68	0
6	MAN	B	1684	11/12	0.78	0.30	-	55,60,62,62	0
6	MAN	A	1684	11/12	0.83	0.21	-	49,52,55,64	0
8	MAN	B	1672	11/12	0.71	0.23	-	60,66,69,70	0
7	NAG	B	1695	14/15	0.92	0.13	-	47,51,58,68	0
6	MAN	A	1685	11/12	0.75	0.42	-	76,82,87,87	0
6	MAN	A	1681	11/12	0.86	0.21	-	38,41,48,48	0
8	MAN	B	1673	11/12	0.60	0.34	-	71,75,77,78	0
7	NAG	A	1699	14/15	0.70	0.29	-	73,81,86,87	0
7	NAG	A	1698	14/15	0.92	0.14	-	43,48,55,67	0
6	MAN	B	1680	11/12	0.80	0.50	-	76,82,83,85	0
6	BMA	A	1678	11/12	0.97	0.10	-	21,22,24,30	0
6	MAN	B	1679	11/12	0.85	0.22	-	54,57,60,68	0
6	MAN	A	1682	11/12	0.77	0.30	-	53,58,62,62	0
6	MAN	B	1682	11/12	0.98	0.10	-	19,19,20,20	0
6	MAN	A	1683	11/12	0.90	0.16	-	36,41,46,53	0
6	MAN	B	1681	11/12	0.94	0.11	-	21,24,30,35	0
5	NAG	A	1670	14/15	0.97	0.12	-	21,22,26,31	0
6	MAN	A	1680	11/12	0.98	0.10	-	15,16,17,17	0
7	NAG	B	1696	14/15	0.71	0.30	-	68,79,85,85	0
5	BMA	A	1671	11/12	0.88	0.14	-	29,34,44,48	0
6	BMA	B	1677	11/12	0.96	0.11	-	24,25,27,32	0
6	MAN	A	1679	11/12	0.96	0.11	-	18,21,28,33	0
6	MAN	B	1683	11/12	0.81	0.24	-	39,42,49,50	0
5	BMA	A	1675	11/12	0.68	0.35	-	77,84,88,90	0
5	MAN	A	1674	11/12	0.85	0.16	-	53,60,65,69	0
8	BMA	B	1671	11/12	0.91	0.12	-	38,44,52,61	0
6	MAN	B	1678	11/12	0.94	0.14	-	38,43,47,50	0
8	NAG	B	1670	14/15	0.94	0.09	-	28,30,31,35	0

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	NAG	A	1696	14/15	0.75	0.24	12.48	48,55,59,59	0
4	NAG	B	1693	14/15	0.75	0.34	7.61	59,66,71,71	0
4	NAG	A	1700	14/15	0.55	0.29	4.96	51,56,61,63	0
4	NAG	B	1691	14/15	0.94	0.14	4.64	31,35,38,38	0
3	EPE	A	1667	15/15	0.97	0.13	2.85	24,29,31,32	0
3	EPE	B	1667	15/15	0.95	0.15	2.51	34,38,39,40	0
4	NAG	B	1689	14/15	0.92	0.15	1.42	45,48,53,54	0
4	NAG	A	1693	14/15	0.94	0.12	1.24	29,33,38,44	0
4	NAG	B	1697	14/15	0.94	0.12	1.10	27,29,37,41	0
2	FRU	B	1666	12/12	0.98	0.11	0.94	19,21,22,24	0
4	NAG	A	1692	14/15	0.93	0.13	0.67	30,32,37,41	0
4	NAG	A	1688	14/15	0.89	0.12	0.37	32,38,42,42	0
4	NAG	B	1690	14/15	0.93	0.14	0.05	33,36,38,40	0
4	NAG	A	1691	14/15	0.96	0.11	-0.25	34,36,39,43	0
2	FRU	A	1666	12/12	0.99	0.11	-0.76	14,14,16,16	0
4	NAG	A	1701	14/15	0.95	0.10	-1.54	24,26,35,35	0
4	NAG	B	1686	14/15	0.77	0.36	-	71,79,83,84	0
4	NAG	A	1689	14/15	0.83	0.21	-	53,56,60,61	0
4	NAG	A	1697	14/15	0.70	0.25	-	58,65,72,72	0
4	NAG	A	1690	14/15	0.77	0.29	-	62,70,73,76	0
4	NAG	B	1685	14/15	0.65	0.35	-	53,59,62,65	0
4	NAG	A	1695	14/15	0.81	0.21	-	52,59,76,80	0
4	NAG	A	1668	14/15	0.86	0.16	-	49,55,58,62	0
4	NAG	B	1692	14/15	0.87	0.18	-	54,57,61,62	0
4	NAG	A	1687	14/15	0.82	0.28	-	58,68,73,76	0
4	NAG	A	1686	14/15	0.80	0.33	-	52,57,61,63	0
4	NAG	B	1687	14/15	0.82	0.23	-	68,72,74,77	0
4	NAG	A	1694	14/15	0.89	0.14	-	39,42,46,47	0
4	NAG	B	1688	14/15	0.80	0.39	-	77,84,85,86	0
4	NAG	B	1668	14/15	0.69	0.28	-	66,72,75,79	0
4	NAG	B	1694	14/15	0.85	0.17	-	43,45,48,49	0

## 6.5 Other polymers

There are no such residues in this entry.