



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:29 PM GMT

PDB ID : 1FUY  
Title : CRYSTAL STRUCTURE OF BETAA169L/BETAC170W DOUBLE MUTANT OF TRYPTOPHAN SYNTHASE COMPLEXED WITH 5-FLUORO-INDOLE-PROPANOL PHOSPHATE  
Authors : Weyand, M.; Schlichting, I.  
Deposited on : 2000-09-18  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1640 (2.28-2.24)
Clashscore	102246	1095 (2.26-2.26)
Ramachandran outliers	100387	1063 (2.26-2.26)
Sidechain outliers	100360	1063 (2.26-2.26)
RSRZ outliers	91569	1647 (2.28-2.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	268	 3% 61% 30% 6% •
2	B	396	 3% 69% 24% 5% •

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 5187 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TRYPTOPHAN SYNTHASE ALPHA CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	262	Total	C	N	O	S	0	0	0
			1975	1255	342	370	8			

- Molecule 2 is a protein called TRYPTOPHAN SYNTHASE BETA CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	393	Total	C	N	O	S	0	0	0
			2988	1882	524	564	18			


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	34	SER	ARG	CLONING ARTIFACT	UNP P0A2K1
B	169	LEU	ALA	ENGINEERED	UNP P0A2K1
B	170	TRP	CYS	ENGINEERED	UNP P0A2K1

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Na	0	0
			1	1		

- Molecule 4 is 5-FLUOROINDOLE PROPANOL PHOSPHATE (three-letter code: FIP) (formula: C<sub>11</sub>H<sub>13</sub>FN<sub>4</sub>O<sub>4</sub>P).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	F	N	O	P	0	0
			18	11	1	1	4	1		

- Molecule 5 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula:  $C_8H_{10}NO_6P$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	65	Total 65	O 65	0	0
6	B	125	Total 125	O 125	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: TRYPTOPHAN SYNTHASE ALPHA CHAIN



#### • Molecule 2: TRYPTOPHAN SYNTHASE BETA CHAIN



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	184.00 Å   60.70 Å   67.40 Å 90.00°   95.75°   90.00°	Depositor
Resolution (Å)	20.00 – 2.25 19.68 – 2.16	Depositor EDS
% Data completeness (in resolution range)	0.9 (20.00-2.25) 88.3 (19.68-2.16)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.22 (at 2.17 Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.170   ,   0.224 0.156   ,   0.198	Depositor DCC
$R_{free}$ test set	1635 reflections (5.34%)	DCC
Wilson B-factor (Å <sup>2</sup> )	24.6	Xtriage
Anisotropy	0.736	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 52.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 34995 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	5187	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.96% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, FIP, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.72	0/2013	1.82	45/2733 (1.6%)
2	B	0.89	0/3048	2.00	67/4119 (1.6%)
All	All	0.83	0/5061	1.93	112/6852 (1.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

There are no bond length outliers.

All (112) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	B	222	ARG	NE-CZ-NH1	32.43	136.52	120.30
2	B	206	ARG	CD-NE-CZ	31.73	168.03	123.60
2	B	222	ARG	NE-CZ-NH2	-22.84	108.88	120.30
1	A	140	ARG	NE-CZ-NH2	19.24	129.92	120.30
1	A	140	ARG	NE-CZ-NH1	-16.98	111.81	120.30
2	B	206	ARG	NE-CZ-NH1	14.63	127.62	120.30
1	A	82	PHE	CB-CG-CD1	13.22	130.05	120.80
1	A	82	PHE	CB-CG-CD2	-13.17	111.58	120.80
2	B	222	ARG	CD-NE-CZ	12.24	140.73	123.60
2	B	379	ARG	NE-CZ-NH2	12.13	126.37	120.30
2	B	275	ARG	NE-CZ-NH2	11.87	126.23	120.30
2	B	131	ARG	CD-NE-CZ	11.08	139.11	123.60
1	A	70	ARG	NE-CZ-NH1	10.72	125.66	120.30
2	B	301	SER	N-CA-CB	9.49	124.73	110.50

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	323	ASP	CB-CG-OD1	9.29	126.66	118.30
1	A	15	ARG	NE-CZ-NH2	-9.06	115.77	120.30
1	A	5	GLU	CA-CB-CG	8.68	132.49	113.40
2	B	131	ARG	NE-CZ-NH2	8.59	124.59	120.30
2	B	383	ASP	CB-CG-OD2	8.41	125.87	118.30
2	B	279	TYR	CB-CG-CD1	-8.38	115.97	121.00
1	A	3	ARG	NE-CZ-NH2	8.31	124.46	120.30
1	A	225	ARG	NE-CZ-NH2	-8.23	116.19	120.30
2	B	334	GLU	OE1-CD-OE2	-8.18	113.49	123.30
2	B	150	ARG	NE-CZ-NH2	-8.07	116.27	120.30
2	B	363	ARG	NE-CZ-NH1	7.90	124.25	120.30
1	A	112	ASP	CB-CG-OD2	-7.86	111.23	118.30
2	B	100	ARG	NE-CZ-NH1	7.68	124.14	120.30
2	B	203	GLU	OE1-CD-OE2	-7.68	114.08	123.30
1	A	130	ASP	CB-CG-OD1	7.63	125.17	118.30
2	B	341	ARG	NE-CZ-NH2	-7.59	116.50	120.30
2	B	331	GLU	OE1-CD-OE2	-7.53	114.27	123.30
2	B	106	ILE	CA-CB-CG2	7.20	125.31	110.90
2	B	296	GLU	OE1-CD-OE2	-7.09	114.80	123.30
2	B	186	TYR	CB-CG-CD2	-7.03	116.78	121.00
1	A	159	ASP	CB-CG-OD1	7.00	124.60	118.30
2	B	394	ARG	NE-CZ-NH2	-6.93	116.84	120.30
2	B	62	CYS	O-C-N	-6.82	111.80	122.70
1	A	14	ARG	NE-CZ-NH2	-6.78	116.91	120.30
2	B	148	ARG	NE-CZ-NH2	-6.75	116.92	120.30
1	A	256	ARG	NE-CZ-NH2	6.74	123.67	120.30
2	B	222	ARG	CG-CD-NE	6.73	125.93	111.80
2	B	206	ARG	NH1-CZ-NH2	-6.72	112.00	119.40
1	A	38	ASP	CB-CG-OD2	6.68	124.31	118.30
1	A	194	HIS	CA-CB-CG	-6.66	102.28	113.60
1	A	175	TYR	CB-CG-CD1	-6.61	117.03	121.00
1	A	89	ARG	NE-CZ-NH1	-6.57	117.02	120.30
1	A	85	LEU	CA-CB-CG	6.54	130.34	115.30
1	A	114	PHE	CB-CG-CD1	-6.52	116.24	120.80
1	A	114	PHE	CB-CG-CD2	6.50	125.35	120.80
1	A	175	TYR	CB-CG-CD2	6.45	124.87	121.00
1	A	193	LEU	CA-CB-CG	6.42	130.06	115.30
2	B	152	MET	CA-CB-CG	-6.40	102.43	113.30
2	B	279	TYR	CA-CB-CG	-6.30	101.44	113.40
1	A	267	ARG	NE-CZ-NH2	-6.22	117.19	120.30
1	A	135	GLU	OE1-CD-OE2	-6.18	115.89	123.30
2	B	349	LEU	CA-CB-CG	6.18	129.51	115.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	55	ARG	NE-CZ-NH1	6.17	123.39	120.30
1	A	60	ASP	CB-CG-OD1	-6.11	112.80	118.30
2	B	100	ARG	NH1-CZ-NH2	-6.11	112.68	119.40
2	B	350	GLU	CG-CD-OE1	6.10	130.51	118.30
2	B	275	ARG	CA-CB-CG	6.08	126.78	113.40
1	A	23	VAL	N-CA-CB	6.07	124.86	111.50
2	B	74	TYR	CB-CG-CD2	6.04	124.62	121.00
2	B	369	GLU	CA-CB-CG	-6.03	100.14	113.40
1	A	70	ARG	NE-CZ-NH2	-6.01	117.30	120.30
1	A	256	ARG	CD-NE-CZ	5.99	131.98	123.60
2	B	180	SER	CB-CA-C	-5.94	98.81	110.10
2	B	394	ARG	NE-CZ-NH1	5.93	123.27	120.30
2	B	389	ASP	CB-CG-OD2	-5.93	112.96	118.30
1	A	15	ARG	NE-CZ-NH1	5.90	123.25	120.30
1	A	50	LEU	CB-CG-CD1	5.89	121.02	111.00
2	B	150	ARG	NH1-CZ-NH2	5.89	125.88	119.40
1	A	3	ARG	NE-CZ-NH1	-5.87	117.37	120.30
2	B	286	MET	CG-SD-CE	5.87	109.59	100.20
2	B	275	ARG	NH1-CZ-NH2	-5.83	112.99	119.40
1	A	255	LEU	CA-CB-CG	5.78	128.59	115.30
1	A	108	ASN	O-C-N	-5.74	113.51	122.70
1	A	90	GLU	CA-CB-CG	5.73	126.01	113.40
2	B	25	LEU	CB-CG-CD1	5.72	120.72	111.00
2	B	100	ARG	NE-CZ-NH2	5.71	123.15	120.30
2	B	75	LEU	CA-CB-CG	5.71	128.43	115.30
1	A	212	PHE	N-CA-CB	5.70	120.86	110.60
2	B	197	TYR	CB-CG-CD2	5.66	124.39	121.00
1	A	5	GLU	OE1-CD-OE2	-5.58	116.60	123.30
1	A	113	ALA	CB-CA-C	-5.58	101.73	110.10
2	B	5	LEU	N-CA-CB	-5.51	99.38	110.40
2	B	106	ILE	CB-CG1-CD1	-5.50	98.49	113.90
1	A	89	ARG	NE-CZ-NH2	5.49	123.05	120.30
1	A	70	ARG	CD-NE-CZ	5.47	131.25	123.60
2	B	62	CYS	CA-C-O	5.44	131.53	120.10
2	B	29	GLU	CG-CD-OE2	5.44	129.18	118.30
2	B	357	HIS	CA-CB-CG	-5.43	104.37	113.60
2	B	343	GLU	OE1-CD-OE2	-5.38	116.85	123.30
2	B	8	TYR	CZ-CE2-CD2	-5.34	115.00	119.80
2	B	41	PHE	CB-CG-CD2	-5.31	117.08	120.80
2	B	363	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	A	164	ARG	NE-CZ-NH2	-5.24	117.68	120.30
2	B	131	ARG	NH1-CZ-NH2	-5.20	113.67	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	92	LEU	CA-CB-CG	5.17	127.20	115.30
2	B	55	ARG	NH1-CZ-NH2	-5.17	113.71	119.40
2	B	36	GLN	CG-CD-NE2	-5.17	104.31	116.70
2	B	93	GLY	CA-C-O	5.16	129.89	120.60
2	B	218	ASP	CB-CG-OD1	5.11	122.90	118.30
1	A	149	ALA	N-CA-CB	-5.10	102.96	110.10
2	B	329	ASP	CB-CG-OD1	5.10	122.89	118.30
2	B	280	PHE	CB-CG-CD2	5.08	124.36	120.80
1	A	19	PHE	N-CA-CB	5.06	119.71	110.60
2	B	324	TYR	CB-CG-CD1	-5.05	117.97	121.00
1	A	18	ALA	CB-CA-C	5.03	117.65	110.10
2	B	36	GLN	CB-CG-CD	5.03	124.67	111.60
2	B	359	LEU	CB-CG-CD1	5.02	119.54	111.00
1	A	85	LEU	CB-CG-CD1	5.01	119.52	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	317	ASN	Mainchain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1975	0	1979	49	0
2	B	2988	0	2965	48	0
3	B	1	0	0	0	0
4	A	18	0	11	1	0
5	B	15	0	7	1	0
6	A	65	0	0	2	0
6	B	125	0	0	2	0
All	All	5187	0	4962	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:267:HIS:HD2	2:B:269:ALA:H	1.15	0.94
2:B:89:ASN:HD22	2:B:205:GLN:HE22	1.21	0.89
2:B:358:ALA:HA	2:B:361:MET:HE3	1.62	0.81
2:B:358:ALA:HA	2:B:361:MET:CE	2.13	0.78
1:A:56:ASP:HB3	2:B:279:TYR:OH	1.85	0.76
2:B:81:LEU:HD13	2:B:88:THR:HB	1.67	0.76
1:A:23:VAL:HG21	1:A:37:ILE:HD11	1.69	0.73
1:A:180:SER:OG	2:B:20:ILE:HD11	1.91	0.70
2:B:55:ARG:HB3	2:B:56:PRO:HA	1.77	0.67
1:A:137:ALA:HB3	1:A:138:PRO:HD3	1.78	0.65
1:A:211:GLY:O	1:A:212:PHE:HB2	1.96	0.65
2:B:386:THR:O	2:B:390:ILE:HD13	1.96	0.65
2:B:143:SER:N	2:B:144:PRO:HD2	2.13	0.63
1:A:30:ILE:HD13	1:A:31:GLU:N	2.14	0.62
2:B:11:GLU:HG2	2:B:11:GLU:O	2.01	0.61
1:A:23:VAL:CG2	1:A:37:ILE:HD11	2.32	0.60
1:A:86:ALA:HB2	1:A:121:VAL:HG22	1.83	0.60
1:A:2:GLU:HG3	1:A:6:ASN:ND2	2.18	0.58
1:A:177:LEU:HD11	1:A:212:PHE:CD2	2.38	0.58
2:B:267:HIS:CD2	2:B:269:ALA:H	2.08	0.56
1:A:183:THR:HG22	1:A:212:PHE:CE1	2.41	0.56
1:A:56:ASP:OD2	2:B:167:LYS:HG2	2.05	0.56
1:A:42:ASP:OD2	1:A:256:ARG:NH1	2.41	0.54
1:A:40:LEU:HD12	1:A:259:VAL:HG21	1.89	0.54
2:B:217:LEU:HD11	2:B:223:LEU:HD13	1.91	0.53
2:B:89:ASN:HD22	2:B:205:GLN:NE2	2.01	0.52
2:B:193:GLY:HA2	2:B:280:PHE:O	2.09	0.52
2:B:61:LYS:HB2	2:B:74:TYR:CE2	2.45	0.52
2:B:358:ALA:HA	2:B:361:MET:HE2	1.92	0.51
1:A:264:ALA:HA	1:A:267:ARG:HH11	1.76	0.51
1:A:112:ASP:OD2	1:A:146:HIS:HE1	1.93	0.51
1:A:96:PRO:HA	1:A:124:ASP:OD2	2.12	0.49
2:B:135:GLY:HA3	2:B:164:ALA:HB1	1.93	0.49
1:A:216:SER:O	1:A:219:GLN:HB2	2.13	0.49
2:B:165:THR:HG22	2:B:168:ASP:OD2	2.14	0.48
2:B:271:LEU:HD11	2:B:314:ALA:HA	1.95	0.48
2:B:171:ASN:O	2:B:175:ARG:HG3	2.13	0.48
2:B:103:LYS:NZ	2:B:181:TYR:O	2.45	0.48
1:A:194:HIS:O	1:A:198:GLU:HG2	2.12	0.48
1:A:177:LEU:HD11	1:A:212:PHE:CE2	2.48	0.48
2:B:188:LEU:HD23	6:B:510:HOH:O	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:385:PHE:N	2:B:385:PHE:CD1	2.82	0.47
2:B:385:PHE:HD1	2:B:385:PHE:H	1.62	0.47
1:A:263:LYS:HE2	6:A:301:HOH:O	2.15	0.47
2:B:262:ILE:HG12	6:B:436:HOH:O	2.14	0.47
2:B:217:LEU:CD1	2:B:223:LEU:HD13	2.45	0.47
1:A:26:GLY:HA3	1:A:76:VAL:HG21	1.96	0.47
2:B:391:LEU:HA	2:B:391:LEU:HD23	1.81	0.47
1:A:77:THR:HG23	1:A:80:GLN:NE2	2.30	0.47
1:A:22:PHE:HA	1:A:49:GLU:O	2.14	0.47
1:A:95:ILE:HA	1:A:96:PRO:HD3	1.83	0.46
2:B:79:ASP:HB2	2:B:379:ARG:HB3	1.98	0.46
2:B:206:ARG:HD3	2:B:210:GLU:OE2	2.15	0.46
2:B:22:MET:N	2:B:23:PRO:CD	2.78	0.46
2:B:117:VAL:HG21	2:B:145:ASN:HD22	1.79	0.46
2:B:216:ILE:HG21	2:B:224:PRO:HD3	1.97	0.46
1:A:38:ASP:OD2	1:A:91:LYS:NZ	2.42	0.46
1:A:108:ASN:HA	6:A:288:HOH:O	2.16	0.46
1:A:20:VAL:O	1:A:232:ILE:HA	2.17	0.45
1:A:21:PRO:HD2	1:A:47:ALA:O	2.17	0.45
2:B:134:MET:CE	2:B:142:GLN:HB2	2.47	0.45
1:A:22:PHE:CD1	1:A:22:PHE:C	2.90	0.45
2:B:163:SER:O	2:B:164:ALA:HB3	2.17	0.45
1:A:263:LYS:HA	1:A:263:LYS:HD2	1.77	0.44
2:B:165:THR:O	2:B:166:LEU:C	2.55	0.44
1:A:215:SER:OG	1:A:236:ALA:HB2	2.17	0.44
1:A:37:ILE:HD13	1:A:37:ILE:N	2.31	0.44
2:B:142:GLN:O	2:B:146:VAL:HG23	2.17	0.44
1:A:57:PRO:HB2	1:A:60:ASP:HB2	1.99	0.43
1:A:2:GLU:HG3	1:A:6:ASN:HD21	1.83	0.43
2:B:38:ASP:HA	2:B:39:PRO:HD3	1.77	0.43
1:A:104:ASN:HB2	2:B:278:ILE:O	2.19	0.43
2:B:205:GLN:HA	2:B:205:GLN:NE2	2.34	0.42
2:B:143:SER:N	2:B:144:PRO:CD	2.82	0.42
1:A:58:LEU:C	1:A:58:LEU:HD12	2.39	0.42
1:A:171:ARG:HD2	1:A:171:ARG:HH11	1.60	0.42
2:B:115:HIS:CE1	2:B:189:GLY:HA2	2.54	0.42
1:A:58:LEU:HD12	1:A:59:ALA:N	2.35	0.42
2:B:87:LYS:NZ	5:B:401:PLP:O3	2.53	0.41
1:A:95:ILE:HG13	1:A:96:PRO:CD	2.51	0.41
2:B:65:ILE:HG23	2:B:342:HIS:HB2	2.02	0.41
1:A:220:VAL:O	1:A:224:VAL:HG23	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:VAL:HG23	1:A:183:THR:O	2.20	0.41
2:B:385:PHE:N	2:B:385:PHE:HD1	2.18	0.41
1:A:11:LEU:CD1	1:A:18:ALA:HB2	2.50	0.41
2:B:224:PRO:HA	2:B:371:LEU:HD13	2.03	0.41
1:A:67:ALA:HB2	1:A:238:VAL:HG11	2.02	0.41
1:A:227:GLY:O	1:A:228:ALA:C	2.57	0.41
1:A:183:THR:HG21	4:A:269:FIP:C8	2.51	0.41
1:A:160:ASP:OD1	1:A:203:TYR:OH	2.22	0.40
1:A:27:ASP:HA	1:A:28:PRO:HA	1.82	0.40
2:B:110:THR:O	2:B:169:LEU:HD13	2.20	0.40
1:A:140:ARG:HH11	1:A:140:ARG:HD3	1.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	258/268 (96%)	248 (96%)	9 (4%)	1 (0%)	39	43
2	B	391/396 (99%)	382 (98%)	9 (2%)	0	100	100
All	All	649/664 (98%)	630 (97%)	18 (3%)	1 (0%)	52	61

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	212	PHE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	204/208 (98%)	187 (92%)	17 (8%)	14	12
2	B	309/311 (99%)	280 (91%)	29 (9%)	11	8
All	All	513/519 (99%)	467 (91%)	46 (9%)	12	10

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	ASN
1	A	13	ASP
1	A	30	ILE
1	A	40	LEU
1	A	50	LEU
1	A	69	LEU
1	A	85	LEU
1	A	105	LEU
1	A	121	VAL
1	A	133	VAL
1	A	161	ASP
1	A	162	LEU
1	A	171	ARG
1	A	200	LEU
1	A	209	LEU
1	A	245	LEU
1	A	255	LEU
2	B	5	LEU
2	B	25	LEU
2	B	40	GLU
2	B	75	LEU
2	B	80	LEU
2	B	81	LEU
2	B	92	LEU
2	B	97	LEU
2	B	106	ILE
2	B	109	GLU
2	B	126	LEU
2	B	138	ASP
2	B	151	LEU
2	B	163	SER
2	B	166	LEU
2	B	188	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	196	PRO
2	B	206	ARG
2	B	207	MET
2	B	217	LEU
2	B	223	LEU
2	B	297	SER
2	B	301	SER
2	B	316	LEU
2	B	349	LEU
2	B	359	LEU
2	B	371	LEU
2	B	385	PHE
2	B	392	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	ASN
1	A	65	GLN
1	A	66	ASN
1	A	80	GLN
1	A	146	HIS
1	A	157	ASN
1	A	244	ASN
2	B	44	GLN
2	B	145	ASN
2	B	205	GLN
2	B	267	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.



## 5.6 Ligand geometry

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
4	FIP	A	269	-	18,19,19	1.23	1 (5%)	19,27,27	1.63	4 (21%)
5	PLP	B	401	2	15,15,16	2.44	4 (26%)	21,22,23	2.94	9 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FIP	A	269	-	-	0/8/8/8	0/2/2/2
5	PLP	B	401	2	-	0/6/6/8	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	401	PLP	C3-C2	-7.02	1.35	1.40
5	B	401	PLP	C5-C4	-4.23	1.35	1.40
5	B	401	PLP	P-O3P	-2.76	1.44	1.54
5	B	401	PLP	C2-N1	2.22	1.38	1.34
4	A	269	FIP	C4-C5	3.07	1.41	1.35

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	401	PLP	C6-C5-C4	-4.98	113.92	118.15
5	B	401	PLP	C4A-C4-C3	-3.46	114.09	120.36
4	A	269	FIP	C2P-C3P-C3	-2.91	104.82	114.11
4	A	269	FIP	C6-C7-C8	-2.71	117.94	120.88
4	A	269	FIP	C5-C4-C9	-2.55	116.49	118.64
5	B	401	PLP	C3-C2-N1	-2.49	117.17	120.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	401	PLP	O2P-P-O4P	-2.26	100.07	106.56
4	A	269	FIP	OP3-P-OP1	2.54	118.74	110.58
5	B	401	PLP	C2A-C2-C3	3.50	125.26	121.04
5	B	401	PLP	C5A-C5-C4	3.93	126.86	121.65
5	B	401	PLP	O3-C3-C2	4.00	124.61	117.66
5	B	401	PLP	O4P-C5A-C5	5.28	117.72	108.99
5	B	401	PLP	C3-C4-C5	6.76	126.16	118.78

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	269	FIP	1	0
5	B	401	PLP	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	262/268 (97%)	-0.39	7 (2%) 58 62	20, 40, 75, 106	0
2	B	393/396 (99%)	-0.68	10 (2%) 61 65	15, 25, 62, 109	0
All	All	655/664 (98%)	-0.56	17 (2%) 59 63	15, 31, 73, 109	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	162	GLY	5.7
1	A	1	MET	4.6
2	B	163	SER	4.4
1	A	194	HIS	4.3
2	B	141	ARG	4.2
2	B	161	SER	3.8
1	A	186	GLU	3.6
2	B	63	GLN	3.0
2	B	137	LYS	2.9
2	B	140	GLU	2.9
1	A	185	ALA	2.6
1	A	15	ARG	2.6
2	B	2	THR	2.6
1	A	14	ARG	2.3
2	B	164	ALA	2.2
2	B	392	LYS	2.2
1	A	195	HIS	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
5	PLP	B	401	15/16	0.99	0.07	-0.21	14,18,22,22	0
4	FIP	A	269	18/18	0.97	0.09	-0.39	37,40,45,47	0
3	NA	B	400	1/1	0.97	0.08	-0.75	21,21,21,21	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.