



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 06:07 PM GMT

PDB ID : 1G5Q
Title : EPID H67N COMPLEXED WITH SUBSTRATE PEPTIDE DSYTC
Authors : Blaesse, M.; Kupke, T.; Huber, R.; Steinbacher, S.
Deposited on : 2000-11-02
Resolution : 2.57 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20026982


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	3003 (2.60-2.56)
Ramachandran outliers	100387	2956 (2.60-2.56)
Sidechain outliers	100360	2956 (2.60-2.56)


The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	181	 74% 22% . .
1	D	181	 78% 17% . .
1	G	181	 76% 20% .
1	L	181	 76% 19% . .
2	M	5	 40% 60%
2	N	5	 60% 40%
2	O	5	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	P	5	 60% 40%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6040 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called EPIDERMIN MODIFYING ENZYME EPID.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	174	Total	C	N	O	S	0	0	0
			1401	902	230	260	9			
1	D	174	Total	C	N	O	S	0	0	0
			1401	902	230	260	9			
1	G	174	Total	C	N	O	S	0	0	0
			1401	902	230	260	9			
1	L	174	Total	C	N	O	S	0	0	0
			1401	902	230	260	9			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	67	ASN	HIS	ENGINEERED	UNP P30197
D	67	ASN	HIS	ENGINEERED	UNP P30197
G	67	ASN	HIS	ENGINEERED	UNP P30197
L	67	ASN	HIS	ENGINEERED	UNP P30197


- Molecule 2 is a protein called LANTIBIOTIC EPIDERMIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	M	5	Total	C	N	O	S	0	0	0
			40	23	5	11	1			
2	N	5	Total	C	N	O	S	0	0	0
			40	23	5	11	1			
2	O	5	Total	C	N	O	S	0	0	0
			40	23	5	11	1			
2	P	5	Total	C	N	O	S	0	0	0
			40	23	5	11	1			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	401	ASP	ASN	SEE REMARK 999	UNP P08136
N	401	ASP	ASN	SEE REMARK 999	UNP P08136
O	401	ASP	ASN	SEE REMARK 999	UNP P08136
P	401	ASP	ASN	SEE REMARK 999	UNP P08136
M	404	THR	CYS	SEE REMARK 999	UNP P08136
N	404	THR	CYS	SEE REMARK 999	UNP P08136
O	404	THR	CYS	SEE REMARK 999	UNP P08136
P	404	THR	CYS	SEE REMARK 999	UNP P08136

- Molecule 3 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $C_{17}H_{21}N_4O_9P$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	G	1	Total	C	N	O	0	0
			8	4	1	3		
4	A	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	29	Total	O	0	0
			29	29		
5	D	47	Total	O	0	0
			47	47		
5	G	27	Total	O	0	0
			27	27		
5	L	29	Total	O	0	0
			29	29		
5	O	3	Total	O	0	0
			3	3		
5	P	1	Total	O	0	0
			1	1		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: EPIDERMIN MODIFYING ENZYME EPID




• Molecule 1: EPIDERMIN MODIFYING ENZYME EPID



• Molecule 1: EPIDERMIN MODIFYING ENZYME EPID



• Molecule 1: EPIDERMIN MODIFYING ENZYME EPID





- Molecule 2: LANTIBIOTIC EPIDERMIN



- Molecule 2: LANTIBIOTIC EPIDERMIN



- Molecule 2: LANTIBIOTIC EPIDERMIN



There are no outlier residues recorded for this chain.

- Molecule 2: LANTIBIOTIC EPIDERMIN



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	I 21 3	Depositor
Cell constants a, b, c, α , β , γ	223.55Å 223.55Å 223.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.92 – 2.57	Depositor
% Data completeness (in resolution range)	95.8 (19.92-2.57)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	6.80	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.209 , 0.226	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6040	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/1428	0.61	0/1940
1	D	0.37	0/1428	0.61	0/1940
1	G	0.38	0/1428	0.60	0/1940
1	L	0.37	0/1428	0.60	0/1940
2	M	0.54	0/40	0.58	0/52
2	N	0.49	0/40	0.49	0/52
2	O	0.62	0/40	0.59	0/52
2	P	0.50	0/40	0.55	0/52
All	All	0.38	0/5872	0.60	0/7968

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1401	0	1416	26	0
1	D	1401	0	1416	22	0
1	G	1401	0	1416	20	0
1	L	1401	0	1416	20	0
2	M	40	0	29	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	N	40	0	29	3	0
2	O	40	0	29	0	0
2	P	40	0	29	1	0
3	A	31	0	19	1	0
3	D	31	0	19	1	0
3	G	31	0	19	1	0
3	L	31	0	19	0	0
4	A	8	0	11	0	0
4	G	8	0	12	0	0
5	A	29	0	0	3	2
5	D	47	0	0	2	0
5	G	27	0	0	2	0
5	L	29	0	0	0	0
5	O	3	0	0	0	0
5	P	1	0	0	0	0
All	All	6040	0	5879	88	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:24:GLU:HB3	1:L:165:ILE:HD12	1.37	1.06
1:G:24:GLU:HB3	1:G:165:ILE:HD12	1.37	1.06
1:D:24:GLU:HB3	1:D:165:ILE:HD12	1.37	1.06
1:A:24:GLU:HB3	1:A:165:ILE:HD12	1.35	1.05
1:D:152:SER:HB2	2:N:405:CYS:O	1.85	0.76
1:G:153:SER:OG	1:G:155:ARG:HG2	1.91	0.71
1:G:155:ARG:HD2	1:G:157:LYS:HE2	1.73	0.70
1:L:33:ASN:HD22	1:L:55:ASN:H	1.46	0.64
1:L:88:ASN:HD21	1:L:126:LEU:HA	1.66	0.60
1:A:88:ASN:HD21	1:A:126:LEU:HA	1.66	0.60
1:G:33:ASN:HD22	1:G:55:ASN:H	1.50	0.60
1:D:88:ASN:HD21	1:D:126:LEU:HA	1.66	0.59
1:G:88:ASN:HD21	1:G:126:LEU:HA	1.67	0.59
1:D:33:ASN:HD22	1:D:55:ASN:H	1.49	0.59
1:A:150:GLU:HA	2:M:404:THR:O	2.02	0.59
1:D:155:ARG:NH1	1:D:157:LYS:HE2	2.18	0.59
1:G:92:ASN:ND2	5:G:418:HOH:O	2.36	0.59
1:A:33:ASN:HD22	1:A:55:ASN:H	1.49	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:ASN:HD21	1:A:54:ASP:HB2	1.68	0.58
1:L:33:ASN:HD21	1:L:54:ASP:HB2	1.69	0.57
1:G:33:ASN:HD21	1:G:54:ASP:HB2	1.69	0.57
1:L:68:ILE:HD13	1:L:105:THR:HG21	1.87	0.57
1:G:33:ASN:ND2	1:G:54:ASP:HB2	2.20	0.57
1:D:155:ARG:CZ	1:D:157:LYS:HE2	2.34	0.57
1:D:117:ASN:OD1	2:N:404:THR:HG23	2.06	0.56
1:A:33:ASN:ND2	1:A:54:ASP:HB2	2.21	0.56
1:L:150:GLU:OE2	1:L:157:LYS:HD2	2.06	0.56
1:G:68:ILE:HD13	1:G:105:THR:HG21	1.87	0.56
1:A:68:ILE:HD13	1:A:105:THR:HG21	1.87	0.55
1:D:33:ASN:HD21	1:D:54:ASP:HB2	1.72	0.55
1:L:153:SER:O	1:L:155:ARG:N	2.35	0.55
1:D:33:ASN:ND2	1:D:54:ASP:HB2	2.22	0.55
1:L:33:ASN:ND2	1:L:54:ASP:HB2	2.22	0.54
1:D:68:ILE:HD13	1:D:105:THR:HG21	1.90	0.53
1:A:118:ILE:HG22	5:A:425:HOH:O	2.09	0.52
1:G:31:GLU:HG2	1:G:54:ASP:CG	2.30	0.52
1:D:118:ILE:HG22	5:D:309:HOH:O	2.10	0.51
1:G:4:LYS:HG2	1:G:31:GLU:HB2	1.93	0.50
1:D:31:GLU:HG2	1:D:54:ASP:CG	2.33	0.49
1:L:154:GLY:O	1:L:155:ARG:HD2	2.13	0.49
1:A:13:ILE:HB	3:A:300:FMN:H6	1.95	0.49
1:L:31:GLU:HG2	1:L:54:ASP:CG	2.33	0.49
1:A:150:GLU:OE1	1:A:157:LYS:HE3	2.14	0.48
1:G:155:ARG:HD2	1:G:157:LYS:CE	2.41	0.48
1:A:31:GLU:HG2	1:A:54:ASP:CG	2.34	0.48
1:G:13:ILE:HB	3:G:302:FMN:H6	1.96	0.48
1:D:4:LYS:HG2	1:D:31:GLU:HB2	1.96	0.47
1:A:150:GLU:CD	1:A:157:LYS:HE3	2.35	0.47
1:A:4:LYS:HG2	1:A:31:GLU:HB2	1.97	0.47
1:D:152:SER:CB	2:N:405:CYS:O	2.59	0.47
1:A:86:THR:O	1:A:90:ILE:HG13	2.16	0.46
1:G:123:ASN:HA	1:G:124:PRO:HD3	1.86	0.46
1:L:33:ASN:ND2	1:L:55:ASN:H	2.14	0.46
1:L:4:LYS:HG2	1:L:31:GLU:HB2	1.98	0.45
1:D:86:THR:O	1:D:90:ILE:HG13	2.17	0.45
1:D:26:LYS:HE2	5:D:330:HOH:O	2.16	0.45
1:A:123:ASN:HA	1:A:124:PRO:HD3	1.87	0.45
1:L:86:THR:O	1:L:90:ILE:HG13	2.15	0.45
1:G:16:ILE:HA	1:G:44:ILE:HG21	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:13:ILE:HB	3:D:301:FMN:H6	1.99	0.45
1:A:152:SER:OG	2:M:405:CYS:O	2.25	0.44
1:G:86:THR:O	1:G:90:ILE:HG13	2.18	0.43
1:D:95:CYS:HA	1:D:100:THR:OG1	2.19	0.43
1:D:16:ILE:HA	1:D:44:ILE:HG21	2.01	0.43
1:D:170:ASN:O	1:D:174:ASN:HB2	2.19	0.43
1:L:152:SER:OG	2:P:405:CYS:OXT	2.34	0.43
1:D:95:CYS:HB2	1:D:101:THR:HA	2.01	0.42
1:A:16:ILE:HA	1:A:44:ILE:HG21	2.01	0.42
1:A:170:ASN:O	1:A:174:ASN:HB2	2.19	0.42
1:L:16:ILE:HA	1:L:44:ILE:HG21	2.01	0.42
1:L:149:PHE:CZ	1:L:154:GLY:HA2	2.55	0.42
1:A:149:PHE:CZ	1:A:154:GLY:HA2	2.55	0.42
1:A:33:ASN:ND2	1:A:55:ASN:H	2.17	0.42
1:L:114:PRO:HB2	1:L:143:PRO:HG3	2.02	0.41
1:L:170:ASN:O	1:L:174:ASN:HB2	2.21	0.41
1:A:153:SER:HB2	1:A:155:ARG:HG3	2.02	0.41
1:A:114:PRO:HB2	1:A:143:PRO:HG3	2.01	0.41
1:D:65:LEU:HD12	1:D:65:LEU:HA	1.95	0.41
1:A:148:SER:HB3	1:A:161:THR:HG22	2.03	0.41
1:G:95:CYS:HA	1:G:100:THR:OG1	2.21	0.41
1:A:26:LYS:HE2	5:A:423:HOH:O	2.20	0.40
1:A:38:PRO:HD2	5:A:404:HOH:O	2.20	0.40
1:A:24:GLU:HB3	1:A:165:ILE:CD1	2.26	0.40
1:G:170:ASN:O	1:G:174:ASN:HB2	2.21	0.40
1:L:95:CYS:HB2	1:L:101:THR:HA	2.03	0.40
1:G:114:PRO:HB2	1:G:143:PRO:HG3	2.03	0.40
1:G:118:ILE:HG22	5:G:403:HOH:O	2.22	0.40
1:L:33:ASN:ND2	1:L:55:ASN:N	2.70	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:405:HOH:O	5:A:405:HOH:O[8_645]	1.53	0.67
5:A:428:HOH:O	5:A:428:HOH:O[8_645]	1.66	0.54

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	172/181 (95%)	167 (97%)	5 (3%)	0	100	100
1	D	172/181 (95%)	168 (98%)	4 (2%)	0	100	100
1	G	172/181 (95%)	168 (98%)	4 (2%)	0	100	100
1	L	172/181 (95%)	167 (97%)	4 (2%)	1 (1%)	30	54
2	M	3/5 (60%)	3 (100%)	0	0	100	100
2	N	3/5 (60%)	3 (100%)	0	0	100	100
2	O	3/5 (60%)	3 (100%)	0	0	100	100
2	P	3/5 (60%)	3 (100%)	0	0	100	100
All	All	700/744 (94%)	682 (97%)	17 (2%)	1 (0%)	56	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	154	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	164/171 (96%)	157 (96%)	7 (4%)	35	62
1	D	164/171 (96%)	157 (96%)	7 (4%)	35	62
1	G	164/171 (96%)	157 (96%)	7 (4%)	35	62
1	L	164/171 (96%)	156 (95%)	8 (5%)	31	56

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	M	5/5 (100%)	4 (80%)	1 (20%)	1	2
2	N	5/5 (100%)	5 (100%)	0	100	100
2	O	5/5 (100%)	5 (100%)	0	100	100
2	P	5/5 (100%)	4 (80%)	1 (20%)	1	2
All	All	676/704 (96%)	645 (95%)	31 (5%)	33	59

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	LYS
1	A	35	LEU
1	A	65	LEU
1	A	104	LEU
1	A	137	ASP
1	A	146	ASN
1	A	158	ASN
2	M	401	ASP
1	D	26	LYS
1	D	35	LEU
1	D	65	LEU
1	D	104	LEU
1	D	137	ASP
1	D	146	ASN
1	D	158	ASN
1	G	26	LYS
1	G	35	LEU
1	G	65	LEU
1	G	104	LEU
1	G	137	ASP
1	G	146	ASN
1	G	158	ASN
1	L	26	LYS
1	L	35	LEU
1	L	65	LEU
1	L	104	LEU
1	L	117	ASN
1	L	137	ASP
1	L	146	ASN
1	L	158	ASN
2	P	401	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (45) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	ASN
1	A	33	ASN
1	A	42	ASN
1	A	55	ASN
1	A	69	ASN
1	A	73	ASN
1	A	85	ASN
1	A	88	ASN
1	A	129	ASN
1	A	135	ASN
1	A	167	ASN
1	D	17	ASN
1	D	33	ASN
1	D	42	ASN
1	D	55	ASN
1	D	69	ASN
1	D	73	ASN
1	D	85	ASN
1	D	88	ASN
1	D	129	ASN
1	D	135	ASN
1	D	167	ASN
1	G	17	ASN
1	G	33	ASN
1	G	42	ASN
1	G	55	ASN
1	G	69	ASN
1	G	73	ASN
1	G	85	ASN
1	G	88	ASN
1	G	92	ASN
1	G	129	ASN
1	G	135	ASN
1	G	167	ASN
1	L	17	ASN
1	L	33	ASN
1	L	42	ASN
1	L	55	ASN
1	L	69	ASN
1	L	73	ASN
1	L	85	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	88	ASN
1	L	129	ASN
1	L	135	ASN
1	L	167	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	FMN	A	300	-	32,33,33	1.59	6 (18%)	34,50,50	2.95	8 (23%)
4	TRS	A	402	-	7,7,7	3.98	3 (42%)	9,9,9	1.72	4 (44%)
3	FMN	D	301	-	32,33,33	1.61	6 (18%)	34,50,50	2.95	9 (26%)
3	FMN	G	302	-	32,33,33	1.65	6 (18%)	34,50,50	2.94	9 (26%)
4	TRS	G	401	-	7,7,7	1.84	2 (28%)	9,9,9	2.74	3 (33%)
3	FMN	L	303	-	32,33,33	1.68	6 (18%)	34,50,50	2.97	9 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FMN	A	300	-	-	0/18/18/18	0/3/3/3
4	TRS	A	402	-	-	0/9/9/9	0/0/0/0
3	FMN	D	301	-	-	0/18/18/18	0/3/3/3
3	FMN	G	302	-	-	0/18/18/18	0/3/3/3
4	TRS	G	401	-	-	0/9/9/9	0/0/0/0
3	FMN	L	303	-	-	0/18/18/18	0/3/3/3

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	402	TRS	C2-C	-9.92	1.39	1.53
4	G	401	TRS	C-N	-2.96	1.46	1.50
4	A	402	TRS	C-N	-2.51	1.47	1.50
4	A	402	TRS	O1-C1	-2.17	1.35	1.42
3	D	301	FMN	C8-C7	2.11	1.46	1.41
3	G	302	FMN	C8-C7	2.28	1.47	1.41
3	L	303	FMN	C8-C7	2.49	1.47	1.41
3	A	300	FMN	C8-C7	2.52	1.47	1.41
3	D	301	FMN	C2-N3	2.65	1.43	1.38
3	G	302	FMN	C2-N3	2.66	1.43	1.38
3	A	300	FMN	C2-N3	2.74	1.43	1.38
3	L	303	FMN	C6-C5A	2.79	1.46	1.41
3	L	303	FMN	C2-N3	2.81	1.44	1.38
3	A	300	FMN	C4-C4A	3.01	1.47	1.41
4	G	401	TRS	C3-C	3.03	1.57	1.53
3	D	301	FMN	C6-C5A	3.13	1.46	1.41
3	L	303	FMN	C4-C4A	3.14	1.47	1.41
3	A	300	FMN	C6-C5A	3.15	1.46	1.41
3	G	302	FMN	C6-C5A	3.23	1.46	1.41
3	D	301	FMN	C4-C4A	3.23	1.47	1.41
3	L	303	FMN	C9A-N10	3.34	1.43	1.38
3	A	300	FMN	C9A-N10	3.35	1.43	1.38
3	D	301	FMN	C9A-N10	3.36	1.43	1.38
3	G	302	FMN	C4-C4A	3.41	1.48	1.41
3	G	302	FMN	C9A-N10	3.48	1.43	1.38
3	A	300	FMN	C4A-C10	4.56	1.49	1.40
3	D	301	FMN	C4A-C10	4.56	1.49	1.40
3	G	302	FMN	C4A-C10	4.59	1.49	1.40
3	L	303	FMN	C4A-C10	5.03	1.50	1.40

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	302	FMN	C4A-C4-N3	-5.78	115.96	123.52
3	L	303	FMN	C4A-C4-N3	-5.78	115.97	123.52
3	A	300	FMN	C4A-C4-N3	-5.72	116.04	123.52
3	D	301	FMN	C4A-C4-N3	-5.54	116.28	123.52
3	D	301	FMN	C4-C4A-C10	-5.35	116.52	119.94
3	L	303	FMN	N3-C2-N1	-5.34	118.69	127.69
3	D	301	FMN	N3-C2-N1	-5.28	118.79	127.69
3	L	303	FMN	C4-C4A-C10	-5.27	116.57	119.94
3	A	300	FMN	N3-C2-N1	-5.22	118.90	127.69
3	G	302	FMN	N3-C2-N1	-5.17	118.98	127.69
3	G	302	FMN	C4-C4A-C10	-5.13	116.66	119.94
3	A	300	FMN	C4A-C10-N10	-5.04	116.86	120.52
3	G	302	FMN	C4A-C10-N10	-5.03	116.86	120.52
3	A	300	FMN	C4-C4A-C10	-4.94	116.78	119.94
3	L	303	FMN	C4A-C10-N10	-4.88	116.98	120.52
3	D	301	FMN	C4A-C10-N10	-4.87	116.98	120.52
3	D	301	FMN	C5A-C9A-N10	-2.99	115.34	117.58
3	A	300	FMN	C5A-C9A-N10	-2.93	115.38	117.58
3	G	302	FMN	C5A-C9A-N10	-2.86	115.43	117.58
4	G	401	TRS	C1-C-N	-2.81	103.11	107.88
3	L	303	FMN	C5A-C9A-N10	-2.81	115.47	117.58
3	L	303	FMN	C6-C5A-C9A	-2.53	116.32	119.11
3	D	301	FMN	C6-C5A-C9A	-2.51	116.33	119.11
4	G	401	TRS	C2-C-C1	-2.37	105.66	110.65
3	A	300	FMN	C6-C5A-C9A	-2.19	116.69	119.11
3	G	302	FMN	C6-C5A-C9A	-2.16	116.72	119.11
4	A	402	TRS	C3-C-C1	-2.06	106.30	110.65
3	L	303	FMN	C4-C4A-N5	2.01	121.14	118.70
3	G	302	FMN	C4-C4A-N5	2.06	121.21	118.70
3	L	303	FMN	C4A-N5-C5A	2.07	119.16	116.72
3	D	301	FMN	C4-C4A-N5	2.13	121.29	118.70
3	D	301	FMN	C4A-N5-C5A	2.18	119.29	116.72
4	A	402	TRS	O3-C3-C	2.31	116.40	110.92
3	A	300	FMN	C4A-N5-C5A	2.42	119.58	116.72
3	G	302	FMN	C4A-N5-C5A	2.51	119.69	116.72
4	A	402	TRS	C3-C-C2	2.53	115.98	110.65
4	A	402	TRS	O2-C2-C	2.73	117.42	110.92
4	G	401	TRS	C2-C-N	6.69	119.25	107.88
3	G	302	FMN	C4-N3-C2	11.98	125.16	115.16
3	D	301	FMN	C4-N3-C2	12.00	125.17	115.16
3	A	300	FMN	C4-N3-C2	12.14	125.29	115.16
3	L	303	FMN	C4-N3-C2	12.23	125.36	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	300	FMN	1	0
3	D	301	FMN	1	0
3	G	302	FMN	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.