



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:53 PM GMT

PDB ID : 4GID
Title : Structure of beta-secretase complexed with inhibitor
Authors : Ghosh, A.; Tang, J.; Venkateswara, R.K.; Yadav, N.; Anderson, D.; Gavande, N.; Huang, X.; Terzyan, S.
Deposited on : 2012-08-08
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	388	<div> <div>9%</div> <div>78%</div> <div>19%</div> <div>.</div> </div>
1	B	388	<div> <div>9%</div> <div>84%</div> <div>14%</div> <div>.</div> </div>
1	C	388	<div> <div>7%</div> <div>84%</div> <div>14%</div> <div>.</div> </div>
1	D	388	<div> <div>6%</div> <div>79%</div> <div>18%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:


Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	LPD	A	502	-	-	-	X
3	LPD	B	502	-	-	-	X
3	LPD	C	502	-	-	-	X
3	LPD	D	502	-	-	-	X

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-secretase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	387	Total 3043	C 1948	N 505	O 576	S 14	6	0	0
1	B	387	Total 3043	C 1948	N 505	O 576	S 14	10	0	0
1	C	388	Total 3049	C 1951	N 506	O 578	S 14	14	0	0
1	D	387	Total 3043	C 1948	N 505	O 576	S 14	18	0	0

- Molecule 2 is N-[(2S)-1-({(2S,3R)-3-HYDROXY-1-[(2-METHYLPROPYL)AMINO]-1-OXOBUTAN-2-YL}AMINO)-3-PHENYLPROPAN-2-YL]-5-[METHYL(METHYLSULFONYL)AMINO]-N'-[(1R)-1-PHENYLETHYL]BENZENE-1,3-DICARBOXAMIDE (three-letter code: 0GH) (formula: C₃₅H₄₇N₅O₆S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			47	35	5	6	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	S	0	0
			47	35	5	6	1		
2	C	1	Total	C	N	O	S	0	0
			47	35	5	6	1		
2	D	1	Total	C	N	O	S	0	0
			47	35	5	6	1		

- Molecule 3 is L-PROLINAMIDE (three-letter code: LPD) (formula: C₅H₁₀N₂O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	5	2	1		
3	B	1	Total	C	N	O	0	0
			8	5	2	1		
3	C	1	Total	C	N	O	0	0
			8	5	2	1		
3	D	1	Total	C	N	O	0	0
			8	5	2	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	316	Total	O	0	0
			316	316		
4	B	279	Total	O	0	0
			279	279		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	330	Total 330	O 330	0	0
4	D	294	Total 294	O 294	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-secretase 1




• Molecule 1: Beta-secretase 1





• Molecule 1: Beta-secretase 1





• Molecule 1: Beta-secretase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	86.43Å 130.35Å 88.40Å 90.00° 97.50° 90.00°	Depositor
Resolution (Å)	34.49 – 2.00 34.49 – 2.00	Depositor EDS
% Data completeness (in resolution range)	95.1 (34.49-2.00) 95.1 (34.49-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.46 (at 2.00Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.216 , 0.252 0.216 , 0.251	Depositor DCC
R_{free} test set	8766 reflections (7.05%)	DCC
Wilson B-factor (Å ²)	24.8	Xtriage
Anisotropy	0.701	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 57.4	EDS
Estimated twinning fraction	0.011 for l,-k,h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	3 of 130464 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13617	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.31 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.4066e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LPD, OGH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.57	0/3121	0.81	3/4243 (0.1%)
1	B	0.57	0/3121	0.79	2/4243 (0.0%)
1	C	0.59	0/3127	0.81	3/4251 (0.1%)
1	D	0.58	0/3121	0.80	3/4243 (0.1%)
All	All	0.58	0/12490	0.80	11/16980 (0.1%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	429	ASP	N-CA-C	-8.10	89.12	111.00
1	B	282	LEU	N-CA-C	-6.49	93.47	111.00
1	A	282	LEU	N-CA-C	-6.47	93.52	111.00
1	C	282	LEU	N-CA-C	-6.36	93.82	111.00
1	D	282	LEU	N-CA-C	-6.20	94.27	111.00
1	D	427	MET	N-CA-C	5.51	125.87	111.00
1	D	390	TYR	N-CA-C	-5.38	96.49	111.00
1	A	241	ILE	N-CA-C	-5.37	96.50	111.00
1	C	246	TYR	N-CA-C	-5.20	96.97	111.00
1	B	246	TYR	N-CA-C	-5.16	97.07	111.00
1	C	241	ILE	N-CA-C	-5.02	97.45	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3043	0	2951	80	0
1	B	3043	0	2951	64	0
1	C	3049	0	2956	59	0
1	D	3043	0	2951	71	0
2	A	47	0	47	5	0
2	B	47	0	47	4	0
2	C	47	0	47	4	0
2	D	47	0	47	8	0
3	A	8	0	10	3	0
3	B	8	0	10	3	0
3	C	8	0	10	2	0
3	D	8	0	10	2	0
4	A	316	0	0	7	0
4	B	279	0	0	10	0
4	C	330	0	0	5	0
4	D	294	0	0	7	0
All	All	13617	0	12037	281	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (281) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:501:0GH:CBN	2:D:501:0GH:CBL	1.76	1.56
1:A:425:LEU:HD22	1:A:427:MET:HE3	1.32	1.11
1:A:360:VAL:HG12	1:A:361:ALA:H	1.29	0.96
1:B:60:GLN:HE21	1:B:161:SER:HA	1.33	0.93
1:A:103:GLN:H	1:A:103:GLN:HE21	1.16	0.93
1:B:103:GLN:HE21	1:B:103:GLN:H	1.18	0.91
1:A:343:SER:HB3	1:A:427:MET:CE	2.02	0.89
1:B:57:LYS:HE3	4:B:806:HOH:O	1.70	0.89
1:A:355:ARG:HH21	1:A:369:LYS:HD3	1.39	0.88
1:A:425:LEU:HD12	1:A:425:LEU:O	1.76	0.85
1:B:412:GLU:CD	1:B:412:GLU:H	1.77	0.85
1:B:159:ASN:HD22	1:B:160:GLY:N	1.77	0.82
1:A:266:LYS:HG3	1:A:429:ASP:O	1.79	0.82
1:C:422:PHE:O	1:C:425:LEU:HD11	1.80	0.80
1:C:210:ASN:C	1:C:210:ASN:HD22	1.85	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:MET:HG2	1:A:138:GLY:HA2	1.63	0.80
1:A:343:SER:HB3	1:A:427:MET:HE3	1.63	0.80
1:D:210:ASN:ND2	1:D:213:GLU:H	1.81	0.79
1:A:355:ARG:NH2	1:A:369:LYS:HD3	1.98	0.79
1:D:270:TYR:O	1:D:271:ASP:HB3	1.83	0.78
1:C:210:ASN:ND2	1:C:213:GLU:HG3	1.97	0.78
2:D:501:0GH:CBL	2:D:501:0GH:NBO	2.49	0.76
1:C:120:THR:OG1	2:C:501:0GH:H14	1.85	0.76
1:D:210:ASN:C	1:D:210:ASN:HD22	1.89	0.75
2:D:501:0GH:CBN	2:D:501:0GH:CBM	2.64	0.74
2:B:501:0GH:H15	4:B:879:HOH:O	1.87	0.74
1:D:243:ARG:HD3	4:D:718:HOH:O	1.87	0.74
1:A:349:LEU:H	1:A:352:GLN:HE21	1.36	0.73
1:A:103:GLN:H	1:A:103:GLN:NE2	1.86	0.73
1:A:415:THR:HG23	1:A:416:ALA:O	1.88	0.73
1:D:425:LEU:HD22	1:D:427:MET:SD	2.29	0.73
1:D:120:THR:OG1	2:D:501:0GH:H14	1.87	0.73
1:A:315:LEU:H	1:A:315:LEU:HD23	1.54	0.72
1:A:360:VAL:HG12	1:A:361:ALA:N	2.03	0.72
1:B:286:LYS:NZ	1:B:374:GLN:HE22	1.87	0.72
1:A:343:SER:HB3	1:A:427:MET:HE1	1.69	0.71
1:A:286:LYS:HE3	1:A:290:GLU:OE2	1.90	0.71
1:D:343:SER:OG	1:D:425:LEU:HD23	1.90	0.70
1:B:112:ARG:NH1	4:B:770:HOH:O	2.22	0.70
1:B:286:LYS:HZ3	1:B:374:GLN:HE22	1.37	0.70
1:B:217:SER:HB3	3:B:502:LPD:H	1.56	0.69
1:C:359:ASP:OD2	1:C:365:ASP:HB2	1.91	0.69
1:A:120:THR:OG1	2:A:501:0GH:H14	1.93	0.68
1:D:349:LEU:H	1:D:352:GLN:HE21	1.40	0.68
1:B:210:ASN:C	1:B:210:ASN:HD22	1.97	0.68
1:B:349:LEU:H	1:B:352:GLN:HE21	1.41	0.68
1:C:349:LEU:H	1:C:352:GLN:HE21	1.41	0.68
1:D:270:TYR:O	1:D:271:ASP:CB	2.42	0.67
1:A:410:HIS:HD2	1:A:411:ASP:O	1.78	0.66
1:D:426:ASP:O	1:D:427:MET:HB2	1.95	0.65
1:D:193:HIS:H	1:D:193:HIS:CD2	2.14	0.65
1:B:120:THR:OG1	2:B:501:0GH:H14	1.96	0.64
1:B:210:ASN:ND2	1:B:213:GLU:HG3	2.12	0.64
1:B:60:GLN:HE21	1:B:161:SER:CA	2.07	0.64
1:B:423:VAL:HG23	1:B:424:THR:N	2.13	0.63
1:D:349:LEU:H	1:D:352:GLN:NE2	1.97	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:211:GLN:O	1:A:215:LEU:HG	1.98	0.63
2:C:501:OGH:H15	4:C:701:HOH:O	1.98	0.63
1:A:60:GLN:HA	1:A:60:GLN:NE2	2.14	0.62
1:A:271:ASP:OD1	1:A:272:LYS:HG2	2.00	0.62
1:C:428:GLU:HG3	1:C:429:ASP:OD1	2.00	0.61
1:D:55:ARG:HH21	1:D:215:LEU:HA	1.65	0.61
1:B:423:VAL:HG23	1:B:424:THR:H	1.65	0.61
1:D:55:ARG:HD3	4:D:760:HOH:O	1.99	0.61
1:A:217:SER:HB3	3:A:502:LPD:H	1.64	0.61
1:D:341:ASN:O	1:D:425:LEU:HD11	2.00	0.61
1:B:349:LEU:H	1:B:352:GLN:NE2	1.98	0.61
1:D:342:GLN:HG3	1:D:421:PRO:HB2	1.83	0.61
1:C:343:SER:HB3	1:C:425:LEU:HD13	1.83	0.61
1:A:349:LEU:H	1:A:352:GLN:NE2	1.99	0.61
1:A:159:ASN:HD22	1:A:160:GLY:N	1.99	0.61
1:B:410:HIS:HD2	1:B:411:ASP:O	1.83	0.60
1:C:349:LEU:H	1:C:352:GLN:NE2	1.99	0.60
1:B:286:LYS:HD3	1:B:374:GLN:OE1	2.02	0.60
1:D:217:SER:HB2	3:D:502:LPD:H	1.66	0.60
1:C:309:PHE:CD1	1:C:316:VAL:HG23	2.37	0.60
1:D:218:VAL:O	3:D:502:LPD:HA	2.02	0.59
1:C:218:VAL:O	3:C:502:LPD:HA	2.02	0.59
1:C:343:SER:HB3	1:C:427:MET:CE	2.33	0.58
1:D:229:HIS:HA	1:D:232:TYR:CE1	2.38	0.58
1:B:103:GLN:HE21	1:B:103:GLN:N	1.96	0.58
1:C:210:ASN:ND2	1:C:213:GLU:H	2.02	0.58
1:A:139:PRO:HD3	1:A:224:ILE:HB	1.86	0.57
1:B:210:ASN:HD21	1:B:213:GLU:HG3	1.69	0.57
1:C:210:ASN:C	1:C:210:ASN:ND2	2.57	0.57
1:B:218:VAL:O	3:B:502:LPD:HA	2.05	0.56
1:C:113:LYS:NZ	4:C:703:HOH:O	2.33	0.56
1:A:341:ASN:O	1:A:425:LEU:HD11	2.06	0.56
1:A:422:PHE:O	1:A:425:LEU:HD21	2.05	0.56
1:D:213:GLU:O	1:D:217:SER:OG	2.23	0.56
1:D:193:HIS:HD2	1:D:193:HIS:H	1.53	0.56
1:B:393:PHE:HE2	4:B:817:HOH:O	1.89	0.56
1:A:315:LEU:HD12	1:A:367:CYS:HB3	1.88	0.56
1:A:360:VAL:CG1	1:A:361:ALA:H	2.12	0.56
1:B:159:ASN:HD22	1:B:159:ASN:C	2.08	0.56
1:A:358:GLU:HG3	1:A:360:VAL:O	2.05	0.55
1:D:425:LEU:N	1:D:425:LEU:HD12	2.21	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:197:LEU:HD23	1:D:197:LEU:C	2.26	0.55
1:D:93:HIS:CG	1:D:94:PRO:HD2	2.42	0.55
1:B:60:GLN:NE2	1:B:161:SER:HA	2.13	0.55
2:A:501:OGH:H15	4:A:692:HOH:O	2.07	0.55
1:C:197:LEU:HD23	1:C:197:LEU:C	2.27	0.55
1:D:422:PHE:O	1:D:425:LEU:HD21	2.07	0.55
1:D:210:ASN:HD21	1:D:213:GLU:H	1.54	0.54
1:C:428:GLU:HG3	1:C:429:ASP:N	2.23	0.54
1:B:412:GLU:CD	1:B:412:GLU:N	2.55	0.53
1:D:176:ARG:HD2	4:D:752:HOH:O	2.08	0.53
1:B:363:SER:HB2	4:B:749:HOH:O	2.08	0.53
1:A:270:TYR:O	1:A:271:ASP:HB3	2.09	0.53
1:C:312:GLY:HA3	4:C:725:HOH:O	2.08	0.53
1:C:359:ASP:OD2	1:C:363:SER:OG	2.26	0.53
1:B:103:GLN:H	1:B:103:GLN:NE2	1.97	0.53
1:A:315:LEU:H	1:A:315:LEU:CD2	2.21	0.53
1:D:286:LYS:HD3	1:D:374:GLN:OE1	2.08	0.53
1:B:362:THR:O	1:B:362:THR:HG22	2.09	0.53
1:A:103:GLN:N	1:A:103:GLN:HE21	1.98	0.53
1:A:205:ALA:HB2	3:A:502:LPD:HB3	1.90	0.53
1:A:297:LYS:HE2	1:A:310:TRP:CD1	2.44	0.53
1:C:343:SER:HB3	1:C:427:MET:HE1	1.91	0.53
1:D:428:GLU:N	4:D:787:HOH:O	2.42	0.53
2:B:501:OGH:CBJ	4:B:879:HOH:O	2.51	0.52
1:C:243:ARG:HD3	4:C:780:HOH:O	2.07	0.52
1:A:173:GLU:OE2	1:A:243:ARG:NH1	2.43	0.52
1:D:423:VAL:HG12	1:D:423:VAL:O	2.10	0.52
1:B:320:ALA:HB2	1:B:364:GLN:O	2.09	0.52
1:A:60:GLN:HG3	4:A:849:HOH:O	2.10	0.51
1:A:364:GLN:HA	1:A:364:GLN:OE1	2.11	0.51
1:C:410:HIS:HD2	1:C:411:ASP:O	1.93	0.51
1:B:60:GLN:NE2	1:B:160:GLY:O	2.44	0.51
1:C:197:LEU:HD23	1:C:198:PHE:N	2.26	0.51
1:C:336:MET:HA	1:C:427:MET:CE	2.40	0.50
1:D:93:HIS:ND1	1:D:94:PRO:HD2	2.26	0.50
1:D:335:LEU:O	1:D:343:SER:HB2	2.11	0.50
1:B:247:TYR:HB3	1:B:400:ILE:HD11	1.92	0.50
1:C:315:LEU:HD13	1:C:317:CYS:SG	2.51	0.50
1:D:79:VAL:HG13	1:D:169:LEU:HD11	1.94	0.50
1:D:48:VAL:HG23	1:D:49:GLU:N	2.27	0.50
1:B:178:ASP:OD2	1:B:180:SER:N	2.44	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:211:GLN:O	1:B:215:LEU:HG	2.12	0.49
1:D:210:ASN:C	1:D:210:ASN:ND2	2.63	0.49
1:D:199:SER:OG	1:D:223:ILE:HB	2.13	0.49
1:A:59:GLY:C	1:A:60:GLN:HE21	2.15	0.49
1:C:222:MET:SD	1:C:224:ILE:HD11	2.52	0.49
1:D:286:LYS:CD	1:D:374:GLN:OE1	2.60	0.49
1:C:362:THR:O	1:C:362:THR:HG22	2.12	0.49
1:C:423:VAL:HG12	1:C:423:VAL:O	2.12	0.49
1:B:95:PHE:CE1	1:B:159:ASN:HB2	2.47	0.48
1:D:98:ARG:HG2	1:D:164:GLU:OE2	2.12	0.48
1:A:50:MET:CG	1:A:138:GLY:HA2	2.38	0.48
1:C:59:GLY:C	2:C:501:0GH:H44	2.33	0.48
1:D:309:PHE:CD1	1:D:316:VAL:HG23	2.48	0.48
2:D:501:0GH:CBK	2:D:501:0GH:CBN	2.80	0.48
1:C:270:TYR:O	1:C:271:ASP:CB	2.61	0.48
1:C:210:ASN:HD21	1:C:213:GLU:HG3	1.75	0.48
2:D:501:0GH:H15	4:D:713:HOH:O	2.13	0.48
1:D:47:PHE:CZ	1:D:226:GLY:HA3	2.49	0.48
1:B:58:SER:HA	4:B:739:HOH:O	2.13	0.47
1:A:270:TYR:O	1:A:271:ASP:CB	2.62	0.47
1:B:178:ASP:OD2	1:B:180:SER:CB	2.63	0.47
1:C:342:GLN:HG2	1:C:421:PRO:HB2	1.97	0.47
1:B:57:LYS:NZ	1:B:209:LEU:H	2.12	0.47
1:A:159:ASN:HD22	1:A:160:GLY:H	1.63	0.47
1:D:308:GLY:C	1:D:314:GLN:HG2	2.35	0.47
1:D:261:LEU:HA	1:D:261:LEU:HD12	1.79	0.47
1:C:125:GLU:OE2	1:C:152:GLU:OE1	2.33	0.47
1:B:59:GLY:H	2:B:501:0GH:H45	1.79	0.47
1:A:423:VAL:N	1:C:412:GLU:OE2	2.36	0.47
1:B:302:THR:HG23	4:B:702:HOH:O	2.15	0.47
1:B:315:LEU:HD13	1:B:317:CYS:SG	2.54	0.47
1:B:210:ASN:ND2	1:B:213:GLU:H	2.13	0.47
1:D:79:VAL:HG13	1:D:169:LEU:CD1	2.44	0.47
1:C:79:VAL:HG13	1:C:169:LEU:CD1	2.45	0.47
1:D:410:HIS:HD2	1:D:411:ASP:O	1.97	0.47
1:D:197:LEU:HD23	1:D:198:PHE:N	2.30	0.47
1:D:161:SER:HB2	1:D:163:TRP:CD1	2.50	0.47
1:B:324:PRO:O	1:B:327:ILE:HG12	2.15	0.47
1:A:59:GLY:O	1:A:60:GLN:NE2	2.47	0.46
1:A:60:GLN:HB3	4:A:672:HOH:O	2.15	0.46
1:A:93:HIS:HB3	1:A:96:LEU:HG	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:261:LEU:HD12	1:C:261:LEU:HA	1.78	0.46
1:D:55:ARG:NH2	1:D:215:LEU:O	2.48	0.46
1:C:283:ARG:HB2	1:C:380:VAL:HB	1.97	0.46
1:A:218:VAL:O	3:A:502:LPD:HA	2.16	0.46
1:A:173:GLU:HG2	1:A:245:TRP:HB2	1.97	0.46
1:A:342:GLN:HG3	1:A:421:PRO:HB2	1.98	0.46
1:A:422:PHE:O	1:A:425:LEU:CD2	2.64	0.46
1:C:343:SER:CB	1:C:425:LEU:HD13	2.45	0.46
1:C:336:MET:HA	1:C:427:MET:HE1	1.99	0.45
1:A:360:VAL:CG1	1:A:361:ALA:N	2.77	0.45
1:B:57:LYS:HG2	1:B:60:GLN:OE1	2.16	0.45
1:C:422:PHE:HB2	1:C:425:LEU:HD21	1.96	0.45
1:D:211:GLN:O	1:D:215:LEU:HG	2.16	0.45
1:A:315:LEU:N	1:A:315:LEU:HD23	2.29	0.45
1:B:425:LEU:N	1:B:425:LEU:CD1	2.79	0.45
1:B:79:VAL:HG13	1:B:169:LEU:CD1	2.46	0.45
1:D:178:ASP:OD1	1:D:180:SER:OG	2.25	0.45
1:A:383:ALA:O	1:A:387:GLU:HG3	2.16	0.45
1:C:346:ILE:HB	1:C:389:PHE:CZ	2.51	0.45
1:A:252:VAL:HG21	1:A:427:MET:CE	2.47	0.45
1:B:364:GLN:C	4:B:769:HOH:O	2.55	0.45
1:A:57:LYS:HG2	1:A:58:SER:N	2.32	0.45
1:C:151:THR:O	1:C:152:GLU:HG3	2.16	0.45
1:A:69:GLY:HA2	1:A:131:ASP:OD1	2.16	0.45
1:D:283:ARG:HD2	2:D:501:0GH:H33	1.99	0.44
1:D:59:GLY:C	2:D:501:0GH:H44	2.37	0.44
1:D:359:ASP:OD2	1:D:363:SER:OG	2.35	0.44
1:A:49:GLU:HG2	4:A:798:HOH:O	2.18	0.44
1:A:266:LYS:NZ	1:A:429:ASP:O	2.46	0.44
1:D:173:GLU:O	1:D:173:GLU:HG3	2.15	0.44
1:D:193:HIS:N	1:D:193:HIS:CD2	2.83	0.44
1:C:217:SER:HB2	3:C:502:LPD:H	1.83	0.44
1:B:270:TYR:O	1:B:271:ASP:CB	2.65	0.44
1:B:178:ASP:OD2	1:B:180:SER:HB3	2.18	0.44
1:D:161:SER:O	1:D:162:ASN:HB2	2.18	0.44
1:A:283:ARG:HD2	2:A:501:0GH:H33	1.98	0.44
1:C:315:LEU:C	1:C:315:LEU:HD12	2.38	0.43
1:D:427:MET:HB3	1:D:428:GLU:H	1.38	0.43
1:B:261:LEU:HA	1:B:261:LEU:HD12	1.91	0.43
1:A:121:GLN:O	2:A:501:0GH:H27	2.19	0.43
1:D:359:ASP:OD1	1:D:360:VAL:N	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:425:LEU:H	1:A:425:LEU:HG	1.49	0.43
1:B:423:VAL:CG2	1:B:424:THR:H	2.30	0.43
1:B:425:LEU:HD12	1:B:425:LEU:N	2.33	0.43
1:D:47:PHE:HD2	1:D:50:MET:CE	2.31	0.43
1:D:425:LEU:O	1:D:426:ASP:O	2.36	0.43
1:B:173:GLU:HG2	1:B:245:TRP:HB3	2.00	0.43
1:C:428:GLU:HG3	1:C:429:ASP:H	1.82	0.43
1:B:341:ASN:HA	1:B:427:MET:HE3	2.00	0.43
1:D:392:VAL:O	1:D:400:ILE:HA	2.19	0.43
1:D:245:TRP:CG	1:D:246:TYR:N	2.87	0.43
1:A:432:TYR:HB2	4:A:892:HOH:O	2.19	0.42
1:B:423:VAL:CG2	1:B:424:THR:N	2.81	0.42
1:B:355:ARG:HA	1:B:356:PRO:HD3	1.67	0.42
1:A:51:VAL:O	1:A:52:ASP:HB2	2.19	0.42
1:C:423:VAL:CG1	1:C:423:VAL:O	2.67	0.42
1:A:283:ARG:HB2	1:A:380:VAL:HB	2.02	0.42
1:A:412:GLU:CD	1:C:423:VAL:H	2.22	0.42
1:B:270:TYR:O	1:B:271:ASP:HB2	2.19	0.42
1:B:423:VAL:O	1:B:424:THR:C	2.57	0.42
1:A:261:LEU:HD12	1:A:261:LEU:HA	1.94	0.42
1:C:159:ASN:HD22	1:C:160:GLY:N	2.18	0.42
1:C:270:TYR:O	1:C:271:ASP:HB3	2.20	0.42
1:B:309:PHE:CD1	1:B:316:VAL:HG23	2.53	0.42
1:C:324:PRO:O	1:C:327:ILE:HG12	2.19	0.42
1:D:210:ASN:HD22	1:D:213:GLU:H	1.62	0.42
1:B:374:GLN:HG2	4:B:783:HOH:O	2.20	0.42
1:B:205:ALA:HB2	3:B:502:LPD:HB3	2.02	0.42
1:A:59:GLY:N	2:A:501:OGH:H45	2.35	0.42
1:C:320:ALA:HB2	1:C:364:GLN:O	2.20	0.42
1:D:183:PRO:HB2	1:D:186:ASP:OD1	2.19	0.42
1:B:79:VAL:HG13	1:B:169:LEU:HD12	2.02	0.42
1:D:96:LEU:HD21	1:D:157:PHE:CD1	2.54	0.42
1:A:68:VAL:HG12	1:A:133:VAL:HG22	2.01	0.42
1:A:67:THR:HA	1:A:73:GLN:O	2.20	0.41
1:B:286:LYS:NZ	1:B:290:GLU:OE2	2.47	0.41
1:A:424:THR:HG23	1:C:412:GLU:OE1	2.21	0.41
1:A:197:LEU:C	1:A:197:LEU:HD23	2.40	0.41
1:A:60:GLN:CA	1:A:60:GLN:NE2	2.82	0.41
1:C:79:VAL:HG13	1:C:169:LEU:HD11	2.01	0.41
1:D:55:ARG:NH2	4:D:869:HOH:O	2.53	0.41
1:A:266:LYS:HG2	4:A:892:HOH:O	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:429:ASP:N	1:C:429:ASP:OD1	2.52	0.41
1:D:197:LEU:O	1:D:225:GLY:N	2.53	0.41
1:C:143:VAL:HG11	1:C:188:LEU:HD12	2.02	0.41
1:A:47:PHE:CZ	1:A:226:GLY:HA3	2.56	0.41
2:C:501:0GH:CBJ	4:C:701:HOH:O	2.63	0.41
1:C:342:GLN:CG	1:C:421:PRO:HB2	2.51	0.41
1:D:427:MET:O	1:D:428:GLU:C	2.59	0.41
1:A:118:PRO:HG2	1:A:118:PRO:O	2.21	0.41
1:D:47:PHE:CD1	1:D:47:PHE:N	2.88	0.41
1:A:355:ARG:HH21	1:A:369:LYS:CD	2.23	0.40
1:C:173:GLU:OE2	1:C:243:ARG:NH1	2.54	0.40
1:A:170:ALA:HA	1:A:247:TYR:CE2	2.55	0.40
1:D:210:ASN:HD21	1:D:212:SER:HB2	1.85	0.40
1:C:315:LEU:O	1:C:315:LEU:HD12	2.21	0.40
1:C:422:PHE:O	1:C:425:LEU:CD1	2.62	0.40
1:D:287:LYS:HE3	4:D:839:HOH:O	2.21	0.40
1:A:190:LYS:NZ	4:A:746:HOH:O	2.55	0.40
1:D:342:GLN:CG	1:D:421:PRO:HB2	2.51	0.40
1:A:311:LEU:HA	1:A:311:LEU:HD23	1.93	0.40
1:B:139:PRO:HD3	1:B:224:ILE:HB	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	385/388 (99%)	369 (96%)	11 (3%)	5 (1%)	15	7
1	B	385/388 (99%)	372 (97%)	10 (3%)	3 (1%)	24	15
1	C	386/388 (100%)	373 (97%)	12 (3%)	1 (0%)	46	41
1	D	385/388 (99%)	370 (96%)	9 (2%)	6 (2%)	12	5
All	All	1541/1552 (99%)	1484 (96%)	42 (3%)	15 (1%)	19	11

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	271	ASP
1	A	360	VAL
1	A	428	GLU
1	A	429	ASP
1	B	271	ASP
1	B	424	THR
1	C	271	ASP
1	D	271	ASP
1	D	426	ASP
1	D	427	MET
1	D	428	GLU
1	D	429	ASP
1	D	48	VAL
1	B	118	PRO
1	A	118	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	330/331 (100%)	325 (98%)	5 (2%)	72	75
1	B	330/331 (100%)	321 (97%)	9 (3%)	52	52
1	C	331/331 (100%)	324 (98%)	7 (2%)	61	63
1	D	330/331 (100%)	320 (97%)	10 (3%)	48	47
All	All	1321/1324 (100%)	1290 (98%)	31 (2%)	58	60

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	103	GLN
1	A	159	ASN
1	A	173	GLU
1	A	245	TRP
1	A	415	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	78	LEU
1	B	103	GLN
1	B	159	ASN
1	B	210	ASN
1	B	245	TRP
1	B	282	LEU
1	B	355	ARG
1	B	412	GLU
1	B	424	THR
1	C	159	ASN
1	C	162	ASN
1	C	197	LEU
1	C	210	ASN
1	C	245	TRP
1	C	282	LEU
1	C	425	LEU
1	D	78	LEU
1	D	173	GLU
1	D	193	HIS
1	D	210	ASN
1	D	217	SER
1	D	245	TRP
1	D	282	LEU
1	D	315	LEU
1	D	364	GLN
1	D	425	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	A	76	ASN
1	A	103	GLN
1	A	159	ASN
1	A	352	GLN
1	A	410	HIS
1	B	60	GLN
1	B	76	ASN
1	B	103	GLN
1	B	159	ASN
1	B	210	ASN
1	B	352	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	374	GLN
1	B	410	HIS
1	C	76	ASN
1	C	159	ASN
1	C	210	ASN
1	C	352	GLN
1	C	410	HIS
1	D	60	GLN
1	D	76	ASN
1	D	97	HIS
1	D	121	GLN
1	D	193	HIS
1	D	210	ASN
1	D	259	GLN
1	D	352	GLN
1	D	410	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	0GH	A	501	-	49,49,49	2.71	8 (16%)	61,68,68	1.51	5 (8%)
3	LPD	A	502	-	8,8,8	1.35	1 (12%)	10,10,10	1.50	1 (10%)
2	0GH	B	501	-	49,49,49	2.70	8 (16%)	61,68,68	1.64	5 (8%)
3	LPD	B	502	-	8,8,8	1.53	2 (25%)	10,10,10	1.48	1 (10%)
2	0GH	C	501	-	49,49,49	2.67	8 (16%)	61,68,68	1.47	4 (6%)
3	LPD	C	502	-	8,8,8	0.98	1 (12%)	10,10,10	1.96	1 (10%)
2	0GH	D	501	-	49,49,49	2.85	10 (20%)	61,68,68	1.97	7 (11%)
3	LPD	D	502	-	8,8,8	1.08	1 (12%)	10,10,10	1.88	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	0GH	A	501	-	-	0/52/52/52	0/3/3/3
3	LPD	A	502	-	-	0/4/11/11	0/1/1/1
2	0GH	B	501	-	-	0/52/52/52	0/3/3/3
3	LPD	B	502	-	-	0/4/11/11	0/1/1/1
2	0GH	C	501	-	-	0/52/52/52	0/3/3/3
3	LPD	C	502	-	-	0/4/11/11	0/1/1/1
2	0GH	D	501	-	-	0/52/52/52	0/3/3/3
3	LPD	D	502	-	-	0/4/11/11	0/1/1/1

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501	0GH	CAN-NAE	-6.41	1.33	1.44
2	B	501	0GH	CAN-NAE	-6.37	1.33	1.44
2	C	501	0GH	CAN-NAE	-6.37	1.33	1.44
2	A	501	0GH	CAN-NAE	-6.31	1.34	1.44
2	C	501	0GH	CAI-CBR	-5.52	1.39	1.52
2	D	501	0GH	CAI-CBR	-5.51	1.39	1.52
2	B	501	0GH	CAI-CBR	-5.49	1.39	1.52
2	A	501	0GH	CAI-CBR	-5.41	1.39	1.52
2	A	501	0GH	CAR-CAL	-5.07	1.39	1.50
2	C	501	0GH	CAR-CAL	-5.01	1.39	1.50
2	B	501	0GH	CAR-CAL	-4.98	1.39	1.50
2	D	501	0GH	CAR-CAL	-4.95	1.39	1.50
2	C	501	0GH	CAP-CAT	-4.95	1.39	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	0GH	CAP-CAT	-4.94	1.39	1.50
2	D	501	0GH	CAP-CAT	-4.92	1.39	1.50
2	B	501	0GH	CAP-CAT	-4.87	1.39	1.50
2	B	501	0GH	CAY-CAZ	-4.84	1.39	1.51
2	C	501	0GH	CAY-CAZ	-4.77	1.39	1.51
2	D	501	0GH	CAY-CAZ	-4.69	1.39	1.51
2	A	501	0GH	CAY-CAZ	-4.66	1.39	1.51
3	C	502	LPD	C-N2	2.17	1.37	1.32
3	B	502	LPD	CA-C	2.38	1.56	1.52
3	D	502	LPD	C-N2	2.58	1.38	1.32
2	D	501	0GH	CBN-NBO	3.18	1.55	1.46
3	A	502	LPD	C-N2	3.36	1.39	1.32
3	B	502	LPD	C-N2	3.45	1.39	1.32
2	D	501	0GH	CBN-CBL	5.20	1.76	1.50
2	C	501	0GH	CBP-NBO	5.89	1.45	1.33
2	B	501	0GH	CBP-NBO	6.57	1.47	1.33
2	D	501	0GH	CBP-NBO	6.67	1.47	1.33
2	A	501	0GH	CBP-NBO	6.68	1.47	1.33
2	C	501	0GH	OAD-SAB	9.00	1.53	1.43
2	B	501	0GH	OAC-SAB	9.00	1.53	1.43
2	A	501	0GH	OAC-SAB	9.05	1.53	1.43
2	B	501	0GH	OAD-SAB	9.10	1.53	1.43
2	C	501	0GH	OAC-SAB	9.13	1.53	1.43
2	D	501	0GH	OAD-SAB	9.13	1.53	1.43
2	D	501	0GH	OAC-SAB	9.16	1.53	1.43
2	A	501	0GH	OAD-SAB	9.21	1.53	1.43

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	0GH	CBN-NBO-CBP	-10.84	102.45	122.64
2	B	501	0GH	CBN-NBO-CBP	-8.83	106.21	122.64
2	A	501	0GH	CBN-NBO-CBP	-6.94	109.72	122.64
2	A	501	0GH	OAC-SAB-OAD	-6.81	109.19	118.66
2	B	501	0GH	OAC-SAB-OAD	-6.63	109.44	118.66
2	D	501	0GH	OAC-SAB-OAD	-6.36	109.81	118.66
2	C	501	0GH	CBN-NBO-CBP	-6.30	110.91	122.64
2	C	501	0GH	OAC-SAB-OAD	-6.19	110.06	118.66
2	D	501	0GH	CBL-CBN-NBO	-4.56	97.18	113.81
2	D	501	0GH	CBG-CBP-NBO	-2.25	112.08	116.53
2	A	501	0GH	CBG-CBP-NBO	-2.09	112.39	116.53
2	B	501	0GH	OBV-CBP-NBO	-2.03	119.01	123.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	0GH	OBI-CBH-CBG	2.15	113.71	109.08
2	C	501	0GH	OAC-SAB-NAE	2.40	110.06	106.94
2	D	501	0GH	OAC-SAB-NAE	2.41	110.07	106.94
2	A	501	0GH	OAC-SAB-NAE	2.55	110.25	106.94
2	B	501	0GH	OAC-SAB-NAE	2.59	110.30	106.94
2	B	501	0GH	OAD-SAB-NAE	2.70	110.45	106.94
2	A	501	0GH	OAD-SAB-NAE	3.17	111.06	106.94
2	C	501	0GH	OAD-SAB-NAE	3.37	111.31	106.94
3	A	502	LPD	CB-CA-C	4.19	117.53	111.12
3	B	502	LPD	CB-CA-C	4.20	117.56	111.12
2	D	501	0GH	OAD-SAB-NAE	4.29	112.51	106.94
3	D	502	LPD	CB-CA-C	5.50	119.55	111.12
3	C	502	LPD	CB-CA-C	5.73	119.90	111.12

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 31 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	0GH	5	0
3	A	502	LPD	3	0
2	B	501	0GH	4	0
3	B	502	LPD	3	0
2	C	501	0GH	4	0
3	C	502	LPD	2	0
2	D	501	0GH	8	0
3	D	502	LPD	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	387/388 (99%)	0.49	36 (9%)	11 11	17, 28, 43, 60	3 (0%)
1	B	387/388 (99%)	0.44	36 (9%)	11 11	18, 28, 44, 59	8 (2%)
1	C	388/388 (100%)	0.32	26 (6%)	21 22	16, 25, 41, 58	7 (1%)
1	D	387/388 (99%)	0.33	23 (5%)	26 27	18, 27, 42, 58	7 (1%)
All	All	1549/1552 (99%)	0.40	121 (7%)	16 17	16, 27, 44, 60	25 (1%)

All (121) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	362	THR	15.5
1	A	360	VAL	11.6
1	B	360	VAL	11.2
1	B	362	THR	11.2
1	C	360	VAL	8.8
1	D	362	THR	8.3
1	B	361	ALA	8.1
1	A	359	ASP	7.5
1	A	362	THR	6.7
1	D	48	VAL	6.2
1	C	361	ALA	6.2
1	C	46	SER	5.6
1	B	47	PHE	5.5
1	A	48	VAL	5.4
1	B	48	VAL	5.3
1	C	425	LEU	5.2
1	A	425	LEU	5.1
1	A	429	ASP	5.1
1	D	360	VAL	5.0
1	A	315	LEU	4.8
1	C	48	VAL	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	361	ALA	4.4
1	A	361	ALA	4.3
1	D	193	HIS	4.3
1	D	425	LEU	4.2
1	C	363	SER	4.1
1	A	47	PHE	4.1
1	D	340	THR	4.1
1	A	432	TYR	3.8
1	D	426	ASP	3.8
1	D	432	TYR	3.6
1	D	339	VAL	3.6
1	D	47	PHE	3.5
1	B	340	THR	3.4
1	A	340	THR	3.4
1	C	307	ASP	3.4
1	A	275	VAL	3.4
1	C	428	GLU	3.3
1	D	423	VAL	3.3
1	A	282	LEU	3.3
1	C	202	LEU	3.2
1	D	428	GLU	3.2
1	B	363	SER	3.2
1	C	423	VAL	3.1
1	C	383	ALA	3.1
1	C	429	ASP	3.1
1	C	340	THR	3.1
1	C	341	ASN	3.0
1	B	169	LEU	3.0
1	D	341	ASN	3.0
1	A	363	SER	3.0
1	B	215	LEU	3.0
1	B	282	LEU	3.0
1	C	47	PHE	3.0
1	A	358	GLU	3.0
1	D	97	HIS	3.0
1	A	426	ASP	2.9
1	D	116	TYR	2.8
1	A	304	LYS	2.8
1	B	429	ASP	2.8
1	A	384	VAL	2.8
1	C	432	TYR	2.8
1	A	381	MET	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	426	ASP	2.7
1	B	341	ASN	2.7
1	D	202	LEU	2.7
1	A	385	ILE	2.7
1	B	432	TYR	2.7
1	B	359	ASP	2.6
1	C	427	MET	2.6
1	A	169	LEU	2.6
1	B	81	THR	2.6
1	B	425	LEU	2.6
1	B	339	VAL	2.6
1	A	364	GLN	2.5
1	B	116	TYR	2.5
1	A	58	SER	2.5
1	B	159	ASN	2.5
1	D	275	VAL	2.5
1	A	116	TYR	2.5
1	D	200	LEU	2.5
1	A	81	THR	2.4
1	C	270	TYR	2.4
1	C	81	THR	2.4
1	A	274	ILE	2.4
1	A	140	ASN	2.4
1	A	427	MET	2.4
1	A	339	VAL	2.4
1	D	385	ILE	2.4
1	B	307	ASP	2.4
1	A	82	GLY	2.3
1	A	380	VAL	2.3
1	B	384	VAL	2.3
1	A	386	MET	2.3
1	B	381	MET	2.3
1	C	282	LEU	2.3
1	B	306	PRO	2.2
1	B	77	ILE	2.2
1	C	97	HIS	2.2
1	D	363	SER	2.2
1	C	112	ARG	2.2
1	B	193	HIS	2.2
1	D	359	ASP	2.2
1	B	92	PRO	2.2
1	B	79	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	200	LEU	2.2
1	B	86	PHE	2.2
1	A	216	ALA	2.2
1	B	383	ALA	2.2
1	B	49	GLU	2.1
1	B	331	ILE	2.1
1	C	229	HIS	2.1
1	D	216	ALA	2.1
1	B	97	HIS	2.1
1	A	79	VAL	2.1
1	B	386	MET	2.1
1	A	383	ALA	2.1
1	C	159	ASN	2.1
1	B	278	GLY	2.0
1	B	423	VAL	2.0
1	C	116	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	LPD	D	502	8/8	0.62	0.29	5.54	38,38,38,39	0
3	LPD	C	502	8/8	0.73	0.24	5.34	35,36,36,36	0
3	LPD	B	502	8/8	0.62	0.26	4.22	42,42,43,43	0
3	LPD	A	502	8/8	0.46	0.34	2.93	49,49,50,50	0
2	0GH	B	501	47/47	0.95	0.15	-0.15	20,25,29,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	0GH	C	501	47/47	0.95	0.13	-0.30	20,23,27,28	0
2	0GH	D	501	47/47	0.95	0.12	-0.41	22,25,29,30	0
2	0GH	A	501	47/47	0.93	0.14	-0.54	22,26,29,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.