



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:19 AM GMT

PDB ID : 2GMS
Title : E coli GDP-4-keto-6-deoxy-D-mannose-3-dehydratase with bound hydrated PLP
Authors : Cook, P.D.; Thoden, J.B.; Holden, H.M.
Deposited on : 2006-04-07
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)
RSRZ outliers	91569	4547 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	<div> <div></div> <div>74%</div> <div>23%</div> <div>..</div> </div>
1	B	390	<div> <div></div> <div>73%</div> <div>23%</div> <div>.</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6357 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative pyridoxamine 5-phosphate-dependent dehydrase, Wbdk.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	390	Total	C	N	O	S	0	5	0
			3134	2009	514	596	15			
1	B	389	Total	C	N	O	S	0	3	0
			3126	2005	515	591	15			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	CLONING ARTIFACT	GB 18266409
A	0	HIS	-	CLONING ARTIFACT	GB 18266409
B	-1	GLY	-	CLONING ARTIFACT	GB 18266409
B	0	HIS	-	CLONING ARTIFACT	GB 18266409

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is [4-(DIHYDROXYMETHYL)-5-HYDROXY-6-METHYLPYRIDIN-3-YL]METHYL DIHYDROGEN PHOSPHATE (three-letter code: P0P) (formula: C₈H₁₂NO₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			17	8	1	7	1		
3	B	1	Total	C	N	O	P	0	0
			17	8	1	7	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	42	Total	O	0	0
			42	42		
4	B	20	Total	O	0	0
			20	20		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Putative pyridoxamine 5-phosphate-dependent dehydrase, Wbdk



- Molecule 1: Putative pyridoxamine 5-phosphate-dependent dehydrase, Wbdk



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.90 Å 88.10 Å 125.80 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.80 37.86 – 1.71	Depositor EDS
% Data completeness (in resolution range)	92.0 (30.00-1.80) 85.0 (37.86-1.71)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 1.71 Å)	Xtriage
Refinement program	TNT	Depositor
R, R_{free}	0.162 , 0.213 0.198 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	22.2	Xtriage
Anisotropy	0.069	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 42.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 76796 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6357	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, P0P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.86	21/3225 (0.7%)	1.27	46/4354 (1.1%)
1	B	0.87	18/3203 (0.6%)	1.26	40/4325 (0.9%)
All	All	0.86	39/6428 (0.6%)	1.27	86/8679 (1.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	32	GLU	CD-OE2	7.08	1.33	1.25
1	B	121	GLU	CD-OE2	6.89	1.33	1.25
1	A	321	GLU	CD-OE2	6.67	1.32	1.25
1	B	237	GLU	CD-OE2	6.45	1.32	1.25
1	A	32	GLU	CD-OE2	6.43	1.32	1.25
1	B	117	GLU	CD-OE2	6.36	1.32	1.25
1	B	385	GLU	CD-OE2	6.35	1.32	1.25
1	A	385	GLU	CD-OE2	6.33	1.32	1.25
1	A	278	GLU	CD-OE2	6.29	1.32	1.25
1	A	117	GLU	CD-OE2	6.27	1.32	1.25
1	B	204	GLU	CD-OE2	6.21	1.32	1.25
1	B	38	GLU	CD-OE2	6.08	1.32	1.25
1	B	15	GLU	CD-OE2	6.02	1.32	1.25
1	B	298	GLU	CD-OE2	5.86	1.32	1.25
1	B	375[A]	GLU	CD-OE2	5.84	1.32	1.25
1	A	80	GLU	CD-OE2	5.80	1.32	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	261	GLU	CD-OE2	5.72	1.31	1.25
1	A	194	GLU	CD-OE2	5.64	1.31	1.25
1	A	162	GLU	CD-OE2	5.63	1.31	1.25
1	A	203	GLU	CD-OE2	5.60	1.31	1.25
1	B	238	GLU	CD-OE2	5.58	1.31	1.25
1	A	121	GLU	CD-OE2	5.54	1.31	1.25
1	A	144	GLU	CD-OE2	5.52	1.31	1.25
1	B	321	GLU	CD-OE2	5.51	1.31	1.25
1	A	158	GLU	CD-OE2	5.50	1.31	1.25
1	A	375	GLU	CD-OE2	5.45	1.31	1.25
1	B	162	GLU	CD-OE2	5.45	1.31	1.25
1	A	237	GLU	CD-OE2	5.42	1.31	1.25
1	A	253	GLU	CD-OE2	5.38	1.31	1.25
1	B	203	GLU	CD-OE2	5.36	1.31	1.25
1	A	360	GLU	CD-OE2	5.32	1.31	1.25
1	A	38	GLU	CD-OE2	5.22	1.31	1.25
1	B	360	GLU	CD-OE2	5.13	1.31	1.25
1	A	298	GLU	CD-OE2	5.09	1.31	1.25
1	B	194	GLU	CD-OE2	5.09	1.31	1.25
1	A	238	GLU	CD-OE2	5.08	1.31	1.25
1	B	144	GLU	CD-OE2	5.04	1.31	1.25
1	A	295	GLU	CD-OE2	5.01	1.31	1.25
1	B	253	GLU	CD-OE2	5.01	1.31	1.25

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	357	ASP	CB-CG-OD2	-9.10	110.11	118.30
1	B	108	ASP	CB-CG-OD1	8.74	126.17	118.30
1	A	79	ASP	CB-CG-OD2	-8.16	110.95	118.30
1	B	274	ARG	NE-CZ-NH1	8.13	124.37	120.30
1	A	282	ASP	CB-CG-OD2	-8.04	111.06	118.30
1	B	282	ASP	CB-CG-OD2	-7.87	111.22	118.30
1	A	378	ASP	CB-CG-OD2	-7.84	111.24	118.30
1	B	108	ASP	CB-CG-OD2	-7.62	111.44	118.30
1	B	291	ASP	CB-CG-OD2	-7.53	111.52	118.30
1	B	331	ARG	NE-CZ-NH1	7.52	124.06	120.30
1	B	153	ASP	CB-CG-OD2	-7.50	111.55	118.30
1	A	125	ASP	CB-CG-OD2	-7.44	111.60	118.30
1	B	115	ASP	CB-CG-OD2	-7.43	111.61	118.30
1	A	13	ASP	CB-CG-OD2	-7.41	111.63	118.30
1	B	143	ASP	CB-CG-OD2	-7.40	111.64	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	286	ASP	CB-CG-OD2	-7.37	111.67	118.30
1	A	115	ASP	CB-CG-OD1	7.26	124.83	118.30
1	A	24	ASP	CB-CG-OD1	7.24	124.81	118.30
1	A	274	ARG	NE-CZ-NH1	7.20	123.90	120.30
1	A	115	ASP	CB-CG-OD2	-7.11	111.90	118.30
1	A	357	ASP	CB-CG-OD1	7.07	124.66	118.30
1	A	378	ASP	CB-CG-OD1	7.02	124.62	118.30
1	B	357	ASP	CB-CG-OD2	-7.00	112.00	118.30
1	A	201	ASP	CB-CG-OD1	6.83	124.44	118.30
1	B	125	ASP	CB-CG-OD2	-6.82	112.16	118.30
1	B	143	ASP	CB-CG-OD1	6.74	124.36	118.30
1	B	378	ASP	CB-CG-OD2	-6.72	112.25	118.30
1	A	291	ASP	CB-CG-OD2	-6.71	112.26	118.30
1	B	311	ASP	CB-CG-OD2	-6.68	112.28	118.30
1	B	13	ASP	CB-CG-OD2	-6.64	112.32	118.30
1	A	12	ASP	CB-CG-OD2	-6.63	112.33	118.30
1	A	343	ASP	CB-CG-OD2	-6.63	112.33	118.30
1	B	378	ASP	CB-CG-OD1	6.62	124.25	118.30
1	B	357	ASP	CB-CG-OD1	6.61	124.25	118.30
1	B	24	ASP	CB-CG-OD2	-6.56	112.40	118.30
1	A	311	ASP	CB-CG-OD2	-6.44	112.50	118.30
1	B	12	ASP	CB-CG-OD2	-6.38	112.56	118.30
1	A	153	ASP	CB-CG-OD2	-6.36	112.58	118.30
1	A	234	ASP	CB-CG-OD2	-6.36	112.58	118.30
1	A	108	ASP	CB-CG-OD2	-6.36	112.58	118.30
1	A	79	ASP	CB-CG-OD1	6.30	123.97	118.30
1	A	24	ASP	CB-CG-OD2	-6.28	112.64	118.30
1	B	233	ASP	CB-CG-OD2	-6.28	112.65	118.30
1	B	286	ASP	CB-CG-OD1	6.27	123.95	118.30
1	B	291	ASP	CB-CG-OD1	6.19	123.87	118.30
1	A	108	ASP	CB-CG-OD1	6.16	123.85	118.30
1	B	234	ASP	CB-CG-OD2	-6.13	112.79	118.30
1	B	248	ASN	N-CA-CB	6.12	121.62	110.60
1	B	381	ASP	CB-CG-OD2	-6.12	112.79	118.30
1	A	201	ASP	CB-CG-OD2	-6.12	112.79	118.30
1	B	125	ASP	CB-CG-OD1	6.11	123.80	118.30
1	B	79	ASP	CB-CG-OD2	-6.09	112.82	118.30
1	B	115	ASP	CB-CG-OD1	6.07	123.77	118.30
1	B	331	ARG	NE-CZ-NH2	-6.06	117.27	120.30
1	A	13	ASP	CB-CG-OD1	6.03	123.73	118.30
1	A	282	ASP	CB-CG-OD1	6.01	123.71	118.30
1	A	213	ARG	NE-CZ-NH1	5.96	123.28	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	234	ASP	CB-CG-OD1	5.96	123.66	118.30
1	B	343	ASP	CB-CG-OD2	-5.92	112.97	118.30
1	A	311	ASP	CB-CG-OD1	5.90	123.61	118.30
1	A	125	ASP	CB-CG-OD1	5.84	123.56	118.30
1	A	349	ASP	CB-CG-OD2	-5.82	113.07	118.30
1	B	201	ASP	CB-CG-OD2	-5.80	113.08	118.30
1	A	233	ASP	CB-CG-OD2	-5.72	113.16	118.30
1	A	268	ARG	NE-CZ-NH1	5.72	123.16	120.30
1	A	12	ASP	CB-CG-OD1	5.68	123.41	118.30
1	B	363	ASP	CB-CG-OD1	5.66	123.39	118.30
1	B	201	ASP	CB-CG-OD1	5.63	123.36	118.30
1	A	286[A]	ASP	CB-CG-OD1	5.50	123.25	118.30
1	A	286[B]	ASP	CB-CG-OD1	5.50	123.25	118.30
1	A	153	ASP	CB-CG-OD1	5.49	123.24	118.30
1	B	24	ASP	CB-CG-OD1	5.48	123.23	118.30
1	B	234	ASP	CB-CG-OD1	5.41	123.17	118.30
1	A	248	ASN	N-CA-CB	5.38	120.28	110.60
1	A	101	ARG	NE-CZ-NH1	5.37	122.99	120.30
1	A	159	ASP	CB-CG-OD2	-5.34	113.49	118.30
1	A	143	ASP	CB-CG-OD2	-5.33	113.50	118.30
1	A	343	ASP	CB-CG-OD1	5.33	123.10	118.30
1	A	363	ASP	CB-CG-OD1	5.33	123.09	118.30
1	A	273	ARG	NE-CZ-NH2	-5.24	117.68	120.30
1	B	311	ASP	CB-CG-OD1	5.20	122.98	118.30
1	B	79	ASP	CB-CG-OD1	5.19	122.97	118.30
1	B	159	ASP	CB-CG-OD1	5.19	122.97	118.30
1	A	202	ASP	CB-CG-OD1	5.15	122.93	118.30
1	B	348	PHE	CB-CA-C	-5.14	100.11	110.40
1	A	159	ASP	CB-CG-OD1	5.06	122.86	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	331	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3134	0	3106	43	0
1	B	3126	0	3099	42	0
2	A	1	0	0	0	0
3	A	17	0	9	1	0
3	B	17	0	9	1	0
4	A	42	0	0	1	0
4	B	20	0	0	0	0
All	All	6357	0	6223	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:306:PHE:HB2	1:A:367:LEU:CD1	2.12	0.80
1:A:331:ARG:HG2	1:A:332:PRO:O	1.85	0.75
1:A:23:LEU:O	1:A:26[B]:LYS:HD3	1.89	0.73
1:A:149:ILE:O	1:A:152:ARG:HG3	1.89	0.73
1:B:71:LYS:HG2	1:B:204:GLU:OE2	1.88	0.73
1:A:0:HIS:N	1:A:0:HIS:ND1	2.37	0.72
1:B:223:LYS:HE3	1:B:233:ASP:OD1	1.91	0.70
1:A:252:LEU:HD12	1:B:252:LEU:HD12	1.77	0.66
1:A:0:HIS:HB2	1:A:2:ILE:HG12	1.78	0.64
1:A:57:SER:HB2	1:B:248:ASN:HB3	1.79	0.64
1:B:303:GLY:HA3	1:B:368:PHE:CE1	2.35	0.62
1:B:13:ASP:O	1:B:17:LYS:HG3	2.00	0.62
1:A:385:GLU:O	1:A:388:LYS:HG2	2.00	0.61
1:B:235:GLN:O	1:B:239:SER:HB2	2.04	0.57
1:A:29:THR:HG21	1:B:185:PHE:CE1	2.39	0.57
1:A:0:HIS:HB2	1:A:2:ILE:CG1	2.34	0.57
1:B:287:HIS:CG	1:B:288:PRO:HD2	2.40	0.56
1:A:248:ASN:HB3	1:B:57:SER:HB2	1.86	0.56
1:B:342:THR:O	1:B:346:LYS:HG3	2.06	0.55
1:A:171:LYS:HB3	1:A:176:PHE:CZ	2.44	0.53
1:A:303:GLY:HA3	1:A:368:PHE:CE1	2.44	0.53
1:A:306:PHE:HB2	1:A:367:LEU:HD11	1.90	0.52
3:A:400:P0P:O4A	3:A:400:P0P:O3	2.27	0.52
1:B:223:LYS:HE2	1:B:231:LYS:O	2.09	0.52
1:B:70:THR:OG1	1:B:74[A]:ARG:HG3	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:306:PHE:HB2	1:A:367:LEU:HD12	1.91	0.52
1:A:6:LEU:O	1:A:372:HIS:HE1	1.94	0.51
1:A:285:LYS:HE3	1:A:286[B]:ASP:OD2	2.11	0.51
1:B:334:VAL:HG12	1:B:335:THR:HG23	1.93	0.51
1:B:310:LYS:HD3	1:B:361:TYR:CE1	2.46	0.51
1:B:322:ASN:N	1:B:322:ASN:HD22	2.09	0.50
1:A:372:HIS:HD2	1:A:376:LEU:HD21	1.77	0.49
1:B:317:LYS:O	1:B:321:GLU:HG3	2.13	0.49
1:A:287:HIS:O	1:A:309:LYS:NZ	2.46	0.49
1:B:331:ARG:HB2	1:B:332:PRO:HD2	1.94	0.48
1:A:252:LEU:CD1	1:B:252:LEU:HD12	2.44	0.48
1:A:279:TYR:CZ	1:A:283:LYS:HE3	2.49	0.48
1:B:314:VAL:C	1:B:315:ILE:HD13	2.34	0.47
1:A:6:LEU:HG	1:A:329:GLU:HB3	1.97	0.47
1:B:268:ARG:HB2	1:B:268:ARG:NH1	2.30	0.47
1:B:23:LEU:HD23	1:B:28:PHE:HE2	1.80	0.47
1:B:346:LYS:HB2	1:B:346:LYS:HE2	1.66	0.46
1:B:83:VAL:HG12	1:B:131:LEU:HB3	1.97	0.46
1:B:48:LYS:HE3	1:B:48:LYS:HB3	1.54	0.46
1:A:101:ARG:NH1	1:A:349:ASP:OD1	2.50	0.45
1:B:289:TYR:HA	1:B:309:LYS:HD2	1.98	0.45
1:A:287:HIS:HE1	1:A:289:TYR:CE2	2.36	0.44
1:A:53:VAL:HG21	1:A:59:ALA:HA	1.98	0.44
1:B:372:HIS:HD2	1:B:376:LEU:HD21	1.83	0.43
1:A:242:PHE:HB3	1:B:93:TYR:OH	2.18	0.43
1:A:14:LEU:HA	1:A:14:LEU:HD23	1.82	0.43
3:B:401:P0P:O3	3:B:401:P0P:O4A	2.29	0.43
1:A:287:HIS:CG	1:A:288:PRO:HD2	2.53	0.43
1:B:260:ILE:O	1:B:264:LYS:HG3	2.17	0.43
1:B:331:ARG:NH2	1:B:334:VAL:HA	2.32	0.43
1:A:29:THR:CG2	1:B:185:PHE:CE1	3.01	0.43
1:B:105:VAL:HB	1:B:114:ILE:HD11	2.01	0.42
1:A:16:TYR:OH	1:B:26:LYS:HG2	2.19	0.42
1:A:373:GLN:H	1:A:373:GLN:CD	2.23	0.42
1:B:6:LEU:CD1	1:B:329:GLU:HG2	2.50	0.42
1:B:319:LEU:HA	1:B:319:LEU:HD23	1.77	0.41
1:B:315:ILE:N	1:B:315:ILE:HD13	2.34	0.41
1:B:322:ASN:N	1:B:322:ASN:ND2	2.69	0.41
1:B:266:LEU:O	1:B:270:ILE:HG12	2.21	0.41
1:A:29:THR:O	1:A:30:MET:C	2.59	0.41
1:B:119:LEU:O	1:B:123:VAL:HG23	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:224:LYS:HA	1:B:229:GLY:O	2.21	0.40
1:A:291:ASP:OD1	1:A:309:LYS:HE3	2.20	0.40
1:A:49:TYR:HB3	1:A:206:TYR:CD1	2.57	0.40
1:A:230:VAL:O	1:A:230:VAL:HG13	2.21	0.40
1:A:29:THR:HG21	1:B:185:PHE:CZ	2.56	0.40
1:A:287:HIS:HE1	1:A:289:TYR:CD2	2.40	0.40
1:A:53:VAL:HG21	1:A:59:ALA:CA	2.51	0.40
1:A:178:LEU:HD21	1:A:205:ILE:CD1	2.51	0.40
1:A:235:GLN:HE21	1:A:235:GLN:HB2	1.63	0.40
1:A:331:ARG:HD3	4:A:552:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	393/390 (101%)	373 (95%)	18 (5%)	2 (0%)	34	17
1	B	389/390 (100%)	369 (95%)	18 (5%)	2 (0%)	34	17
All	All	782/780 (100%)	742 (95%)	36 (5%)	4 (0%)	34	17

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	193	MET
1	B	193	MET
1	A	334	VAL
1	B	334	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	350/345 (101%)	333 (95%)	17 (5%)	31	13
1	B	347/345 (101%)	329 (95%)	18 (5%)	29	12
All	All	697/690 (101%)	662 (95%)	35 (5%)	29	13

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	0	HIS
1	A	4	TYR
1	A	43	LYS
1	A	187	SER
1	A	217	TRP
1	A	235	GLN
1	A	241	LYS
1	A	268	ARG
1	A	283	LYS
1	A	311	ASP
1	A	331	ARG
1	A	346	LYS
1	A	364	LYS
1	A	367	LEU
1	A	374	ILE
1	A	385	GLU
1	A	388	LYS
1	B	4	TYR
1	B	71	LYS
1	B	101	ARG
1	B	120	LYS
1	B	147	LYS
1	B	153	ASP
1	B	170	ASN
1	B	187	SER
1	B	217	TRP
1	B	235	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	268	ARG
1	B	271	SER
1	B	310	LYS
1	B	316	ARG
1	B	317	LYS
1	B	334	VAL
1	B	367	LEU
1	B	368	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	235	GLN
1	A	322	ASN
1	A	324	ASN
1	A	365	ASN
1	A	372	HIS
1	B	318	GLN
1	B	322	ASN
1	B	324	ASN
1	B	372	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	P0P	A	400	-	14,17,17	2.18	3 (21%)	17,25,25	3.42	4 (23%)
3	P0P	B	401	-	14,17,17	2.22	4 (28%)	17,25,25	3.52	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	P0P	A	400	-	-	0/6/10/10	0/1/1/1
3	P0P	B	401	-	-	0/6/10/10	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	401	P0P	C5A-C5	-5.46	1.35	1.50
3	A	400	P0P	C3-C2	-5.21	1.37	1.40
3	A	400	P0P	C5A-C5	-4.95	1.36	1.50
3	B	401	P0P	C3-C2	-4.81	1.37	1.40
3	B	401	P0P	O4P-C5A	-2.47	1.34	1.44
3	A	400	P0P	O4P-C5A	-2.08	1.36	1.44
3	B	401	P0P	P-O3P	2.01	1.61	1.54

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	401	P0P	C2A-C2-C3	-2.03	118.58	121.04
3	B	401	P0P	O3P-P-O4P	2.19	112.86	106.56
3	A	400	P0P	O3P-P-O4P	2.39	113.44	106.56
3	A	400	P0P	C3-C4-C5	2.54	121.11	118.66
3	B	401	P0P	C5A-C5-C6	5.21	129.13	119.28
3	A	400	P0P	C5A-C5-C6	5.28	129.26	119.28
3	A	400	P0P	O4P-C5A-C5	12.02	128.86	108.99
3	B	401	P0P	O4P-C5A-C5	12.55	129.74	108.99

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	400	P0P	1	0
3	B	401	P0P	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	390/390 (100%)	-0.44	2 (0%) 91 90	16, 25, 59, 87	0
1	B	389/390 (99%)	-0.53	1 (0%) 94 92	17, 26, 60, 84	0
All	All	779/780 (99%)	-0.49	3 (0%) 93 91	16, 26, 60, 87	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	0	HIS	3.7
1	A	-1	GLY	3.3
1	B	311	ASP	2.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	P0P	B	401	17/17	0.98	0.14	1.51	15,21,45,47	0
3	P0P	A	400	17/17	0.98	0.10	-0.39	16,20,37,49	0
2	MG	A	403	1/1	0.92	0.17	-	35,35,35,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.