



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:55 PM GMT

PDB ID : 4GM7
Title : Structure of cinnamic acid bound bovine lactoperoxidase at 2.6Å resolution.
Authors : Pandey, N.; Singh, A.K.; Sinha, M.; Kaur, P.; Sharma, S.; Singh, T.P.
Deposited on : 2012-08-15
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	595	<div> <div>6%</div> <div>72%</div> <div>27%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	EDO	A	621	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	HCI	A	622	-	-	X	X
8	PEG	A	617	-	-	-	X

2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 5078 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactoperoxidase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	P	S	0	0	0
			4775	3037	847	864	1	26			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	2	Total	C	N	O	0	0
			28	16	2	10		


- Molecule 5 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	8	Total	I	0	0
			8	8		

- Molecule 6 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Ca	0	0
			1	1		

- Molecule 7 is THIOCYANATE ION (three-letter code: SCN) (formula: CNS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	S	0	0
			3	1	1	1		

- Molecule 8 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 9 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 10 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			4	2	2		
10	A	1	Total	C	O	0	0
			4	2	2		
10	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 11 is HYDROCINNAMIC ACID (three-letter code: HCI) (formula: $C_9H_{10}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	A	1	Total	C	O	0	0
			11	9	2		


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	142	Total	O	0	0
			142	142		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Lactoperoxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	54.05Å 80.23Å 76.04Å 90.00° 103.30° 90.00°	Depositor
Resolution (Å)	43.99 – 2.60 43.99 – 2.60	Depositor EDS
% Data completeness (in resolution range)	97.8 (43.99-2.60) 97.9 (43.99-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.73 (at 2.61Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.221 , 0.235 0.219 , 0.269	Depositor DCC
R_{free} test set	983 reflections (5.40%)	DCC
Wilson B-factor (Å ²)	43.9	Xtriage
Anisotropy	0.901	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 35.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 19189 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5078	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SCN, NAG, SEP, CA, EDO, PEG, HEM, HCl, IOD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/4892	0.67	0/6634

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4775	0	4685	132	0
2	A	43	0	30	6	0
3	A	42	0	39	1	0
4	A	28	0	25	1	0
5	A	8	0	0	0	0
6	A	1	0	0	0	0
7	A	3	0	0	1	0
8	A	7	0	9	0	0
9	A	6	0	8	3	0
10	A	12	0	15	0	0
11	A	11	0	9	8	0
12	A	142	0	0	5	0
All	All	5078	0	4820	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:168:PRO:HB2	1:A:169:THR:OG1	1.71	0.91
1:A:482:ASP:O	1:A:485:LYS:HE2	1.69	0.91
1:A:350:GLY:HA3	2:A:601:HEM:CBC	2.02	0.89
1:A:381:PHE:HZ	11:A:622:HCl:H21	1.38	0.87
1:A:518:GLN:O	1:A:522:ILE:HG12	1.77	0.84
1:A:213:MET:HG2	1:A:273:HIS:CD2	2.17	0.79
1:A:150:LYS:HE2	1:A:419:ASN:HD22	1.48	0.79
1:A:381:PHE:CZ	11:A:622:HCl:H21	2.18	0.79
1:A:551:ARG:HD3	1:A:583:ASP:O	1.84	0.78
1:A:350:GLY:HA3	2:A:601:HEM:HBC2	1.67	0.77
1:A:20:PRO:O	1:A:528:PHE:HE2	1.68	0.76
1:A:258:GLU:HB2	11:A:622:HCl:H6'	1.68	0.74
1:A:339:ILE:HD13	1:A:522:ILE:HD11	1.68	0.73
1:A:95:ASN:HD22	9:A:618:GOL:H12	1.51	0.73
11:A:622:HCl:H4'	12:A:840:HOH:O	1.89	0.72
1:A:9:PRO:HG3	1:A:168:PRO:HD3	1.72	0.71
1:A:348:ARG:HH11	1:A:437:ASN:ND2	1.89	0.70
1:A:117:THR:CG2	1:A:164:GLY:HA2	2.21	0.69
2:A:601:HEM:HMB1	2:A:601:HEM:HBB2	1.73	0.69
1:A:120:GLY:HA2	1:A:126:LYS:HG2	1.75	0.68
1:A:339:ILE:CD1	1:A:522:ILE:HD11	2.24	0.68
1:A:588:SER:N	1:A:589:PRO:HD2	2.09	0.68
1:A:462:LYS:HD2	12:A:734:HOH:O	1.93	0.67
1:A:503:GLU:O	1:A:503:GLU:HG3	1.93	0.67
1:A:543:SER:OG	1:A:589:PRO:HG2	1.95	0.65
1:A:63:GLN:HG3	1:A:71:ARG:NH2	2.12	0.64
1:A:117:THR:HG22	1:A:164:GLY:HA2	1.80	0.63
1:A:588:SER:N	1:A:589:PRO:CD	2.60	0.63
1:A:169:THR:H	1:A:170:PRO:CD	2.13	0.61
1:A:425:THR:O	1:A:425:THR:HG22	2.00	0.61
1:A:588:SER:HB2	1:A:589:PRO:HD3	1.83	0.60
1:A:117:THR:OG1	1:A:138:ASN:ND2	2.35	0.59
1:A:366:GLN:O	1:A:367:PRO:C	2.40	0.58
1:A:419:ASN:O	1:A:430:GLY:HA2	2.03	0.58
3:A:602:NAG:O7	9:A:618:GOL:H11	2.04	0.58
1:A:20:PRO:O	1:A:528:PHE:CE2	2.55	0.58
1:A:424:PRO:O	1:A:425:THR:HB	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:LYS:HG3	1:A:147:ASN:N	2.16	0.57
1:A:392:ILE:HG13	1:A:393:ASP:N	2.17	0.57
1:A:116:GLU:HA	1:A:163:ALA:HA	1.86	0.57
1:A:295:GLU:O	1:A:299:ILE:HG12	2.04	0.57
1:A:8:ALA:HB3	1:A:9:PRO:HD3	1.87	0.57
1:A:150:LYS:CE	1:A:419:ASN:HD22	2.18	0.56
1:A:301:GLY:O	1:A:305:GLN:HG3	2.05	0.56
1:A:393:ASP:HB2	12:A:740:HOH:O	2.05	0.56
1:A:393:ASP:HB2	1:A:394:PRO:HD3	1.89	0.55
1:A:30:ASN:O	1:A:34:PRO:HA	2.06	0.55
1:A:66:THR:HB	1:A:70:PHE:O	2.07	0.55
1:A:383:THR:HB	12:A:721:HOH:O	2.06	0.55
1:A:407:MET:HB3	1:A:501:MET:CE	2.36	0.55
1:A:568:GLN:HE21	1:A:570:ASN:HD21	1.53	0.55
1:A:106:ILE:HG23	1:A:191:LEU:HD11	1.88	0.54
1:A:258:GLU:O	1:A:380:PHE:HA	2.07	0.53
1:A:63:GLN:HG3	1:A:71:ARG:HH22	1.74	0.53
1:A:159:PRO:HG3	1:A:426:HIS:CE1	2.44	0.53
1:A:481:MET:O	1:A:484:TYR:O	2.26	0.52
1:A:76:ARG:HH22	1:A:419:ASN:HD21	1.56	0.52
1:A:268:LEU:HB3	1:A:552:LEU:HD21	1.90	0.52
1:A:108:ASP:C	1:A:108:ASP:OD1	2.48	0.52
1:A:188:ASP:O	1:A:189:ALA:HB3	2.09	0.51
1:A:276:LEU:O	1:A:280:LEU:HG	2.11	0.51
1:A:205:ASN:OD1	1:A:205:ASN:C	2.49	0.50
1:A:249:PHE:CZ	1:A:383:THR:HG23	2.47	0.50
1:A:150:LYS:HE2	1:A:419:ASN:ND2	2.22	0.50
1:A:92:LEU:HD13	1:A:403:LYS:HB2	1.93	0.50
2:A:601:HEM:C1A	11:A:622:HCl:H3'	2.48	0.49
1:A:549:PHE:O	1:A:553:ILE:HG12	2.12	0.49
1:A:169:THR:H	1:A:170:PRO:HD2	1.77	0.49
1:A:120:GLY:CA	1:A:126:LYS:HG2	2.42	0.49
1:A:117:THR:HG23	1:A:164:GLY:HA2	1.96	0.48
1:A:380:PHE:CE2	1:A:421:LEU:HA	2.49	0.48
1:A:257:SER:O	1:A:381:PHE:HA	2.14	0.48
1:A:499:GLU:OE1	1:A:509:PRO:HD2	2.13	0.48
1:A:255:ARG:HB3	11:A:622:HCl:C6'	2.43	0.48
1:A:168:PRO:HB2	1:A:169:THR:HG1	1.77	0.48
1:A:230:ASN:ND2	7:A:616:SCN:S	2.88	0.47
1:A:148:ASP:OD1	1:A:150:LYS:HB2	2.14	0.47
1:A:227:LEU:CD2	1:A:267:THR:HA	2.43	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:A:622:HCl:H6'	11:A:622:HCl:H22	1.43	0.47
1:A:19:SER:HA	1:A:20:PRO:HD3	1.70	0.47
1:A:260:ILE:HD11	1:A:386:ILE:HG13	1.96	0.47
1:A:303:PHE:O	1:A:307:ILE:HG12	2.15	0.47
1:A:6:CYS:SG	1:A:7:GLY:N	2.88	0.47
1:A:99:LEU:HD21	1:A:549:PHE:CD2	2.50	0.46
1:A:362:ASP:OD2	1:A:366:GLN:HB2	2.15	0.46
1:A:177:ARG:HA	12:A:713:HOH:O	2.15	0.45
1:A:196:GLU:HB3	1:A:198:SEP:O3P	2.15	0.45
1:A:203:LEU:HD11	1:A:252:GLY:HA2	1.98	0.45
1:A:76:ARG:HH22	1:A:419:ASN:ND2	2.14	0.45
1:A:107:VAL:O	1:A:111:LEU:HG	2.17	0.45
1:A:229:PHE:CD1	1:A:247:PRO:HD2	2.51	0.45
1:A:13:VAL:HG11	1:A:34:PRO:HB2	1.99	0.45
1:A:492:ILE:HG23	1:A:493:TRP:N	2.32	0.45
1:A:565:HIS:O	1:A:568:GLN:HG2	2.18	0.44
1:A:4:VAL:HG13	1:A:5:GLY:N	2.33	0.44
1:A:425:THR:CG2	1:A:425:THR:O	2.65	0.44
1:A:138:ASN:O	1:A:162:ARG:HG3	2.18	0.44
1:A:347:PHE:O	1:A:347:PHE:CD1	2.70	0.44
1:A:186:PHE:O	1:A:188:ASP:N	2.51	0.44
1:A:119:LEU:O	1:A:123:GLU:HB2	2.18	0.44
1:A:103:TRP:O	1:A:107:VAL:HG23	2.18	0.43
1:A:95:ASN:ND2	9:A:618:GOL:H12	2.26	0.43
1:A:193:TYR:OH	1:A:297:ARG:HA	2.17	0.43
1:A:336:ASP:OD2	1:A:338:ARG:NH2	2.38	0.43
1:A:468:GLN:HG2	1:A:477:ALA:HB3	2.00	0.43
1:A:187:LEU:HA	1:A:187:LEU:HD12	1.76	0.43
1:A:45:ARG:CZ	1:A:49:ALA:HB2	2.48	0.43
1:A:349:PHE:CB	1:A:497:ASN:HD21	2.30	0.43
1:A:140:PHE:O	1:A:160:PHE:HB3	2.18	0.43
1:A:572:TYR:HA	1:A:573:PRO:HA	1.79	0.43
1:A:284:ASN:ND2	1:A:287:TRP:CZ2	2.87	0.42
1:A:180:ILE:CG2	1:A:181:ASN:N	2.82	0.42
1:A:384:TRP:CH2	4:A:604:NAG:H2	2.55	0.42
2:A:601:HEM:C2A	11:A:622:HCl:H3'	2.54	0.42
1:A:548:SER:OG	1:A:551:ARG:HB2	2.19	0.42
1:A:494:ILE:HD12	1:A:494:ILE:HA	1.87	0.42
1:A:549:PHE:CE2	1:A:553:ILE:HD11	2.55	0.42
1:A:166:VAL:HG22	1:A:178:GLU:O	2.20	0.41
1:A:308:THR:O	1:A:312:TYR:HB3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:433:LEU:HD12	1:A:433:LEU:HA	1.72	0.41
1:A:94:GLN:O	1:A:569:ALA:CB	2.68	0.41
1:A:64:ARG:NH1	1:A:65:LYS:HE2	2.35	0.41
1:A:221:ASP:O	1:A:224:LEU:HB2	2.20	0.41
1:A:165:PHE:CZ	1:A:169:THR:O	2.73	0.41
1:A:551:ARG:HD2	1:A:551:ARG:HA	1.71	0.41
1:A:408:ASN:HB3	1:A:411:LYS:HB2	2.02	0.41
1:A:70:PHE:CG	1:A:485:LYS:HB2	2.56	0.41
1:A:180:ILE:HG22	1:A:181:ASN:N	2.34	0.41
1:A:556:ASN:O	1:A:557:THR:HG23	2.21	0.41
1:A:22:ARG:H	1:A:22:ARG:HG3	1.59	0.41
1:A:362:ASP:OD1	1:A:362:ASP:C	2.59	0.41
1:A:450:ASN:OD1	1:A:461:PRO:HD2	2.20	0.40
1:A:350:GLY:CA	2:A:601:HEM:HBC2	2.46	0.40
1:A:106:ILE:HD11	1:A:265:ALA:HB3	2.03	0.40
1:A:46:TRP:CE2	1:A:340:SER:HB3	2.56	0.40
1:A:393:ASP:CB	1:A:394:PRO:HD3	2.52	0.40
1:A:227:LEU:HD21	1:A:267:THR:HA	2.02	0.40
1:A:349:PHE:HB2	1:A:497:ASN:HD21	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	592/595 (100%)	550 (93%)	41 (7%)	1 (0%)	52 77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	169	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	517/517 (100%)	509 (98%)	8 (2%)	72	90

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	ARG
1	A	50	GLU
1	A	108	ASP
1	A	146	LYS
1	A	232	LYS
1	A	347	PHE
1	A	427	LYS
1	A	503	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	ASN
1	A	364	ASN
1	A	419	ASN
1	A	426	HIS
1	A	437	ASN
1	A	468	GLN
1	A	497	ASN
1	A	521	GLN
1	A	570	ASN
1	A	574	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	A	198	1	8,9,10	0.79	0	8,12,14	1.89	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	198	1	-	0/6/8/10	0/0/0/0

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	198	SEP	O-C-CA	-2.83	118.11	125.49
1	A	198	SEP	OG-CB-CA	3.38	111.16	108.27

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	198	SEP	1	0

5.5 Carbohydrates ⓘ

2 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	NAG	A	604	1,4	14,14,15	2.17	4 (28%)	15,19,21	1.97	5 (33%)
4	NAG	A	605	4	14,14,15	1.04	2 (14%)	15,19,21	2.31	5 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	604	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	605	4	-	0/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	604	NAG	O4-C4	-5.85	1.29	1.43
4	A	604	NAG	O5-C5	-3.75	1.35	1.43
4	A	604	NAG	C4-C5	-2.69	1.47	1.53
4	A	605	NAG	C1-C2	-2.16	1.49	1.52
4	A	604	NAG	C3-C2	-2.13	1.47	1.52
4	A	605	NAG	C3-C2	-2.02	1.47	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	605	NAG	C4-C3-C2	-5.96	101.97	111.23
4	A	604	NAG	O4-C4-C5	-3.76	99.29	109.24
4	A	604	NAG	C1-O5-C5	-3.37	107.97	112.25
4	A	604	NAG	O4-C4-C3	-2.43	104.87	110.34
4	A	605	NAG	C2-N2-C7	-2.26	120.14	123.04
4	A	604	NAG	C4-C3-C2	-2.12	107.94	111.23
4	A	605	NAG	C3-C2-N2	2.51	116.58	110.56
4	A	605	NAG	C3-C4-C5	3.16	115.70	110.20
4	A	604	NAG	C3-C4-C5	3.68	116.62	110.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	605	NAG	C1-O5-C5	4.25	117.64	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	604	NAG	1	0

5.6 Ligand geometry

Of 20 ligands modelled in this entry, 9 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	601	1,12	30,50,50	2.61	12 (40%)	24,82,82	2.16	6 (25%)
3	NAG	A	602	1	14,14,15	1.12	2 (14%)	15,19,21	1.21	1 (6%)
3	NAG	A	603	1	14,14,15	1.08	2 (14%)	15,19,21	0.90	0
3	NAG	A	606	1	14,14,15	1.04	2 (14%)	15,19,21	1.09	1 (6%)
7	SCN	A	616	-	2,2,2	2.14	1 (50%)	1,1,1	0.15	0
8	PEG	A	617	-	6,6,6	1.23	1 (16%)	5,5,5	1.01	1 (20%)
9	GOL	A	618	-	5,5,5	0.75	0	5,5,5	0.46	0
10	EDO	A	619	-	3,3,3	1.39	1 (33%)	2,2,2	0.60	0
10	EDO	A	620	-	3,3,3	1.50	1 (33%)	2,2,2	0.82	0
10	EDO	A	621	-	3,3,3	1.59	1 (33%)	2,2,2	0.89	0
11	HCI	A	622	-	8,11,11	0.14	0	10,13,13	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	601	1,12	-	0/10/54/54	0/0/8/8
3	NAG	A	602	1	-	0/6/23/26	0/1/1/1
3	NAG	A	603	1	-	0/6/23/26	0/1/1/1
3	NAG	A	606	1	-	0/6/23/26	0/1/1/1
7	SCN	A	616	-	-	0/0/0/0	0/0/0/0
8	PEG	A	617	-	-	0/4/4/4	0/0/0/0
9	GOL	A	618	-	-	0/4/4/4	0/0/0/0
10	EDO	A	619	-	-	0/1/1/1	0/0/0/0
10	EDO	A	620	-	-	0/1/1/1	0/0/0/0
10	EDO	A	621	-	-	0/1/1/1	0/0/0/0
11	HCI	A	622	-	-	0/3/5/5	0/1/1/1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	HEM	C3B-C4B	-9.17	1.43	1.51
2	A	601	HEM	C1A-CHA	-3.14	1.31	1.39
2	A	601	HEM	C3D-C4D	-3.09	1.47	1.51
2	A	601	HEM	C2D-C3D	-3.08	1.45	1.54
10	A	621	EDO	O2-C2	-2.71	1.27	1.42
2	A	601	HEM	C2C-C1C	-2.65	1.47	1.52
8	A	617	PEG	O4-C4	-2.62	1.27	1.42
3	A	603	NAG	O5-C5	-2.59	1.37	1.43
10	A	620	EDO	O2-C2	-2.57	1.28	1.42
3	A	606	NAG	O5-C5	-2.46	1.38	1.43
3	A	602	NAG	O5-C5	-2.40	1.38	1.43
3	A	602	NAG	O5-C1	-2.39	1.39	1.43
3	A	606	NAG	O5-C1	-2.37	1.39	1.43
10	A	619	EDO	O2-C2	-2.29	1.29	1.42
2	A	601	HEM	C2D-C1D	-2.20	1.44	1.51
3	A	603	NAG	O5-C1	-2.11	1.40	1.43
2	A	601	HEM	C4C-NC	2.11	1.38	1.36
2	A	601	HEM	CAD-C3D	2.23	1.58	1.54
7	A	616	SCN	C-S	2.47	1.79	1.63
2	A	601	HEM	FE-NB	2.55	2.11	1.97
2	A	601	HEM	CAA-C2A	2.82	1.56	1.52
2	A	601	HEM	C3C-CAC	3.78	1.58	1.51
2	A	601	HEM	C3B-CAB	3.84	1.58	1.51

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	A	602	NAG	C4-C3-C2	-2.94	106.67	111.23
3	A	606	NAG	C2-N2-C7	-2.57	119.73	123.04
2	A	601	HEM	C1D-CHD-C4C	-2.10	122.32	125.82
8	A	617	PEG	O2-C3-C4	2.08	120.02	110.43
2	A	601	HEM	CAD-C3D-C2D	2.80	121.28	113.22
2	A	601	HEM	C4B-CHC-C1C	3.43	131.56	125.82
2	A	601	HEM	CMC-C2C-C3C	3.95	126.38	116.53
2	A	601	HEM	CMB-C2B-C3B	4.16	126.90	116.53
2	A	601	HEM	CAD-C3D-C4D	6.34	134.82	112.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	HEM	6	0
3	A	602	NAG	1	0
7	A	616	SCN	1	0
9	A	618	GOL	3	0
11	A	622	HCI	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	594/595 (99%)	0.08	33 (5%) 28 21	28, 48, 93, 163	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	173	GLN	11.3
1	A	2	TRP	10.5
1	A	7	GLY	9.4
1	A	1	SER	8.5
1	A	121	SER	7.8
1	A	122	ASN	7.5
1	A	12	LEU	6.8
1	A	595	ASN	6.7
1	A	120	GLY	6.5
1	A	8	ALA	6.2
1	A	174	SER	6.1
1	A	13	VAL	4.5
1	A	4	VAL	4.4
1	A	594	GLU	4.2
1	A	172	TYR	3.3
1	A	119	LEU	3.1
1	A	587	LEU	3.0
1	A	17	GLU	3.0
1	A	64	ARG	3.0
1	A	279	GLU	3.0
1	A	124	HIS	2.8
1	A	123	GLU	2.7
1	A	592	SER	2.6
1	A	5	GLY	2.6
1	A	283	LEU	2.6
1	A	593	ARG	2.5
1	A	126	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	132	TYR	2.4
1	A	14	LYS	2.2
1	A	117	THR	2.2
1	A	128	GLN	2.1
1	A	9	PRO	2.1
1	A	223	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	SEP	A	198	10/11	0.81	0.27	-	49,54,58,59	0

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	NAG	A	604	14/15	0.81	0.22	0.83	43,47,54,55	0
4	NAG	A	605	14/15	0.80	0.31	-	59,66,73,73	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
10	EDO	A	621	4/4	0.90	0.24	7.78	61,61,62,62	0
8	PEG	A	617	7/7	0.82	0.31	4.30	67,71,73,73	0
11	HCI	A	622	11/11	0.87	0.29	3.35	31,37,45,46	0
10	EDO	A	619	4/4	0.79	0.29	1.63	70,73,75,75	0
7	SCN	A	616	3/3	0.97	0.18	0.84	57,57,57,59	0
3	NAG	A	603	14/15	0.88	0.17	0.52	41,51,53,54	0
2	HEM	A	601	43/43	0.96	0.20	0.49	25,30,34,37	0
9	GOL	A	618	6/6	0.90	0.15	-0.31	47,49,51,51	0
6	CA	A	615	1/1	0.98	0.17	-0.41	40,40,40,40	0
5	IOD	A	610	1/1	0.96	0.08	-1.84	72,72,72,72	1
5	IOD	A	613	1/1	0.97	0.08	-2.12	67,67,67,67	0
5	IOD	A	609	1/1	0.99	0.06	-2.14	73,73,73,73	0
5	IOD	A	612	1/1	0.99	0.11	-2.15	49,49,49,49	0
5	IOD	A	608	1/1	1.00	0.05	-2.55	79,79,79,79	0
5	IOD	A	607	1/1	0.98	0.05	-3.07	90,90,90,90	0
3	NAG	A	606	14/15	0.79	0.27	-	49,59,63,64	0
3	NAG	A	602	14/15	0.76	0.34	-	53,67,77,86	0
5	IOD	A	611	1/1	0.95	0.08	-	72,72,72,72	1
10	EDO	A	620	4/4	0.91	0.17	-	48,50,51,52	0
5	IOD	A	614	1/1	0.96	0.05	-	86,86,86,86	0

6.5 Other polymers [i](#)

There are no such residues in this entry.