



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:03 PM GMT

PDB ID : 4GX1  
Title : Crystal structure of the GsuK bound to ADP  
Authors : Kong, C.; Zeng, W.; Ye, S.; Chen, L.; Sauer, D.B.; Lam, Y.; Derebe, M.G.; Jiang, Y.  
Deposited on : 2012-09-03  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	565	<div> <div>2%</div> <div>54%</div> <div>11%</div> <div>33%</div> </div>
1	B	565	<div> <div>11%</div> <div>74%</div> <div>20%</div> <div>• •</div> </div>
1	C	565	<div> <div>5%</div> <div>76%</div> <div>19%</div> <div>• •</div> </div>
1	D	565	<div> <div>2%</div> <div>52%</div> <div>12%</div> <div>33%</div> <div>•</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	PO4	C	610	-	-	X	-

## 2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 14702 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TrkA domain protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	376	Total	C	N	O	S	0	0	0
			2931	1885	507	528	11			
1	B	547	Total	C	N	O	S	0	0	0
			4197	2687	725	770	15			
1	C	546	Total	C	N	O	S	0	0	0
			4188	2682	723	768	15			
1	D	376	Total	C	N	O	S	0	0	0
			2928	1883	507	527	11			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	4	MET	-	EXPRESSION TAG	UNP Q74FS9
A	5	GLN	-	EXPRESSION TAG	UNP Q74FS9
A	6	ARG	-	EXPRESSION TAG	UNP Q74FS9
A	7	GLY	-	EXPRESSION TAG	UNP Q74FS9
A	8	SER	-	EXPRESSION TAG	UNP Q74FS9
A	52	ALA	GLU	ENGINEERED MUTATION	UNP Q74FS9
A	77	GLU	GLN	ENGINEERED MUTATION	UNP Q74FS9
A	97	ASP	LEU	ENGINEERED MUTATION	UNP Q74FS9
A	565	LEU	-	EXPRESSION TAG	UNP Q74FS9
A	566	VAL	-	EXPRESSION TAG	UNP Q74FS9
A	567	PRO	-	EXPRESSION TAG	UNP Q74FS9
A	568	ARG	-	EXPRESSION TAG	UNP Q74FS9
B	4	MET	-	EXPRESSION TAG	UNP Q74FS9
B	5	GLN	-	EXPRESSION TAG	UNP Q74FS9
B	6	ARG	-	EXPRESSION TAG	UNP Q74FS9
B	7	GLY	-	EXPRESSION TAG	UNP Q74FS9
B	8	SER	-	EXPRESSION TAG	UNP Q74FS9
B	52	ALA	GLU	ENGINEERED MUTATION	UNP Q74FS9
B	77	GLU	GLN	ENGINEERED MUTATION	UNP Q74FS9
B	97	ASP	LEU	ENGINEERED MUTATION	UNP Q74FS9
B	565	LEU	-	EXPRESSION TAG	UNP Q74FS9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	566	VAL	-	EXPRESSION TAG	UNP Q74FS9
B	567	PRO	-	EXPRESSION TAG	UNP Q74FS9
B	568	ARG	-	EXPRESSION TAG	UNP Q74FS9
C	4	MET	-	EXPRESSION TAG	UNP Q74FS9
C	5	GLN	-	EXPRESSION TAG	UNP Q74FS9
C	6	ARG	-	EXPRESSION TAG	UNP Q74FS9
C	7	GLY	-	EXPRESSION TAG	UNP Q74FS9
C	8	SER	-	EXPRESSION TAG	UNP Q74FS9
C	52	ALA	GLU	ENGINEERED MUTATION	UNP Q74FS9
C	77	GLU	GLN	ENGINEERED MUTATION	UNP Q74FS9
C	97	ASP	LEU	ENGINEERED MUTATION	UNP Q74FS9
C	565	LEU	-	EXPRESSION TAG	UNP Q74FS9
C	566	VAL	-	EXPRESSION TAG	UNP Q74FS9
C	567	PRO	-	EXPRESSION TAG	UNP Q74FS9
C	568	ARG	-	EXPRESSION TAG	UNP Q74FS9
D	4	MET	-	EXPRESSION TAG	UNP Q74FS9
D	5	GLN	-	EXPRESSION TAG	UNP Q74FS9
D	6	ARG	-	EXPRESSION TAG	UNP Q74FS9
D	7	GLY	-	EXPRESSION TAG	UNP Q74FS9
D	8	SER	-	EXPRESSION TAG	UNP Q74FS9
D	52	ALA	GLU	ENGINEERED MUTATION	UNP Q74FS9
D	77	GLU	GLN	ENGINEERED MUTATION	UNP Q74FS9
D	97	ASP	LEU	ENGINEERED MUTATION	UNP Q74FS9
D	565	LEU	-	EXPRESSION TAG	UNP Q74FS9
D	566	VAL	-	EXPRESSION TAG	UNP Q74FS9
D	567	PRO	-	EXPRESSION TAG	UNP Q74FS9
D	568	ARG	-	EXPRESSION TAG	UNP Q74FS9

- Molecule 2 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	3	Total K 3 3	0	0
2	A	3	Total K 3 3	0	0
2	D	2	Total K 2 2	0	0
2	C	3	Total K 3 3	0	0


- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Zn 1 1	0	0
3	A	1	Total Zn 1 1	0	0
3	D	1	Total Zn 1 1	0	0
3	C	1	Total Zn 1 1	0	0

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Ca 1 1	0	0
4	A	1	Total Ca 1 1	0	0
4	C	2	Total Ca 2 2	0	0

- Molecule 5 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{10}\text{P}_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
5	B	1	Total 27	C 10	N 5	O 10	P 2	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
5	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 6 is SUGAR (ALPHA-D-GLUCOSE) (three-letter code: GLC) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			12	6	6		
6	C	1	Total	C	O	0	0
			12	6	6		
6	C	1	Total	C	O	0	0
			12	6	6		
6	D	1	Total	C	O	0	0
			12	6	6		

- Molecule 7 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	O	P	0	0
			5	4	1		
7	C	1	Total	O	P	0	0
			5	4	1		

- Molecule 8 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	49	Total	O	0	0
			49	49		
8	B	91	Total	O	0	0
			91	91		
8	C	83	Total	O	0	0
			83	83		
8	D	50	Total	O	0	0
			50	50		




### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: TrkA domain protein





- Molecule 1: TrkA domain protein






• Molecule 1: TrkA domain protein



• Molecule 1: TrkA domain protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	234.32Å 111.44Å 164.74Å 90.00° 134.93° 90.00°	Depositor
Resolution (Å)	41.47 – 2.80 49.53 – 2.80	Depositor EDS
% Data completeness (in resolution range)	96.7 (41.47-2.80) 96.8 (49.53-2.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.49 (at 2.81Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, $R_{free}$	0.212 , 0.255 0.209 , 0.251	Depositor DCC
$R_{free}$ test set	3624 reflections (5.33%)	DCC
Wilson B-factor (Å <sup>2</sup> )	69.7	Xtriage
Anisotropy	0.354	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 46.5	EDS
Estimated twinning fraction	0.089 for -h-2*l,k,h+1 0.015 for -h,-k,h+1 0.023 for -h-2*l,-k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 71620 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	14702	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	87.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 30.14 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.3762e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, ADP, K, GLC, PO4, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.34	0/2991	0.49	0/4072
1	B	0.31	0/4280	0.47	0/5829
1	C	0.28	0/4271	0.47	0/5817
1	D	0.29	0/2988	0.47	0/4068
All	All	0.31	0/14530	0.48	0/19786

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2931	0	2961	43	0
1	B	4197	0	4267	73	0
1	C	4188	0	4259	64	0
1	D	2928	0	2960	48	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	3	0	0	0	0
2	D	2	0	0	0	0
3	A	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	2	0	0	0	0
5	A	27	0	12	6	0
5	B	27	0	12	2	0
5	C	27	0	12	1	0
5	D	27	0	12	5	0
6	B	12	0	11	0	0
6	C	24	0	22	0	0
6	D	12	0	11	0	0
7	B	5	0	0	0	0
7	C	5	0	0	2	0
8	A	49	0	0	0	0
8	B	91	0	0	1	0
8	C	83	0	0	4	0
8	D	50	0	0	0	0
All	All	14702	0	14539	213	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (213) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:419:THR:HG22	1:A:421:ASP:H	1.36	0.90
1:C:112:TRP:HE1	1:C:116:ARG:HH11	1.24	0.84
1:C:419:THR:HG22	1:C:421:ASP:H	1.43	0.83
1:C:493:ARG:HD2	1:C:544:ARG:HD3	1.63	0.80
1:C:419:THR:HB	1:C:425:ASN:HD21	1.45	0.80
1:D:130:ARG:HG3	1:D:195:ALA:HB1	1.65	0.77
1:C:69:LEU:HD23	1:D:68:THR:HA	1.68	0.75
1:B:419:THR:HG22	1:B:421:ASP:H	1.52	0.73
1:C:523:ALA:HB3	1:C:526:ARG:HG3	1.70	0.73
1:C:169:LEU:HB3	1:C:177:VAL:HG21	1.71	0.72
1:B:139:ASP:OD2	1:B:202:ASN:ND2	2.24	0.71
1:B:361:ARG:NH1	8:B:728:HOH:O	2.22	0.70
1:A:119:TYR:HB2	1:B:118:ARG:HH12	1.59	0.68
1:C:419:THR:HB	1:C:425:ASN:ND2	2.08	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:419:THR:HG22	1:D:421:ASP:H	1.60	0.66
1:A:444:ARG:NH1	5:A:606:ADP:O1B	2.29	0.66
1:D:138:ILE:HG21	1:D:169:LEU:HD11	1.78	0.66
1:D:397:ASP:OD1	5:D:604:ADP:N6	2.29	0.65
1:B:172:GLN:NE2	1:B:172:GLN:O	2.30	0.65
1:D:229:GLU:OE1	1:D:361:ARG:NE	2.30	0.64
1:B:298:ARG:NH2	1:B:523:ALA:O	2.31	0.64
1:B:265:LEU:HD21	1:B:341:LEU:HD23	1.80	0.64
1:D:112:TRP:HD1	1:D:116:ARG:HH11	1.46	0.63
1:B:520:ALA:HB1	1:B:529:ILE:HD11	1.81	0.63
1:B:523:ALA:HB3	1:B:526:ARG:HB2	1.81	0.62
1:B:222:PRO:HB2	1:B:480:LYS:HE3	1.82	0.62
1:D:444:ARG:NH2	5:D:604:ADP:O2B	2.32	0.62
1:A:138:ILE:HG21	1:A:169:LEU:HD11	1.81	0.62
1:B:419:THR:HB	1:B:425:ASN:OD1	2.00	0.61
1:D:51:ARG:NH2	1:D:75:THR:O	2.30	0.61
1:C:19:ASN:N	8:C:710:HOH:O	2.32	0.60
1:C:430:LEU:HD11	1:D:239:ALA:HB2	1.83	0.60
1:D:362:ILE:N	5:D:604:ADP:O1B	2.33	0.60
1:C:402:GLN:OE1	1:C:405:ARG:NE	2.29	0.60
1:A:69:LEU:CD2	1:B:70:GLY:HA3	2.32	0.60
1:A:419:THR:HG23	5:A:606:ADP:C8	2.37	0.59
1:B:67:THR:O	1:B:68:THR:OG1	2.20	0.59
1:A:419:THR:HB	1:A:425:ASN:OD1	2.03	0.59
1:D:139:ASP:OD2	1:D:202:ASN:ND2	2.34	0.59
1:D:197:ARG:NH1	1:D:477:LEU:O	2.36	0.58
1:D:404:LEU:HB3	1:D:409:ILE:HG13	1.86	0.58
1:B:496:LEU:HD22	1:B:497:PRO:HD2	1.85	0.58
1:D:67:THR:O	1:D:68:THR:OG1	2.19	0.58
1:A:69:LEU:HD22	1:B:70:GLY:HA3	1.85	0.58
1:B:496:LEU:HD23	1:B:545:LEU:HD11	1.85	0.58
1:C:262:CYS:HA	1:C:284:GLY:HA3	1.84	0.58
1:C:361:ARG:N	5:C:607:ADP:O3B	2.29	0.58
1:B:287:PHE:HD2	1:B:295:SER:HB2	1.67	0.58
1:A:433:ARG:NH1	1:A:439:ILE:O	2.30	0.58
1:A:355:PHE:CE2	1:A:380:ILE:HD11	2.39	0.57
7:C:610:PO4:O1	8:C:748:HOH:O	2.17	0.57
1:D:444:ARG:HE	1:D:465:ASN:HD21	1.52	0.57
1:C:352:GLU:O	1:C:376:PRO:HG2	2.04	0.57
1:C:505:ILE:HD13	1:C:518:ILE:HG21	1.85	0.57
1:A:108:PHE:HA	1:A:111:PRO:HD2	1.85	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:67:THR:O	1:C:68:THR:OG1	2.17	0.57
1:C:418:THR:HG22	1:C:444:ARG:HH11	1.70	0.56
1:A:355:PHE:HE2	1:A:380:ILE:HD11	1.70	0.56
1:C:113:ILE:HG23	1:C:117:LEU:HD23	1.87	0.56
1:C:119:TYR:CE2	1:C:170:GLU:HG3	2.41	0.56
1:B:362:ILE:H	5:B:606:ADP:PB	2.29	0.56
1:C:504:THR:HG22	1:C:507:GLU:H	1.71	0.56
1:D:252:GLY:HA3	1:D:365:ALA:HB3	1.88	0.55
1:C:232:HIS:HA	1:C:235:LEU:HD12	1.87	0.55
1:B:44:LEU:HB3	1:B:48:LEU:HD12	1.88	0.55
1:D:63:ILE:O	1:D:67:THR:HB	2.08	0.54
1:B:520:ALA:HB3	1:B:546:ILE:HB	1.88	0.54
1:B:418:THR:HG23	1:B:444:ARG:HD3	1.90	0.54
1:A:411:ARG:HD3	1:A:411:ARG:H	1.73	0.53
1:C:228:LYS:HE3	8:C:730:HOH:O	2.08	0.53
1:D:146:ILE:HG21	1:D:175:PHE:HD2	1.74	0.53
1:C:21:LYS:HA	1:C:24:LEU:HD23	1.91	0.53
1:C:258:ARG:HG2	1:C:461:PHE:CD1	2.44	0.53
1:C:500:MET:HG3	1:C:508:THR:HG21	1.90	0.52
1:A:103:GLY:O	1:A:107:MET:HB3	2.10	0.52
1:C:265:LEU:HD23	1:C:280:LEU:HB2	1.91	0.52
1:B:169:LEU:HB3	1:B:175:PHE:HE1	1.75	0.52
1:D:355:PHE:HE2	1:D:380:ILE:HD11	1.75	0.51
1:B:482:SER:HA	1:B:485:LEU:HB2	1.92	0.51
1:A:418:THR:HG22	1:A:444:ARG:HD2	1.93	0.51
1:B:33:MET:HE1	1:B:91:SER:HB3	1.92	0.51
1:B:489:MET:HG2	1:B:550:THR:HA	1.92	0.51
1:A:130:ARG:HG2	1:A:195:ALA:HB1	1.93	0.51
1:B:493:ARG:HD3	1:B:544:ARG:HD2	1.94	0.50
1:B:352:GLU:O	1:B:376:PRO:HG2	2.11	0.50
1:C:112:TRP:HZ3	1:D:113:ILE:HD13	1.77	0.50
1:B:146:ILE:HG21	1:B:175:PHE:CD2	2.47	0.50
1:A:141:ILE:HD13	1:A:247:LEU:HD13	1.92	0.50
1:D:352:GLU:O	1:D:376:PRO:HG2	2.12	0.50
1:B:112:TRP:CE2	1:B:116:ARG:HD2	2.47	0.50
1:C:200:ILE:HD11	1:C:477:LEU:HD11	1.94	0.50
1:C:496:LEU:HD22	1:C:497:PRO:HD2	1.94	0.50
1:A:360:GLY:HA3	5:A:606:ADP:O5'	2.12	0.49
1:B:216:ARG:NH1	1:B:242:ASN:OD1	2.45	0.49
1:B:113:ILE:HG23	1:B:117:LEU:HD23	1.94	0.49
1:C:71:PHE:O	1:D:72:GLY:HA3	2.11	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:444:ARG:NH2	5:B:606:ADP:O2B	2.46	0.49
1:C:178:VAL:HG11	1:C:191:LEU:HD21	1.92	0.49
1:A:67:THR:HG21	1:B:89:THR:CG2	2.42	0.48
1:C:310:GLU:OE1	1:C:327:SER:OG	2.21	0.48
1:D:149:LEU:HD12	1:D:156:PHE:HZ	1.77	0.48
1:C:405:ARG:HA	1:C:409:ILE:HG22	1.96	0.48
1:C:309:TRP:NE1	7:C:610:PO4:O2	2.45	0.48
1:A:67:THR:O	1:A:68:THR:OG1	2.29	0.48
1:C:67:THR:HG21	1:D:89:THR:CG2	2.44	0.47
1:D:419:THR:HB	1:D:425:ASN:OD1	2.14	0.47
1:D:112:TRP:CE3	1:D:113:ILE:HG13	2.49	0.47
1:A:61:TRP:O	1:A:65:VAL:HG23	2.15	0.47
1:A:397:ASP:OD2	5:A:606:ADP:N6	2.48	0.47
1:B:149:LEU:HB2	1:B:156:PHE:CE1	2.50	0.47
1:A:362:ILE:HB	5:A:606:ADP:O1B	2.15	0.47
1:A:63:ILE:O	1:A:67:THR:HB	2.15	0.47
1:B:149:LEU:HA	1:B:152:ARG:HG2	1.97	0.47
1:C:318:GLN:HB2	1:C:321:THR:HG22	1.97	0.47
1:D:44:LEU:O	1:D:48:LEU:HB2	2.15	0.46
1:A:431:ALA:HB2	1:B:235:LEU:HD21	1.97	0.46
1:D:146:ILE:HG21	1:D:175:PHE:CD2	2.51	0.46
1:A:203:LEU:O	1:A:228:LYS:NZ	2.46	0.46
1:D:418:THR:HG22	1:D:444:ARG:HD2	1.97	0.46
1:B:19:ASN:HB3	1:B:107:MET:SD	2.56	0.46
1:C:112:TRP:HE1	1:C:116:ARG:NH1	2.04	0.46
1:A:425:ASN:ND2	1:A:444:ARG:O	2.43	0.45
1:A:363:GLY:N	5:A:606:ADP:O3B	2.35	0.45
1:B:265:LEU:HD23	1:B:342:GLU:HG3	1.99	0.45
1:D:203:LEU:O	1:D:228:LYS:NZ	2.48	0.45
1:D:227:VAL:HG23	1:D:236:LEU:HD22	1.98	0.45
1:D:362:ILE:H	5:D:604:ADP:PB	2.40	0.45
1:A:158:VAL:HG21	1:A:169:LEU:HD13	1.98	0.45
1:A:388:CYS:SG	1:A:389:ASN:N	2.89	0.45
1:B:552:GLU:O	1:B:556:THR:OG1	2.22	0.45
1:D:258:ARG:HG2	1:D:461:PHE:CD1	2.52	0.44
1:C:504:THR:HG22	1:C:507:GLU:N	2.32	0.44
1:B:125:LEU:HD21	1:B:157:VAL:HG21	1.98	0.44
1:C:237:ARG:NH2	8:C:745:HOH:O	2.49	0.44
1:C:522:GLU:HG3	1:C:544:ARG:HB3	1.98	0.44
1:C:157:VAL:HG22	1:C:176:LYS:HB3	1.99	0.44
1:A:178:VAL:HG11	1:A:191:LEU:HD21	2.00	0.44

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:63:ILE:O	1:C:67:THR:HB	2.18	0.44
1:D:112:TRP:CD1	1:D:116:ARG:HD2	2.53	0.44
1:C:422:ASP:HA	1:C:425:ASN:HB2	2.00	0.44
1:C:67:THR:HG21	1:D:89:THR:HG21	1.99	0.44
1:C:113:ILE:O	1:C:117:LEU:N	2.48	0.44
1:B:112:TRP:CZ2	1:B:116:ARG:HD2	2.52	0.44
1:B:141:ILE:HD13	1:B:466:ALA:HA	1.99	0.43
1:C:268:ILE:HB	1:C:277:ILE:HG22	2.00	0.43
1:B:117:LEU:HA	1:B:117:LEU:HD13	1.81	0.43
1:B:247:LEU:HD23	1:B:247:LEU:HA	1.86	0.43
1:C:69:LEU:HD11	1:C:71:PHE:CZ	2.54	0.43
1:C:504:THR:HG23	1:C:506:ALA:H	1.84	0.43
1:C:44:LEU:O	1:C:48:LEU:HB2	2.17	0.43
1:B:418:THR:HG22	1:B:444:ARG:HH11	1.84	0.43
1:A:431:ALA:HA	1:B:235:LEU:HD11	2.01	0.43
1:C:496:LEU:HA	1:C:497:PRO:HD2	1.89	0.43
1:C:269:LEU:HB3	1:C:277:ILE:HB	2.00	0.43
1:B:293:GLY:HA3	1:B:319:ARG:HG3	1.99	0.43
1:D:109:LEU:HA	1:D:109:LEU:HD12	1.90	0.43
1:B:476:LEU:O	1:B:480:LYS:HG2	2.19	0.43
1:D:420:ASN:HB3	5:D:604:ADP:O2A	2.18	0.43
1:C:444:ARG:HE	1:C:465:ASN:HD21	1.67	0.43
1:C:356:ILE:HB	1:C:379:LEU:HD23	2.00	0.43
1:A:359:HIS:CD2	1:A:379:LEU:HD13	2.53	0.42
1:A:67:THR:HG21	1:B:89:THR:HG21	2.01	0.42
1:B:134:LEU:HD23	1:B:193:VAL:HG12	2.01	0.42
1:C:479:HIS:O	1:C:483:ALA:N	2.51	0.42
1:C:105:VAL:HG13	1:C:109:LEU:HD23	2.01	0.42
1:D:61:TRP:O	1:D:65:VAL:HG23	2.19	0.42
1:B:119:TYR:CZ	1:B:121:PRO:HA	2.55	0.42
1:B:514:THR:HG21	1:B:557:PHE:HD1	1.84	0.42
1:D:136:PHE:CD1	1:D:182:PRO:HB3	2.54	0.42
1:B:448:GLU:HA	1:B:451:VAL:HG23	2.01	0.42
1:A:236:LEU:HD12	1:A:236:LEU:HA	1.85	0.42
1:B:309:TRP:CZ2	1:B:312:GLY:HA2	2.54	0.42
1:B:493:ARG:HG3	1:B:546:ILE:HG12	2.02	0.42
1:B:291:THR:HG22	1:B:322:VAL:HG22	2.01	0.42
1:A:453:GLN:HE21	1:B:214:THR:HA	1.85	0.42
1:C:386:PRO:HG2	1:C:387:VAL:HG13	2.02	0.42
1:A:476:LEU:O	1:A:480:LYS:HB2	2.20	0.42
1:D:98:ILE:O	1:D:102:PHE:HB3	2.20	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:350:GLU:HG2	1:B:350:GLU:H	1.58	0.42
1:C:558:ASP:N	1:C:558:ASP:OD1	2.52	0.41
1:B:270:ASP:OD1	1:B:276:GLN:NE2	2.43	0.41
1:C:112:TRP:CZ3	1:D:113:ILE:HD13	2.54	0.41
1:B:130:ARG:HD2	1:B:195:ALA:HB1	2.02	0.41
1:B:149:LEU:HB2	1:B:156:PHE:HE1	1.85	0.41
1:D:43:TYR:HD2	1:D:44:LEU:HD23	1.85	0.41
1:B:128:ASP:O	1:B:130:ARG:HG2	2.20	0.41
1:D:247:LEU:HA	1:D:247:LEU:HD23	1.85	0.41
1:C:318:GLN:H	1:C:321:THR:CG2	2.32	0.41
1:D:373:LYS:HA	1:D:374:PRO:HD2	1.90	0.41
1:A:355:PHE:CE1	1:A:378:ILE:HD12	2.54	0.41
1:B:216:ARG:HA	1:B:216:ARG:HD3	1.90	0.41
1:A:356:ILE:HB	1:A:379:LEU:HD23	2.03	0.41
1:B:292:ILE:HD11	1:B:308:VAL:HG21	2.03	0.41
1:B:230:PRO:HB3	1:B:249:ARG:HH11	1.86	0.41
1:A:352:GLU:O	1:A:376:PRO:HG2	2.20	0.41
1:B:280:LEU:HA	1:B:281:PRO:HD2	1.95	0.41
1:A:476:LEU:HA	1:A:476:LEU:HD12	1.90	0.41
1:C:181:SER:HA	1:C:182:PRO:HD3	1.89	0.41
1:B:254:TYR:HD1	1:B:257:ILE:HD11	1.86	0.41
1:C:33:MET:HE1	1:C:91:SER:HB3	2.03	0.41
1:D:141:ILE:HD13	1:D:466:ALA:HA	2.03	0.41
1:C:453:GLN:HE21	1:D:214:THR:HA	1.86	0.41
1:B:258:ARG:O	1:B:440:ARG:HD3	2.21	0.41
1:C:138:ILE:HG21	1:C:169:LEU:HD11	2.03	0.40
1:A:112:TRP:O	1:A:116:ARG:HB2	2.21	0.40
1:B:56:MET:HE3	1:B:56:MET:O	2.20	0.40
1:A:352:GLU:HG3	1:A:413:SER:OG	2.21	0.40
1:B:181:SER:HA	1:B:182:PRO:HD3	1.92	0.40
1:C:419:THR:HG22	1:C:421:ASP:N	2.23	0.40
1:B:484:PHE:HA	1:B:487:GLU:HB3	2.04	0.40
1:B:353:LEU:HB3	1:B:412:ALA:HA	2.04	0.40
1:B:367:ALA:HB1	1:B:377:PHE:CE1	2.57	0.40
1:D:152:ARG:HD2	1:D:152:ARG:H	1.84	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	372/565 (66%)	356 (96%)	15 (4%)	1 (0%)	46	79
1	B	545/565 (96%)	527 (97%)	18 (3%)	0	100	100
1	C	544/565 (96%)	522 (96%)	20 (4%)	2 (0%)	39	74
1	D	372/565 (66%)	357 (96%)	14 (4%)	1 (0%)	46	79
All	All	1833/2260 (81%)	1762 (96%)	67 (4%)	4 (0%)	52	84

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	524	PRO
1	C	374	PRO
1	D	374	PRO
1	A	230	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	314/463 (68%)	286 (91%)	28 (9%)	12	34
1	B	448/463 (97%)	411 (92%)	37 (8%)	14	38
1	C	447/463 (96%)	405 (91%)	42 (9%)	11	31
1	D	314/463 (68%)	285 (91%)	29 (9%)	11	32
All	All	1523/1852 (82%)	1387 (91%)	136 (9%)	12	34

All (136) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	LEU
1	A	24	LEU
1	A	30	LEU
1	A	67	THR
1	A	69	LEU
1	A	83	LEU
1	A	115	ARG
1	A	123	ILE
1	A	134	LEU
1	A	143	ARG
1	A	145	LEU
1	A	153	ASN
1	A	158	VAL
1	A	160	THR
1	A	172	GLN
1	A	236	LEU
1	A	238	LEU
1	A	243	GLN
1	A	351	ASP
1	A	353	LEU
1	A	355	PHE
1	A	390	ASP
1	A	411	ARG
1	A	418	THR
1	A	433	ARG
1	A	440	ARG
1	A	476	LEU
1	A	480	LYS
1	B	23	LEU
1	B	24	LEU
1	B	30	LEU
1	B	67	THR
1	B	69	LEU
1	B	83	LEU
1	B	105	VAL
1	B	107	MET
1	B	116	ARG
1	B	118	ARG
1	B	123	ILE
1	B	125	LEU
1	B	134	LEU
1	B	145	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	167	LEU
1	B	172	GLN
1	B	235	LEU
1	B	236	LEU
1	B	238	LEU
1	B	258	ARG
1	B	265	LEU
1	B	310	GLU
1	B	316	THR
1	B	328	LEU
1	B	352	GLU
1	B	353	LEU
1	B	371	ASP
1	B	399	THR
1	B	410	ASP
1	B	417	VAL
1	B	430	LEU
1	B	435	LEU
1	B	476	LEU
1	B	504	THR
1	B	509	ARG
1	B	536	GLU
1	B	556	THR
1	C	24	LEU
1	C	25	LEU
1	C	67	THR
1	C	83	LEU
1	C	104	PHE
1	C	123	ILE
1	C	134	LEU
1	C	139	ASP
1	C	145	LEU
1	C	148	LYS
1	C	149	LEU
1	C	152	ARG
1	C	160	THR
1	C	173	GLU
1	C	231	VAL
1	C	236	LEU
1	C	238	LEU
1	C	258	ARG
1	C	292	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	316	THR
1	C	319	ARG
1	C	320	GLU
1	C	321	THR
1	C	328	LEU
1	C	341	LEU
1	C	352	GLU
1	C	353	LEU
1	C	371	ASP
1	C	373	LYS
1	C	399	THR
1	C	418	THR
1	C	423	SER
1	C	430	LEU
1	C	471	ASN
1	C	476	LEU
1	C	487	GLU
1	C	500	MET
1	C	504	THR
1	C	510	LEU
1	C	558	ASP
1	C	559	GLN
1	C	561	ILE
1	D	24	LEU
1	D	51	ARG
1	D	56	MET
1	D	67	THR
1	D	69	LEU
1	D	83	LEU
1	D	102	PHE
1	D	109	LEU
1	D	134	LEU
1	D	145	LEU
1	D	152	ARG
1	D	158	VAL
1	D	164	ASP
1	D	171	GLU
1	D	172	GLN
1	D	193	VAL
1	D	197	ARG
1	D	227	VAL
1	D	236	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	261	THR
1	D	372	ARG
1	D	380	ILE
1	D	409	ILE
1	D	410	ASP
1	D	418	THR
1	D	419	THR
1	D	430	LEU
1	D	435	LEU
1	D	440	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	172	GLN
1	C	425	ASN
1	C	465	ASN
1	D	465	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 29 ligands modelled in this entry, 19 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	ADP	A	606	-	22,29,29	1.45	4 (18%)	27,45,45	2.66	5 (18%)
5	ADP	B	606	-	22,29,29	1.47	4 (18%)	27,45,45	2.83	6 (22%)
6	GLC	B	607	-	12,12,12	1.76	2 (16%)	17,17,17	1.29	1 (5%)
7	PO4	B	608	-	4,4,4	0.51	0	6,6,6	0.27	0
5	ADP	C	607	-	22,29,29	1.43	3 (13%)	27,45,45	2.70	5 (18%)
6	GLC	C	608	-	12,12,12	1.72	2 (16%)	17,17,17	1.26	2 (11%)
6	GLC	C	609	-	12,12,12	1.73	2 (16%)	17,17,17	1.25	3 (17%)
7	PO4	C	610	-	4,4,4	0.47	0	6,6,6	0.26	0
5	ADP	D	604	-	22,29,29	1.40	4 (18%)	27,45,45	2.85	6 (22%)
6	GLC	D	605	-	12,12,12	1.70	2 (16%)	17,17,17	1.26	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ADP	A	606	-	-	0/12/32/32	0/3/3/3
5	ADP	B	606	-	-	0/12/32/32	0/3/3/3
6	GLC	B	607	-	-	0/2/22/22	0/1/1/1
7	PO4	B	608	-	-	0/0/0/0	0/0/0/0
5	ADP	C	607	-	-	0/12/32/32	0/3/3/3
6	GLC	C	608	-	-	0/2/22/22	0/1/1/1
6	GLC	C	609	-	-	0/2/22/22	0/1/1/1
7	PO4	C	610	-	-	0/0/0/0	0/0/0/0
5	ADP	D	604	-	-	0/12/32/32	0/3/3/3
6	GLC	D	605	-	-	0/2/22/22	0/1/1/1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	607	GLC	C4-C3	-3.86	1.42	1.52
6	C	609	GLC	C4-C3	-3.85	1.42	1.52
6	D	605	GLC	C4-C3	-3.79	1.42	1.52
6	C	608	GLC	C4-C3	-3.76	1.42	1.52
5	A	606	ADP	C2'-C3'	-3.63	1.43	1.53
5	B	606	ADP	C2'-C3'	-3.60	1.43	1.53

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	607	ADP	C2'-C3'	-3.56	1.43	1.53
5	D	604	ADP	C2'-C3'	-3.51	1.43	1.53
6	C	608	GLC	C3-C2	-3.34	1.43	1.52
6	B	607	GLC	C3-C2	-3.31	1.43	1.52
6	C	609	GLC	C3-C2	-3.22	1.43	1.52
6	D	605	GLC	C3-C2	-3.15	1.44	1.52
5	C	607	ADP	O4'-C4'	-2.68	1.38	1.45
5	D	604	ADP	O4'-C4'	-2.65	1.38	1.45
5	B	606	ADP	O4'-C4'	-2.43	1.39	1.45
5	A	606	ADP	O4'-C4'	-2.30	1.39	1.45
5	D	604	ADP	O4'-C1'	2.04	1.43	1.41
5	D	604	ADP	C6-N6	2.55	1.42	1.34
5	C	607	ADP	C6-N6	2.57	1.42	1.34
5	B	606	ADP	C6-N6	2.59	1.42	1.34
5	A	606	ADP	C6-N6	2.61	1.43	1.34
5	B	606	ADP	O4'-C1'	2.64	1.44	1.41
5	A	606	ADP	O4'-C1'	2.71	1.44	1.41

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	606	ADP	N3-C2-N1	-11.89	119.79	128.89
5	D	604	ADP	N3-C2-N1	-11.84	119.83	128.89
5	C	607	ADP	N3-C2-N1	-11.45	120.12	128.89
5	A	606	ADP	N3-C2-N1	-11.27	120.27	128.89
5	D	604	ADP	PA-O3A-PB	-5.02	115.83	132.67
5	B	606	ADP	PA-O3A-PB	-4.97	116.01	132.67
5	C	607	ADP	PA-O3A-PB	-4.52	117.51	132.67
5	A	606	ADP	C4'-O4'-C1'	-4.00	105.33	109.72
5	C	607	ADP	C4'-O4'-C1'	-3.66	105.70	109.72
5	D	604	ADP	C4'-O4'-C1'	-3.20	106.21	109.72
5	D	604	ADP	C1'-N9-C4	-2.91	122.56	126.94
5	B	606	ADP	C4'-O4'-C1'	-2.33	107.16	109.72
6	C	609	GLC	O3-C3-C4	-2.04	105.74	110.34
6	C	609	GLC	O5-C1-C2	2.02	113.02	109.80
5	B	606	ADP	C2'-C3'-C4'	2.06	106.84	102.61
6	D	605	GLC	O6-C6-C5	2.07	118.17	111.33
6	B	607	GLC	O5-C1-C2	2.15	113.22	109.80
5	A	606	ADP	O3A-PA-O5'	2.15	108.64	102.94
6	C	609	GLC	O6-C6-C5	2.17	118.49	111.33
5	A	606	ADP	O2B-PB-O3A	2.26	115.33	105.09
6	C	608	GLC	O5-C1-C2	2.31	113.47	109.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	608	GLC	O6-C6-C5	2.39	119.22	111.33
5	C	607	ADP	O4'-C1'-N9	2.45	113.22	108.10
5	C	607	ADP	O5'-C5'-C4'	2.47	118.24	109.12
5	D	604	ADP	O5'-C5'-C4'	2.52	118.40	109.12
6	D	605	GLC	O5-C1-C2	2.58	113.91	109.80
5	D	604	ADP	O4'-C1'-N9	2.65	113.64	108.10
5	B	606	ADP	O5'-C5'-C4'	2.70	119.06	109.12
5	B	606	ADP	O4'-C1'-N9	3.07	114.53	108.10
5	A	606	ADP	O4'-C1'-N9	3.17	114.73	108.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	606	ADP	6	0
5	B	606	ADP	2	0
5	C	607	ADP	1	0
7	C	610	PO4	2	0
5	D	604	ADP	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	376/565 (66%)	0.20	12 (3%) 51 39	45, 68, 135, 186	0
1	B	547/565 (96%)	0.56	63 (11%) 6 3	49, 81, 190, 249	0
1	C	546/565 (96%)	0.28	30 (5%) 29 18	50, 79, 150, 217	0
1	D	376/565 (66%)	0.19	13 (3%) 48 35	45, 70, 138, 197	0
All	All	1845/2260 (81%)	0.33	118 (6%) 23 14	45, 75, 159, 249	0

All (118) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	516	CYS	11.8
1	B	509	ARG	8.9
1	B	508	THR	7.3
1	B	561	ILE	7.2
1	B	484	PHE	6.8
1	B	510	LEU	6.3
1	B	483	ALA	6.1
1	D	175	PHE	5.8
1	B	507	GLU	5.3
1	B	512	PRO	5.2
1	B	563	ALA	5.0
1	A	117	LEU	5.0
1	B	151	SER	5.0
1	B	555	LYS	4.9
1	C	514	THR	4.6
1	D	21	LYS	4.5
1	A	480	LYS	4.4
1	B	514	THR	4.4
1	B	496	LEU	4.3
1	B	518	ILE	4.3
1	B	505	ILE	4.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	555	LYS	4.3
1	B	506	ALA	4.2
1	B	564	ARG	4.2
1	C	512	PRO	4.2
1	B	492	PHE	4.0
1	D	482	SER	3.9
1	C	117	LEU	3.9
1	B	175	PHE	3.9
1	B	513	LEU	3.8
1	D	373	LYS	3.7
1	B	517	SER	3.7
1	C	516	CYS	3.7
1	D	117	LEU	3.7
1	B	560	THR	3.7
1	C	113	ILE	3.7
1	B	113	ILE	3.5
1	B	549	GLY	3.5
1	C	176	LYS	3.5
1	A	21	LYS	3.4
1	C	513	LEU	3.4
1	B	18	GLN	3.3
1	B	485	LEU	3.3
1	B	155	LEU	3.3
1	C	21	LYS	3.3
1	B	134	LEU	3.3
1	B	557	PHE	3.3
1	C	509	ARG	3.2
1	A	481	GLU	3.2
1	D	480	LYS	3.2
1	A	18	GLN	3.2
1	C	510	LEU	3.2
1	D	174	GLY	3.1
1	B	499	ALA	3.1
1	C	481	GLU	3.1
1	C	154	HIS	3.0
1	B	157	VAL	3.0
1	B	120	HIS	3.0
1	B	539	LEU	3.0
1	D	113	ILE	2.9
1	A	372	ARG	2.9
1	B	489	MET	2.9
1	C	151	SER	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	561	ILE	2.8
1	B	511	ARG	2.8
1	B	178	VAL	2.8
1	B	156	PHE	2.8
1	B	438	HIS	2.7
1	B	174	GLY	2.7
1	C	410	ASP	2.7
1	B	117	LEU	2.7
1	B	487	GLU	2.6
1	B	519	VAL	2.6
1	D	118	ARG	2.6
1	A	118	ARG	2.6
1	B	554	GLU	2.6
1	C	484	PHE	2.5
1	C	370	LEU	2.5
1	D	479	HIS	2.5
1	B	130	ARG	2.5
1	C	130	ARG	2.5
1	B	500	MET	2.5
1	B	19	ASN	2.5
1	B	543	ALA	2.4
1	C	301	THR	2.4
1	B	154	HIS	2.4
1	C	539	LEU	2.3
1	C	557	PHE	2.3
1	B	480	LYS	2.3
1	A	168	HIS	2.3
1	A	113	ILE	2.3
1	D	461	PHE	2.3
1	A	373	LYS	2.3
1	C	198	SER	2.3
1	B	150	GLU	2.3
1	D	112	TRP	2.3
1	B	497	PRO	2.3
1	C	125	LEU	2.3
1	B	556	THR	2.2
1	B	111	PRO	2.2
1	B	550	THR	2.2
1	C	367	ALA	2.2
1	C	379	LEU	2.2
1	A	461	PHE	2.2
1	B	356	ILE	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	153	ASN	2.1
1	B	559	GLN	2.1
1	B	411	ARG	2.1
1	A	149	LEU	2.1
1	C	175	PHE	2.1
1	D	253	ARG	2.1
1	B	473	LEU	2.1
1	C	477	LEU	2.1
1	B	152	ARG	2.0
1	B	21	LYS	2.0
1	B	436	HIS	2.0
1	C	409	ILE	2.0
1	B	490	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	K	C	603	1/1	0.91	0.27	1.72	71,71,71,71	1
6	GLC	C	609	12/12	0.82	0.27	1.46	120,127,129,129	0
2	K	C	602	1/1	0.98	0.25	1.03	55,55,55,55	1
4	CA	C	606	1/1	0.99	0.17	0.61	68,68,68,68	0
6	GLC	D	605	12/12	0.76	0.26	0.41	133,138,139,139	0
2	K	C	601	1/1	0.86	0.20	-0.08	54,54,54,54	1
6	GLC	B	607	12/12	0.84	0.19	-0.18	148,153,155,155	0
7	PO4	B	608	5/5	0.96	0.22	-0.22	80,81,87,87	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
7	PO4	C	610	5/5	0.97	0.18	-0.34	86,91,92,93	0
5	ADP	A	606	27/27	0.94	0.17	-0.40	65,71,203,203	0
5	ADP	D	604	27/27	0.91	0.17	-0.52	64,71,124,128	0
2	K	B	601	1/1	0.97	0.15	-0.69	75,75,75,75	1
5	ADP	B	606	27/27	0.95	0.15	-0.71	62,68,130,155	0
5	ADP	C	607	27/27	0.97	0.16	-0.78	48,71,176,177	0
2	K	A	601	1/1	0.91	0.17	-0.85	55,55,55,55	1
4	CA	B	605	1/1	0.95	0.14	-1.16	64,64,64,64	0
4	CA	A	605	1/1	0.97	0.10	-2.43	65,65,65,65	0
2	K	A	602	1/1	0.85	0.13	-2.97	47,47,47,47	1
4	CA	C	605	1/1	0.99	0.10	-3.46	62,62,62,62	0
3	ZN	A	604	1/1	0.99	0.21	-	70,70,70,70	0
3	ZN	B	604	1/1	0.99	0.21	-	73,73,73,73	0
6	GLC	C	608	12/12	0.69	0.21	-	118,127,128,128	0
2	K	B	602	1/1	0.55	0.76	-	152,152,152,152	1
3	ZN	D	603	1/1	0.98	0.23	-	68,68,68,68	0
2	K	D	601	1/1	0.85	0.41	-	127,127,127,127	1
2	K	D	602	1/1	0.85	0.57	-	121,121,121,121	1
2	K	B	603	1/1	0.64	1.08	-	182,182,182,182	1
3	ZN	C	604	1/1	0.97	0.18	-	68,68,68,68	0
2	K	A	603	1/1	0.87	0.46	-	127,127,127,127	1

## 6.5 Other polymers [i](#)

There are no such residues in this entry.