



Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 09:03 AM GMT

PDB ID : 3H09
Title : The structure of Haemophilus influenzae IgA1 protease
Authors : Johnson, T.A.; Qiu, J; Plaut, A.G.; Holyoak, T.
Deposited on : 2009-04-08
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	1609 (1.76-1.76)
Clashscore	102246	1730 (1.76-1.76)
Ramachandran outliers	100387	1711 (1.76-1.76)
Sidechain outliers	100360	1711 (1.76-1.76)
RSRZ outliers	91569	1610 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACT	A	1800	-	-	-	X
2	ACT	A	1900	-	-	-	X
2	ACT	B	1700	-	-	-	X
2	ACT	B	1900	-	-	-	X
3	MLA	A	2100	-	-	-	X
3	MLA	B	1800	-	-	-	X

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 17310 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Immunoglobulin A1 protease.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	961	Total	C 7718	N 4809	O 1353	S 1545	11	0	58	0
1	B	964	Total	C 7725	N 4814	O 1351	S 1549	11	0	57	0

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1007	HIS	ASN	ENGINEERED	UNP P44969
A	1008	HIS	ASN	ENGINEERED	UNP P44969
A	1009	HIS	ILE	ENGINEERED	UNP P44969
A	1010	HIS	GLN	ENGINEERED	UNP P44969
A	1011	HIS	ALA	ENGINEERED	UNP P44969
A	1012	HIS	ASP	ENGINEERED	UNP P44969
B	1007	HIS	ASN	ENGINEERED	UNP P44969
B	1008	HIS	ASN	ENGINEERED	UNP P44969
B	1009	HIS	ILE	ENGINEERED	UNP P44969
B	1010	HIS	GLN	ENGINEERED	UNP P44969
B	1011	HIS	ALA	ENGINEERED	UNP P44969
B	1012	HIS	ASP	ENGINEERED	UNP P44969

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0

- Molecule 3 is MALONIC ACID (three-letter code: MLA) (formula: C₃H₄O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 7 3 4	0	0
3	A	1	Total C O 7 3 4	0	0
3	A	1	Total C O 7 3 4	0	0
3	B	1	Total C O 7 3 4	0	0
3	B	1	Total C O 7 3 4	0	0

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	3	Total Na 3 3	0	0
4	A	1	Total Na 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	919	Total O 919 919	0	0
5	B	893	Total O 893 893	0	0


3 Residue-property plots [\(i\)](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Immunoglobulin A1 protease



- Molecule 1: Immunoglobulin A1 protease





4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	94.39 Å 131.87 Å 111.81 Å 90.00° 113.11° 90.00°	Depositor
Resolution (Å)	33.18 – 1.75 33.18 – 1.75	Depositor EDS
% Data completeness (in resolution range)	99.6 (33.18-1.75) 99.6 (33.18-1.75)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.03 (at 1.75 Å)	Xtriage
Refinement program	REFMAC 5.5.0088	Depositor
R , R_{free}	0.161 , 0.190 0.180 , 0.203	Depositor DCC
R_{free} test set	12656 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	15.6	Xtriage
Anisotropy	0.572	Xtriage
Bulk solvent $k_{sol}(e/\text{\AA}^3)$, $B_{sol}(\text{\AA}^2)$	0.41 , 41.2	EDS
Estimated twinning fraction	0.012 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 251796 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17310	wwPDB-VP
Average B, all atoms (Å ²)	9.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NA, MLA, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.67	0/8030	0.75	7/10869 (0.1%)
1	B	0.63	0/8036	0.70	0/10887
All	All	0.65	0/16066	0.72	7/21756 (0.0%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	57	ARG	NE-CZ-NH2	-6.67	116.97	120.30
1	A	46[A]	ARG	NE-CZ-NH2	-6.48	117.06	120.30
1	A	46[B]	ARG	NE-CZ-NH2	-6.48	117.06	120.30
1	A	57	ARG	NE-CZ-NH1	5.85	123.22	120.30
1	A	46[A]	ARG	NE-CZ-NH1	5.81	123.20	120.30
1	A	46[B]	ARG	NE-CZ-NH1	5.81	123.20	120.30
1	A	171	ASP	CB-CG-OD1	5.70	123.43	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7718	0	7610	86	0
1	B	7725	0	7605	80	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	8	0	6	0	0
2	B	8	0	6	0	0
3	A	21	0	6	1	0
3	B	14	0	4	1	0
4	A	1	0	0	0	0
4	B	3	0	0	0	0
5	A	919	0	0	13	0
5	B	893	0	0	17	0
All	All	17310	0	15237	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:571:PRO:HA	1:A:647[B]:MET:SD	1.81	1.19
1:A:352[B]:ASN:ND2	5:A:1740:HOH:O	1.79	1.12
1:A:46[A]:ARG:HD3	5:A:1467:HOH:O	1.49	1.10
1:A:939:GLY:HA2	1:A:975:TYR:OH	1.58	1.03
1:B:571:PRO:HA	1:B:647[B]:MET:SD	1.99	1.03
1:A:105:VAL:HG23	1:A:140[B]:LYS:HE3	1.04	1.01
1:A:105:VAL:CG2	1:A:140[B]:LYS:HE3	1.93	0.99
1:B:672:ASN:ND2	5:B:1783:HOH:O	1.95	0.98
1:A:154:THR:HA	1:A:157:GLN:HG2	1.52	0.91
1:A:105:VAL:HG23	1:A:140[B]:LYS:CE	1.98	0.91
1:A:571:PRO:CA	1:A:647[B]:MET:SD	2.60	0.89
1:B:574:ILE:HD11	1:B:647[B]:MET:HG2	1.53	0.88
1:B:297:ARG:HG3	1:B:297:ARG:HH11	1.36	0.87
1:B:192:TYR:H	1:B:252:HIS:HD2	1.20	0.87
1:A:203:ARG:HH11	1:A:281:ASN:HD22	1.22	0.84
1:A:574:ILE:CD1	1:A:647[B]:MET:HG3	2.08	0.83
1:B:957:ASN:HB3	5:B:1603:HOH:O	1.78	0.82
1:A:574:ILE:HD11	1:A:647[B]:MET:HG3	1.63	0.81
1:B:203:ARG:HH11	1:B:281:ASN:HD22	1.27	0.80
1:A:192:TYR:H	1:A:252:HIS:HD2	1.29	0.80
1:B:571:PRO:CA	1:B:647[B]:MET:SD	2.72	0.76
1:A:574:ILE:HD11	1:A:647[B]:MET:CG	2.16	0.75
1:A:352[A]:ASN:HD21	1:A:400:ASN:HD22	1.34	0.74
1:A:644[B]:ARG:NH1	1:A:644[B]:ARG:HB2	2.01	0.74
1:A:352[B]:ASN:OD1	5:A:1813:HOH:O	2.03	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:875:LYS:HG2	1:B:903[B]:ASN:HD21	1.51	0.74
1:B:574:ILE:CD1	1:B:647[B]:MET:HG2	2.19	0.72
1:A:352[A]:ASN:ND2	1:A:400:ASN:HD22	1.88	0.72
3:B:2000:MLA:O1A	5:B:1061:HOH:O	2.07	0.72
1:A:392[A]:ARG:NH1	1:A:413[A]:GLU:OE1	2.23	0.71
1:A:939:GLY:CA	1:A:975:TYR:OH	2.38	0.71
1:A:413[B]:GLU:OE2	5:A:1704:HOH:O	2.07	0.71
1:B:853:ARG:NH2	5:B:1696:HOH:O	2.23	0.70
1:B:392[A]:ARG:NH1	1:B:413[A]:GLU:OE1	2.24	0.69
1:B:764:ARG:HE	1:B:765:ASN:HD22	1.37	0.69
1:B:396[A]:THR:HG22	1:B:417:GLU:HB3	1.73	0.69
3:A:2200:MLA:O3A	5:A:1825:HOH:O	2.09	0.68
1:B:929:ASN:HD21	1:B:960[A]:ASN:HD22	1.40	0.68
1:A:568:ILE:HG22	1:A:647[B]:MET:SD	2.34	0.67
1:B:625:SER:HB3	1:B:637:LYS:HE3	1.75	0.67
1:B:105:VAL:HG22	5:B:1371:HOH:O	1.93	0.67
1:B:154:THR:HA	1:B:157:GLN:HG2	1.75	0.67
1:A:940:GLU:HB2	1:A:941:PRO:HD2	1.78	0.66
1:A:405:GLN:HE21	1:A:427:TRP:HE1	1.42	0.66
1:B:607[B]:THR:HG23	1:B:634:TYR:HE1	1.60	0.65
1:B:929:ASN:ND2	1:B:960[A]:ASN:HD22	1.94	0.65
1:A:782:HIS:HD2	1:A:786:LYS:NZ	1.95	0.64
1:B:405:GLN:HE21	1:B:427:TRP:HE1	1.46	0.64
1:B:496:GLN:HE21	1:B:541:ARG:HH12	1.42	0.64
1:A:764:ARG:HE	1:A:765:ASN:HD22	1.43	0.64
1:A:879:HIS:HD2	5:A:1783:HOH:O	1.81	0.64
1:A:859:HIS:ND1	1:A:879:HIS:HE1	1.96	0.64
1:A:746:ASN:ND2	1:A:768:ASN:HD22	1.96	0.64
1:B:764:ARG:HE	1:B:765:ASN:ND2	1.96	0.63
1:A:154:THR:HA	1:A:157:GLN:CG	2.28	0.63
1:B:297:ARG:NH1	1:B:297:ARG:HG3	2.11	0.63
1:B:782:HIS:HD2	1:B:786:LYS:NZ	1.96	0.63
1:B:782:HIS:HD2	1:B:786:LYS:HZ1	1.48	0.61
1:B:764:ARG:HH21	1:B:765:ASN:HD21	1.47	0.60
1:B:56:VAL:HG23	1:B:67[B]:VAL:CG1	2.32	0.60
1:A:965:GLY:HA3	1:A:973:TRP:CD2	2.37	0.59
1:B:643:LYS:O	1:B:647[B]:MET:HG3	2.02	0.59
1:B:571:PRO:O	1:B:643:LYS:HD3	2.03	0.59
1:A:764:ARG:HE	1:A:765:ASN:ND2	2.00	0.58
1:B:405:GLN:NE2	1:B:427:TRP:HE1	2.01	0.58
1:A:929:ASN:HD22	1:A:960:ASN:HB2	1.70	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:209:GLN:HA	1:B:209:GLN:HE21	1.69	0.57
1:B:746:ASN:ND2	1:B:768:ASN:HD22	2.03	0.57
1:A:405:GLN:NE2	1:A:427:TRP:HE1	2.02	0.56
1:B:859:HIS:ND1	1:B:879:HIS:HE1	2.02	0.56
1:A:371:LEU:O	1:A:385:HIS:HD2	1.87	0.56
1:A:782:HIS:HD2	1:A:786:LYS:HZ1	1.52	0.56
1:A:86[A]:ILE:HD12	1:A:101:VAL:HG11	1.87	0.56
1:A:570:ASP:O	1:A:573:THR:OG1	2.22	0.56
1:A:62:HIS:HE1	5:A:1852:HOH:O	1.89	0.56
1:A:644[B]:ARG:HB2	1:A:644[B]:ARG:HH11	1.68	0.56
1:B:123:LYS:NZ	1:B:733:ASN:HD21	2.03	0.56
1:A:584:GLU:HA	5:A:1844:HOH:O	2.05	0.56
1:B:867[A]:ASN:OD1	5:B:1871:HOH:O	2.18	0.55
1:A:385:HIS:HE1	5:A:1931:HOH:O	1.89	0.55
1:B:851[A]:GLN:NE2	1:B:870:GLN:NE2	2.55	0.55
1:A:764:ARG:HH21	1:A:765:ASN:HD21	1.54	0.55
1:A:973:TRP:CH2	1:A:975:TYR:HB2	2.42	0.54
1:A:106[A]:SER:HB2	5:A:1689:HOH:O	2.06	0.54
1:B:746:ASN:HD21	1:B:768:ASN:HD22	1.56	0.54
1:B:929:ASN:HD22	1:B:960[A]:ASN:HB2	1.71	0.54
1:B:592:ARG:HG2	1:B:593:ILE:N	2.23	0.53
1:A:746:ASN:HD21	1:A:768:ASN:HD22	1.56	0.53
1:B:192:TYR:H	1:B:252:HIS:CD2	2.12	0.53
1:B:607[B]:THR:HG23	1:B:634:TYR:CE1	2.44	0.53
1:A:568:ILE:CG2	1:A:647[B]:MET:SD	2.96	0.53
1:A:496:GLN:HE21	1:A:541:ARG:HH12	1.57	0.52
1:B:221:ILE:O	1:B:222[A]:LEU:HD23	2.09	0.52
1:A:739:GLU:OE2	1:A:811[A]:LYS:HE2	2.09	0.52
1:B:371:LEU:O	1:B:385:HIS:HD2	1.93	0.52
1:A:792:CYS:HG	1:A:803[B]:CYS:HB3	1.74	0.52
1:A:940:GLU:CB	1:A:941:PRO:HD2	2.40	0.51
1:B:929:ASN:HD22	1:B:960[B]:ASN:HB3	1.75	0.51
1:A:574:ILE:HD11	1:A:647[B]:MET:HG2	1.93	0.51
1:A:574:ILE:HD12	1:A:647[B]:MET:HG3	1.92	0.51
1:B:282:TYR:CZ	1:B:317:LYS:HA	2.46	0.51
1:A:209:GLN:HE21	1:A:209:GLN:HA	1.76	0.51
1:A:792:CYS:HG	1:A:803[A]:CYS:HG	0.62	0.50
1:A:393:GLY:O	1:A:414:GLY:HA3	2.11	0.50
1:B:376:GLN:O	1:B:382:LYS:HE3	2.12	0.50
1:A:606:TYR:O	1:A:637:LYS:HE2	2.11	0.50
1:A:571:PRO:N	1:A:647[B]:MET:SD	2.84	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:496:GLN:NE2	1:A:541:ARG:HH22	2.10	0.50
1:B:496:GLN:NE2	1:B:541:ARG:HH22	2.09	0.49
1:B:568:ILE:HG22	1:B:647[B]:MET:SD	2.52	0.49
1:B:106[B]:SER:OG	5:B:1767:HOH:O	2.19	0.49
1:B:960[A]:ASN:ND2	5:B:1269:HOH:O	2.44	0.49
1:B:56:VAL:CG2	1:B:67[B]:VAL:CG1	2.92	0.48
1:B:86[A]:ILE:HD11	1:B:104:GLY:HA3	1.96	0.48
1:B:117[B]:MET:HG3	5:B:1071:HOH:O	2.14	0.48
1:B:141:ASN:HD21	1:B:336:LYS:NZ	2.11	0.48
1:A:352[A]:ASN:HD21	1:A:400:ASN:ND2	2.09	0.47
1:B:732[B]:GLU:HG3	5:B:1664:HOH:O	2.13	0.47
1:B:57[A]:ARG:HG2	1:B:63:SER:HA	1.96	0.47
1:B:62[A]:HIS:HD2	5:B:1766:HOH:O	1.98	0.47
1:B:637:LYS:HG3	5:B:1125:HOH:O	2.15	0.47
1:B:446:ASN:ND2	1:B:468:ASN:HD21	2.12	0.47
1:B:574:ILE:CD1	1:B:647[B]:MET:CG	2.91	0.47
1:B:879:HIS:HD2	5:B:1322:HOH:O	1.96	0.47
1:A:939:GLY:HA2	1:A:975:TYR:CZ	2.47	0.47
1:A:348:GLN:O	1:A:362[A]:ASN:ND2	2.48	0.47
1:A:446:ASN:ND2	1:A:468:ASN:HD21	2.13	0.47
1:A:141:ASN:HD21	1:A:336:LYS:NZ	2.13	0.47
1:A:607:THR:HG22	1:A:637:LYS:HD2	1.97	0.47
1:A:204:LEU:O	1:A:290:SER:HB2	2.15	0.46
1:A:814:ASN:ND2	5:A:1349:HOH:O	2.43	0.45
1:A:965:GLY:HA3	1:A:973:TRP:CE3	2.51	0.45
1:B:496:GLN:NE2	1:B:541:ARG:HH12	2.12	0.45
1:A:509:ASN:ND2	5:A:1410:HOH:O	2.47	0.45
1:B:452:LEU:HD23	1:B:452:LEU:C	2.37	0.45
1:B:683[B]:GLN:NE2	5:B:1280:HOH:O	2.41	0.45
1:A:717:ASP:OD2	1:A:726:LYS:NZ	2.37	0.45
1:A:568:ILE:HG21	1:A:647[B]:MET:HG2	1.99	0.44
1:B:884:ASN:C	1:B:884:ASN:HD22	2.21	0.44
1:A:282:TYR:CZ	1:A:317:LYS:HA	2.52	0.44
1:B:62[A]:HIS:CD2	5:B:1843:HOH:O	2.71	0.44
1:A:82:VAL:HB	1:A:113:LEU:HD23	2.00	0.44
1:A:762[B]:SER:OG	1:A:783[B]:ILE:HA	2.18	0.44
1:A:297:ARG:HG3	1:A:297:ARG:HH11	1.82	0.44
1:A:46[B]:ARG:NH1	1:A:55:GLU:O	2.51	0.44
1:A:820[B]:ASN:OD1	1:A:841:PHE:CE2	2.71	0.44
1:A:738:VAL:HB	1:A:741:ASP:HB3	1.99	0.43
1:B:970:LEU:HD23	5:B:1305:HOH:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:203:ARG:HH11	1:B:281:ASN:ND2	2.06	0.43
1:B:625:SER:CB	1:B:637:LYS:HE3	2.45	0.43
1:B:580:ASP:HA	1:B:603:LEU:HD12	2.01	0.43
1:B:113:LEU:HD21	5:B:1247:HOH:O	2.19	0.42
1:B:56:VAL:CG2	1:B:67[B]:VAL:HG12	2.49	0.42
1:B:352:ASN:ND2	1:B:400:ASN:HD22	2.17	0.42
1:A:352[B]:ASN:ND2	5:A:1444:HOH:O	2.52	0.42
1:A:976:LYS:HB2	1:A:987:TYR:CE2	2.54	0.42
1:B:624:ASN:HB2	1:B:627:GLU:HG3	2.01	0.42
1:B:792:CYS:HG	1:B:803[B]:CYS:HB3	1.85	0.41
1:B:571:PRO:N	1:B:647[B]:MET:SD	2.94	0.41
1:A:807:LYS:HE3	1:A:807:LYS:HB2	1.88	0.41
1:A:782:HIS:CD2	1:A:786:LYS:NZ	2.83	0.41
1:B:204:LEU:O	1:B:290:SER:HB2	2.20	0.41
1:B:575:THR:HA	1:B:576:PRO:HD3	1.93	0.41
1:A:467:GLU:HG3	1:A:490[A]:LYS:HB3	2.03	0.41
1:B:700:VAL:HG12	1:B:758:ALA:HB1	2.02	0.40
1:A:123:LYS:HB2	1:A:797:TYR:CZ	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1015/989 (103%)	984 (97%)	30 (3%)	1 (0%)	56 36
1	B	1019/989 (103%)	988 (97%)	31 (3%)	0	100 100
All	All	2034/1978 (103%)	1972 (97%)	61 (3%)	1 (0%)	56 100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	363	GLY

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	873/843 (104%)	846 (97%)	27 (3%)	47 21
1	B	875/843 (104%)	854 (98%)	21 (2%)	57 31
All	All	1748/1686 (104%)	1700 (97%)	48 (3%)	51 27

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46[A]	ARG
1	A	46[B]	ARG
1	A	85	ARG
1	A	105	VAL
1	A	148	ASN
1	A	150	LYS
1	A	166	TYR
1	A	203	ARG
1	A	209	GLN
1	A	213	LYS
1	A	216	ASP
1	A	252	HIS
1	A	264	LYS
1	A	446	ASN
1	A	556	LYS
1	A	573	THR
1	A	584	GLU
1	A	624	ASN
1	A	625	SER
1	A	637	LYS
1	A	638[A]	THR
1	A	638[B]	THR
1	A	669	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	780	LYS
1	A	884	ASN
1	A	890	THR
1	A	940	GLU
1	B	85	ARG
1	B	154	THR
1	B	166	TYR
1	B	203	ARG
1	B	209	GLN
1	B	214	LYS
1	B	216	ASP
1	B	252	HIS
1	B	311	TRP
1	B	377	ASP
1	B	446	ASN
1	B	573	THR
1	B	575	THR
1	B	584	GLU
1	B	595	ASP
1	B	637	LYS
1	B	678	LYS
1	B	780	LYS
1	B	884	ASN
1	B	890	THR
1	B	943	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (55) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	HIS
1	A	103	ASN
1	A	141	ASN
1	A	209	GLN
1	A	252	HIS
1	A	281	ASN
1	A	348	GLN
1	A	350	ASN
1	A	368	ASN
1	A	385	HIS
1	A	405	GLN
1	A	446	ASN
1	A	496	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	509	ASN
1	A	586	ASN
1	A	624	ASN
1	A	669	ASN
1	A	693	ASN
1	A	734	ASN
1	A	744	ASN
1	A	746	ASN
1	A	765	ASN
1	A	782	HIS
1	A	814	ASN
1	A	817	ASN
1	A	857	ASN
1	A	879	HIS
1	A	929	ASN
1	A	953	ASN
1	A	960	ASN
1	B	103	ASN
1	B	141	ASN
1	B	209	GLN
1	B	252	HIS
1	B	281	ASN
1	B	350	ASN
1	B	352	ASN
1	B	383	ASN
1	B	385	HIS
1	B	405	GLN
1	B	446	ASN
1	B	496	GLN
1	B	672	ASN
1	B	693	ASN
1	B	733	ASN
1	B	744	ASN
1	B	746	ASN
1	B	765	ASN
1	B	782	HIS
1	B	814	ASN
1	B	870	GLN
1	B	879	HIS
1	B	884	ASN
1	B	929	ASN
1	B	966	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 13 ligands modelled in this entry, 4 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ACT	A	1800	-	1,3,3	2.17	1 (100%)	0,3,3	0.00	-
2	ACT	A	1900	-	1,3,3	1.99	0	0,3,3	0.00	-
3	MLA	A	2000	-	0,6,6	0.00	-	0,7,7	0.00	-
3	MLA	A	2100	-	0,6,6	0.00	-	0,7,7	0.00	-
3	MLA	A	2200	-	0,6,6	0.00	-	0,7,7	0.00	-
2	ACT	B	1700	-	1,3,3	2.03	1 (100%)	0,3,3	0.00	-
3	MLA	B	1800	-	0,6,6	0.00	-	0,7,7	0.00	-
2	ACT	B	1900	-	1,3,3	1.45	0	0,3,3	0.00	-
3	MLA	B	2000	-	0,6,6	0.00	-	0,7,7	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACT	A	1800	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACT	A	1900	-	-	0/0/0/0	0/0/0/0
3	MLA	A	2000	-	-	0/0/4/4	0/0/0/0
3	MLA	A	2100	-	-	0/0/4/4	0/0/0/0
3	MLA	A	2200	-	-	0/0/4/4	0/0/0/0
2	ACT	B	1700	-	-	0/0/0/0	0/0/0/0
3	MLA	B	1800	-	-	0/0/4/4	0/0/0/0
2	ACT	B	1900	-	-	0/0/0/0	0/0/0/0
3	MLA	B	2000	-	-	0/0/4/4	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1700	ACT	CH3-C	2.03	1.51	1.48
2	A	1800	ACT	CH3-C	2.17	1.51	1.48

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	2200	MLA	1	0
3	B	2000	MLA	1	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	961/989 (97%)	0.44	90 (9%) 11 13	2, 5, 22, 49	0
1	B	964/989 (97%)	0.41	77 (7%) 15 19	2, 6, 22, 44	0
All	All	1925/1978 (97%)	0.42	167 (8%) 13 15	2, 5, 22, 49	0

All (167) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	152	VAL	13.5
1	B	149	GLY	11.5
1	A	152	VAL	11.5
1	B	153	THR	11.1
1	A	151	ALA	9.5
1	A	149	GLY	9.4
1	B	151	ALA	9.1
1	B	150	LYS	8.6
1	B	148	ASN	8.2
1	B	147	LEU	8.0
1	A	150	LYS	7.7
1	B	154	THR	7.6
1	B	155	GLU	6.8
1	B	364	SER	6.8
1	B	584	GLU	6.3
1	A	148	ASN	6.1
1	B	377	ASP	6.0
1	A	890	THR	5.9
1	A	971	GLY	5.7
1	A	972	ALA	5.3
1	B	156	ASP	5.3
1	A	153	THR	5.2
1	A	584	GLU	5.1
1	A	973	TRP	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	966	ASN	4.8
1	B	157	GLN	4.8
1	B	572	ASN	4.8
1	A	154	THR	4.7
1	B	488[A]	ASN	4.7
1	B	571	PRO	4.7
1	B	890	THR	4.7
1	B	625	SER	4.6
1	B	592	ARG	4.5
1	A	572	ASN	4.5
1	B	103	ASN	4.5
1	A	592	ARG	4.4
1	A	571	PRO	4.4
1	A	939	GLY	4.1
1	A	941	PRO	4.1
1	A	363	GLY	4.0
1	A	204	LEU	4.0
1	B	145	THR	3.9
1	A	147	LEU	3.8
1	A	940	GLU	3.8
1	A	575	THR	3.8
1	A	574	ILE	3.8
1	B	487	ALA	3.8
1	A	938	THR	3.8
1	B	489	ASN	3.8
1	B	363	GLY	3.7
1	A	585	ASP	3.6
1	A	292	LEU	3.6
1	B	375	SER	3.5
1	A	637	LYS	3.4
1	A	155	GLU	3.4
1	B	146	LYS	3.4
1	B	158	THR	3.4
1	B	573	THR	3.4
1	A	624	ASN	3.3
1	A	666	GLU	3.3
1	A	103	ASN	3.2
1	B	117[A]	MET	3.2
1	B	374	SER	3.1
1	B	637	LYS	3.1
1	A	625	SER	3.1
1	A	570	ASP	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	585	ASP	3.0
1	B	298	GLU	3.0
1	B	362	ASN	3.0
1	B	624	ASN	3.0
1	A	293	PHE	3.0
1	A	687	LEU	3.0
1	B	216	ASP	3.0
1	B	614	GLY	2.9
1	A	174	VAL	2.9
1	B	255	ASN	2.9
1	A	89	LEU	2.8
1	A	623	LYS	2.8
1	A	989	PRO	2.8
1	A	667	GLY	2.8
1	A	452	LEU	2.8
1	A	958	ASN	2.8
1	B	957	ASN	2.8
1	B	943	LYS	2.8
1	A	322	TRP	2.8
1	A	573	THR	2.7
1	B	570	ASP	2.7
1	A	304	PHE	2.7
1	A	291	PRO	2.7
1	B	160	LYS	2.7
1	A	595	ASP	2.7
1	B	687	LEU	2.7
1	A	377	ASP	2.7
1	B	627	GLU	2.6
1	B	490	LYS	2.6
1	A	472	LEU	2.6
1	A	156	ASP	2.5
1	A	86[A]	ILE	2.5
1	A	157	GLN	2.5
1	A	474	VAL	2.5
1	A	974	LYS	2.5
1	A	80	VAL	2.5
1	B	958	ASN	2.5
1	B	810	ASP	2.4
1	A	177	VAL	2.4
1	B	144	PRO	2.4
1	B	575	THR	2.4
1	B	366[A]	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	188	ASP	2.4
1	A	70	ASN	2.4
1	A	614	GLY	2.4
1	B	986	LEU	2.4
1	B	105	VAL	2.4
1	B	968	VAL	2.4
1	B	378	THR	2.4
1	B	705	LEU	2.3
1	A	244	ALA	2.3
1	B	104	GLY	2.3
1	B	783[A]	ILE	2.3
1	A	887	ASN	2.3
1	A	688	LEU	2.3
1	A	79	VAL	2.3
1	B	939	GLY	2.3
1	A	77	PHE	2.3
1	B	595	ASP	2.3
1	B	215	GLY	2.2
1	B	101	VAL	2.2
1	A	630	GLU	2.2
1	B	588	TYR	2.2
1	A	202	VAL	2.2
1	A	479	VAL	2.2
1	A	554	THR	2.2
1	A	760[A]	LEU	2.2
1	A	957	ASN	2.2
1	A	290	SER	2.2
1	A	453	ALA	2.2
1	A	117[A]	MET	2.2
1	B	960[A]	ASN	2.2
1	A	180	ILE	2.2
1	A	243	ILE	2.2
1	B	189	ALA	2.2
1	B	981	ASN	2.2
1	A	891	THR	2.1
1	B	217	ASN	2.1
1	B	376	GLN	2.1
1	B	253	GLU	2.1
1	A	590	PHE	2.1
1	B	354	THR	2.1
1	A	283	ALA	2.1
1	B	941	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	499	ILE	2.1
1	B	262	ASN	2.1
1	A	638[A]	THR	2.1
1	A	783[A]	ILE	2.1
1	A	110	PHE	2.1
1	A	95	VAL	2.0
1	A	264	LYS	2.0
1	A	792	CYS	2.0
1	B	264	LYS	2.0
1	A	975	TYR	2.0
1	A	970	LEU	2.0
1	A	203	ARG	2.0
1	B	365	GLU	2.0
1	B	630	GLU	2.0
1	A	686	PHE	2.0
1	A	913	SER	2.0
1	B	760[A]	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	ACT	B	1900	4/4	0.77	0.24	4.36	46,47,47,47	0
2	ACT	B	1700	4/4	0.92	0.25	4.29	15,15,17,17	0
2	ACT	A	1800	4/4	0.93	0.23	2.65	14,14,15,15	0
2	ACT	A	1900	4/4	0.70	0.20	2.63	37,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	MLA	A	2100	7/7	0.90	0.14	2.54	19,22,27,27	0
3	MLA	B	1800	7/7	0.87	0.23	2.47	33,37,43,46	0
3	MLA	A	2200	7/7	0.88	0.18	0.73	19,22,35,37	0
4	NA	A	2300	1/1	0.98	0.09	0.58	20,20,20,20	0
3	MLA	B	2000	7/7	0.85	0.15	-0.08	28,34,44,45	0
4	NA	B	2200	1/1	0.98	0.09	-	30,30,30,30	0
4	NA	B	2100	1/1	0.92	0.09	-	28,28,28,28	0
3	MLA	A	2000	7/7	0.83	0.23	-	38,41,49,51	0
4	NA	B	2300	1/1	0.97	0.10	-	25,25,25,25	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.