



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:24 AM GMT

PDB ID : 2H1J
Title : 3.1 Å X-ray structure of putative Oligoendopeptidase F: Crystals grown by microfluidic seeding
Authors : Gerdt, C.J.; Tereshko, V.; Dementieva, I.; Collart, F.; Joachimiak, A.; Kosiakoff, A.; Ismagilov, R.F.; Accelerated Technologies Center for Gene to 3D Structure (ATCG3D)
Deposited on : 2006-05-16
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1114 (3.14-3.06)
Clashscore	102246	1222 (3.14-3.06)
Ramachandran outliers	100387	1174 (3.14-3.06)
Sidechain outliers	100360	1174 (3.14-3.06)
RSRZ outliers	91569	1119 (3.14-3.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	567	 74% 22% .
1	B	567	 73% 23% . .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9341 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Oligoendopeptidase F.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	565	Total	C	N	O	S	Se	0	0	0
			4671	2985	797	870	5	14			
1	B	564	Total	C	N	O	S	Se	0	0	0
			4666	2982	796	869	5	14			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	O	0	0
			1	1		
3	B	1	Total	O	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Oligoendopeptidase F



• Molecule 1: Oligoendopeptidase F



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	119.32Å 119.32Å 248.74Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 3.10 19.89 – 3.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-3.10) 100.0 (19.89-3.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.60 (at 3.09Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.187 , 0.225 0.186 , 0.223	Depositor DCC
R_{free} test set	1892 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	73.6	Xtriage
Anisotropy	0.024	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 44.6	EDS
Estimated twinning fraction	0.021 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 37722 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9341	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/4785	0.90	14/6449 (0.2%)
1	B	0.46	0/4781	0.92	17/6445 (0.3%)
All	All	0.45	0/9566	0.91	31/12894 (0.2%)

There are no bond length outliers.

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	352	ASP	CB-CG-OD2	6.75	124.38	118.30
1	B	483	ASP	CB-CG-OD2	6.55	124.19	118.30
1	B	64	ASP	CB-CG-OD2	6.46	124.12	118.30
1	A	483	ASP	CB-CG-OD2	6.44	124.10	118.30
1	A	507	ASP	CB-CG-OD2	6.33	124.00	118.30
1	A	542	ASP	CB-CG-OD2	6.22	123.90	118.30
1	A	64	ASP	CB-CG-OD2	6.21	123.89	118.30
1	A	25	ASP	CB-CG-OD2	6.19	123.87	118.30
1	B	507	ASP	CB-CG-OD2	6.08	123.77	118.30
1	B	285	ASP	CB-CG-OD2	6.07	123.77	118.30
1	A	407	ASP	CB-CG-OD2	5.87	123.58	118.30
1	A	352	ASP	CB-CG-OD2	5.83	123.55	118.30
1	A	283	ASP	CB-CG-OD2	5.83	123.55	118.30
1	A	405	ASP	CB-CG-OD2	5.83	123.55	118.30
1	A	67	ASP	CB-CG-OD2	5.80	123.52	118.30
1	A	197	ASP	CB-CG-OD2	5.77	123.49	118.30
1	B	283	ASP	CB-CG-OD2	5.68	123.42	118.30
1	B	130	ASP	CB-CG-OD2	5.66	123.39	118.30
1	B	25	ASP	CB-CG-OD2	5.54	123.29	118.30
1	B	405	ASP	CB-CG-OD2	5.52	123.27	118.30
1	A	333	ASP	CB-CG-OD2	5.48	123.23	118.30
1	B	466	ASP	CB-CG-OD2	5.48	123.23	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	231	ASP	CB-CG-OD2	5.45	123.20	118.30
1	A	416	ASP	CB-CG-OD2	5.37	123.14	118.30
1	B	197	ASP	CB-CG-OD2	5.37	123.13	118.30
1	B	90	ASP	CB-CG-OD2	5.32	123.08	118.30
1	B	439	ASP	CB-CG-OD2	5.29	123.06	118.30
1	B	407	ASP	CB-CG-OD2	5.28	123.06	118.30
1	A	561	ASP	CB-CG-OD2	5.25	123.03	118.30
1	B	316	ASP	CB-CG-OD2	5.12	122.91	118.30
1	B	333	ASP	CB-CG-OD2	5.06	122.86	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4671	0	4453	85	0
1	B	4666	0	4448	93	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
All	All	9341	0	8901	178	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (178) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:232:MSE:CE	1:A:232:MSE:SE	2.15	1.45
1:A:151:MSE:CE	1:A:151:MSE:SE	2.16	1.42
1:B:440:MSE:SE	1:B:440:MSE:CE	2.19	1.40
1:B:294:MSE:CE	1:B:401:PHE:HE1	1.60	1.15
1:A:294:MSE:HE3	1:A:397:TRP:HB2	1.23	1.11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:294:MSE:HE1	1:B:401:PHE:HE1	0.95	1.08
1:B:294:MSE:HE1	1:B:401:PHE:CE1	1.87	1.07
1:B:294:MSE:CE	1:B:401:PHE:CE1	2.44	1.01
1:B:214:ASN:HD21	1:B:216:VAL:HG12	1.22	0.98
1:A:294:MSE:CE	1:A:397:TRP:HB2	1.94	0.96
1:A:214:ASN:ND2	1:A:216:VAL:HG12	1.87	0.89
1:B:111:GLN:HA	1:B:111:GLN:HE21	1.41	0.84
1:B:307:ARG:HH11	1:B:307:ARG:HB2	1.42	0.83
1:B:214:ASN:ND2	1:B:216:VAL:HG12	1.95	0.81
1:A:294:MSE:HE1	1:A:398:MSE:HE3	1.61	0.81
1:A:111:GLN:HA	1:A:111:GLN:HE21	1.49	0.76
1:A:294:MSE:HE3	1:A:397:TRP:CB	2.10	0.76
1:A:214:ASN:HD21	1:A:216:VAL:HG12	1.50	0.74
1:B:111:GLN:HA	1:B:111:GLN:NE2	2.06	0.71
1:B:214:ASN:C	1:B:214:ASN:HD22	1.93	0.70
1:B:95:LEU:HD21	1:B:112:LEU:HD11	1.74	0.70
1:B:391:GLU:O	1:B:394:THR:HG22	1.91	0.69
1:A:214:ASN:HD21	1:A:216:VAL:CG1	2.04	0.69
1:A:127:ILE:HG13	1:A:206:ILE:HG23	1.76	0.68
1:B:127:ILE:HG13	1:B:206:ILE:HG23	1.76	0.68
1:A:158:THR:H	1:A:161:GLN:HE21	1.43	0.67
1:B:252:ARG:HH21	1:B:255:GLN:HE22	1.41	0.67
1:B:118:THR:HG21	1:B:226:THR:HG22	1.77	0.66
1:B:152:PHE:O	1:B:157:ARG:NH1	2.28	0.66
1:B:307:ARG:HH11	1:B:307:ARG:CB	2.07	0.66
1:B:61:HIS:ND1	1:B:74:GLN:HG3	2.10	0.66
1:A:23:ALA:HB2	1:A:42:ARG:HG2	1.77	0.65
1:A:394:THR:HG23	1:A:398:MSE:HE3	1.78	0.65
1:A:309:MSE:SE	1:A:338:PRO:HG2	2.47	0.65
1:A:111:GLN:HA	1:A:111:GLN:NE2	2.13	0.63
1:A:336:LYS:HG3	1:A:368:ARG:HD2	1.81	0.62
1:A:355:THR:HG23	1:A:391:GLU:HG2	1.81	0.62
1:B:383:CYS:HA	1:B:386:HIS:HD2	1.65	0.62
1:B:294:MSE:HE3	1:B:401:PHE:CE1	2.35	0.61
1:B:428:ASP:O	1:B:432:HIS:HD2	1.83	0.61
1:B:315:MSE:HE3	1:B:340:ILE:HD12	1.83	0.61
1:B:237:ARG:HG2	1:B:425:VAL:HG22	1.83	0.60
1:B:244:ILE:HD13	1:B:421:LEU:HD12	1.84	0.59
1:A:383:CYS:HA	1:A:386:HIS:HD2	1.68	0.59
1:B:129:GLU:HA	1:B:132:GLN:HE21	1.67	0.59
1:B:359:GLY:CA	1:B:390:MSE:HG3	2.33	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:294:MSE:HG3	1:B:397:TRP:CG	2.38	0.58
1:B:395:TRP:CD2	1:B:410:ARG:HG3	2.38	0.58
1:A:203:ARG:NH2	1:A:481:TYR:O	2.34	0.58
1:A:319:ALA:HA	1:A:343:ASN:HD22	1.68	0.57
1:B:237:ARG:NH1	1:B:428:ASP:OD2	2.36	0.57
1:A:33:ALA:HB2	1:A:103:GLU:HG3	1.86	0.57
1:A:214:ASN:ND2	1:A:216:VAL:CG1	2.63	0.57
1:B:95:LEU:HD21	1:B:112:LEU:CD1	2.34	0.56
1:A:24:LEU:HD11	1:A:90:ASP:HB3	1.88	0.55
1:A:254:ARG:NH2	1:A:557:ASP:OD1	2.40	0.55
1:A:294:MSE:HG3	1:A:397:TRP:CG	2.41	0.55
1:A:61:HIS:ND1	1:A:74:GLN:HG3	2.21	0.55
1:A:395:TRP:CD2	1:A:410:ARG:HG3	2.42	0.54
1:B:309:MSE:SE	1:B:338:PRO:HG2	2.57	0.54
1:B:108:TRP:CD1	1:B:372:ILE:HD11	2.42	0.54
1:A:398:MSE:HA	1:A:398:MSE:HE2	1.90	0.53
1:B:359:GLY:HA2	1:B:390:MSE:HG3	1.89	0.53
1:A:295:TYR:OH	1:A:390:MSE:HE2	2.08	0.53
1:A:477:GLN:HE21	1:A:479:HIS:CD2	2.26	0.53
1:A:174:ARG:HG2	1:A:267:TYR:O	2.09	0.53
1:B:13:ILE:HD11	1:B:83:VAL:HG11	1.90	0.53
1:A:428:ASP:O	1:A:432:HIS:HD2	1.91	0.53
1:B:203:ARG:NH2	1:B:481:TYR:O	2.38	0.52
1:A:198:GLU:O	1:A:202:VAL:HG23	2.09	0.52
1:B:37:HIS:CD2	1:B:108:TRP:CZ2	2.97	0.52
1:A:186:LYS:HG3	1:A:467:TYR:HB2	1.92	0.52
1:A:111:GLN:NE2	1:A:526:PRO:HG3	2.25	0.52
1:A:163:GLN:HG3	1:A:347:THR:HG21	1.92	0.52
1:A:169:PRO:HA	1:A:271:PHE:CE1	2.45	0.51
1:A:127:ILE:HG12	1:A:210:LEU:HD13	1.92	0.51
1:B:133:LYS:HD3	1:B:202:VAL:HG21	1.92	0.51
1:B:158:THR:H	1:B:161:GLN:HE21	1.58	0.51
1:B:30:ALA:HB1	1:B:35:LEU:HB3	1.93	0.51
1:A:220:TYR:OH	1:A:432:HIS:HE1	1.92	0.51
1:B:225:ARG:NH2	1:B:488:ILE:HD11	2.25	0.51
1:A:241:LYS:HA	1:A:245:VAL:HG23	1.93	0.50
1:A:372:ILE:CG2	1:A:374:GLU:HB2	2.42	0.50
1:B:399:GLU:OE2	1:B:410:ARG:NH2	2.45	0.50
1:A:58:HIS:HD2	1:A:74:GLN:OE1	1.95	0.50
1:A:383:CYS:HA	1:A:386:HIS:CD2	2.47	0.49
1:A:479:HIS:H	1:A:479:HIS:CD2	2.30	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:108:TRP:NE1	1:B:372:ILE:HD11	2.27	0.49
1:B:479:HIS:H	1:B:479:HIS:CD2	2.30	0.49
1:A:196:TYR:O	1:A:200:VAL:HG23	2.13	0.49
1:B:265:TYR:CD2	1:B:463:ALA:HB2	2.48	0.49
1:A:430:PHE:O	1:A:434:VAL:HG23	2.13	0.48
1:A:496:CYS:HB3	1:A:536:LEU:HD13	1.94	0.48
1:A:214:ASN:C	1:A:214:ASN:HD22	2.17	0.48
1:A:502:LYS:HE2	1:A:551:HIS:ND1	2.29	0.48
1:B:315:MSE:CE	1:B:340:ILE:HD12	2.43	0.48
1:B:37:HIS:HA	1:B:108:TRP:HH2	1.79	0.47
1:A:158:THR:H	1:A:161:GLN:NE2	2.09	0.47
1:B:477:GLN:HE21	1:B:479:HIS:CD2	2.33	0.47
1:A:244:ILE:HD13	1:A:421:LEU:HD12	1.97	0.47
1:B:126:VAL:HG22	1:B:126:VAL:O	2.15	0.47
1:A:247:LEU:HD11	1:A:553:GLU:HB2	1.96	0.47
1:B:214:ASN:HD21	1:B:216:VAL:CG1	2.09	0.47
1:B:198:GLU:O	1:B:202:VAL:HG23	2.15	0.47
1:B:259:ILE:H	1:B:259:ILE:HG13	1.55	0.47
1:B:303:GLY:O	1:B:307:ARG:HD3	2.15	0.46
1:B:220:TYR:OH	1:B:432:HIS:HE1	1.98	0.46
1:B:134:GLU:OE2	1:B:203:ARG:HD3	2.15	0.46
1:B:496:CYS:HB3	1:B:536:LEU:HD13	1.97	0.46
1:B:390:MSE:HG2	1:B:515:TYR:OH	2.15	0.46
1:B:244:ILE:HD13	1:B:421:LEU:CD1	2.45	0.46
1:A:359:GLY:CA	1:A:390:MSE:HG3	2.46	0.46
1:B:214:ASN:C	1:B:214:ASN:ND2	2.66	0.46
1:B:381:GLU:HG2	1:B:527:PHE:CD1	2.50	0.46
1:B:37:HIS:CD2	1:B:108:TRP:HZ2	2.34	0.46
1:A:244:ILE:HD13	1:A:421:LEU:CD1	2.47	0.45
1:B:390:MSE:HE3	1:B:390:MSE:O	2.16	0.45
1:A:127:ILE:CG1	1:A:206:ILE:HG23	2.46	0.45
1:B:383:CYS:HA	1:B:386:HIS:CD2	2.47	0.45
1:B:203:ARG:HB3	1:B:215:PHE:CD1	2.52	0.45
1:A:402:PHE:HB3	1:A:405:ASP:HB2	1.98	0.45
1:A:127:ILE:HD12	1:A:127:ILE:HA	1.49	0.45
1:A:477:GLN:HE21	1:A:479:HIS:HD2	1.62	0.45
1:B:355:THR:HG23	1:B:391:GLU:HA	1.97	0.45
1:B:355:THR:OG1	1:B:394:THR:HG21	2.17	0.45
1:B:410:ARG:HH11	1:B:410:ARG:HB2	1.81	0.44
1:A:414:LEU:HD23	1:A:414:LEU:HA	1.83	0.44
1:A:252:ARG:HH21	1:A:255:GLN:HE22	1.65	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:378:PRO:HB2	1:B:382:ALA:HB3	1.99	0.44
1:B:111:GLN:NE2	1:B:526:PRO:HG3	2.32	0.44
1:B:241:LYS:HA	1:B:245:VAL:HG23	1.99	0.44
1:A:52:THR:HG21	1:A:334:ASP:HB2	1.99	0.44
1:A:294:MSE:HG3	1:A:397:TRP:CB	2.48	0.44
1:A:138:ALA:HB1	1:A:482:THR:HG22	2.00	0.44
1:B:488:ILE:HD12	1:B:489:ASP:N	2.32	0.44
1:A:294:MSE:HE1	1:A:398:MSE:CE	2.40	0.43
1:A:127:ILE:HD11	1:A:206:ILE:HA	2.00	0.43
1:B:351:ILE:O	1:B:355:THR:HB	2.18	0.43
1:B:10:ARG:HD2	1:B:76:PHE:CD2	2.54	0.43
1:A:228:TYR:HA	1:A:232:MSE:SE	2.69	0.43
1:B:247:LEU:HD13	1:B:418:LEU:HD13	1.99	0.43
1:A:399:GLU:OE2	1:A:410:ARG:NH2	2.53	0.42
1:A:359:GLY:HA3	1:A:387:SER:HA	2.01	0.42
1:B:552:ILE:HD12	1:B:552:ILE:H	1.83	0.42
1:A:111:GLN:HE22	1:A:526:PRO:HG3	1.84	0.42
1:A:30:ALA:HB3	1:A:36:GLN:HG3	2.01	0.42
1:A:128:VAL:O	1:A:132:GLN:HG3	2.19	0.42
1:B:40:MSE:SE	1:B:108:TRP:CZ3	3.22	0.42
1:A:292:ARG:HD2	1:A:310:VAL:HG11	2.02	0.42
1:A:175:GLN:HB2	1:A:267:TYR:CD2	2.55	0.42
1:B:10:ARG:HD2	1:B:76:PHE:CG	2.54	0.42
1:A:92:TYR:HD1	1:A:92:TYR:HA	1.76	0.42
1:B:127:ILE:HD11	1:B:209:LYS:HB2	2.01	0.42
1:B:96:VAL:HG13	1:B:101:ARG:HH12	1.83	0.42
1:B:394:THR:HG23	1:B:398:MSE:HE3	2.02	0.41
1:A:247:LEU:HD21	1:A:553:GLU:HG3	2.01	0.41
1:B:504:ALA:O	1:B:508:ARG:HG2	2.20	0.41
1:B:171:ARG:HG3	1:B:174:ARG:NH2	2.35	0.41
1:B:355:THR:HG23	1:B:391:GLU:HG2	2.03	0.41
1:B:158:THR:H	1:B:161:GLN:NE2	2.18	0.41
1:A:104:LEU:HD12	1:A:104:LEU:HA	1.89	0.41
1:B:414:LEU:HD13	1:B:552:ILE:HG23	2.01	0.41
1:A:229:ASN:OD1	1:A:232:MSE:HG3	2.20	0.41
1:B:294:MSE:SE	1:B:394:THR:OG1	2.88	0.41
1:A:315:MSE:HE3	1:A:340:ILE:HD12	2.03	0.41
1:A:171:ARG:CZ	1:A:261:VAL:HG22	2.51	0.41
1:B:395:TRP:CE2	1:B:410:ARG:HG3	2.56	0.41
1:A:359:GLY:HA2	1:A:390:MSE:HG3	2.03	0.41
1:B:477:GLN:HE21	1:B:479:HIS:HD2	1.68	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:127:ILE:HD11	1:B:209:LYS:HD2	2.02	0.40
1:A:19:SER:HB3	1:A:42:ARG:HH22	1.86	0.40
1:B:450:ARG:NH1	1:B:453:GLU:OE1	2.53	0.40
1:B:473:PHE:O	1:B:476:ARG:HG3	2.21	0.40
1:A:158:THR:OG1	1:A:161:GLN:HG3	2.21	0.40
1:A:352:ASP:O	1:A:355:THR:HG22	2.21	0.40
1:B:96:VAL:HG13	1:B:101:ARG:NH1	2.37	0.40
1:B:419:LEU:O	1:B:422:PRO:HD2	2.20	0.40
1:A:37:HIS:HD2	1:A:108:TRP:HH2	1.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	563/567 (99%)	542 (96%)	16 (3%)	5 (1%)	21	61
1	B	562/567 (99%)	538 (96%)	20 (4%)	4 (1%)	26	65
All	All	1125/1134 (99%)	1080 (96%)	36 (3%)	9 (1%)	24	63

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	321	LYS
1	A	484	PRO
1	A	522	GLY
1	B	484	PRO
1	B	522	GLY
1	A	486	TYR
1	B	487	TYR
1	A	487	TYR
1	B	486	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	483/471 (102%)	437 (90%)	46 (10%)	11	38
1	B	483/471 (102%)	441 (91%)	42 (9%)	13	44
All	All	966/942 (102%)	878 (91%)	88 (9%)	12	40

All (88) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MSE
1	A	10	ARG
1	A	15	GLN
1	A	16	LEU
1	A	21	GLN
1	A	24	LEU
1	A	26	SER
1	A	28	ARG
1	A	35	LEU
1	A	46	LEU
1	A	49	ARG
1	A	56	LEU
1	A	57	CYS
1	A	74	GLN
1	A	75	ASP
1	A	96	VAL
1	A	103	GLU
1	A	104	LEU
1	A	112	LEU
1	A	127	ILE
1	A	151	MSE
1	A	155	GLU
1	A	174	ARG
1	A	175	GLN
1	A	214	ASN
1	A	247	LEU
1	A	252	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	259	ILE
1	A	261	VAL
1	A	262	GLU
1	A	263	LYS
1	A	275	THR
1	A	289	GLN
1	A	355	THR
1	A	363	GLN
1	A	372	ILE
1	A	377	TRP
1	A	381	GLU
1	A	394	THR
1	A	399	GLU
1	A	410	ARG
1	A	414	LEU
1	A	425	VAL
1	A	476	ARG
1	A	484	PRO
1	A	518	LEU
1	B	10	ARG
1	B	15	GLN
1	B	16	LEU
1	B	21	GLN
1	B	24	LEU
1	B	28	ARG
1	B	56	LEU
1	B	57	CYS
1	B	74	GLN
1	B	81	GLU
1	B	85	LYS
1	B	103	GLU
1	B	110	LYS
1	B	127	ILE
1	B	155	GLU
1	B	175	GLN
1	B	190	LYS
1	B	210	LEU
1	B	213	GLN
1	B	214	ASN
1	B	217	GLU
1	B	247	LEU
1	B	259	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	275	THR
1	B	304	GLU
1	B	307	ARG
1	B	329	CYS
1	B	336	LYS
1	B	355	THR
1	B	363	GLN
1	B	381	GLU
1	B	394	THR
1	B	399	GLU
1	B	410	ARG
1	B	414	LEU
1	B	457	LEU
1	B	460	ARG
1	B	476	ARG
1	B	484	PRO
1	B	488	ILE
1	B	518	LEU
1	B	533	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	GLN
1	A	36	GLN
1	A	37	HIS
1	A	58	HIS
1	A	111	GLN
1	A	132	GLN
1	A	161	GLN
1	A	213	GLN
1	A	214	ASN
1	A	255	GLN
1	A	257	GLN
1	A	293	GLN
1	A	343	ASN
1	A	363	GLN
1	A	386	HIS
1	A	432	HIS
1	A	479	HIS
1	B	36	GLN
1	B	37	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	55	ASN
1	B	58	HIS
1	B	74	GLN
1	B	111	GLN
1	B	132	GLN
1	B	161	GLN
1	B	213	GLN
1	B	214	ASN
1	B	255	GLN
1	B	257	GLN
1	B	343	ASN
1	B	363	GLN
1	B	369	HIS
1	B	432	HIS
1	B	479	HIS
1	B	537	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	551/567 (97%)	-0.44	0	100 100	62, 69, 73, 84	17 (3%)
1	B	550/567 (97%)	-0.48	2 (0%)	93 85	63, 69, 73, 79	17 (3%)
All	All	1101/1134 (97%)	-0.46	2 (0%)	95 91	62, 69, 73, 84	34 (3%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	506	GLU	2.5
1	B	260	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	ZN	A	601	1/1	0.99	0.08	-2.48	76,76,76,76	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	ZN	B	701	1/1	0.99	0.09	-3.49	75,75,75,75	0

6.5 Other polymers [i](#)

There are no such residues in this entry.