



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 1, 2016 – 01:18 PM EDT

PDB ID : 5H16
Title : Crystal structure of the complex of Phosphopantetheine adenylyltransferase from *Acinetobacter baumannii* with citrate at 2.3 Å resolution.
Authors : Gupta, A.; Singh, P.K.; Kaur, P.; Sharma, S.; Singh, T.P.
Deposited on : 2016-10-08
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20028320
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20028320


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	163	<div> <div>5%</div> <div>78% 17% 6%</div> </div>
1	B	163	<div> <div>12%</div> <div>77% 20% ..</div> </div>
1	C	163	<div> <div>5%</div> <div>80% 15% ..</div> </div>
1	D	163	<div> <div>7%</div> <div>81% 12% 5% ..</div> </div>
1	E	163	<div> <div>5%</div> <div>83% 14% .</div> </div>
1	F	163	<div> <div>8%</div> <div>83% 13% ..</div> </div>

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7990 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphopantetheine adenylyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	163	Total	C	N	O	S	0	0	0
			1305	838	227	237	3			
1	B	161	Total	C	N	O	S	0	0	0
			1291	830	225	234	2			
1	C	161	Total	C	N	O	S	0	0	0
			1291	830	225	234	2			
1	D	161	Total	C	N	O	S	0	0	0
			1291	830	225	234	2			
1	E	163	Total	C	N	O	S	0	0	0
			1305	838	227	237	3			
1	F	163	Total	C	N	O	S	0	0	0
			1305	838	227	237	3			

- Molecule 2 is CITRIC ACID (three-letter code: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	6	7		
2	B	1	Total	C	O	0	0
			13	6	7		
2	C	1	Total	C	O	0	0
			13	6	7		
2	D	1	Total	C	O	0	0
			13	6	7		
2	E	1	Total	C	O	0	0
			13	6	7		
2	F	1	Total	C	O	0	0
			13	6	7		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	27	Total	O	0	0
			27	27		
3	B	12	Total	O	0	0
			12	12		
3	C	22	Total	O	0	0
			22	22		
3	D	21	Total	O	0	0
			21	21		
3	E	16	Total	O	0	0
			16	16		
3	F	26	Total	O	0	0
			26	26		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Phosphopantetheine adenylyltransferase




- Molecule 1: Phosphopantetheine adenylyltransferase




- Molecule 1: Phosphopantetheine adenylyltransferase




- Molecule 1: Phosphopantetheine adenylyltransferase



● Molecule 1: Phosphopantetheine adenylyltransferase



● Molecule 1: Phosphopantetheine adenylyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.59Å 109.81Å 121.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	81.56 – 2.30 40.78 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.7 (81.56-2.30) 98.8 (40.78-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.15	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 2.31Å)	Xtriage
Refinement program	REFMAC 5.8.0155	Depositor
R, R_{free}	0.261 , 0.302 0.262 , 0.300	Depositor DCC
R_{free} test set	949 reflections (2.08%)	DCC
Wilson B-factor (Å ²)	31.1	Xtriage
Anisotropy	0.378	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 29.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	7990	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.67	0/1335	0.88	4/1806 (0.2%)
1	B	0.63	0/1321	0.88	5/1788 (0.3%)
1	C	0.69	0/1321	0.91	4/1788 (0.2%)
1	D	0.72	1/1321 (0.1%)	0.96	4/1788 (0.2%)
1	E	0.69	0/1335	0.93	5/1806 (0.3%)
1	F	0.73	0/1335	0.91	3/1806 (0.2%)
All	All	0.69	1/7968 (0.0%)	0.91	25/10782 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	40	GLY	C-O	-6.00	1.14	1.23

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	25	ARG	CG-CD-NE	9.69	132.15	111.80
1	E	25	ARG	NE-CZ-NH1	-7.97	116.32	120.30
1	C	134	ARG	NE-CZ-NH2	-7.53	116.54	120.30
1	D	92	ARG	NE-CZ-NH2	-7.12	116.74	120.30
1	A	157	ARG	NE-CZ-NH1	7.02	123.81	120.30
1	B	74	LEU	CB-CG-CD2	6.79	122.55	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	25	ARG	NE-CZ-NH1	-6.77	116.92	120.30
1	B	25	ARG	NE-CZ-NH2	6.52	123.56	120.30
1	C	135	GLU	CA-CB-CG	6.41	127.50	113.40
1	F	85	THR	CA-CB-CG2	6.12	120.96	112.40
1	C	72	ASP	N-CA-C	-6.04	94.68	111.00
1	E	89	ARG	NE-CZ-NH1	5.79	123.19	120.30
1	F	89	ARG	NE-CZ-NH1	5.73	123.17	120.30
1	D	28	ARG	NE-CZ-NH1	5.56	123.08	120.30
1	F	80	LYS	CD-CE-NZ	5.55	124.48	111.70
1	E	75	LEU	CB-CG-CD1	5.52	120.39	111.00
1	A	145	LYS	CB-CG-CD	5.50	125.90	111.60
1	D	135	GLU	CG-CD-OE1	5.41	129.11	118.30
1	B	89	ARG	NE-CZ-NH1	5.31	122.96	120.30
1	B	162	GLY	N-CA-C	-5.27	99.92	113.10
1	B	138	ARG	NE-CZ-NH2	5.20	122.90	120.30
1	A	138	ARG	NE-CZ-NH2	5.15	122.87	120.30
1	A	28	ARG	NE-CZ-NH1	5.07	122.83	120.30
1	E	25	ARG	NE-CZ-NH2	5.04	122.82	120.30
1	D	15	ILE	N-CA-CB	5.01	122.31	110.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	41	HIS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1305	0	1295	30	0
1	B	1291	0	1278	23	0
1	C	1291	0	1278	23	0
1	D	1291	0	1278	20	0
1	E	1305	0	1295	13	0
1	F	1305	0	1295	28	0
2	A	13	0	5	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	13	0	5	0	0
2	C	13	0	5	0	0
2	D	13	0	5	1	0
2	E	13	0	5	0	0
2	F	13	0	5	0	0
3	A	27	0	0	7	0
3	B	12	0	0	5	0
3	C	22	0	0	1	0
3	D	21	0	0	0	0
3	E	16	0	0	0	0
3	F	26	0	0	1	0
All	All	7990	0	7749	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:71:PHE:CD2	1:B:72:ASP:O	2.24	0.90
1:A:71:PHE:CD2	1:A:72:ASP:O	2.25	0.90
1:F:5:ARG:H	1:F:85:THR:HG23	1.41	0.85
1:A:43:LYS:HD3	1:A:43:LYS:O	1.81	0.80
1:F:5:ARG:H	1:F:85:THR:CG2	1.95	0.77
1:A:74:LEU:HD11	1:C:141:GLY:HA2	1.67	0.77
1:C:75:LEU:HD11	1:C:87:VAL:HG21	1.68	0.74
1:F:75:LEU:HD11	1:F:87:VAL:HG21	1.69	0.74
1:A:25:ARG:HD2	1:F:115:GLU:OE1	1.87	0.73
1:D:39:ILE:HD13	1:D:49:LEU:HD22	1.74	0.70
1:A:75:LEU:HD11	1:A:87:VAL:HG11	1.75	0.69
1:C:138:ARG:HD2	1:C:163:TRP:CZ3	2.28	0.69
1:C:39:ILE:HD12	1:C:49:LEU:HD22	1.75	0.68
1:A:41:HIS:CE1	1:C:139:LEU:HD11	2.30	0.66
1:B:75:LEU:HD11	1:B:87:VAL:HG11	1.78	0.66
2:A:201:CIT:O7	3:A:301:HOH:O	2.03	0.66
1:D:12:PHE:HB3	1:D:15:ILE:HG22	1.76	0.66
1:E:39:ILE:HD12	1:E:49:LEU:HD22	1.77	0.66
1:C:101:PHE:HD1	1:C:102:GLN:OE1	1.79	0.65
1:D:74:LEU:HD11	1:F:141:GLY:HA2	1.78	0.64
1:B:153:GLU:HA	1:B:156:GLU:OE1	1.99	0.63
1:B:39:ILE:HD12	1:B:49:LEU:HD22	1.80	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:7:ILE:HD13	1:D:87:VAL:HG23	1.81	0.62
1:B:86:ALA:HB2	1:E:29:MET:HE1	1.79	0.62
1:F:5:ARG:N	1:F:85:THR:HG23	2.14	0.62
1:A:43:LYS:HD3	1:A:43:LYS:C	2.20	0.61
1:B:94:VAL:HG22	1:C:98:GLU:CD	2.19	0.61
1:D:7:ILE:CD1	1:D:87:VAL:HG23	2.31	0.61
1:F:4:THR:HA	1:F:85:THR:HG21	1.82	0.61
1:A:39:ILE:HD12	1:A:49:LEU:HD22	1.82	0.60
1:B:27:SER:HB2	1:B:65:ASN:HD21	1.66	0.60
1:C:27:SER:HB2	1:C:65:ASN:HD21	1.67	0.60
1:F:23:VAL:HG21	1:F:60:LEU:CD2	2.32	0.60
1:F:27:SER:HB2	1:F:65:ASN:HD21	1.67	0.59
1:D:27:SER:HB2	1:D:65:ASN:HD21	1.68	0.58
1:B:108:ARG:NH2	3:B:301:HOH:O	2.28	0.58
1:A:27:SER:HB2	1:A:65:ASN:HD21	1.68	0.58
1:E:27:SER:HB2	1:E:65:ASN:HD21	1.67	0.57
1:D:12:PHE:HD2	1:D:15:ILE:HG22	1.70	0.56
1:D:12:PHE:CD2	1:D:15:ILE:HG22	2.40	0.56
1:A:41:HIS:CG	1:C:139:LEU:HD21	2.41	0.56
1:E:25:ARG:NH1	1:E:120:THR:O	2.34	0.56
1:A:44:ASN:OD1	1:A:44:ASN:N	2.38	0.56
1:A:92:ARG:NH2	1:A:128:ILE:O	2.39	0.56
1:A:85:THR:HB	3:A:319:HOH:O	2.07	0.55
1:C:23:VAL:HG11	1:C:60:LEU:CD2	2.36	0.55
1:B:23:VAL:HG21	1:B:60:LEU:CD2	2.37	0.55
1:C:65:ASN:HD22	1:C:65:ASN:H	1.54	0.55
1:B:108:ARG:NH1	3:B:301:HOH:O	2.36	0.55
1:A:43:LYS:O	1:A:43:LYS:CD	2.53	0.54
1:F:65:ASN:HD22	1:F:65:ASN:H	1.55	0.54
1:A:25:ARG:NH1	1:A:120:THR:O	2.33	0.53
1:D:65:ASN:H	1:D:65:ASN:HD22	1.56	0.53
1:A:92:ARG:NH1	2:A:201:CIT:O5	2.41	0.53
1:A:65:ASN:HD22	1:A:65:ASN:H	1.55	0.52
1:A:108:ARG:NH1	3:A:305:HOH:O	2.37	0.52
1:D:131:THR:N	2:D:201:CIT:O3	2.42	0.52
1:B:65:ASN:HD22	1:B:65:ASN:H	1.58	0.52
1:B:136:ILE:HA	1:C:74:LEU:HD21	1.92	0.51
1:A:74:LEU:HD11	1:C:141:GLY:CA	2.39	0.51
1:C:39:ILE:HD12	1:C:49:LEU:CD2	2.40	0.51
1:F:23:VAL:HG21	1:F:60:LEU:CD1	2.41	0.51
1:F:135:GLU:OE1	1:F:138:ARG:NH1	2.44	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:76:VAL:HG13	1:E:107:ASN:OD1	2.12	0.50
1:E:127:PHE:HA	1:F:102:GLN:HE21	1.76	0.50
1:B:23:VAL:HG21	1:B:60:LEU:CD1	2.42	0.50
1:A:74:LEU:HD13	1:A:77:ASN:ND2	2.27	0.50
1:A:72:ASP:OD1	3:A:302:HOH:O	2.20	0.50
1:D:74:LEU:HD13	1:D:77:ASN:ND2	2.27	0.49
1:B:93:ALA:HB2	3:B:309:HOH:O	2.11	0.49
1:D:7:ILE:HD13	1:D:7:ILE:O	2.12	0.49
1:E:139:LEU:HD22	1:F:73:GLY:HA2	1.95	0.49
1:A:39:ILE:HD12	1:A:49:LEU:CD2	2.43	0.49
1:A:73:GLY:N	3:A:306:HOH:O	2.46	0.49
1:C:21:ASP:OD2	3:C:301:HOH:O	2.18	0.49
1:C:101:PHE:CD1	1:C:102:GLN:OE1	2.64	0.48
1:F:138:ARG:HD3	1:F:163:TRP:CH2	2.49	0.48
3:A:309:HOH:O	1:F:120:THR:CG2	2.61	0.48
1:D:74:LEU:HD11	1:F:141:GLY:CA	2.43	0.48
1:B:39:ILE:HD12	1:B:49:LEU:CD2	2.43	0.47
1:F:23:VAL:CG2	1:F:60:LEU:CD2	2.92	0.47
1:E:39:ILE:HD12	1:E:49:LEU:CD2	2.43	0.47
1:E:162:GLY:O	1:E:163:TRP:C	2.54	0.46
1:D:43:LYS:HG3	1:D:44:ASN:N	2.31	0.46
1:E:65:ASN:H	1:E:65:ASN:HD22	1.64	0.46
1:E:74:LEU:HG	1:E:76:VAL:HG22	1.97	0.45
1:A:25:ARG:NH2	1:F:115:GLU:OE2	2.48	0.45
1:A:106:MET:HG3	1:A:107:ASN:N	2.32	0.45
1:D:43:LYS:HG3	1:D:44:ASN:H	1.82	0.45
1:D:106:MET:HG3	1:D:107:ASN:N	2.32	0.44
1:A:71:PHE:CE2	1:A:72:ASP:O	2.70	0.44
3:B:301:HOH:O	1:E:120:THR:HG22	2.17	0.44
1:C:23:VAL:HG11	1:C:60:LEU:CD1	2.47	0.44
1:D:7:ILE:HD11	1:D:75:LEU:HD21	2.00	0.44
1:F:108:ARG:HD3	3:F:314:HOH:O	2.16	0.44
1:B:93:ALA:HB1	1:C:98:GLU:CD	2.38	0.43
1:B:5:ARG:HH11	1:B:82:GLN:HE22	1.67	0.43
1:F:23:VAL:CG2	1:F:60:LEU:HD22	2.48	0.43
1:A:41:HIS:ND1	1:C:139:LEU:HD21	2.34	0.43
1:B:94:VAL:HG22	1:C:98:GLU:OE1	2.19	0.43
1:B:108:ARG:CZ	3:B:301:HOH:O	2.66	0.43
1:B:71:PHE:CE2	1:B:72:ASP:O	2.70	0.43
1:A:29:MET:HE1	1:F:115:GLU:HG2	2.01	0.42
1:B:23:VAL:CG2	1:B:60:LEU:CD2	2.97	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:119:LEU:HD11	1:D:117:VAL:HG12	2.01	0.42
1:B:94:VAL:HG22	1:C:98:GLU:OE2	2.20	0.42
1:F:23:VAL:HG21	1:F:60:LEU:HD22	2.00	0.42
1:F:1:MET:CE	1:F:1:MET:HA	2.49	0.41
1:A:29:MET:CE	1:F:115:GLU:HG2	2.50	0.41
1:E:3:LYS:HD2	1:E:3:LYS:N	2.35	0.41
1:F:4:THR:HA	1:F:85:THR:CG2	2.49	0.41
1:B:163:TRP:CE3	1:B:163:TRP:HA	2.56	0.41
1:D:46:LEU:HD12	1:D:47:PHE:CE2	2.56	0.41
1:C:119:LEU:CD1	1:D:117:VAL:HG12	2.51	0.41
1:A:65:ASN:HD22	1:A:65:ASN:N	2.20	0.40
1:F:135:GLU:OE1	1:F:138:ARG:CZ	2.69	0.40
3:A:309:HOH:O	1:F:120:THR:HG23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	161/163 (99%)	156 (97%)	4 (2%)	1 (1%)	30	36
1	B	159/163 (98%)	154 (97%)	4 (2%)	1 (1%)	30	36
1	C	159/163 (98%)	154 (97%)	4 (2%)	1 (1%)	30	36
1	D	159/163 (98%)	156 (98%)	3 (2%)	0	100	100
1	E	161/163 (99%)	156 (97%)	5 (3%)	0	100	100
1	F	161/163 (99%)	157 (98%)	4 (2%)	0	100	100
All	All	960/978 (98%)	933 (97%)	24 (2%)	3 (0%)	46	57

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	41	HIS
1	B	41	HIS
1	C	41	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	141/141 (100%)	124 (88%)	17 (12%)	6	6
1	B	139/141 (99%)	125 (90%)	14 (10%)	9	11
1	C	139/141 (99%)	124 (89%)	15 (11%)	8	9
1	D	139/141 (99%)	125 (90%)	14 (10%)	9	11
1	E	141/141 (100%)	128 (91%)	13 (9%)	11	13
1	F	141/141 (100%)	130 (92%)	11 (8%)	16	19
All	All	840/846 (99%)	756 (90%)	84 (10%)	9	11

All (84) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	22	LEU
1	A	39	ILE
1	A	43	LYS
1	A	57	GLN
1	A	65	ASN
1	A	74	LEU
1	A	92	ARG
1	A	94	VAL
1	A	106	MET
1	A	119	LEU
1	A	120	THR
1	A	132	LEU
1	A	135	GLU
1	A	140	LYS
1	A	145	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	160	GLN
1	B	3	LYS
1	B	39	ILE
1	B	43	LYS
1	B	65	ASN
1	B	74	LEU
1	B	109	GLN
1	B	119	LEU
1	B	120	THR
1	B	132	LEU
1	B	135	GLU
1	B	140	LYS
1	B	145	LYS
1	B	160	GLN
1	B	163	TRP
1	C	39	ILE
1	C	43	LYS
1	C	44	ASN
1	C	58	SER
1	C	65	ASN
1	C	96	ASP
1	C	102	GLN
1	C	119	LEU
1	C	120	THR
1	C	132	LEU
1	C	135	GLU
1	C	138	ARG
1	C	140	LYS
1	C	145	LYS
1	C	163	TRP
1	D	7	ILE
1	D	15	ILE
1	D	43	LYS
1	D	44	ASN
1	D	46	LEU
1	D	65	ASN
1	D	74	LEU
1	D	106	MET
1	D	119	LEU
1	D	120	THR
1	D	132	LEU
1	D	135	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	140	LYS
1	D	160	GLN
1	E	1	MET
1	E	39	ILE
1	E	43	LYS
1	E	57	GLN
1	E	65	ASN
1	E	92	ARG
1	E	98	GLU
1	E	119	LEU
1	E	120	THR
1	E	132	LEU
1	E	135	GLU
1	E	140	LYS
1	E	160	GLN
1	F	1	MET
1	F	39	ILE
1	F	43	LYS
1	F	65	ASN
1	F	85	THR
1	F	119	LEU
1	F	120	THR
1	F	132	LEU
1	F	135	GLU
1	F	140	LYS
1	F	160	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	HIS
1	A	57	GLN
1	A	65	ASN
1	A	82	GLN
1	A	160	GLN
1	B	57	GLN
1	B	65	ASN
1	B	82	GLN
1	B	102	GLN
1	C	57	GLN
1	C	65	ASN
1	C	82	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	160	GLN
1	D	57	GLN
1	D	65	ASN
1	D	82	GLN
1	E	57	GLN
1	E	65	ASN
1	E	82	GLN
1	E	160	GLN
1	F	57	GLN
1	F	65	ASN
1	F	82	GLN
1	F	102	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CIT	A	201	-	3,12,12	2.84	1 (33%)	3,17,17	6.15	3 (100%)
2	CIT	B	201	-	3,12,12	0.18	0	3,17,17	0.58	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CIT	C	201	-	3,12,12	0.79	0	3,17,17	3.17	1 (33%)
2	CIT	D	201	-	3,12,12	1.02	0	3,17,17	1.92	2 (66%)
2	CIT	E	201	-	3,12,12	0.75	0	3,17,17	2.32	1 (33%)
2	CIT	F	201	-	3,12,12	2.87	1 (33%)	3,17,17	5.07	3 (100%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CIT	A	201	-	-	0/6/16/16	0/0/0/0
2	CIT	B	201	-	-	0/6/16/16	0/0/0/0
2	CIT	C	201	-	-	0/6/16/16	0/0/0/0
2	CIT	D	201	-	-	0/6/16/16	0/0/0/0
2	CIT	E	201	-	-	0/6/16/16	0/0/0/0
2	CIT	F	201	-	-	0/6/16/16	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	201	CIT	C4-C3	-4.81	1.47	1.54
2	F	201	CIT	C4-C3	-4.75	1.47	1.54

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	201	CIT	C3-C2-C1	-5.33	106.63	114.95
2	A	201	CIT	C3-C4-C5	-4.10	108.54	114.95
2	E	201	CIT	C3-C2-C1	-3.45	109.57	114.95
2	A	201	CIT	C3-C2-C1	-2.91	110.41	114.95
2	F	201	CIT	C3-C4-C5	-2.59	110.91	114.95
2	F	201	CIT	C3-C2-C1	-2.18	111.54	114.95
2	D	201	CIT	C3-C4-C5	-2.00	111.82	114.95
2	D	201	CIT	C4-C3-C2	2.21	115.34	109.85
2	F	201	CIT	C4-C3-C2	8.10	129.94	109.85
2	A	201	CIT	C4-C3-C2	9.38	133.12	109.85

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	201	CIT	2	0
2	D	201	CIT	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	163/163 (100%)	0.41	8 (4%) 33 42	20, 31, 56, 101	0
1	B	161/163 (98%)	0.78	19 (11%) 6 10	21, 38, 84, 142	0
1	C	161/163 (98%)	0.48	8 (4%) 32 41	20, 32, 56, 149	0
1	D	161/163 (98%)	0.53	11 (6%) 20 28	21, 35, 70, 100	0
1	E	163/163 (100%)	0.44	8 (4%) 33 42	20, 35, 57, 131	0
1	F	163/163 (100%)	0.53	13 (7%) 15 21	19, 31, 61, 130	0
All	All	972/978 (99%)	0.53	67 (6%) 20 27	19, 34, 68, 149	0

All (67) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	41	HIS	10.7
1	B	41	HIS	8.3
1	B	73	GLY	7.4
1	B	42	HIS	7.1
1	C	41	HIS	6.6
1	E	41	HIS	5.8
1	F	42	HIS	5.6
1	F	41	HIS	5.3
1	D	163	TRP	5.2
1	B	43	LYS	5.2
1	C	42	HIS	4.9
1	B	157	ARG	4.9
1	B	163	TRP	4.7
1	E	42	HIS	4.4
1	D	162	GLY	4.3
1	B	72	ASP	4.0
1	C	99	TYR	3.7
1	C	72	ASP	3.7
1	A	1	MET	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	141	GLY	3.6
1	E	99	TYR	3.4
1	B	160	GLN	3.4
1	F	39	ILE	3.4
1	F	163	TRP	3.4
1	B	47	PHE	3.3
1	F	162	GLY	3.2
1	A	43	LYS	3.2
1	F	138	ARG	3.1
1	A	73	GLY	3.0
1	D	161	GLN	3.0
1	D	160	GLN	3.0
1	F	135	GLU	2.9
1	C	23	VAL	2.9
1	D	41	HIS	2.8
1	D	42	HIS	2.8
1	B	149	GLN	2.7
1	B	161	GLN	2.7
1	F	40	GLY	2.6
1	B	69	VAL	2.6
1	A	162	GLY	2.4
1	D	6	VAL	2.3
1	B	39	ILE	2.3
1	D	138	ARG	2.3
1	D	43	LYS	2.3
1	F	99	TYR	2.3
1	A	94	VAL	2.3
1	A	161	GLN	2.2
1	B	138	ARG	2.2
1	E	50	GLU	2.2
1	A	74	LEU	2.2
1	C	73	GLY	2.2
1	F	139	LEU	2.2
1	E	39	ILE	2.1
1	D	149	GLN	2.1
1	E	43	LYS	2.1
1	B	44	ASN	2.1
1	F	44	ASN	2.1
1	C	43	LYS	2.1
1	E	163	TRP	2.1
1	F	159	HIS	2.1
1	B	140	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	136	ILE	2.0
1	B	49	LEU	2.0
1	D	22	LEU	2.0
1	E	156	GLU	2.0
1	F	103	LEU	2.0
1	B	29	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	CIT	C	201	13/13	0.83	0.18	0.90	41,51,54,56	0
2	CIT	A	201	13/13	0.82	0.16	0.72	30,40,42,43	0
2	CIT	F	201	13/13	0.85	0.17	0.42	28,38,46,46	0
2	CIT	B	201	13/13	0.89	0.17	0.34	47,52,62,62	0
2	CIT	D	201	13/13	0.88	0.15	0.11	39,52,57,59	0
2	CIT	E	201	13/13	0.89	0.12	-0.84	38,46,52,52	0

6.5 Other polymers [i](#)

There are no such residues in this entry.