



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:04 AM GMT

PDB ID : 3H4S
Title : Structure of the complex of a mitotic kinesin with its calcium binding regulator
Authors : Vinogradova, M.V.
Deposited on : 2009-04-20
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	386	
2	E	135	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 3805 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kinesin-like calmodulin-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	359	Total	C	N	O	S	0	0	0
			2867	1796	502	557	12			


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1131	ASN	CYS	ENGINEERED	UNP Q9FHN8

- Molecule 2 is a protein called KCBP interacting Ca2+-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	96	Total	C	N	O	S	0	0	0
			748	461	123	157	7			

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Mg	0	0
			2	2		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	E	1	Total	Ca	0	0
			1	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	133	Total	O	0	0
			133	133		
6	E	27	Total	O	0	0
			27	27		

4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	118.80Å 118.80Å 142.10Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	24.88 – 2.40 24.88 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.6 (24.88-2.40) 99.8 (24.88-2.40)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.36 (at 2.41Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.223 , 0.228 0.238 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	28.9	Xtriage
Anisotropy	0.197	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 47.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 23623 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3805	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/2907	0.74	2/3900 (0.1%)
2	E	0.49	0/755	0.79	1/1012 (0.1%)
All	All	0.49	0/3662	0.75	3/4912 (0.1%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	923	PRO	CA-N-CD	-7.69	100.74	111.50
1	A	1251	GLU	CB-CA-C	-5.38	99.64	110.40
2	E	43	CYS	CA-CB-SG	-5.38	104.32	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2867	0	2897	123	0
2	E	748	0	720	69	0
3	A	27	0	12	0	0
4	A	2	0	0	0	0
5	E	1	0	0	0	0
6	A	133	0	0	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	E	27	0	0	2	0
All	All	3805	0	3629	164	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1131:ASN:ND2	1:A:1132:GLN:HG3	1.34	1.40
1:A:891:ARG:HG2	2:E:19:GLU:CG	1.94	0.97
1:A:1131:ASN:HD22	1:A:1132:GLN:HG3	1.15	0.97
1:A:1229:LEU:HA	2:E:110:MET:HE1	1.43	0.97
1:A:1131:ASN:ND2	1:A:1132:GLN:CG	2.28	0.95
1:A:1131:ASN:HD21	1:A:1132:GLN:HG3	1.32	0.94
2:E:95:ASN:ND2	2:E:98:GLU:H	1.70	0.89
2:E:119:GLU:O	2:E:122:LEU:HB3	1.72	0.89
1:A:1187:VAL:HG21	1:A:1197:THR:HG23	1.57	0.87
1:A:891:ARG:HG2	2:E:19:GLU:HG3	1.56	0.86
1:A:1149:VAL:HG22	1:A:1161:PRO:O	1.81	0.81
2:E:48:LEU:HD21	2:E:68:ILE:HD11	1.63	0.81
2:E:114:ALA:HB1	2:E:117:TRP:CD1	2.16	0.81
1:A:1229:LEU:HD23	2:E:110:MET:HE3	1.63	0.78
2:E:95:ASN:HD21	2:E:98:GLU:H	1.33	0.76
2:E:114:ALA:HA	2:E:116:THR:HG22	1.67	0.76
1:A:1250:GLU:O	1:A:1251:GLU:HB2	1.84	0.76
2:E:20:THR:HG21	2:E:96:GLN:OE1	1.86	0.74
1:A:1017:VAL:CG1	1:A:1024:LEU:HD22	2.20	0.72
1:A:925:LYS:HG3	1:A:926:ASP:OD1	1.91	0.71
1:A:1129:ALA:O	1:A:1131:ASN:N	2.24	0.70
1:A:1060:THR:HG22	1:A:1063:GLU:OE1	1.90	0.70
1:A:1229:LEU:HA	2:E:110:MET:CE	2.21	0.69
1:A:933:ILE:HG21	2:E:22:TYR:O	1.93	0.68
1:A:1056:ILE:HG21	1:A:1067:ILE:HD11	1.76	0.68
1:A:1212:ASN:HB2	6:E:142:HOH:O	1.93	0.68
1:A:1209:THR:HA	2:E:20:THR:CG2	2.24	0.68
1:A:923:PRO:HD2	1:A:923:PRO:O	1.93	0.67
1:A:1069:GLU:O	1:A:1073:GLU:HG3	1.94	0.67
2:E:79:ALA:HA	2:E:82:MET:HE2	1.75	0.67
1:A:951:THR:HG21	1:A:989:LEU:HD22	1.77	0.66
1:A:1031:LYS:NZ	1:A:1031:LYS:HA	2.09	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:95:ASN:HD22	2:E:95:ASN:C	1.98	0.66
1:A:1021:GLN:HA	1:A:1138:SER:OG	1.96	0.65
1:A:891:ARG:HG2	2:E:19:GLU:HG2	1.78	0.65
1:A:924:TRP:CD1	1:A:925:LYS:HG2	2.31	0.65
1:A:1150:ILE:HD13	1:A:1207:VAL:HG13	1.77	0.65
2:E:35:VAL:O	2:E:39:VAL:HG23	1.96	0.64
1:A:1156:GLY:HA2	1:A:1212:ASN:HD22	1.63	0.64
2:E:114:ALA:HB1	2:E:117:TRP:NE1	2.13	0.64
1:A:1017:VAL:HG11	1:A:1024:LEU:HD22	1.79	0.63
2:E:20:THR:O	2:E:97:THR:HA	1.98	0.63
1:A:1149:VAL:CG2	1:A:1161:PRO:O	2.47	0.62
1:A:933:ILE:HG21	2:E:22:TYR:C	2.20	0.62
2:E:122:LEU:HD23	2:E:122:LEU:C	2.20	0.62
1:A:1208:ARG:HH21	2:E:97:THR:HG23	1.65	0.61
1:A:902:LYS:HE2	1:A:906:GLU:OE2	2.01	0.61
1:A:928:LYS:HG3	1:A:928:LYS:O	1.99	0.61
1:A:1131:ASN:HD21	1:A:1132:GLN:CG	2.05	0.60
2:E:118:LEU:O	2:E:122:LEU:HB2	2.00	0.59
2:E:83:VAL:HG13	2:E:94:LEU:HD13	1.84	0.59
2:E:121:ALA:O	2:E:124:GLN:HB3	2.03	0.59
1:A:951:THR:HG21	1:A:989:LEU:CD2	2.33	0.57
1:A:1060:THR:HG23	1:A:1063:GLU:H	1.68	0.57
1:A:1187:VAL:CG2	1:A:1197:THR:HG23	2.30	0.57
1:A:1226:LEU:HD23	2:E:69:LEU:HD11	1.87	0.57
1:A:1229:LEU:HD23	2:E:110:MET:CE	2.32	0.57
1:A:1017:VAL:HG12	1:A:1024:LEU:HD22	1.86	0.57
1:A:1129:ALA:O	1:A:1130:GLY:C	2.44	0.56
1:A:1252:ASP:OD1	1:A:1254:THR:HG23	2.04	0.56
2:E:124:GLN:HG2	2:E:125:GLU:N	2.21	0.55
1:A:1232:TYR:HB3	2:E:110:MET:HE2	1.87	0.55
1:A:956:GLN:O	1:A:959:VAL:HG22	2.07	0.55
2:E:95:ASN:HD21	2:E:98:GLU:HG3	1.70	0.54
1:A:1001:LEU:HD22	1:A:1010:PHE:CG	2.42	0.54
2:E:122:LEU:CD2	2:E:122:LEU:C	2.75	0.54
1:A:922:HIS:HE1	1:A:932:HIS:HE1	1.55	0.54
1:A:1232:TYR:HB3	2:E:110:MET:CE	2.39	0.53
1:A:1098:GLU:HG2	1:A:1109:ARG:HD2	1.90	0.53
1:A:923:PRO:CD	1:A:923:PRO:O	2.56	0.53
1:A:1187:VAL:HG22	1:A:1197:THR:OG1	2.09	0.53
1:A:1065:ARG:NH2	6:A:63:HOH:O	2.42	0.53
1:A:935:ASP:OD2	2:E:19:GLU:HB3	2.08	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:954:LEU:HB3	1:A:964:VAL:HG11	1.92	0.52
1:A:1031:LYS:HZ2	1:A:1031:LYS:HA	1.72	0.52
2:E:20:THR:CG2	2:E:96:GLN:HB3	2.40	0.52
1:A:1208:ARG:HH11	2:E:19:GLU:HB3	1.74	0.52
2:E:109:GLU:O	2:E:112:GLU:HG2	2.10	0.52
1:A:1028:LEU:HD13	1:A:1056:ILE:HD12	1.90	0.51
1:A:1218:ILE:HG21	2:E:48:LEU:HD11	1.92	0.51
1:A:933:ILE:CG2	2:E:22:TYR:C	2.78	0.51
1:A:964:VAL:HG22	1:A:1180:LYS:HB2	1.92	0.51
2:E:79:ALA:O	2:E:83:VAL:HG23	2.11	0.50
2:E:116:THR:C	2:E:118:LEU:H	2.13	0.50
1:A:1234:LYS:HA	2:E:82:MET:SD	2.51	0.50
1:A:1092:ILE:HD12	1:A:1092:ILE:N	2.26	0.50
1:A:1208:ARG:HD2	2:E:19:GLU:O	2.12	0.50
2:E:107:SER:N	2:E:108:PRO:HD2	2.26	0.50
1:A:891:ARG:CG	2:E:19:GLU:HG3	2.37	0.49
2:E:122:LEU:CD2	2:E:123:THR:N	2.75	0.49
1:A:1062:GLU:HG2	6:A:48:HOH:O	2.11	0.49
1:A:889:LYS:HD3	2:E:19:GLU:OE2	2.12	0.49
1:A:890:ILE:HD12	1:A:1150:ILE:HG23	1.92	0.49
1:A:1243:GLU:HG2	1:A:1243:GLU:O	2.13	0.49
2:E:74:MET:SD	2:E:82:MET:HE3	2.53	0.49
1:A:924:TRP:CG	1:A:925:LYS:N	2.81	0.48
1:A:915:VAL:HB	1:A:919:THR:HB	1.94	0.48
2:E:121:ALA:HA	2:E:124:GLN:HB3	1.95	0.48
2:E:111:MET:HG3	6:E:144:HOH:O	2.14	0.48
1:A:1018:GLU:HB2	1:A:1027:LEU:HD11	1.94	0.48
1:A:995:LYS:O	1:A:999:ASN:ND2	2.42	0.48
1:A:1011:SER:C	1:A:1012:LEU:HD12	2.34	0.48
2:E:20:THR:HG21	2:E:96:GLN:HB3	1.96	0.47
1:A:1109:ARG:NH1	6:A:61:HOH:O	2.47	0.47
1:A:1000:ILE:HG23	1:A:1003:ARG:NH2	2.29	0.47
2:E:79:ALA:HA	2:E:82:MET:CE	2.43	0.47
1:A:948:PHE:HA	1:A:951:THR:HG22	1.95	0.47
1:A:1012:LEU:N	1:A:1012:LEU:HD12	2.29	0.47
1:A:1226:LEU:HG	2:E:69:LEU:HD21	1.96	0.47
1:A:1016:MET:HE2	1:A:1093:LEU:HB2	1.95	0.47
1:A:947:ILE:HG22	1:A:989:LEU:HD21	1.97	0.47
2:E:63:ARG:NH1	2:E:76:LYS:HE2	2.29	0.47
1:A:1158:GLN:HB2	1:A:1158:GLN:HE21	1.53	0.47
1:A:1133:LEU:C	1:A:1133:LEU:HD13	2.35	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1156:GLY:HA2	1:A:1212:ASN:ND2	2.29	0.47
1:A:990:THR:O	1:A:994:THR:HG23	2.15	0.47
1:A:1000:ILE:HG23	1:A:1003:ARG:HH21	1.79	0.47
1:A:1227:LYS:HD2	2:E:69:LEU:O	2.15	0.46
1:A:1218:ILE:HG22	6:A:118:HOH:O	2.13	0.46
1:A:1232:TYR:O	1:A:1236:GLN:HG2	2.15	0.46
1:A:925:LYS:HG3	1:A:926:ASP:N	2.31	0.46
1:A:896:ILE:O	1:A:940:MET:HA	2.15	0.45
1:A:1118:ALA:HA	6:A:83:HOH:O	2.15	0.45
2:E:122:LEU:HD22	2:E:123:THR:N	2.31	0.45
1:A:1018:GLU:HB3	1:A:1025:VAL:CG2	2.47	0.45
1:A:921:GLU:OE1	1:A:929:ARG:HG2	2.17	0.45
2:E:121:ALA:C	2:E:124:GLN:HB3	2.36	0.45
1:A:1145:ALA:O	1:A:1149:VAL:HG23	2.17	0.45
2:E:65:ASN:O	2:E:68:ILE:HG23	2.17	0.45
1:A:1255:ARG:NH1	1:A:1255:ARG:HG3	2.33	0.44
1:A:929:ARG:HH11	1:A:929:ARG:CG	2.30	0.44
2:E:100:CYS:O	2:E:104:VAL:HG23	2.17	0.44
1:A:1235:GLU:HG2	1:A:1236:GLN:HE21	1.82	0.44
1:A:1255:ARG:CG	1:A:1255:ARG:HH11	2.31	0.44
2:E:38:PHE:O	2:E:42:LEU:HG	2.17	0.44
1:A:1250:GLU:O	1:A:1251:GLU:CB	2.61	0.44
1:A:1013:LYS:HA	1:A:1056:ILE:O	2.18	0.43
1:A:1065:ARG:O	1:A:1068:LEU:HB3	2.18	0.43
1:A:914:THR:HG23	6:A:74:HOH:O	2.18	0.43
1:A:1241:GLY:O	1:A:1244:GLU:HB2	2.19	0.43
2:E:120:LYS:HA	2:E:120:LYS:HD3	1.82	0.43
1:A:1051:GLU:O	1:A:1052:ASN:HB2	2.19	0.43
1:A:890:ILE:CD1	1:A:1150:ILE:HG23	2.49	0.42
1:A:1074:ARG:C	6:A:145:HOH:O	2.57	0.42
2:E:82:MET:HB2	2:E:82:MET:HE2	1.93	0.42
1:A:936:ARG:HA	1:A:936:ARG:HD2	1.92	0.42
2:E:95:ASN:ND2	2:E:98:GLU:HG3	2.33	0.42
1:A:893:TYR:CD1	1:A:936:ARG:HB3	2.54	0.42
1:A:990:THR:HG21	1:A:1068:LEU:CD1	2.49	0.42
1:A:1208:ARG:HD2	2:E:19:GLU:HB2	2.02	0.41
2:E:74:MET:SD	2:E:82:MET:CE	3.08	0.41
2:E:95:ASN:HD21	2:E:98:GLU:N	2.09	0.41
1:A:1156:GLY:CA	1:A:1212:ASN:ND2	2.83	0.41
1:A:951:THR:CG2	1:A:989:LEU:HD22	2.50	0.41
1:A:1103:GLN:HE21	1:A:1103:GLN:HB2	1.49	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1237:ALA:CB	2:E:82:MET:HA	2.50	0.41
1:A:1062:GLU:O	1:A:1066:MET:HG3	2.20	0.41
1:A:1218:ILE:HD13	2:E:48:LEU:HD13	2.02	0.41
1:A:1056:ILE:CG2	1:A:1067:ILE:HD11	2.49	0.41
1:A:948:PHE:HA	1:A:951:THR:CG2	2.51	0.40
1:A:1074:ARG:O	1:A:1074:ARG:HG3	2.19	0.40
1:A:1195:ASP:HB2	6:A:69:HOH:O	2.21	0.40
1:A:1225:ARG:HD2	2:E:41:GLU:OE1	2.21	0.40
1:A:1247:VAL:HG12	1:A:1248:ASP:N	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	352/386 (91%)	332 (94%)	18 (5%)	2 (1%)	30	43
2	E	92/135 (68%)	89 (97%)	3 (3%)	0	100	100
All	All	444/521 (85%)	421 (95%)	21 (5%)	2 (0%)	34	48

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1130	GLY
1	A	1177	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	322/346 (93%)	293 (91%)	29 (9%)	12	17
2	E	82/120 (68%)	74 (90%)	8 (10%)	10	14
All	All	404/466 (87%)	367 (91%)	37 (9%)	11	16

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	907	ARG
1	A	926	ASP
1	A	929	ARG
1	A	949	GLU
1	A	963	ASN
1	A	1003	ARG
1	A	1006	LYS
1	A	1009	SER
1	A	1031	LYS
1	A	1036	LEU
1	A	1042	LYS
1	A	1045	LYS
1	A	1074	ARG
1	A	1088	ARG
1	A	1091	LEU
1	A	1103	GLN
1	A	1126	SER
1	A	1131	ASN
1	A	1141	LYS
1	A	1158	GLN
1	A	1194	LEU
1	A	1195	ASP
1	A	1208	ARG
1	A	1235	GLU
1	A	1244	GLU
1	A	1250	GLU
1	A	1253	ARG
1	A	1254	THR
1	A	1255	ARG
2	E	35	VAL
2	E	48	LEU
2	E	68	ILE
2	E	69	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	88	LEU
2	E	95	ASN
2	E	96	GLN
2	E	122	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	922	HIS
1	A	932	HIS
1	A	1052	ASN
1	A	1103	GLN
1	A	1131	ASN
1	A	1158	GLN
1	A	1193	ASN
1	A	1212	ASN
1	A	1236	GLN
2	E	95	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ADP	A	600	4	22,29,29	1.03	2 (9%)	27,45,45	1.88	3 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	A	600	4	-	0/12/32/32	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	600	ADP	C6-N6	-2.08	1.28	1.34
3	A	600	ADP	C2-N1	2.97	1.39	1.33

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	600	ADP	N3-C2-N1	-7.73	122.97	128.89
3	A	600	ADP	C2-N1-C6	2.43	123.11	118.77
3	A	600	ADP	C4'-O4'-C1'	2.77	112.76	109.72

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	359/386 (93%)	0.04	23 (6%)	23 23	15, 31, 78, 104	0
2	E	96/135 (71%)	0.98	19 (19%)	1 1	19, 35, 113, 124	0
All	All	455/521 (87%)	0.24	42 (9%)	11 11	15, 33, 86, 124	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	114	ALA	10.7
2	E	117	TRP	9.8
2	E	121	ALA	8.7
2	E	119	GLU	7.5
2	E	122	LEU	6.8
2	E	115	GLU	6.2
2	E	116	THR	5.7
1	A	880	TYR	5.7
2	E	22	TYR	5.7
1	A	927	ASP	5.2
2	E	20	THR	5.2
1	A	1255	ARG	5.1
2	E	110	MET	4.5
1	A	1073	GLU	4.4
2	E	21	LYS	4.4
2	E	111	MET	4.4
2	E	120	LYS	4.4
1	A	1085	GLU	4.3
1	A	1131	ASN	4.2
2	E	19	GLU	4.2
2	E	118	LEU	4.0
1	A	886	MET	3.9
1	A	1084	GLU	3.8
1	A	928	LYS	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1132	GLN	3.2
1	A	925	LYS	3.0
1	A	1243	GLU	2.9
2	E	125	GLU	2.9
1	A	1074	ARG	2.8
1	A	1129	ALA	2.7
2	E	123	THR	2.7
1	A	915	VAL	2.6
1	A	1241	GLY	2.5
1	A	887	LYS	2.5
1	A	1237	ALA	2.5
1	A	1072	SER	2.4
1	A	1134	LYS	2.4
1	A	1103	GLN	2.3
2	E	113	ASP	2.3
2	E	112	GLU	2.3
1	A	1130	GLY	2.2
1	A	1071	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	CA	E	700	1/1	0.98	0.15	0.86	27,27,27,27	0
4	MG	A	602	1/1	0.91	0.13	-0.34	46,46,46,46	0
3	ADP	A	600	27/27	0.98	0.10	-1.63	15,28,41,45	0
4	MG	A	601	1/1	0.98	0.15	-	24,24,24,24	0

6.5 Other polymers

There are no such residues in this entry.