



wwPDB X-ray Structure Validation Summary Report i

Apr 13, 2016 – 11:23 AM EDT

PDB ID : 5H8L
Title : Crystal structure of *Medicago truncatula* N-carbamoylputrescine amidohydrolase (MtCPA) C158S mutant in complex with putrescine
Authors : Sekula, B.; Ruszkowski, M.; Malinska, M.; Dauter, Z.
Deposited on : 2015-12-23
Resolution : 2.29 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org

A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027107
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027107


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	401	-	-	-	X
2	GOL	A	402	-	-	-	X
2	GOL	C	403	-	-	-	X
2	GOL	D	403	-	-	-	X
2	GOL	E	404	-	-	-	X
2	GOL	E	405	-	-	-	X
2	GOL	F	402	-	-	-	X
2	GOL	I	401	-	-	-	X
2	GOL	J	403	-	-	-	X
2	GOL	J	404	-	-	-	X
2	GOL	K	404	-	-	-	X
2	GOL	L	402	-	-	X	X
2	GOL	M	402	-	-	-	X
2	GOL	N	404	-	-	-	X
2	GOL	N	405	-	-	-	X
2	GOL	P	401	-	-	-	X
3	EDO	C	404	-	-	-	X
3	EDO	D	404	-	-	-	X
3	EDO	F	403	-	-	-	X
3	EDO	K	405	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	L	403	-	-	-	X
3	EDO	M	403	-	-	-	X
3	EDO	N	406	-	-	-	X
3	EDO	P	403	-	-	-	X
4	PUT	B	401	-	-	-	X
4	PUT	C	401	-	-	-	X
4	PUT	D	402	-	-	-	X
4	PUT	E	401	-	-	-	X
4	PUT	F	401	-	-	-	X
4	PUT	G	401	-	-	-	X
4	PUT	J	401	-	-	-	X
4	PUT	K	401	-	-	-	X
4	PUT	L	401	-	-	-	X
4	PUT	M	401	-	-	-	X
4	PUT	N	402	-	-	-	X
4	PUT	O	401	-	-	-	X
5	PEG	D	406	-	-	-	X
5	PEG	K	406	-	-	-	X
5	PEG	L	405	-	-	-	X

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 41665 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N-carbamoylputrescine amidohydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	295	Total 2347	C 1501	N 404	O 433	S 9	0	2	0
1	B	298	Total 2372	C 1514	N 411	O 440	S 7	0	1	0
1	C	301	Total 2390	C 1524	N 412	O 445	S 9	0	1	0
1	D	298	Total 2372	C 1515	N 409	O 440	S 8	0	2	0
1	E	297	Total 2357	C 1505	N 408	O 437	S 7	0	0	0
1	F	298	Total 2368	C 1511	N 409	O 440	S 8	0	1	0
1	G	295	Total 2344	C 1497	N 405	O 435	S 7	0	0	0
1	H	282	Total 2248	C 1440	N 387	O 413	S 8	0	1	0
1	I	292	Total 2318	C 1481	N 400	O 429	S 8	0	1	0
1	J	298	Total 2368	C 1511	N 409	O 440	S 8	0	1	0
1	K	301	Total 2390	C 1524	N 412	O 445	S 9	0	1	0
1	L	298	Total 2372	C 1515	N 409	O 440	S 8	0	2	0
1	M	297	Total 2364	C 1511	N 408	O 437	S 8	0	2	0
1	N	298	Total 2365	C 1509	N 409	O 440	S 7	0	0	0
1	O	297	Total 2360	C 1507	N 408	O 437	S 8	0	1	0
1	P	287	Total 2284	C 1463	N 393	O 420	S 8	0	1	0

There are 64 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP G7ITU5
A	-1	ASN	-	expression tag	UNP G7ITU5
A	0	ALA	-	expression tag	UNP G7ITU5
A	158	SER	CYS	engineered mutation	UNP G7ITU5
B	-2	SER	-	expression tag	UNP G7ITU5
B	-1	ASN	-	expression tag	UNP G7ITU5
B	0	ALA	-	expression tag	UNP G7ITU5
B	158	SER	CYS	engineered mutation	UNP G7ITU5
C	-2	SER	-	expression tag	UNP G7ITU5
C	-1	ASN	-	expression tag	UNP G7ITU5
C	0	ALA	-	expression tag	UNP G7ITU5
C	158	SER	CYS	engineered mutation	UNP G7ITU5
D	-2	SER	-	expression tag	UNP G7ITU5
D	-1	ASN	-	expression tag	UNP G7ITU5
D	0	ALA	-	expression tag	UNP G7ITU5
D	158	SER	CYS	engineered mutation	UNP G7ITU5
E	-2	SER	-	expression tag	UNP G7ITU5
E	-1	ASN	-	expression tag	UNP G7ITU5
E	0	ALA	-	expression tag	UNP G7ITU5
E	158	SER	CYS	engineered mutation	UNP G7ITU5
F	-2	SER	-	expression tag	UNP G7ITU5
F	-1	ASN	-	expression tag	UNP G7ITU5
F	0	ALA	-	expression tag	UNP G7ITU5
F	158	SER	CYS	engineered mutation	UNP G7ITU5
G	-2	SER	-	expression tag	UNP G7ITU5
G	-1	ASN	-	expression tag	UNP G7ITU5
G	0	ALA	-	expression tag	UNP G7ITU5
G	158	SER	CYS	engineered mutation	UNP G7ITU5
H	-2	SER	-	expression tag	UNP G7ITU5
H	-1	ASN	-	expression tag	UNP G7ITU5
H	0	ALA	-	expression tag	UNP G7ITU5
H	158	SER	CYS	engineered mutation	UNP G7ITU5
I	-2	SER	-	expression tag	UNP G7ITU5
I	-1	ASN	-	expression tag	UNP G7ITU5
I	0	ALA	-	expression tag	UNP G7ITU5
I	158	SER	CYS	engineered mutation	UNP G7ITU5
J	-2	SER	-	expression tag	UNP G7ITU5
J	-1	ASN	-	expression tag	UNP G7ITU5
J	0	ALA	-	expression tag	UNP G7ITU5
J	158	SER	CYS	engineered mutation	UNP G7ITU5
K	-2	SER	-	expression tag	UNP G7ITU5
K	-1	ASN	-	expression tag	UNP G7ITU5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	0	ALA	-	expression tag	UNP G7ITU5
K	158	SER	CYS	engineered mutation	UNP G7ITU5
L	-2	SER	-	expression tag	UNP G7ITU5
L	-1	ASN	-	expression tag	UNP G7ITU5
L	0	ALA	-	expression tag	UNP G7ITU5
L	158	SER	CYS	engineered mutation	UNP G7ITU5
M	-2	SER	-	expression tag	UNP G7ITU5
M	-1	ASN	-	expression tag	UNP G7ITU5
M	0	ALA	-	expression tag	UNP G7ITU5
M	158	SER	CYS	engineered mutation	UNP G7ITU5
N	-2	SER	-	expression tag	UNP G7ITU5
N	-1	ASN	-	expression tag	UNP G7ITU5
N	0	ALA	-	expression tag	UNP G7ITU5
N	158	SER	CYS	engineered mutation	UNP G7ITU5
O	-2	SER	-	expression tag	UNP G7ITU5
O	-1	ASN	-	expression tag	UNP G7ITU5
O	0	ALA	-	expression tag	UNP G7ITU5
O	158	SER	CYS	engineered mutation	UNP G7ITU5
P	-2	SER	-	expression tag	UNP G7ITU5
P	-1	ASN	-	expression tag	UNP G7ITU5
P	0	ALA	-	expression tag	UNP G7ITU5
P	158	SER	CYS	engineered mutation	UNP G7ITU5

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 6 3 3	0	0
2	A	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	C	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0
2	D	1	Total C O 6 3 3	0	0
2	E	1	Total C O 6 3 3	0	0
2	E	1	Total C O 6 3 3	0	0
2	E	1	Total C O 6 3 3	0	0
2	E	1	Total C O 6 3 3	0	0
2	F	1	Total C O 6 3 3	0	0
2	G	1	Total C O 6 3 3	0	0
2	G	1	Total C O 6 3 3	0	0
2	I	1	Total C O 6 3 3	0	0
2	J	1	Total C O 6 3 3	0	0
2	J	1	Total C O 6 3 3	0	0
2	J	1	Total C O 6 3 3	0	0
2	K	1	Total C O 6 3 3	0	0
2	K	1	Total C O 6 3 3	0	0
2	K	1	Total C O 6 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	L	1	Total C O 6 3 3	0	0
2	M	1	Total C O 6 3 3	0	0
2	N	1	Total C O 6 3 3	0	0
2	N	1	Total C O 6 3 3	0	0
2	N	1	Total C O 6 3 3	0	0
2	N	1	Total C O 6 3 3	0	0
2	O	1	Total C O 6 3 3	0	0
2	P	1	Total C O 6 3 3	0	0

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	I	1	Total C O 4 2 2	0	0
3	I	1	Total C O 4 2 2	0	0
3	K	1	Total C O 4 2 2	0	0
3	L	1	Total C O 4 2 2	0	0
3	L	1	Total C O 4 2 2	0	0
3	M	1	Total C O 4 2 2	0	0
3	N	1	Total C O 4 2 2	0	0
3	P	1	Total C O 4 2 2	0	0
3	P	1	Total C O 4 2 2	0	0

- Molecule 4 is 1,4-DIAMINOBUTANE (three-letter code: PUT) (formula: C₄H₁₂N₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C N 6 4 2	0	0
4	C	1	Total C N 6 4 2	0	0
4	D	1	Total C N 6 4 2	0	0
4	E	1	Total C N 6 4 2	0	0
4	F	1	Total C N 6 4 2	0	0
4	G	1	Total C N 6 4 2	0	0
4	J	1	Total C N 6 4 2	0	0
4	K	1	Total C N 6 4 2	0	0
4	L	1	Total C N 6 4 2	0	0
4	M	1	Total C N 6 4 2	0	0
4	N	1	Total C N 6 4 2	0	0
4	O	1	Total C N 6 4 2	0	0

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	D	1	Total C O 7 4 3	0	0
5	K	1	Total C O 7 4 3	0	0
5	L	1	Total C O 7 4 3	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	194	Total O 194 194	0	0
6	B	264	Total O 264 264	0	0
6	C	291	Total O 291 291	0	0
6	D	312	Total O 312 312	0	0
6	E	274	Total O 274 274	0	0
6	F	205	Total O 205 205	0	0
6	G	169	Total O 169 169	0	0
6	H	61	Total O 61 61	0	0
6	I	214	Total O 214 214	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	J	257	Total O 257 257	0	0
6	K	270	Total O 270 270	0	0
6	L	292	Total O 292 292	0	0
6	M	279	Total O 279 279	0	0
6	N	291	Total O 291 291	0	0
6	O	226	Total O 226 226	0	0
6	P	106	Total O 106 106	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: N-carbamoylputrescine amidohydrolase




- Molecule 1: N-carbamoylputrescine amidohydrolase



- Molecule 1: N-carbamoylputrescine amidohydrolase





- Molecule 1: N-carbamoylputrescine amidohydrolase



- Molecule 1: N-carbamoylputrescine amidohydrolase








- Molecule 1: N-carbamoylputrescine amidohydrolase



- Molecule 1: N-carbamoylputrescine amidohydrolase




- Molecule 1: N-carbamoylputrescine amidohydrolase




- Molecule 1: N-carbamoylputrescine amidohydrolase



- Molecule 1: N-carbamoylputrescine amidohydrolase



- Molecule 1: N-carbamoylputrescine amidohydrolase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	152.21 Å 211.08 Å 208.61 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.53 – 2.29 39.53 – 2.29	Depositor EDS
% Data completeness (in resolution range)	97.5 (39.53-2.29) 97.5 (39.53-2.29)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.61 (at 2.29 Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R , R_{free}	0.154 , 0.206 0.163 , 0.209	Depositor DCC
R_{free} test set	2944 reflections (1.01%)	DCC
Wilson B-factor (Å ²)	28.1	Xtriage
Anisotropy	0.728	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 37.8	EDS
Estimated twinning fraction	0.000 for -h,l,k	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	5 of 294391 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	41665	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.50 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.3407e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PUT, GOL, PEG, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.83	1/2407 (0.0%)	0.81	1/3253 (0.0%)
1	B	0.85	0/2432	0.79	0/3290
1	C	0.88	0/2449	0.81	0/3312
1	D	0.86	1/2434 (0.0%)	0.80	0/3293
1	E	0.81	0/2413	0.78	1/3264 (0.0%)
1	F	0.82	0/2427	0.79	1/3283 (0.0%)
1	G	0.85	0/2400	0.78	0/3248
1	H	0.77	0/2300	0.76	0/3107
1	I	0.84	0/2375	0.79	0/3212
1	J	0.84	0/2427	0.78	0/3283
1	K	0.84	0/2449	0.79	0/3312
1	L	0.86	0/2434	0.79	0/3293
1	M	0.84	0/2426	0.78	0/3282
1	N	0.88	0/2421	0.80	0/3275
1	O	0.79	0/2419	0.77	0/3272
1	P	0.74	0/2337	0.74	0/3157
All	All	0.83	2/38550 (0.0%)	0.79	3/52136 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	130	TYR	CE1-CZ	5.68	1.46	1.38
1	D	257	GLU	CB-CG	5.26	1.62	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	118	ILE	CB-CA-C	-5.24	101.11	111.60
1	F	225	ILE	CB-CA-C	-5.01	101.57	111.60
1	A	225	ILE	CB-CA-C	-5.01	101.58	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2347	0	2321	39	0
1	B	2372	0	2330	15	0
1	C	2390	0	2351	12	0
1	D	2372	0	2337	14	0
1	E	2357	0	2319	11	0
1	F	2368	0	2328	17	0
1	G	2344	0	2303	25	0
1	H	2248	0	2222	27	0
1	I	2318	0	2281	14	0
1	J	2368	0	2328	10	0
1	K	2390	0	2351	12	0
1	L	2372	0	2337	12	0
1	M	2364	0	2333	16	0
1	N	2365	0	2323	12	0
1	O	2360	0	2324	13	0
1	P	2284	0	2260	7	0
2	A	12	0	16	2	0
2	B	12	0	16	1	0
2	C	12	0	16	1	0
2	D	12	0	16	2	0
2	E	24	0	32	0	0
2	F	6	0	8	0	0
2	G	12	0	16	0	0
2	I	6	0	8	0	0
2	J	18	0	24	0	0
2	K	18	0	24	1	0
2	L	6	0	8	4	0
2	M	6	0	8	0	0
2	N	24	0	32	0	0
2	O	6	0	8	0	0
2	P	6	0	8	0	0
3	A	4	0	6	2	0
3	B	8	0	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	4	0	6	2	0
3	D	8	0	12	1	0
3	F	8	0	12	1	0
3	I	8	0	12	1	0
3	K	4	0	6	1	0
3	L	8	0	12	2	0
3	M	4	0	6	0	0
3	N	4	0	6	0	0
3	P	8	0	12	0	0
4	B	6	0	12	0	0
4	C	6	0	12	0	0
4	D	6	0	12	0	0
4	E	6	0	12	0	0
4	F	6	0	12	0	0
4	G	6	0	12	0	0
4	J	6	0	12	0	0
4	K	6	0	12	1	0
4	L	6	0	12	0	0
4	M	6	0	12	0	0
4	N	6	0	12	0	0
4	O	6	0	12	0	0
5	D	7	0	10	0	0
5	K	7	0	10	0	0
5	L	7	0	10	0	0
6	A	194	0	0	13	0
6	B	264	0	0	3	0
6	C	291	0	0	5	0
6	D	312	0	0	3	0
6	E	274	0	0	5	0
6	F	205	0	0	2	0
6	G	169	0	0	5	0
6	H	61	0	0	2	0
6	I	214	0	0	3	0
6	J	257	0	0	4	0
6	K	270	0	0	4	0
6	L	292	0	0	1	0
6	M	279	0	0	3	0
6	N	291	0	0	5	0
6	O	226	0	0	2	0
6	P	106	0	0	1	0
All	All	41665	0	37564	257	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 257 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:GLN:HB2	6:A:653:HOH:O	1.70	0.89
1:C:21:ASP:HB2	6:C:740:HOH:O	1.73	0.88
1:N:21:ASP:HB2	6:N:739:HOH:O	1.73	0.86
1:N:269:LYS:HE2	6:N:685:HOH:O	1.79	0.83
1:N:84:LYS:HE2	6:N:660:HOH:O	1.81	0.80

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	293/304 (96%)	278 (95%)	14 (5%)	1 (0%)	46 57
1	B	297/304 (98%)	285 (96%)	11 (4%)	1 (0%)	46 57
1	C	300/304 (99%)	291 (97%)	9 (3%)	0	100 100
1	D	298/304 (98%)	290 (97%)	8 (3%)	0	100 100
1	E	295/304 (97%)	285 (97%)	10 (3%)	0	100 100
1	F	297/304 (98%)	284 (96%)	12 (4%)	1 (0%)	46 57
1	G	293/304 (96%)	281 (96%)	11 (4%)	1 (0%)	46 57
1	H	275/304 (90%)	254 (92%)	21 (8%)	0	100 100
1	I	289/304 (95%)	277 (96%)	12 (4%)	0	100 100
1	J	297/304 (98%)	286 (96%)	11 (4%)	0	100 100
1	K	300/304 (99%)	291 (97%)	9 (3%)	0	100 100
1	L	298/304 (98%)	290 (97%)	8 (3%)	0	100 100
1	M	297/304 (98%)	286 (96%)	10 (3%)	1 (0%)	46 57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	N	296/304 (97%)	286 (97%)	9 (3%)	1 (0%)	46 57
1	O	296/304 (97%)	285 (96%)	10 (3%)	1 (0%)	46 57
1	P	280/304 (92%)	271 (97%)	9 (3%)	0	100 100
All	All	4701/4864 (97%)	4520 (96%)	174 (4%)	7 (0%)	56 68

5 of 7 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	158	SER
1	A	158	SER
1	N	158	SER
1	F	158	SER
1	M	158	SER

5.3.2 Protein sidechains [\(1\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	247/252 (98%)	234 (95%)	13 (5%)	28 37
1	B	249/252 (99%)	244 (98%)	5 (2%)	63 79
1	C	251/252 (100%)	247 (98%)	4 (2%)	70 84
1	D	250/252 (99%)	249 (100%)	1 (0%)	93 97
1	E	247/252 (98%)	244 (99%)	3 (1%)	78 89
1	F	249/252 (99%)	243 (98%)	6 (2%)	57 74
1	G	246/252 (98%)	239 (97%)	7 (3%)	51 68
1	H	236/252 (94%)	227 (96%)	9 (4%)	40 54
1	I	243/252 (96%)	239 (98%)	4 (2%)	70 84
1	J	249/252 (99%)	243 (98%)	6 (2%)	57 74
1	K	251/252 (100%)	248 (99%)	3 (1%)	78 89
1	L	250/252 (99%)	249 (100%)	1 (0%)	93 97
1	M	249/252 (99%)	246 (99%)	3 (1%)	78 89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	N	248/252 (98%)	246 (99%)	2 (1%)	86 94
1	O	248/252 (98%)	246 (99%)	2 (1%)	86 94
1	P	240/252 (95%)	232 (97%)	8 (3%)	45 61
All	All	3953/4032 (98%)	3876 (98%)	77 (2%)	65 81

5 of 77 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	149	LYS
1	H	187	GLU
1	P	81	LYS
1	G	161	GLN
1	H	5	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 27 such sidechains are listed below:

Mol	Chain	Res	Type
1	H	161	GLN
1	J	65	GLN
1	P	99	ASN
1	H	222	ASN
1	C	65	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

62 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	A	401	-	5,5,5	0.55	0	5,5,5	0.62	0
2	GOL	A	402	-	5,5,5	0.43	0	5,5,5	0.30	0
3	EDO	A	403	-	3,3,3	0.50	0	2,2,2	0.38	0
4	PUT	B	401	-	5,5,5	0.36	0	4,4,4	0.95	0
2	GOL	B	402	-	5,5,5	0.64	0	5,5,5	0.62	0
2	GOL	B	403	-	5,5,5	0.29	0	5,5,5	0.34	0
3	EDO	B	404	-	3,3,3	0.58	0	2,2,2	0.20	0
3	EDO	B	405	-	3,3,3	0.66	0	2,2,2	0.07	0
4	PUT	C	401	-	5,5,5	0.28	0	4,4,4	1.33	1 (25%)
2	GOL	C	402	-	5,5,5	0.40	0	5,5,5	0.42	0
2	GOL	C	403	-	5,5,5	0.47	0	5,5,5	0.41	0
3	EDO	C	404	-	3,3,3	0.68	0	2,2,2	0.40	0
2	GOL	D	401	-	5,5,5	0.37	0	5,5,5	0.33	0
4	PUT	D	402	-	5,5,5	0.22	0	4,4,4	1.15	1 (25%)
2	GOL	D	403	-	5,5,5	0.75	0	5,5,5	0.53	0
3	EDO	D	404	-	3,3,3	0.60	0	2,2,2	0.25	0
3	EDO	D	405	-	3,3,3	0.49	0	2,2,2	0.41	0
5	PEG	D	406	-	6,6,6	0.70	0	5,5,5	0.17	0
4	PUT	E	401	-	5,5,5	0.20	0	4,4,4	1.18	1 (25%)
2	GOL	E	402	-	5,5,5	0.33	0	5,5,5	0.39	0
2	GOL	E	403	-	5,5,5	0.44	0	5,5,5	0.48	0
2	GOL	E	404	-	5,5,5	0.32	0	5,5,5	0.27	0
2	GOL	E	405	-	5,5,5	0.54	0	5,5,5	0.45	0
4	PUT	F	401	-	5,5,5	0.40	0	4,4,4	0.63	0
2	GOL	F	402	-	5,5,5	0.46	0	5,5,5	0.25	0
3	EDO	F	403	-	3,3,3	0.59	0	2,2,2	0.24	0
3	EDO	F	404	-	3,3,3	0.57	0	2,2,2	0.35	0
4	PUT	G	401	-	5,5,5	0.24	0	4,4,4	1.56	1 (25%)
2	GOL	G	402	-	5,5,5	0.40	0	5,5,5	0.59	0
2	GOL	G	403	-	5,5,5	0.42	0	5,5,5	0.25	0
2	GOL	I	401	-	5,5,5	0.42	0	5,5,5	0.23	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	I	402	-	3,3,3	0.63	0	2,2,2	0.10	0
3	EDO	I	403	-	3,3,3	0.49	0	2,2,2	0.50	0
4	PUT	J	401	-	5,5,5	0.42	0	4,4,4	1.39	1 (25%)
2	GOL	J	402	-	5,5,5	0.34	0	5,5,5	0.43	0
2	GOL	J	403	-	5,5,5	0.54	0	5,5,5	0.69	0
2	GOL	J	404	-	5,5,5	0.29	0	5,5,5	0.30	0
4	PUT	K	401	-	5,5,5	0.42	0	4,4,4	0.90	0
2	GOL	K	402	-	5,5,5	0.57	0	5,5,5	0.37	0
2	GOL	K	403	-	5,5,5	0.61	0	5,5,5	0.44	0
2	GOL	K	404	-	5,5,5	0.48	0	5,5,5	0.30	0
3	EDO	K	405	-	3,3,3	0.58	0	2,2,2	0.16	0
5	PEG	K	406	-	6,6,6	0.61	0	5,5,5	0.15	0
4	PUT	L	401	-	5,5,5	0.45	0	4,4,4	1.13	1 (25%)
2	GOL	L	402	-	5,5,5	0.74	0	5,5,5	0.53	0
3	EDO	L	403	-	3,3,3	0.52	0	2,2,2	0.30	0
3	EDO	L	404	-	3,3,3	0.53	0	2,2,2	0.16	0
5	PEG	L	405	-	6,6,6	0.60	0	5,5,5	0.35	0
4	PUT	M	401	-	5,5,5	0.51	0	4,4,4	0.91	0
2	GOL	M	402	-	5,5,5	0.35	0	5,5,5	0.20	0
3	EDO	M	403	-	3,3,3	0.75	0	2,2,2	0.10	0
2	GOL	N	401	-	5,5,5	0.19	0	5,5,5	0.24	0
4	PUT	N	402	-	5,5,5	0.30	0	4,4,4	0.72	0
2	GOL	N	403	-	5,5,5	0.74	0	5,5,5	0.66	0
2	GOL	N	404	-	5,5,5	0.41	0	5,5,5	0.28	0
2	GOL	N	405	-	5,5,5	0.61	0	5,5,5	0.54	0
3	EDO	N	406	-	3,3,3	0.58	0	2,2,2	0.03	0
4	PUT	O	401	-	5,5,5	0.39	0	4,4,4	1.15	1 (25%)
2	GOL	O	402	-	5,5,5	0.24	0	5,5,5	0.59	0
2	GOL	P	401	-	5,5,5	0.39	0	5,5,5	0.18	0
3	EDO	P	402	-	3,3,3	0.58	0	2,2,2	0.27	0
3	EDO	P	403	-	3,3,3	0.51	0	2,2,2	0.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	401	-	-	0/4/4/4	0/0/0/0
2	GOL	A	402	-	-	0/4/4/4	0/0/0/0
3	EDO	A	403	-	-	0/1/1/1	0/0/0/0
4	PUT	B	401	-	-	0/3/3/3	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	402	-	-	0/4/4/4	0/0/0/0
2	GOL	B	403	-	-	0/4/4/4	0/0/0/0
3	EDO	B	404	-	-	0/1/1/1	0/0/0/0
3	EDO	B	405	-	-	0/1/1/1	0/0/0/0
4	PUT	C	401	-	-	0/3/3/3	0/0/0/0
2	GOL	C	402	-	-	0/4/4/4	0/0/0/0
2	GOL	C	403	-	-	0/4/4/4	0/0/0/0
3	EDO	C	404	-	-	0/1/1/1	0/0/0/0
2	GOL	D	401	-	-	0/4/4/4	0/0/0/0
4	PUT	D	402	-	-	0/3/3/3	0/0/0/0
2	GOL	D	403	-	-	0/4/4/4	0/0/0/0
3	EDO	D	404	-	-	0/1/1/1	0/0/0/0
3	EDO	D	405	-	-	0/1/1/1	0/0/0/0
5	PEG	D	406	-	-	0/4/4/4	0/0/0/0
4	PUT	E	401	-	-	0/3/3/3	0/0/0/0
2	GOL	E	402	-	-	0/4/4/4	0/0/0/0
2	GOL	E	403	-	-	0/4/4/4	0/0/0/0
2	GOL	E	404	-	-	0/4/4/4	0/0/0/0
2	GOL	E	405	-	-	0/4/4/4	0/0/0/0
4	PUT	F	401	-	-	0/3/3/3	0/0/0/0
2	GOL	F	402	-	-	0/4/4/4	0/0/0/0
3	EDO	F	403	-	-	0/1/1/1	0/0/0/0
3	EDO	F	404	-	-	0/1/1/1	0/0/0/0
4	PUT	G	401	-	-	0/3/3/3	0/0/0/0
2	GOL	G	402	-	-	0/4/4/4	0/0/0/0
2	GOL	G	403	-	-	0/4/4/4	0/0/0/0
2	GOL	I	401	-	-	0/4/4/4	0/0/0/0
3	EDO	I	402	-	-	0/1/1/1	0/0/0/0
3	EDO	I	403	-	-	0/1/1/1	0/0/0/0
4	PUT	J	401	-	-	0/3/3/3	0/0/0/0
2	GOL	J	402	-	-	0/4/4/4	0/0/0/0
2	GOL	J	403	-	-	0/4/4/4	0/0/0/0
2	GOL	J	404	-	-	0/4/4/4	0/0/0/0
4	PUT	K	401	-	-	0/3/3/3	0/0/0/0
2	GOL	K	402	-	-	0/4/4/4	0/0/0/0
2	GOL	K	403	-	-	0/4/4/4	0/0/0/0
2	GOL	K	404	-	-	0/4/4/4	0/0/0/0
3	EDO	K	405	-	-	0/1/1/1	0/0/0/0
5	PEG	K	406	-	-	0/4/4/4	0/0/0/0
4	PUT	L	401	-	-	0/3/3/3	0/0/0/0
2	GOL	L	402	-	-	0/4/4/4	0/0/0/0
3	EDO	L	403	-	-	0/1/1/1	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	L	404	-	-	0/1/1/1	0/0/0/0
5	PEG	L	405	-	-	0/4/4/4	0/0/0/0
4	PUT	M	401	-	-	0/3/3/3	0/0/0/0
2	GOL	M	402	-	-	0/4/4/4	0/0/0/0
3	EDO	M	403	-	-	0/1/1/1	0/0/0/0
2	GOL	N	401	-	-	0/4/4/4	0/0/0/0
4	PUT	N	402	-	-	0/3/3/3	0/0/0/0
2	GOL	N	403	-	-	0/4/4/4	0/0/0/0
2	GOL	N	404	-	-	0/4/4/4	0/0/0/0
2	GOL	N	405	-	-	0/4/4/4	0/0/0/0
3	EDO	N	406	-	-	0/1/1/1	0/0/0/0
4	PUT	O	401	-	-	0/3/3/3	0/0/0/0
2	GOL	O	402	-	-	0/4/4/4	0/0/0/0
2	GOL	P	401	-	-	0/4/4/4	0/0/0/0
3	EDO	P	402	-	-	0/1/1/1	0/0/0/0
3	EDO	P	403	-	-	0/1/1/1	0/0/0/0

There are no bond length outliers.

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	401	PUT	C2-C3-C4	-2.98	99.39	113.89
4	C	401	PUT	C2-C3-C4	-2.63	101.12	113.89
4	J	401	PUT	C2-C3-C4	-2.57	101.38	113.89
4	L	401	PUT	C2-C3-C4	-2.23	103.05	113.89
4	E	401	PUT	C2-C3-C4	-2.23	103.06	113.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

16 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	GOL	2	0
3	A	403	EDO	2	0
2	B	403	GOL	1	0
3	B	405	EDO	1	0
2	C	403	GOL	1	0
3	C	404	EDO	2	0
2	D	401	GOL	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	403	GOL	1	0
3	D	404	EDO	1	0
3	F	403	EDO	1	0
3	I	402	EDO	1	0
4	K	401	PUT	1	0
2	K	402	GOL	1	0
3	K	405	EDO	1	0
2	L	402	GOL	4	0
3	L	403	EDO	2	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	295/304 (97%)	-0.01	22 (7%) 17 24	28, 45, 95, 132	0
1	B	298/304 (98%)	-0.20	7 (2%) 64 72	25, 36, 59, 115	0
1	C	301/304 (99%)	-0.34	4 (1%) 79 84	25, 35, 54, 112	0
1	D	298/304 (98%)	-0.43	1 (0%) 94 96	24, 33, 49, 92	0
1	E	297/304 (97%)	-0.33	2 (0%) 89 92	26, 37, 57, 92	0
1	F	298/304 (98%)	-0.40	3 (1%) 84 88	28, 44, 64, 93	0
1	G	295/304 (97%)	0.44	17 (5%) 26 35	47, 65, 84, 101	0
1	H	282/304 (92%)	1.45	85 (30%) 1 1	50, 85, 118, 136	0
1	I	292/304 (96%)	-0.15	15 (5%) 32 41	28, 41, 84, 138	0
1	J	298/304 (98%)	-0.26	6 (2%) 68 75	26, 36, 58, 118	0
1	K	301/304 (99%)	-0.27	8 (2%) 58 67	26, 37, 59, 111	0
1	L	298/304 (98%)	-0.48	1 (0%) 94 96	24, 34, 50, 91	0
1	M	297/304 (97%)	-0.33	2 (0%) 89 92	25, 35, 52, 88	0
1	N	298/304 (98%)	-0.47	3 (1%) 84 88	25, 35, 52, 92	0
1	O	297/304 (97%)	-0.20	7 (2%) 62 71	32, 46, 66, 108	0
1	P	287/304 (94%)	0.69	41 (14%) 4 6	34, 61, 104, 119	0
All	All	4732/4864 (97%)	-0.09	224 (4%) 35 44	24, 40, 87, 138	0

The worst 5 of 224 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	300	VAL	7.3
1	H	58	ALA	7.3
1	J	4	ASP	6.9
1	B	4	ASP	6.3
1	A	230	GLY	6.2

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	GOL	N	405	6/6	0.78	0.29	9.84	62,69,85,89	0
4	PUT	G	401	6/6	0.89	0.39	9.71	66,68,72,76	0
5	PEG	L	405	7/7	0.83	0.38	9.25	62,68,83,83	0
4	PUT	F	401	6/6	0.94	0.32	9.20	59,62,67,67	0
2	GOL	E	404	6/6	0.94	0.22	9.04	49,54,60,61	0
4	PUT	N	402	6/6	0.96	0.36	9.00	47,47,49,51	0
2	GOL	A	401	6/6	0.83	0.19	8.02	55,74,75,75	0
2	GOL	D	403	6/6	0.87	0.40	7.58	48,60,69,72	0
2	GOL	I	401	6/6	0.92	0.15	7.12	54,60,69,70	0
2	GOL	K	404	6/6	0.92	0.28	6.41	53,58,64,71	0
2	GOL	J	403	6/6	0.84	0.23	6.18	62,64,74,80	0
4	PUT	O	401	6/6	0.95	0.29	6.07	47,48,50,50	0
4	PUT	M	401	6/6	0.96	0.32	5.98	34,35,37,39	0
4	PUT	L	401	6/6	0.97	0.32	5.71	41,45,50,50	0
3	EDO	N	406	4/4	0.72	0.29	5.50	57,58,64,65	0
3	EDO	L	403	4/4	0.83	0.33	5.47	59,59,63,63	0
4	PUT	E	401	6/6	0.95	0.32	5.43	36,37,43,45	0
5	PEG	K	406	7/7	0.90	0.28	5.19	52,81,94,96	0
3	EDO	K	405	4/4	0.88	0.24	5.03	51,59,62,63	0
2	GOL	C	403	6/6	0.94	0.22	4.99	43,57,66,67	0
5	PEG	D	406	7/7	0.84	0.26	4.85	57,72,84,89	0
3	EDO	P	403	4/4	0.91	0.32	4.69	75,77,79,80	0
3	EDO	F	403	4/4	0.89	0.25	4.31	54,63,64,73	0
4	PUT	C	401	6/6	0.97	0.30	4.10	36,38,41,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	GOL	N	404	6/6	0.94	0.20	4.08	44,51,60,61	0
2	GOL	E	405	6/6	0.81	0.35	4.08	71,83,91,92	0
4	PUT	D	402	6/6	0.97	0.27	3.99	37,41,44,45	0
2	GOL	J	404	6/6	0.85	0.24	3.84	61,73,77,80	0
3	EDO	M	403	4/4	0.78	0.21	3.64	62,65,71,71	0
4	PUT	J	401	6/6	0.96	0.33	3.62	38,40,42,43	0
2	GOL	F	402	6/6	0.89	0.24	3.43	57,66,70,71	0
4	PUT	B	401	6/6	0.95	0.28	3.40	39,40,40,40	0
3	EDO	D	404	4/4	0.83	0.27	3.26	62,65,75,75	0
4	PUT	K	401	6/6	0.94	0.28	3.20	41,42,45,45	0
2	GOL	P	401	6/6	0.84	0.26	2.72	75,79,82,83	0
2	GOL	M	402	6/6	0.96	0.16	2.71	44,54,70,70	0
2	GOL	L	402	6/6	0.91	0.13	2.42	45,55,58,59	0
2	GOL	A	402	6/6	0.82	0.23	2.04	59,66,75,98	0
3	EDO	C	404	4/4	0.88	0.21	2.02	52,57,63,63	0
2	GOL	K	402	6/6	0.95	0.17	1.98	48,59,59,69	0
2	GOL	D	401	6/6	0.95	0.15	1.79	49,57,75,78	0
2	GOL	G	403	6/6	0.94	0.18	1.63	46,60,62,65	0
2	GOL	K	403	6/6	0.95	0.13	1.59	45,52,63,67	0
2	GOL	E	402	6/6	0.91	0.15	1.53	51,64,78,84	0
2	GOL	E	403	6/6	0.95	0.17	1.40	62,71,87,99	0
3	EDO	I	403	4/4	0.87	0.19	1.32	55,82,83,85	0
2	GOL	C	402	6/6	0.96	0.14	1.21	45,52,69,77	0
3	EDO	I	402	4/4	0.94	0.19	1.16	53,58,60,69	0
2	GOL	O	402	6/6	0.91	0.15	1.09	59,64,68,73	0
2	GOL	B	403	6/6	0.91	0.14	1.05	53,67,70,73	0
3	EDO	A	403	4/4	0.95	0.16	0.87	52,61,61,65	0
2	GOL	N	403	6/6	0.91	0.15	0.77	44,58,71,75	0
2	GOL	B	402	6/6	0.93	0.11	0.48	49,55,62,67	0
2	GOL	G	402	6/6	0.86	0.16	0.46	79,88,91,94	0
2	GOL	N	401	6/6	0.97	0.11	0.08	46,58,69,73	0
2	GOL	J	402	6/6	0.96	0.10	0.07	45,52,58,66	0
3	EDO	P	402	4/4	0.81	0.22	-0.33	69,80,85,86	0
3	EDO	F	404	4/4	0.90	0.43	-	71,72,75,79	0
3	EDO	B	404	4/4	0.65	0.20	-	71,72,89,91	0
3	EDO	L	404	4/4	0.84	0.20	-	70,78,84,85	0
3	EDO	D	405	4/4	0.85	0.19	-	69,75,75,80	0
3	EDO	B	405	4/4	0.88	0.21	-	49,62,74,83	0

6.5 Other polymers (i)

There are no such residues in this entry.