



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:31 AM GMT

PDB ID : 2HIT  
Title : Reaction centre from Rhodobacter sphaeroides strain R-26.1 complexed with dibrominated phosphatidylethanolamine  
Authors : Roszak, A.W.; Gardiner, A.T.; Isaacs, N.W.; Cogdell, R.J.  
Deposited on : 2006-06-29  
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3340 (2.80-2.72)
Clashscore	102246	3829 (2.80-2.72)
Ramachandran outliers	100387	3767 (2.80-2.72)
Sidechain outliers	100360	3770 (2.80-2.72)
RSRZ outliers	91569	3352 (2.80-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	281	<div> <div>9%</div> <div>86%</div> <div>12%</div> <div>.</div> </div>
2	M	307	<div> <div>14%</div> <div>79%</div> <div>18%</div> <div>..</div> </div>
3	H	260	<div> <div>8%</div> <div>77%</div> <div>14%</div> <div>.</div> <div>7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	U10	L	502	-	-	-	X
11	CDL	M	800	-	-	-	X
12	PEV	H	801[A]	-	-	-	X
12	PEV	H	801[B]	-	-	-	X
13	PEW	M	802	-	-	-	X
14	LDA	H	901	-	-	X	X
14	LDA	H	903	-	-	-	X
14	LDA	H	904	-	-	-	X
14	LDA	M	907	-	-	-	X
14	LDA	M	920	-	-	X	X
15	GOL	H	708	-	-	-	X
15	GOL	L	707	-	-	-	X

## 2 Entry composition [i](#)

There are 16 unique types of molecules in this entry. The entry contains 7851 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	281	Total	C	N	O	S	0	4	0
			2256	1523	360	365	8			

- Molecule 2 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	M	302	Total	C	N	O	S	0	12	0
			2477	1650	405	411	11			

- Molecule 3 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	243	Total	C	N	O	S	0	6	0
			1876	1199	323	343	11			

- Molecule 4 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	M	1	Total	Fe	0	0
			1	1		

- Molecule 5 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	H	1	Total	K	0	0
			1	1		

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	H	1	Total	Cl	0	0
			1	1		

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	M	2	Total	Cl	0	0
			2	2		

- Molecule 7 is PHOSPHATE ION (three-letter code: PO4) (formula:  $\text{O}_4\text{P}$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	M	1	Total	O	P	0	0
			5	4	1		
7	H	1	Total	O	P	0	0
			5	4	1		
7	M	1	Total	O	P	0	0
			5	4	1		

- Molecule 8 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula:  $\text{C}_{55}\text{H}_{74}\text{MgN}_4\text{O}_6$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
8	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
8	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
8	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0

- Molecule 9 is BACTERIOPHEOPHYTIN A (three-letter code: BPH) (formula: C<sub>55</sub>H<sub>76</sub>N<sub>4</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	M	1	Total	C	N	O	0	0
			65	55	4	6		
9	L	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 10 is UBIQUINONE-10 (three-letter code: U10) (formula:  $C_{59}H_{90}O_4$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	M	1	Total	C	O	0	0
			48	44	4		
10	L	1	Total	C	O	0	0
			48	44	4		

- Molecule 11 is CARDIOLIPIN (three-letter code: CDL) (formula:  $C_{81}H_{156}O_{17}P_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	M	1	Total	C	O	P	0	0
			81	62	17	2		


- Molecule 12 is (1S)-2-{|(2-AMINOETHOXY)(HYDROXY)PHOSPHORYL|OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL STEARATE (three-letter code: PEV) (formula: C<sub>39</sub>H<sub>78</sub>NO<sub>8</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
12	H	1	Total	C	N	O	P	0	1
			98	78	2	16	2		


- Molecule 13 is (1R)-2-{|(2-AMINOETHOXY)(HYDROXY)PHOSPHORYL|OXY}-1-[(

PALMITOYLOXY)METHYL]ETHYL (9S,10S)-9,10-DIBROMOOCTADECANOATE  
(three-letter code: PEW) (formula:  $C_{39}H_{76}Br_2NO_8P$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
13	M	1	Total	Br	C	N	O	P	
			51	2	39	1	8	1	

- Molecule 14 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula:  $C_{14}H_{31}NO$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
14	H	1	Total	C	N	O		
			16	14	1	1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
14	M	1	Total	C	N	O	0	0
			16	14	1	1		
14	H	1	Total	C	N	O	0	0
			16	14	1	1		
14	H	1	Total	C	N	O	0	0
			16	14	1	1		
14	M	1	Total	C	N	O	0	0
			16	14	1	1		
14	M	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 15 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
15	L	1	Total	C	O	0	0
			6	3	3		
15	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 16 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	H	185	Total	O	0	0
			185	185		
16	L	91	Total	O	0	0
			91	91		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	M	118	Total	O	0	0
			118	118		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Reaction center protein L chain



- Molecule 2: Reaction center protein M chain



- Molecule 3: Reaction center protein H chain



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	139.29Å 139.29Å 183.84Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.01 – 2.75 46.01 – 2.75	Depositor EDS
% Data completeness (in resolution range)	100.0 (46.01-2.75) 100.0 (46.01-2.75)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.53 (at 2.77Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.182 , 0.222 0.186 , 0.229	Depositor DCC
$R_{free}$ test set	2689 reflections (5.23%)	DCC
Wilson B-factor (Å <sup>2</sup> )	68.3	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 106.4	EDS
Estimated twinning fraction	0.019 for -h,-k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 54094 reflections	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	7851	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.58% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BCL, GOL, LDA, CL, CDL, BPH, PEV, PEW, FE, K, U10, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	L	0.87	0/2357	0.80	2/3228 (0.1%)
2	M	0.89	0/2617	0.84	2/3569 (0.1%)
3	H	0.92	1/1952 (0.1%)	0.87	3/2653 (0.1%)
All	All	0.89	1/6926 (0.0%)	0.84	7/9450 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	94	GLU	CG-CD	5.10	1.59	1.51

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	210	ASP	CB-CG-OD1	9.16	126.55	118.30
2	M	29	ARG	NE-CZ-NH1	6.72	123.66	120.30
2	M	29	ARG	NE-CZ-NH2	-5.93	117.34	120.30
3	H	118[A]	ARG	NE-CZ-NH1	-5.49	117.55	120.30
3	H	118[B]	ARG	NE-CZ-NH1	-5.49	117.55	120.30
1	L	155	ASP	CB-CG-OD1	5.28	123.05	118.30
3	H	225	VAL	CB-CA-C	-5.14	101.62	111.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	2256	0	2215	32	0
2	M	2477	0	2381	47	0
3	H	1876	0	1893	28	0
4	M	1	0	0	0	0
5	H	1	0	0	0	0
6	H	1	0	0	0	0
6	M	2	0	0	0	0
7	H	5	0	0	1	0
7	M	10	0	0	2	0
8	L	132	0	148	10	0
8	M	132	0	148	14	0
9	L	65	0	76	3	0
9	M	65	0	76	9	0
10	L	48	0	63	7	0
10	M	48	0	63	0	0
11	M	81	0	106	2	0
12	H	98	0	154	13	0
13	M	51	0	73	11	0
14	H	48	0	93	17	0
14	M	48	0	93	13	0
15	H	6	0	8	1	0
15	L	6	0	8	0	0
16	H	185	0	0	6	0
16	L	91	0	0	1	0
16	M	118	0	0	0	0
All	All	7851	0	7598	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:135[B]:ARG:HB3	1:L:136:PRO:HD3	1.18	1.16
11:M:800:CDL:H231	14:H:904:LDA:HM12	1.28	1.15
12:H:801[B]:PEV:H442	14:H:901:LDA:H121	1.10	1.05
1:L:135[B]:ARG:HB3	1:L:136:PRO:CD	1.87	1.02
1:L:135[B]:ARG:HG3	1:L:135[B]:ARG:HH21	1.28	0.95
12:H:801[B]:PEV:C44	14:H:901:LDA:H121	1.97	0.94
12:H:801[B]:PEV:H442	14:H:901:LDA:C12	1.97	0.92

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:31:GLY:H	13:M:802:PEW:H11	1.31	0.91
2:M:175:VAL:H	14:M:920:LDA:H122	1.32	0.90
12:H:801[A]:PEV:H442	14:H:901:LDA:C12	2.03	0.88
2:M:47:LEU:HD22	13:M:802:PEW:BR2	2.30	0.86
12:H:801[A]:PEV:H442	14:H:901:LDA:H121	1.55	0.85
1:L:135[B]:ARG:HH21	1:L:135[B]:ARG:CG	1.90	0.83
2:M:16:ALA:HB1	2:M:32:VAL:HG11	1.58	0.83
2:M:67[B]:PHE:HD2	2:M:68[B]:PHE:CE1	2.00	0.80
12:H:801[A]:PEV:C44	14:H:901:LDA:H121	2.10	0.80
2:M:70:ILE:HG21	14:M:920:LDA:HM23	1.70	0.74
8:M:313:BCL:C20	13:M:802:PEW:H263	2.19	0.73
2:M:67[B]:PHE:HD2	2:M:68[B]:PHE:CD1	2.07	0.73
3:H:46:ASP:OD1	3:H:48:THR:HG23	1.90	0.72
10:L:502:U10:H351	10:L:502:U10:H38	1.73	0.70
12:H:801[A]:PEV:H431	14:H:901:LDA:H121	1.74	0.69
2:M:70:ILE:HD13	14:M:920:LDA:HM22	1.76	0.67
7:H:705:PO4:P	16:H:1354:HOH:O	2.53	0.67
10:L:502:U10:H4M3	10:L:502:U10:H3M2	1.76	0.66
3:H:87:LEU:HD23	3:H:100:PRO:HA	1.78	0.66
8:M:311:BCL:HBB2	8:M:311:BCL:HMB1	1.77	0.65
8:L:314:BCL:HBB3	9:L:402:BPH:H141	1.79	0.65
12:H:801[A]:PEV:C43	14:H:901:LDA:H121	2.23	0.65
2:M:31:GLY:N	13:M:802:PEW:H11	2.10	0.65
8:M:313:BCL:H203	13:M:802:PEW:H263	1.79	0.64
2:M:67[B]:PHE:CD2	2:M:68[B]:PHE:CE1	2.84	0.64
8:L:314:BCL:HBB2	8:L:314:BCL:HMB1	1.81	0.63
1:L:135[B]:ARG:CB	1:L:136:PRO:CD	2.69	0.62
1:L:77:GLY:HA2	1:L:87:GLN:OE1	2.00	0.62
1:L:71:LEU:HD21	1:L:144:TYR:CZ	2.34	0.61
1:L:61:PRO:O	1:L:150:ILE:HD12	2.00	0.61
1:L:135[B]:ARG:NH2	1:L:135[B]:ARG:CG	2.56	0.60
1:L:135[B]:ARG:CB	1:L:136:PRO:HD3	2.13	0.60
8:M:311:BCL:CBB	8:M:311:BCL:HMB1	2.32	0.60
2:M:70:ILE:HD13	14:M:920:LDA:CM2	2.32	0.59
10:L:502:U10:H351	10:L:502:U10:C38	2.32	0.59
2:M:229:PHE:HB2	2:M:244:ALA:HB2	1.84	0.59
1:L:71:LEU:O	1:L:71:LEU:HD13	2.03	0.58
8:M:313:BCL:H201	13:M:802:PEW:H263	1.85	0.58
2:M:67[B]:PHE:CD2	2:M:68[B]:PHE:HE1	2.21	0.58
1:L:97:PHE:CZ	8:L:312:BCL:H112	2.38	0.58
2:M:175:VAL:H	14:M:920:LDA:C12	2.11	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:M:311:BCL:H192	13:M:802:PEW:H191	1.85	0.57
3:H:128:HIS:HD2	16:H:1245:HOH:O	1.86	0.57
1:L:135[A]:ARG:HB3	1:L:136:PRO:HD3	1.85	0.57
3:H:18:TYR:CD1	14:H:903:LDA:HM12	2.39	0.57
2:M:53:GLY:O	2:M:57:VAL:HG23	2.04	0.57
8:L:312:BCL:CBB	8:L:312:BCL:HMB1	2.35	0.57
1:L:216:PHE:CD2	10:L:502:U10:H102	2.40	0.57
1:L:87:GLN:NE2	1:L:142:TRP:CD1	2.73	0.57
3:H:46:ASP:OD1	3:H:46:ASP:C	2.42	0.56
3:H:135:LYS:HG2	3:H:136:ALA:N	2.20	0.56
1:L:173:HIS:CE1	1:L:177:ILE:HD11	2.41	0.56
12:H:801[A]:PEV:C44	14:H:901:LDA:C12	2.75	0.55
2:M:70:ILE:HG21	14:M:920:LDA:CM2	2.37	0.55
12:H:801[B]:PEV:C44	14:H:901:LDA:C12	2.69	0.55
2:M:138:GLN:NE2	7:M:706:PO4:O2	2.40	0.55
2:M:157:TRP:CE3	2:M:158:MET:HG2	2.43	0.54
2:M:60[A]:LEU:HD12	9:M:401:BPH:H4C1	1.89	0.54
10:L:502:U10:H4M3	10:L:502:U10:C3M	2.38	0.54
1:L:187:LEU:HD13	2:M:216:PHE:CG	2.44	0.52
2:M:67[B]:PHE:CD2	2:M:68[B]:PHE:CD1	2.95	0.52
1:L:178:SER:HB3	10:L:502:U10:H251	1.92	0.52
9:M:401:BPH:CBC	9:M:401:BPH:HHH	2.39	0.52
8:M:313:BCL:H203	13:M:802:PEW:C26	2.40	0.52
9:M:401:BPH:HBC2	9:M:401:BPH:HHH	1.92	0.51
2:M:56:GLY:O	2:M:60[A]:LEU:HD22	2.10	0.51
2:M:174:ALA:HB1	14:M:920:LDA:C12	2.39	0.51
8:M:311:BCL:H141	9:M:401:BPH:H9C1	1.92	0.51
3:H:135:LYS:CG	3:H:136:ALA:N	2.74	0.51
1:L:52:SER:HA	1:L:55:LEU:CD1	2.41	0.50
1:L:241:VAL:HG21	9:L:402:BPH:H2C	1.93	0.49
1:L:65:SER:O	16:L:1324:HOH:O	2.20	0.49
2:M:74:PHE:CD1	2:M:92:PHE:HB3	2.48	0.49
2:M:202:HIS:CE1	2:M:206:ILE:HD11	2.47	0.49
9:M:401:BPH:CBC	9:M:401:BPH:CHD	2.90	0.49
2:M:179:ILE:HG12	14:M:920:LDA:HM13	1.95	0.49
2:M:280:GLY:O	8:M:313:BCL:HED3	2.13	0.48
2:M:78:ALA:HB2	2:M:92:PHE:CZ	2.48	0.47
3:H:135:LYS:HB3	3:H:135:LYS:HE3	1.24	0.47
8:M:313:BCL:HHC	8:M:313:BCL:OBB	2.14	0.47
1:L:80:LEU:HD22	1:L:85:LEU:CD2	2.45	0.47
3:H:135:LYS:HG2	3:H:136:ALA:H	1.80	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:109:LEU:HB3	2:M:114:LEU:HD22	1.97	0.46
9:M:401:BPH:C14	13:M:802:PEW:H182	2.45	0.46
8:L:312:BCL:HMB1	8:L:312:BCL:HBB3	1.97	0.46
14:M:902:LDA:H122	14:H:903:LDA:H121	1.97	0.46
1:L:135[B]:ARG:O	1:L:136:PRO:C	2.54	0.45
3:H:79:GLU:HB2	16:H:1235:HOH:O	2.15	0.45
9:M:401:BPH:HBC3	9:M:401:BPH:CHD	2.47	0.45
2:M:249:ALA:HB1	2:M:259:ASN:ND2	2.31	0.45
3:H:132:LYS:HG3	3:H:171:ILE:HD11	1.98	0.45
14:H:903:LDA:H91	14:H:904:LDA:H72	2.00	0.44
8:L:312:BCL:NA	8:M:313:BCL:HBB2	2.33	0.44
3:H:169:VAL:HG23	3:H:171:ILE:HD13	1.99	0.44
1:L:52:SER:HA	1:L:55:LEU:HD12	1.99	0.44
2:M:13:ARG:O	3:H:140:PHE:HA	2.18	0.44
3:H:112:ALA:HA	3:H:235:GLY:O	2.18	0.44
2:M:175:VAL:N	14:M:920:LDA:H122	2.15	0.44
1:L:51:TRP:O	1:L:54:VAL:HB	2.18	0.44
3:H:175:MET:HE3	16:H:1139:HOH:O	2.17	0.44
2:M:65[A]:MET:HB3	2:M:65[A]:MET:HE3	1.77	0.44
8:L:312:BCL:H52	9:L:402:BPH:HBB2	1.99	0.43
2:M:2[B]:GLU:O	2:M:4:GLN:NE2	2.51	0.43
12:H:801[A]:PEV:H32	12:H:801[A]:PEV:O31	2.18	0.43
12:H:801[A]:PEV:C3	12:H:801[A]:PEV:O31	2.66	0.43
3:H:18:TYR:HD1	14:H:903:LDA:HM12	1.82	0.43
2:M:115:TRP:HZ2	14:M:920:LDA:H121	1.84	0.43
8:L:314:BCL:CBB	8:L:314:BCL:HMB1	2.47	0.43
9:M:401:BPH:H142	13:M:802:PEW:H202	2.01	0.43
2:M:157:TRP:CZ3	2:M:158:MET:HG2	2.54	0.43
3:H:73:LEU:HD11	3:H:75:VAL:HG13	2.02	0.42
2:M:161:GLY:HA2	14:M:920:LDA:H123	2.01	0.42
8:L:312:BCL:HHC	8:L:312:BCL:OBB	2.19	0.42
3:H:116:ALA:HA	3:H:228:LEU:CD1	2.50	0.42
8:L:314:BCL:C4A	8:L:314:BCL:HBA1	2.49	0.42
2:M:6:ILE:HD13	2:M:224:LEU:HD13	2.01	0.42
12:H:801[A]:PEV:H431	14:H:903:LDA:H123	2.02	0.42
1:L:130:THR:O	1:L:135[B]:ARG:HB2	2.18	0.42
2:M:270:ILE:HD13	11:M:800:CDL:C71	2.49	0.42
3:H:94:GLU:HG2	16:H:1242:HOH:O	2.20	0.42
2:M:148:TRP:HA	2:M:148:TRP:CE3	2.55	0.42
3:H:73:LEU:HD11	3:H:75:VAL:CG1	2.50	0.42
3:H:251:VAL:HG12	3:H:251:VAL:O	2.20	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:3:TYR:CZ	2:M:5:ASN:HA	2.56	0.41
3:H:135:LYS:NZ	16:H:1306:HOH:O	2.50	0.41
2:M:103:LEU:HD21	2:M:166:ILE:HA	2.00	0.41
1:L:51:TRP:CH2	1:L:80:LEU:HD13	2.54	0.41
14:M:902:LDA:H21	14:M:902:LDA:HM13	1.90	0.41
2:M:64:LEU:HD21	9:M:401:BPH:H121	2.02	0.41
1:L:207:ARG:CG	1:L:211:HIS:CG	3.03	0.41
1:L:216:PHE:CE2	10:L:502:U10:H102	2.55	0.41
2:M:251:PHE:C	2:M:251:PHE:CD1	2.94	0.41
3:H:197[A]:LYS:CD	3:H:199:GLN:CG	2.98	0.41
3:H:25:ALA:HB1	14:H:904:LDA:HM11	2.03	0.41
8:M:313:BCL:HBD	8:M:313:BCL:HAA2	2.02	0.41
1:L:18:GLY:O	1:L:21:LEU:HB2	2.21	0.41
3:H:165:VAL:CG2	3:H:180:GLU:HG2	2.51	0.41
8:M:313:BCL:C20	13:M:802:PEW:C26	2.96	0.40
3:H:178:PHE:CE2	15:H:708:GOL:H11	2.57	0.40
3:H:151:LEU:O	3:H:164:VAL:HG23	2.20	0.40
2:M:122:MET:HE1	8:M:311:BCL:HBB3	2.02	0.40
2:M:54:SER:OG	7:M:704:PO4:O2	2.38	0.40
1:L:107:ILE:HG22	1:L:111:LEU:HD12	2.03	0.40
1:L:100:TRP:CZ2	2:M:255:THR:HG22	2.57	0.40
3:H:96:PHE:HB3	3:H:97:PRO:CD	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	283/281 (101%)	268 (95%)	14 (5%)	1 (0%)	39	72
2	M	313/307 (102%)	299 (96%)	14 (4%)	0	100	100
3	H	247/260 (95%)	237 (96%)	9 (4%)	1 (0%)	39	72

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	843/848 (99%)	804 (95%)	37 (4%)	2 (0%)	52 83

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	H	86	ALA
1	L	54	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	L	224/220 (102%)	214 (96%)	10 (4%)	34 66
2	M	249/240 (104%)	236 (95%)	13 (5%)	29 60
3	H	204/208 (98%)	191 (94%)	13 (6%)	22 49
All	All	677/668 (101%)	641 (95%)	36 (5%)	30 58

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	21	LEU
1	L	63	LEU
1	L	71	LEU
1	L	185	LEU
1	L	207	ARG
1	L	210	ASP
1	L	235	LEU
1	L	247	CYS
1	L	254	ILE
1	L	272	TRP
2	M	38	LEU
2	M	52	LEU
2	M	60[A]	LEU
2	M	60[B]	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	M	72	ILE
2	M	86	LEU
2	M	100[A]	GLU
2	M	100[B]	GLU
2	M	114	LEU
2	M	132	ARG
2	M	182	HIS
2	M	216	PHE
2	M	278	LEU
3	H	10	PHE
3	H	11	ASP
3	H	12	LEU
3	H	60	LYS
3	H	80	SER
3	H	135	LYS
3	H	175	MET
3	H	197[A]	LYS
3	H	197[B]	LYS
3	H	220	LYS
3	H	225	VAL
3	H	231	ASP
3	H	251	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	M	4	GLN
2	M	28	ASN
2	M	202	HIS
3	H	9	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 28 ligands modelled in this entry, 5 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
7	PO4	H	705	-	4,4,4	0.56	0	6,6,6	0.28	0
15	GOL	H	708	-	5,5,5	0.30	0	5,5,5	0.67	0
12	PEV	H	801[A]	-	47,48,48	0.90	2 (4%)	48,53,53	1.07	4 (8%)
12	PEV	H	801[B]	-	47,48,48	0.95	3 (6%)	48,53,53	1.09	3 (6%)
14	LDA	H	901	-	15,15,15	3.76	2 (13%)	16,17,17	0.97	1 (6%)
14	LDA	H	903	-	15,15,15	3.64	2 (13%)	16,17,17	0.56	0
14	LDA	H	904	-	15,15,15	3.71	2 (13%)	16,17,17	0.94	2 (12%)
8	BCL	L	312	1	53,74,74	0.89	3 (5%)	57,115,115	1.38	9 (15%)
8	BCL	L	314	1	53,74,74	0.95	1 (1%)	57,115,115	2.06	17 (29%)
9	BPH	L	402	-	64,70,70	0.88	0	73,101,101	1.50	11 (15%)
10	U10	L	502	-	48,48,63	1.20	3 (6%)	58,61,79	1.90	14 (24%)
15	GOL	L	707	-	5,5,5	0.41	0	5,5,5	0.58	0
8	BCL	M	311	2	53,74,74	0.86	1 (1%)	57,115,115	1.53	10 (17%)
8	BCL	M	313	2	53,74,74	0.85	1 (1%)	57,115,115	1.49	10 (17%)
9	BPH	M	401	-	64,70,70	0.79	0	73,101,101	1.73	13 (17%)
10	U10	M	501	-	48,48,63	1.16	5 (10%)	58,61,79	1.69	13 (22%)
7	PO4	M	704	-	4,4,4	0.22	0	6,6,6	0.37	0
7	PO4	M	706	-	4,4,4	0.50	0	6,6,6	0.29	0
11	CDL	M	800	-	80,80,99	1.26	5 (6%)	82,92,111	1.27	7 (8%)
13	PEW	M	802	-	49,50,50	0.93	2 (4%)	52,57,57	1.32	6 (11%)
14	LDA	M	902	-	15,15,15	3.37	1 (6%)	16,17,17	1.36	2 (12%)
14	LDA	M	907	-	15,15,15	3.69	2 (13%)	16,17,17	0.75	0
14	LDA	M	920	-	15,15,15	3.58	1 (6%)	16,17,17	1.15	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	PO4	H	705	-	-	0/0/0/0	0/0/0/0
15	GOL	H	708	-	-	0/4/4/4	0/0/0/0
12	PEV	H	801[A]	-	-	0/52/52/52	0/0/0/0
12	PEV	H	801[B]	-	-	0/52/52/52	0/0/0/0
14	LDA	H	901	-	-	0/13/13/13	0/0/0/0
14	LDA	H	903	-	-	0/13/13/13	0/0/0/0
14	LDA	H	904	-	-	0/13/13/13	0/0/0/0
8	BCL	L	312	1	-	0/37/137/137	0/0/9/9
8	BCL	L	314	1	-	0/37/137/137	0/0/9/9
9	BPH	L	402	-	-	0/54/105/105	0/1/6/6
10	U10	L	502	-	-	0/45/69/87	0/1/1/1
15	GOL	L	707	-	-	0/4/4/4	0/0/0/0
8	BCL	M	311	2	-	0/37/137/137	0/0/9/9
8	BCL	M	313	2	-	0/37/137/137	0/0/9/9
9	BPH	M	401	-	-	0/54/105/105	0/1/6/6
10	U10	M	501	-	-	0/45/69/87	0/1/1/1
7	PO4	M	704	-	-	0/0/0/0	0/0/0/0
7	PO4	M	706	-	-	0/0/0/0	0/0/0/0
11	CDL	M	800	-	-	0/91/91/110	0/0/0/0
13	PEW	M	802	-	-	0/57/57/57	0/0/0/0
14	LDA	M	902	-	-	0/13/13/13	0/0/0/0
14	LDA	M	907	-	-	0/13/13/13	0/0/0/0
14	LDA	M	920	-	-	0/13/13/13	0/0/0/0

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	H	901	LDA	O1-N1	-14.34	1.25	1.39
14	M	907	LDA	O1-N1	-14.06	1.26	1.39
14	H	904	LDA	O1-N1	-14.00	1.26	1.39
14	H	903	LDA	O1-N1	-13.88	1.26	1.39
14	M	920	LDA	O1-N1	-13.59	1.26	1.39
14	M	902	LDA	O1-N1	-12.83	1.27	1.39
8	M	313	BCL	C3C-C4C	-3.47	1.47	1.51
14	H	904	LDA	C1-N1	-2.42	1.47	1.51
8	L	314	BCL	C2A-C1A	-2.38	1.47	1.52
14	H	903	LDA	C1-N1	-2.26	1.47	1.51
14	M	907	LDA	C1-N1	-2.22	1.47	1.51
13	M	802	PEW	BR1-C39	-2.17	1.92	1.97

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	H	901	LDA	C1-N1	-2.16	1.47	1.51
8	L	312	BCL	C2A-C1A	-2.13	1.48	1.52
12	H	801[B]	PEV	C1-C2	2.05	1.56	1.50
10	M	501	U10	C18-C19	2.08	1.37	1.33
12	H	801[A]	PEV	C3-C2	2.16	1.56	1.50
8	L	312	BCL	OBD-CAD	2.22	1.25	1.22
12	H	801[B]	PEV	C3-C2	2.32	1.57	1.50
11	M	800	CDL	CA3-CA4	2.33	1.57	1.50
8	M	311	BCL	OBD-CAD	2.40	1.26	1.22
10	M	501	U10	C13-C14	2.41	1.37	1.33
10	M	501	U10	C31-C29	2.61	1.57	1.51
8	L	312	BCL	C4-C3	2.63	1.57	1.50
12	H	801[A]	PEV	P-O1P	2.90	1.61	1.51
10	L	502	U10	C13-C14	2.90	1.38	1.33
10	L	502	U10	O4-C4	2.90	1.44	1.37
10	M	501	U10	O4-C4	2.92	1.44	1.37
13	M	802	PEW	P-O1P	3.25	1.63	1.51
12	H	801[B]	PEV	P-O1P	3.55	1.64	1.51
10	M	501	U10	O3-C3	3.57	1.46	1.37
11	M	800	CDL	OB8-CB7	4.14	1.45	1.33
11	M	800	CDL	OB6-CB5	4.17	1.46	1.34
11	M	800	CDL	OA6-CA5	4.52	1.47	1.34
10	L	502	U10	O3-C3	4.52	1.48	1.37
11	M	800	CDL	OA8-CA7	5.32	1.49	1.33

All (123) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	M	401	BPH	OBD-CAD-CBD	-6.91	115.51	125.94
8	L	314	BCL	O1D-CGD-CBD	-6.37	115.49	124.62
10	L	502	U10	C25-C24-C23	-5.09	113.51	123.50
10	M	501	U10	C17-C18-C19	-4.56	117.84	127.76
8	M	313	BCL	CAC-C3C-C2C	-4.36	103.17	114.13
14	M	902	LDA	CM2-N1-CM1	-4.14	104.16	108.83
8	M	311	BCL	CMB-C2B-C1B	-3.99	121.76	128.36
8	L	314	BCL	CAA-C2A-C3A	-3.97	101.79	113.22
8	L	312	BCL	CMB-C2B-C1B	-3.91	121.90	128.36
8	L	314	BCL	CAC-C3C-C4C	-3.83	104.08	112.58
8	M	313	BCL	CMB-C2B-C1B	-3.61	122.39	128.36
10	M	501	U10	C26-C27-C28	-3.51	102.49	111.69
10	M	501	U10	C22-C23-C24	-3.50	120.16	127.76
8	M	313	BCL	CAC-C3C-C4C	-3.44	104.96	112.58

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	L	502	U10	C22-C23-C24	-3.43	120.31	127.76
9	M	401	BPH	CAA-C2A-C3A	-3.39	103.46	113.22
13	M	802	PEW	BR1-C39-C40	-3.31	103.44	110.23
8	L	312	BCL	C5-C3-C2	-3.29	114.82	121.05
8	L	314	BCL	CAC-C3C-C2C	-3.19	106.10	114.13
10	M	501	U10	C16-C14-C13	-3.19	115.01	121.05
8	M	313	BCL	OBD-CAD-CBD	-3.10	121.26	125.94
8	L	314	BCL	C5-C3-C2	-3.08	115.20	121.05
13	M	802	PEW	BR2-C40-C39	-3.03	104.02	110.23
8	L	312	BCL	CAA-C2A-C3A	-2.95	104.74	113.22
10	L	502	U10	C1-C6-C5	-2.85	116.87	120.12
8	M	311	BCL	CAA-C2A-C3A	-2.82	105.10	113.22
8	L	314	BCL	C16-C15-C13	-2.79	106.24	115.49
14	H	901	LDA	O1-N1-C1	-2.76	107.17	110.27
9	L	402	BPH	C3B-C4B-NB	-2.75	104.13	109.98
10	L	502	U10	O2-C2-C3	-2.73	114.87	120.79
10	L	502	U10	C12-C13-C14	-2.72	121.85	127.76
10	L	502	U10	C21-C22-C23	-2.70	104.60	111.69
9	L	402	BPH	CAA-C2A-C1A	-2.69	105.78	112.86
9	M	401	BPH	C4-C3-C2	-2.69	118.23	123.50
9	L	402	BPH	CMA-C3A-C2A	-2.67	102.53	114.35
10	L	502	U10	C35-C34-C33	-2.60	118.39	123.50
9	M	401	BPH	C2D-C1D-ND	-2.60	106.03	110.29
8	M	311	BCL	OBD-CAD-CBD	-2.60	122.02	125.94
8	M	313	BCL	CHA-C1A-NA	-2.57	119.74	126.06
10	M	501	U10	C7-C6-C5	-2.53	115.59	118.56
8	L	314	BCL	CMB-C2B-C1B	-2.49	124.24	128.36
8	L	314	BCL	OBB-CAB-CBB	-2.44	114.27	120.13
9	M	401	BPH	O2D-CGD-O1D	-2.44	118.75	123.79
10	M	501	U10	C20-C19-C18	-2.39	118.81	123.50
9	L	402	BPH	O2D-CGD-O1D	-2.38	118.87	123.79
8	M	311	BCL	CED-O2D-CGD	-2.29	110.62	115.99
13	M	802	PEW	C3-O3-C11	-2.28	110.46	116.85
13	M	802	PEW	C2-O2-C31	-2.28	112.41	117.89
14	H	904	LDA	O1-N1-CM1	-2.25	106.05	109.05
10	L	502	U10	C7-C8-C9	-2.24	122.90	126.70
9	M	401	BPH	C2B-C1B-NB	-2.22	106.40	109.73
8	L	312	BCL	CAC-C3C-C2C	-2.21	108.57	114.13
13	M	802	PEW	O2-C31-O31	-2.21	117.75	123.67
8	L	312	BCL	CAA-C2A-C1A	-2.19	104.73	112.47
8	L	314	BCL	CAA-C2A-C1A	-2.17	104.83	112.47
8	L	312	BCL	C6-C7-C8	-2.17	108.31	115.49

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	M	902	LDA	O1-N1-C1	-2.15	107.86	110.27
8	M	311	BCL	O1D-CGD-CBD	-2.14	121.55	124.62
10	L	502	U10	C7-C6-C5	-2.14	116.04	118.56
14	M	920	LDA	CM2-N1-CM1	-2.13	106.42	108.83
9	L	402	BPH	OBD-CAD-CBD	-2.13	122.73	125.94
9	M	401	BPH	CMA-C3A-C2A	-2.12	104.96	114.35
10	M	501	U10	C31-C29-C28	-2.12	117.03	121.05
8	M	313	BCL	O2D-CGD-O1D	-2.10	119.46	123.79
8	M	311	BCL	C3D-CAD-CBD	-2.08	104.66	107.60
8	L	312	BCL	CHA-C1A-NA	-2.06	120.98	126.06
8	L	314	BCL	C16-C17-C18	-2.05	105.54	115.87
9	M	401	BPH	CAA-C2A-C1A	-2.02	107.54	112.86
11	M	800	CDL	OB8-CB7-OB9	-2.02	118.29	123.49
8	L	314	BCL	CBA-CAA-C2A	2.00	119.38	113.73
8	L	314	BCL	CHB-C4A-NA	2.01	127.30	124.51
9	L	402	BPH	CAC-C3C-C2C	2.02	119.20	114.13
9	L	402	BPH	CED-O2D-CGD	2.11	120.94	115.99
10	M	501	U10	C21-C19-C18	2.11	125.06	121.05
14	H	904	LDA	CM2-N1-CM1	2.18	111.29	108.83
10	M	501	U10	C10-C9-C11	2.21	118.79	115.41
8	L	312	BCL	CMB-C2B-C3B	2.34	129.66	125.09
8	M	313	BCL	O2D-CGD-CBD	2.38	114.56	111.30
8	M	311	BCL	OBD-CAD-C3D	2.40	133.25	128.35
11	M	800	CDL	OA8-CA7-C31	2.42	119.26	111.90
9	L	402	BPH	C1B-NB-C4B	2.45	111.36	106.51
8	M	313	BCL	C2C-C3C-C4C	2.47	105.68	101.50
12	H	801[A]	PEV	O3-C11-C12	2.47	119.43	111.90
10	L	502	U10	C3M-O3-C3	2.47	125.41	116.61
8	L	314	BCL	CMD-C2D-C3D	2.50	129.98	125.09
10	M	501	U10	C41-C39-C40	2.52	120.85	114.64
10	L	502	U10	C36-C37-C38	2.54	118.35	111.69
9	M	401	BPH	CAC-C3C-C4C	2.55	119.21	112.67
8	M	311	BCL	CMB-C2B-C3B	2.57	130.11	125.09
9	M	401	BPH	CMC-C2C-C1C	2.57	120.16	112.33
8	L	312	BCL	C4-C3-C5	2.62	119.41	115.41
9	M	401	BPH	C1B-NB-C4B	2.65	111.76	106.51
10	L	502	U10	C36-C34-C33	2.66	126.10	121.05
10	M	501	U10	C15-C14-C16	2.68	119.50	115.41
11	M	800	CDL	O1-C1-CB2	2.71	119.67	109.35
12	H	801[B]	PEV	O3-C11-C12	2.71	120.16	111.90
8	M	313	BCL	CMB-C2B-C3B	2.73	130.43	125.09
12	H	801[A]	PEV	O3-C3-C2	2.76	116.11	108.69

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	M	401	BPH	OBD-CAD-C3D	2.84	134.15	128.35
8	L	314	BCL	C2C-C3C-C4C	2.90	106.42	101.50
12	H	801[A]	PEV	O2-C2-C3	2.92	118.65	108.36
8	L	314	BCL	CAA-CBA-CGA	2.98	122.06	113.32
8	M	313	BCL	C4-C3-C5	3.05	120.07	115.41
12	H	801[B]	PEV	O3-C3-C2	3.18	117.24	108.69
11	M	800	CDL	OB8-CB7-C71	3.18	121.59	111.90
10	L	502	U10	C30-C29-C31	3.19	120.28	115.41
9	L	402	BPH	CMD-C2D-C3D	3.23	131.40	125.09
8	L	314	BCL	OBB-CAB-C3B	3.52	125.58	120.00
12	H	801[B]	PEV	O2-C31-C32	3.67	119.50	111.53
8	M	311	BCL	OBB-CAB-C3B	3.76	125.96	120.00
10	M	501	U10	C30-C29-C31	3.80	121.22	115.41
12	H	801[A]	PEV	O2-C31-C32	3.84	119.87	111.53
8	M	311	BCL	O2D-CGD-CBD	3.96	116.73	111.30
11	M	800	CDL	OB6-CB5-C51	4.05	120.33	111.53
11	M	800	CDL	CA6-OA8-CA7	4.13	128.39	116.85
9	L	402	BPH	C3C-C4C-NC	4.48	112.41	107.93
10	M	501	U10	C31-C32-C33	4.55	123.61	111.69
11	M	800	CDL	OA6-CA5-C11	4.96	122.30	111.53
13	M	802	PEW	O2-C31-C32	5.31	123.08	111.53
9	M	401	BPH	O2D-CGD-CBD	5.77	119.22	111.30
9	L	402	BPH	O2D-CGD-CBD	5.80	119.25	111.30
8	L	314	BCL	O2D-CGD-CBD	6.22	119.83	111.30
10	L	502	U10	C25-C24-C26	6.89	125.93	115.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

20 monomers are involved in 78 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	H	705	PO4	1	0
15	H	708	GOL	1	0
12	H	801[A]	PEV	9	0
12	H	801[B]	PEV	4	0
14	H	901	LDA	10	0
14	H	903	LDA	5	0
14	H	904	LDA	3	0
8	L	312	BCL	6	0
8	L	314	BCL	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	L	402	BPH	3	0
10	L	502	U10	7	0
8	M	311	BCL	5	0
8	M	313	BCL	9	0
9	M	401	BPH	9	0
7	M	704	PO4	1	0
7	M	706	PO4	1	0
11	M	800	CDL	2	0
13	M	802	PEW	11	0
14	M	902	LDA	2	0
14	M	920	LDA	11	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	L	281/281 (100%)	0.38	26 (9%) 11 7	63, 73, 81, 90	0
2	M	302/307 (98%)	0.67	43 (14%) 4 2	63, 72, 82, 106	0
3	H	243/260 (93%)	0.41	22 (9%) 11 8	61, 72, 86, 111	0
All	All	826/848 (97%)	0.50	91 (11%) 7 4	61, 73, 83, 111	0

All (91) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	M	1	ALA	8.6
3	H	9	ASN	8.6
2	M	80	TRP	6.1
2	M	102	GLY	6.1
2	M	2[A]	GLU	5.4
3	H	251	VAL	5.1
3	H	250	SER	5.0
2	M	3	TYR	4.8
2	M	103	LEU	4.7
1	L	73	TYR	4.6
3	H	10	PHE	4.5
2	M	75	TRP	4.4
2	M	28	ASN	4.4
2	M	104	SER	4.4
3	H	159	GLU	4.3
3	H	161	ALA	4.2
3	H	52	ASN	4.1
1	L	281	GLY	4.1
2	M	171	TRP	4.0
2	M	84	VAL	3.8
3	H	53	GLN	3.7
1	L	270	PRO	3.7
2	M	101	TYR	3.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	M	79	GLY	3.6
2	M	82	PRO	3.5
1	L	202	LYS	3.5
3	H	160	ILE	3.5
1	L	280	ASN	3.4
1	L	277	GLY	3.4
3	H	93	SER	3.3
2	M	81	ASN	3.3
3	H	247	LYS	3.2
1	L	265	TRP	3.2
3	H	220	LYS	3.2
2	M	105	PHE	3.1
1	L	279	ILE	3.1
2	M	114	LEU	3.1
2	M	83	ALA	3.1
2	M	73	TRP	3.1
1	L	269	LEU	3.1
1	L	278	GLY	3.0
2	M	54	SER	3.0
3	H	200	SER	3.0
2	M	100[A]	GLU	3.0
3	H	158	LEU	3.0
1	L	249	ILE	2.9
2	M	26	LEU	2.9
2	M	214	LEU	2.8
3	H	213	PHE	2.8
3	H	249	LYS	2.8
3	H	201	ASN	2.8
2	M	265	ILE	2.7
2	M	76	TYR	2.7
1	L	253	THR	2.7
2	M	290	VAL	2.6
1	L	268	LYS	2.6
2	M	52	LEU	2.6
3	H	102	GLY	2.6
2	M	212	SER	2.5
2	M	29	ARG	2.5
3	H	245	ALA	2.5
2	M	97	PRO	2.5
2	M	71	GLY	2.5
2	M	134	TYR	2.5
1	L	80	LEU	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	L	69	PRO	2.4
1	L	185	LEU	2.4
2	M	77	GLN	2.4
1	L	51	TRP	2.4
2	M	109	LEU	2.4
2	M	78	ALA	2.4
1	L	256	PHE	2.4
3	H	94	GLU	2.4
3	H	244	ALA	2.3
1	L	55	LEU	2.3
1	L	276[A]	PRO	2.3
3	H	77	GLY	2.3
1	L	271	TRP	2.3
2	M	213	ALA	2.2
2	M	57	VAL	2.2
2	M	133	THR	2.2
1	L	252	GLY	2.2
2	M	301[A]	HIS	2.2
1	L	233	GLY	2.1
1	L	184	ALA	2.1
1	L	236	LEU	2.1
2	M	216	PHE	2.1
2	M	53	GLY	2.1
2	M	215	LEU	2.0
2	M	96	PRO	2.0
1	L	59	TRP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
14	LDA	H	903	16/16	0.11	1.17	37.19	76,79,84,84	16
12	PEV	H	801[A]	49/49	0.68	0.96	16.14	50,72,79,80	49
12	PEV	H	801[B]	49/49	0.68	0.96	16.14	48,75,85,85	49
15	GOL	L	707	6/6	0.85	0.53	16.00	69,78,79,79	6
14	LDA	H	904	16/16	0.27	0.87	14.67	75,78,87,87	16
15	GOL	H	708	6/6	0.91	0.51	11.07	75,75,76,76	6
14	LDA	M	907	16/16	0.79	0.42	10.27	74,80,85,87	16
11	CDL	M	800	81/100	0.68	0.57	8.87	51,71,89,91	81
10	U10	L	502	48/63	0.69	0.58	6.67	60,69,77,78	48
14	LDA	M	920	16/16	0.70	0.53	6.08	52,61,74,75	16
13	PEW	M	802	51/51	0.31	0.72	5.89	62,74,82,84	51
14	LDA	H	901	16/16	0.73	0.51	3.32	74,77,85,86	16
10	U10	M	501	48/63	0.84	0.33	1.58	64,76,99,100	0
6	CL	M	702	1/1	0.91	0.40	1.49	66,66,66,66	1
9	BPH	L	402	65/65	0.94	0.22	0.64	59,71,75,75	0
9	BPH	M	401	65/65	0.91	0.21	0.29	63,75,122,124	0
8	BCL	L	314	66/66	0.94	0.22	0.21	56,68,80,86	0
8	BCL	L	312	66/66	0.94	0.19	0.14	58,70,77,84	0
8	BCL	M	311	66/66	0.94	0.22	0.13	64,73,127,128	0
8	BCL	M	313	66/66	0.96	0.19	-0.22	61,69,90,101	0
4	FE	M	500	1/1	1.00	0.19	-0.67	72,72,72,72	0
5	K	H	700	1/1	0.99	0.10	-2.45	66,66,66,66	0
6	CL	H	703	1/1	0.78	0.89	-	72,72,72,72	1
7	PO4	M	704	5/5	0.90	0.31	-	69,69,75,76	5
7	PO4	M	706	5/5	0.61	0.47	-	73,73,75,75	5
14	LDA	M	902	16/16	0.46	0.79	-	73,77,87,88	16
7	PO4	H	705	5/5	0.76	0.39	-	80,80,80,81	5
6	CL	M	701	1/1	0.97	0.23	-	71,71,71,71	1

## 6.5 Other polymers ⓘ

There are no such residues in this entry.