



Full wwPDB NMR Structure Validation Report i

Apr 26, 2016 – 02:49 PM BST

PDB ID : 1HLL
Title : NMR STRUCTURE OF T3-I2, A 32 RESIDUE PEPTIDE FROM THE ALPHA-2A ADRENERGIC RECEPTOR
Authors : Chung, D.A.; Zuiderweg, E.R.P.; Neubig, R.R.
Deposited on : 2000-12-01

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbity	:	4.02b-467
Mogul	:	unknown
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	rb-20027457
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20027457

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain			
1	A	32		25%		53%

2 Ensemble composition and analysis

This entry contains 1 models. Identification of well-defined residues and clustering analysis are not possible.

3 Entry composition [\(i\)](#)

There is only 1 type of molecule in this entry. The entry contains 540 atoms, of which 274 are hydrogens and 0 are deuteriums.


- Molecule 1 is a protein called ALPHA-2A ADRENERGIC RECEPTOR.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	32	540	168	274	50	47	1	0

4 Residue-property plots [\(i\)](#)

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: ALPHA-2A ADRENERGIC RECEPTOR



5 Refinement protocol and experimental data overview i

The models were refined using the following method: *simulated annealing in torsion angle space*.

Of the ? calculated structures, 1 were deposited, based on the following criterion: ?.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DYANA	structure solution	
DYANA	refinement	

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality (i)

6.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	26.95	158/271 (58.3%)	16.38	107/367 (29.2%)
All	All	26.95	158/271 (58.3%)	16.38	107/367 (29.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modeled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	5	0
All	All	5	0

All bond outliers are listed below. They are sorted according to the Z-score.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	31	ARG	CZ-NH1	-95.03	0.09	1.33
1	A	23	GLU	CD-OE2	-92.57	0.23	1.25
1	A	23	GLU	CD-OE1	-83.66	0.33	1.25
1	A	32	ARG	CZ-NH1	-82.00	0.26	1.33
1	A	31	ARG	CZ-NH2	-80.97	0.27	1.33
1	A	30	PRO	N-CD	-80.03	0.35	1.47
1	A	28	ARG	CZ-NH1	-79.65	0.29	1.33
1	A	32	ARG	CZ-NH2	-79.64	0.29	1.33
1	A	31	ARG	NE-CZ	-76.29	0.33	1.33
1	A	32	ARG	NE-CZ	-75.93	0.34	1.33
1	A	24	TYR	CE1-CZ	-75.01	0.41	1.38
1	A	24	TYR	CG-CD2	-73.65	0.43	1.39
1	A	30	PRO	N-CA	-68.36	0.31	1.47
1	A	31	ARG	CD-NE	-67.16	0.32	1.46
1	A	32	ARG	CD-NE	-66.55	0.33	1.46
1	A	28	ARG	NE-CZ	-62.21	0.52	1.33
1	A	29	THR	C-N	-60.85	0.18	1.34
1	A	14	ARG	CZ-NH1	-59.40	0.55	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	32	ARG	CA-CB	-58.08	0.26	1.53
1	A	32	ARG	C-O	-55.44	0.18	1.23
1	A	15	TYR	CE1-CZ	-54.83	0.67	1.38
1	A	32	ARG	N-CA	-53.73	0.39	1.46
1	A	28	ARG	CZ-NH2	-53.45	0.63	1.33
1	A	15	TYR	CE2-CZ	-52.92	0.69	1.38
1	A	15	TYR	CG-CD2	-52.45	0.70	1.39
1	A	31	ARG	CG-CD	-50.87	0.24	1.51
1	A	23	GLU	CG-CD	-50.69	0.76	1.51
1	A	15	TYR	CG-CD1	-50.51	0.73	1.39
1	A	31	ARG	CA-CB	-50.19	0.43	1.53
1	A	30	PRO	CA-CB	-50.02	0.53	1.53
1	A	32	ARG	CG-CD	-49.68	0.27	1.51
1	A	29	THR	C-O	-48.87	0.30	1.23
1	A	24	TYR	CE2-CZ	-45.90	0.78	1.38
1	A	29	THR	CA-C	-45.54	0.34	1.52
1	A	29	THR	CB-OG1	-44.59	0.54	1.43
1	A	28	ARG	CD-NE	-44.17	0.71	1.46
1	A	24	TYR	CG-CD1	-44.06	0.81	1.39
1	A	31	ARG	CA-C	-43.98	0.38	1.52
1	A	11	SER	CB-OG	-42.86	0.86	1.42
1	A	30	PRO	C-N	-41.80	0.38	1.34
1	A	20	GLN	CD-OE1	-41.74	0.32	1.24
1	A	14	ARG	NE-CZ	-41.24	0.79	1.33
1	A	2	SER	CB-OG	-40.44	0.89	1.42
1	A	32	ARG	CB-CG	-39.63	0.45	1.52
1	A	30	PRO	CG-CD	-38.88	0.22	1.50
1	A	29	THR	CA-CB	-38.36	0.53	1.53
1	A	13	ASP	CG-OD1	-34.47	0.46	1.25
1	A	31	ARG	C-O	-32.59	0.61	1.23
1	A	14	ARG	CZ-NH2	-31.96	0.91	1.33
1	A	31	ARG	CB-CG	-30.32	0.70	1.52
1	A	20	GLN	CG-CD	-28.66	0.85	1.51
1	A	29	THR	CB-CG2	-28.29	0.59	1.52
1	A	13	ASP	CG-OD2	-27.65	0.61	1.25
1	A	31	ARG	C-N	-26.33	0.73	1.34
1	A	28	ARG	CB-CG	-26.17	0.81	1.52
1	A	14	ARG	CD-NE	-25.92	1.02	1.46
1	A	27	LYS	CD-CE	-25.71	0.86	1.51
1	A	25	ASN	CG-OD1	-25.15	0.68	1.24
1	A	30	PRO	CB-CG	-25.09	0.24	1.50
1	A	27	LYS	CE-NZ	-24.85	0.86	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	11	SER	C-O	-24.43	0.77	1.23
1	A	1	THR	CB-OG1	-23.29	0.96	1.43
1	A	20	GLN	CD-NE2	-22.23	0.77	1.32
1	A	24	TYR	CB-CG	-21.55	1.19	1.51
1	A	20	GLN	C-O	-20.70	0.84	1.23
1	A	32	ARG	CA-C	-20.26	1.00	1.52
1	A	30	PRO	C-O	-19.24	0.84	1.23
1	A	24	TYR	CZ-OH	-18.69	1.06	1.37
1	A	3	SER	CB-OG	-18.61	1.18	1.42
1	A	23	GLU	CB-CG	-18.37	1.17	1.52
1	A	21	ALA	C-O	-18.35	0.88	1.23
1	A	27	LYS	CB-CG	-18.24	1.03	1.52
1	A	12	LEU	CG-CD2	-18.09	0.84	1.51
1	A	24	TYR	CD2-CE2	-18.07	1.12	1.39
1	A	24	TYR	CD1-CE1	-18.03	1.12	1.39
1	A	28	ARG	CG-CD	-17.79	1.07	1.51
1	A	6	HIS	CG-ND1	-17.57	1.00	1.38
1	A	7	LEU	CG-CD2	-17.54	0.86	1.51
1	A	25	ASN	CG-ND2	-17.45	0.89	1.32
1	A	26	LEU	CG-CD2	-17.45	0.87	1.51
1	A	12	LEU	CB-CG	-16.86	1.03	1.52
1	A	11	SER	C-N	-16.53	0.96	1.34
1	A	12	LEU	CG-CD1	-16.34	0.91	1.51
1	A	31	ARG	N-CA	-16.25	1.13	1.46
1	A	28	ARG	C-O	-16.24	0.92	1.23
1	A	19	THR	CB-OG1	-16.04	1.11	1.43
1	A	1	THR	N-CA	-15.65	1.15	1.46
1	A	29	THR	N-CA	-15.41	1.15	1.46
1	A	25	ASN	CB-CG	-14.66	1.17	1.51
1	A	26	LEU	CG-CD1	-14.25	0.99	1.51
1	A	6	HIS	CE1-NE2	-14.18	1.00	1.32
1	A	30	PRO	CA-C	-14.12	1.24	1.52
1	A	7	LEU	CG-CD1	-14.06	0.99	1.51
1	A	27	LYS	CG-CD	-13.92	1.05	1.52
1	A	15	TYR	C-O	-13.63	0.97	1.23
1	A	17	SER	CB-OG	-13.47	1.24	1.42
1	A	1	THR	CB-CG2	-13.26	1.08	1.52
1	A	8	CYS	CB-SG	-13.24	1.59	1.82
1	A	23	GLU	CA-CB	-13.11	1.25	1.53
1	A	26	LEU	CA-CB	-12.98	1.23	1.53
1	A	28	ARG	N-CA	-12.84	1.20	1.46
1	A	28	ARG	CA-C	-12.66	1.20	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	23	GLU	C-O	-12.44	0.99	1.23
1	A	15	TYR	C-N	-11.97	1.06	1.34
1	A	27	LYS	C-O	-11.88	1.00	1.23
1	A	9	ALA	C-O	-11.83	1.00	1.23
1	A	20	GLN	C-N	-11.82	1.06	1.34
1	A	20	GLN	CB-CG	-11.74	1.20	1.52
1	A	4	ILE	CG1-CD1	-11.73	0.69	1.50
1	A	26	LEU	C-O	-11.29	1.01	1.23
1	A	25	ASN	N-CA	-11.14	1.24	1.46
1	A	1	THR	CA-CB	-11.08	1.24	1.53
1	A	21	ALA	C-N	-11.08	1.08	1.34
1	A	14	ARG	CG-CD	-11.04	1.24	1.51
1	A	24	TYR	N-CA	-11.02	1.24	1.46
1	A	25	ASN	C-O	-11.02	1.02	1.23
1	A	27	LYS	CA-CB	-10.97	1.29	1.53
1	A	27	LYS	C-N	-10.77	1.09	1.34
1	A	6	HIS	CD2-NE2	-10.72	1.14	1.38
1	A	26	LEU	C-N	-10.53	1.09	1.34
1	A	17	SER	C-O	-10.42	1.03	1.23
1	A	28	ARG	C-N	-10.36	1.10	1.34
1	A	19	THR	CB-CG2	-10.11	1.19	1.52
1	A	27	LYS	CA-C	-10.04	1.26	1.52
1	A	10	ILE	CG1-CD1	-10.03	0.81	1.50
1	A	22	ILE	C-N	-9.98	1.11	1.34
1	A	24	TYR	C-N	-9.89	1.11	1.34
1	A	3	SER	C-O	-9.58	1.05	1.23
1	A	23	GLU	C-N	-9.45	1.12	1.34
1	A	6	HIS	CG-CD2	-8.81	1.20	1.35
1	A	26	LEU	N-CA	-8.78	1.28	1.46
1	A	26	LEU	CB-CG	-8.76	1.27	1.52
1	A	23	GLU	CA-C	-8.75	1.30	1.52
1	A	28	ARG	CA-CB	-8.59	1.35	1.53
1	A	24	TYR	C-O	-8.50	1.07	1.23
1	A	25	ASN	CA-CB	-8.45	1.31	1.53
1	A	24	TYR	CA-C	-8.37	1.31	1.52
1	A	18	ILE	CG1-CD1	-8.31	0.93	1.50
1	A	3	SER	C-N	-8.31	1.15	1.34
1	A	17	SER	C-N	-8.31	1.15	1.34
1	A	22	ILE	CB-CG1	-8.27	1.30	1.54
1	A	7	LEU	CB-CG	-7.44	1.30	1.52
1	A	22	ILE	C-O	-7.43	1.09	1.23
1	A	25	ASN	C-N	-7.35	1.17	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	23	GLU	N-CA	-7.19	1.31	1.46
1	A	25	ASN	CA-C	-7.03	1.34	1.52
1	A	22	ILE	CA-CB	-6.90	1.39	1.54
1	A	27	LYS	N-CA	-6.67	1.33	1.46
1	A	13	ASP	CB-CG	-6.51	1.38	1.51
1	A	22	ILE	CB-CG2	-6.40	1.33	1.52
1	A	22	ILE	CG1-CD1	-6.39	1.06	1.50
1	A	9	ALA	C-N	-6.16	1.19	1.34
1	A	24	TYR	CA-CB	-6.08	1.40	1.53
1	A	16	TRP	CD2-CE2	-5.96	1.34	1.41
1	A	1	THR	C-N	-5.17	1.22	1.34
1	A	16	TRP	CG-CD1	-5.14	1.29	1.36
1	A	22	ILE	CA-C	-5.07	1.39	1.52
1	A	12	LEU	C-N	-5.02	1.22	1.34

All angle outliers are listed below. They are sorted according to the Z-score.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	31	ARG	NE-CZ-NH2	94.49	167.54	120.30
1	A	23	GLU	OE1-CD-OE2	-87.47	18.34	123.30
1	A	28	ARG	NE-CZ-NH1	-78.93	80.83	120.30
1	A	15	TYR	CD1-CG-CD2	-67.97	43.14	117.90
1	A	28	ARG	NE-CZ-NH2	65.56	153.08	120.30
1	A	15	TYR	CB-CG-CD1	63.05	158.83	121.00
1	A	24	TYR	CB-CG-CD1	63.02	158.81	121.00
1	A	15	TYR	CB-CG-CD2	61.72	158.03	121.00
1	A	31	ARG	NH1-CZ-NH2	-60.59	52.75	119.40
1	A	13	ASP	CB-CG-OD2	52.11	165.20	118.30
1	A	30	PRO	N-CA-CB	-49.19	44.27	103.30
1	A	24	TYR	CD1-CG-CD2	-48.77	64.26	117.90
1	A	14	ARG	NE-CZ-NH1	-47.32	96.64	120.30
1	A	15	TYR	CG-CD1-CE1	46.93	158.84	121.30
1	A	24	TYR	CG-CD1-CE1	46.91	158.83	121.30
1	A	13	ASP	OD1-CG-OD2	-46.54	34.87	123.30
1	A	15	TYR	CE1-CZ-CE2	-46.38	45.59	119.80
1	A	13	ASP	CB-CG-OD1	46.26	159.93	118.30
1	A	15	TYR	CG-CD2-CE2	45.89	158.01	121.30
1	A	14	ARG	NE-CZ-NH2	45.09	142.84	120.30
1	A	24	TYR	CZ-CE2-CD2	42.41	157.97	119.80
1	A	15	TYR	CZ-CE2-CD2	42.00	157.60	119.80
1	A	15	TYR	CD1-CE1-CZ	41.13	156.82	119.80
1	A	31	ARG	NE-CZ-NH1	38.81	139.71	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	31	ARG	CD-NE-CZ	32.23	168.73	123.60
1	A	24	TYR	CE1-CZ-CE2	-32.23	68.24	119.80
1	A	31	ARG	CG-CD-NE	27.53	169.61	111.80
1	A	23	GLU	CG-CD-OE1	27.05	172.41	118.30
1	A	24	TYR	CB-CG-CD2	26.55	136.93	121.00
1	A	23	GLU	CG-CD-OE2	25.48	169.25	118.30
1	A	32	ARG	CB-CG-CD	-24.77	47.21	111.60
1	A	31	ARG	CB-CG-CD	23.35	172.31	111.60
1	A	29	THR	CB-CA-C	-23.13	49.16	111.60
1	A	32	ARG	NE-CZ-NH2	23.01	131.80	120.30
1	A	30	PRO	CA-N-CD	22.87	143.72	111.70
1	A	29	THR	N-CA-CB	22.64	153.32	110.30
1	A	28	ARG	CD-NE-CZ	22.26	154.77	123.60
1	A	29	THR	CA-CB-CG2	21.09	141.92	112.40
1	A	30	PRO	O-C-N	-20.66	89.65	122.70
1	A	29	THR	OG1-CB-CG2	-20.22	63.49	110.00
1	A	31	ARG	O-C-N	19.79	154.35	122.70
1	A	30	PRO	CB-CA-C	19.61	161.02	112.00
1	A	24	TYR	CG-CD2-CE2	19.51	136.91	121.30
1	A	30	PRO	CA-CB-CG	19.20	141.27	104.80
1	A	12	LEU	CB-CG-CD1	19.18	143.60	111.00
1	A	12	LEU	CB-CG-CD2	17.16	140.17	111.00
1	A	11	SER	O-C-N	-16.57	96.18	122.70
1	A	12	LEU	CD1-CG-CD2	-16.47	61.08	110.50
1	A	29	THR	N-CA-C	16.16	154.63	111.00
1	A	30	PRO	CA-C-O	16.02	158.64	120.20
1	A	30	PRO	N-CD-CG	15.63	126.65	103.20
1	A	4	ILE	CB-CG1-CD1	15.57	157.50	113.90
1	A	24	TYR	CD1-CE1-CZ	15.55	133.80	119.80
1	A	14	ARG	CD-NE-CZ	15.47	145.26	123.60
1	A	32	ARG	CG-CD-NE	-15.38	79.50	111.80
1	A	28	ARG	CG-CD-NE	14.77	142.82	111.80
1	A	30	PRO	N-CA-C	14.54	149.91	112.10
1	A	20	GLN	CG-CD-NE2	14.39	151.24	116.70
1	A	24	TYR	OH-CZ-CE2	14.03	157.99	120.10
1	A	15	TYR	OH-CZ-CE2	13.88	157.58	120.10
1	A	32	ARG	NH1-CZ-NH2	-13.86	104.15	119.40
1	A	29	THR	CA-C-O	13.67	148.80	120.10
1	A	15	TYR	CE1-CZ-OH	13.60	156.82	120.10
1	A	20	GLN	CB-CG-CD	13.02	145.45	111.60
1	A	20	GLN	CG-CD-OE1	-12.45	96.70	121.60
1	A	7	LEU	CB-CG-CD1	12.07	131.51	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	31	ARG	CA-C-O	-11.62	95.71	120.10
1	A	31	ARG	N-CA-CB	11.39	131.10	110.60
1	A	10	ILE	CB-CG1-CD1	10.92	144.47	113.90
1	A	32	ARG	CB-CA-C	-10.72	88.97	110.40
1	A	29	THR	CA-C-N	-10.59	87.45	117.10
1	A	27	LYS	CB-CG-CD	10.44	138.74	111.60
1	A	20	GLN	O-C-N	-9.69	107.19	122.70
1	A	1	THR	CA-CB-CG2	9.28	125.39	112.40
1	A	1	THR	OG1-CB-CG2	-9.13	89.01	110.00
1	A	6	HIS	ND1-CG-CD2	-8.93	93.50	106.00
1	A	32	ARG	CD-NE-CZ	8.74	135.84	123.60
1	A	27	LYS	CD-CE-NZ	8.68	131.67	111.70
1	A	31	ARG	CA-CB-CG	8.56	132.22	113.40
1	A	12	LEU	CA-CB-CG	8.55	134.97	115.30
1	A	23	GLU	CB-CG-CD	8.52	137.21	114.20
1	A	27	LYS	CA-CB-CG	8.28	131.62	113.40
1	A	2	SER	CA-CB-OG	8.21	133.35	111.20
1	A	11	SER	CA-C-N	8.10	135.02	117.20
1	A	26	LEU	CB-CG-CD1	8.08	124.73	111.00
1	A	32	ARG	N-CA-CB	8.07	125.13	110.60
1	A	6	HIS	CG-CD2-NE2	7.88	124.17	109.20
1	A	21	ALA	O-C-N	-7.79	110.23	122.70
1	A	30	PRO	CB-CG-CD	-7.76	76.23	106.50
1	A	7	LEU	CD1-CG-CD2	-7.63	87.61	110.50
1	A	32	ARG	NE-CZ-NH1	7.49	124.04	120.30
1	A	15	TYR	O-C-N	-7.32	110.99	122.70
1	A	29	THR	C-N-CA	-7.24	91.59	122.00
1	A	7	LEU	CB-CG-CD2	7.21	123.26	111.00
1	A	11	SER	C-N-CA	6.73	138.52	121.70
1	A	18	ILE	CB-CG1-CD1	6.38	131.76	113.90
1	A	20	GLN	CA-C-N	6.23	130.90	117.20
1	A	28	ARG	NH1-CZ-NH2	6.08	126.08	119.40
1	A	25	ASN	OD1-CG-ND2	-6.00	108.11	121.90
1	A	27	LYS	CG-CD-CE	5.57	128.59	111.90
1	A	25	ASN	CB-CG-ND2	5.51	129.92	116.70
1	A	32	ARG	CA-C-O	5.51	131.66	120.10
1	A	11	SER	CA-CB-OG	5.50	126.06	111.20
1	A	20	GLN	C-N-CA	5.37	135.13	121.70
1	A	24	TYR	CE1-CZ-OH	5.06	133.77	120.10
1	A	32	ARG	CA-CB-CG	-5.04	102.31	113.40
1	A	28	ARG	CB-CG-CD	5.03	124.69	111.60

All chiral outliers are listed below.

Mol	Chain	Res	Type	Atoms
1	A	29	THR	CB,CA
1	A	30	PRO	CA
1	A	31	ARG	CA
1	A	32	ARG	CA

There are no planarity outliers.

6.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	266	274	251	83
All	All	266	274	251	83

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 161.

All clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:12:LEU:CD2	1:A:12:LEU:CB	1.59	1.77
1:A:12:LEU:CD1	1:A:12:LEU:CB	1.54	1.84
1:A:23:GLU:CD	1:A:23:GLU:CB	1.48	1.80
1:A:15:TYR:CZ	1:A:15:TYR:CD1	1.46	2.02
1:A:15:TYR:CE2	1:A:15:TYR:CG	1.42	2.06
1:A:15:TYR:CZ	1:A:15:TYR:CD2	1.41	2.05
1:A:15:TYR:CE1	1:A:15:TYR:CG	1.37	2.09
1:A:20:GLN:CB	1:A:20:GLN:CD	1.33	1.96
1:A:15:TYR:CB	1:A:15:TYR:CD2	1.29	2.15
1:A:13:ASP:OD1	1:A:13:ASP:CB	1.28	1.81
1:A:15:TYR:CB	1:A:15:TYR:CD1	1.23	2.18
1:A:10:ILE:CD1	1:A:10:ILE:CB	1.22	2.17
1:A:15:TYR:OH	1:A:15:TYR:CE1	1.18	1.95
1:A:18:ILE:CD1	1:A:18:ILE:CB	1.18	2.21
1:A:13:ASP:OD2	1:A:13:ASP:CB	1.11	1.98
1:A:15:TYR:OH	1:A:15:TYR:CE2	1.09	1.97
1:A:12:LEU:CD1	1:A:12:LEU:HG	1.08	1.76
1:A:12:LEU:CD2	1:A:12:LEU:HG	1.04	1.72
1:A:12:LEU:CD2	1:A:12:LEU:HD12	1.03	1.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:12:LEU:HD23	1:A:12:LEU:CD1	1.02	1.83
1:A:12:LEU:CG	1:A:12:LEU:HD12	1.00	1.53
1:A:18:ILE:CG1	1:A:18:ILE:HD13	0.99	1.55
1:A:12:LEU:HD11	1:A:12:LEU:CG	0.99	1.54
1:A:18:ILE:CG1	1:A:18:ILE:HD12	0.99	1.55
1:A:18:ILE:CG1	1:A:18:ILE:HD11	0.98	1.55
1:A:12:LEU:CG	1:A:12:LEU:HD13	0.97	1.53
1:A:18:ILE:HG12	1:A:18:ILE:CD1	0.96	1.50
1:A:20:GLN:HG3	1:A:20:GLN:CD	0.95	1.40
1:A:12:LEU:HD22	1:A:12:LEU:CG	0.95	1.48
1:A:18:ILE:HG13	1:A:18:ILE:CD1	0.95	1.50
1:A:20:GLN:CG	1:A:20:GLN:CD	0.94	0.85
1:A:20:GLN:HG2	1:A:20:GLN:CD	0.93	1.40
1:A:18:ILE:CG1	1:A:18:ILE:CD1	0.93	0.93
1:A:12:LEU:HD23	1:A:12:LEU:CG	0.92	1.48
1:A:10:ILE:HD11	1:A:10:ILE:CG1	0.91	1.45
1:A:12:LEU:CG	1:A:12:LEU:CD1	0.91	0.91
1:A:10:ILE:HD13	1:A:10:ILE:CG1	0.90	1.45
1:A:23:GLU:CD	1:A:23:GLU:HG2	0.90	1.35
1:A:10:ILE:HD12	1:A:10:ILE:CG1	0.90	1.46
1:A:23:GLU:CD	1:A:23:GLU:HG3	0.90	1.35
1:A:12:LEU:CD2	1:A:12:LEU:CD1	0.89	0.89
1:A:23:GLU:CG	1:A:23:GLU:CD	0.85	0.75
1:A:12:LEU:CG	1:A:12:LEU:CD2	0.84	0.84
1:A:12:LEU:HD21	1:A:12:LEU:CG	0.84	1.48
1:A:10:ILE:CD1	1:A:10:ILE:HG12	0.82	1.37
1:A:10:ILE:HG13	1:A:10:ILE:CD1	0.82	1.37
1:A:10:ILE:CD1	1:A:10:ILE:CG1	0.80	0.81
1:A:12:LEU:HD22	1:A:12:LEU:CD1	0.80	1.33
1:A:20:GLN:HE21	1:A:20:GLN:CD	0.79	1.41
1:A:12:LEU:CD2	1:A:12:LEU:HD13	0.79	1.32
1:A:20:GLN:HE22	1:A:20:GLN:CD	0.79	1.41
1:A:12:LEU:HD21	1:A:12:LEU:CD1	0.77	0.94
1:A:12:LEU:HD22	1:A:12:LEU:HD13	0.76	0.92
1:A:12:LEU:CD2	1:A:12:LEU:HB3	0.75	2.06
1:A:13:ASP:CG	1:A:13:ASP:OD2	0.75	0.61
1:A:20:GLN:NE2	1:A:20:GLN:CD	0.71	0.77
1:A:12:LEU:CD2	1:A:12:LEU:HB2	0.69	2.05
1:A:15:TYR:CD1	1:A:15:TYR:CG	0.66	0.73
1:A:6:HIS:O	1:A:9:ALA:HB3	0.64	1.92
1:A:15:TYR:CD2	1:A:15:TYR:CG	0.63	0.71
1:A:15:TYR:CZ	1:A:15:TYR:CE2	0.63	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:15:TYR:CZ	1:A:15:TYR:CE1	0.61	0.67
1:A:12:LEU:HB2	1:A:12:LEU:CD1	0.60	2.13
1:A:13:ASP:CG	1:A:13:ASP:OD1	0.60	0.46
1:A:12:LEU:HD11	1:A:12:LEU:CD2	0.60	1.04
1:A:13:ASP:O	1:A:16:TRP:HB3	0.56	2.00
1:A:24:TYR:CG	1:A:24:TYR:HD1	0.56	1.34
1:A:15:TYR:HD1	1:A:15:TYR:CG	0.53	1.28
1:A:15:TYR:HD2	1:A:15:TYR:CG	0.52	1.27
1:A:22:ILE:C	1:A:24:TYR:N	0.51	2.51
1:A:24:TYR:CZ	1:A:24:TYR:HE2	0.51	1.33
1:A:15:TYR:CZ	1:A:15:TYR:HE2	0.50	1.26
1:A:27:LYS:HG2	1:A:27:LYS:O	0.50	2.01
1:A:15:TYR:CZ	1:A:15:TYR:HE1	0.50	1.25
1:A:4:ILE:O	1:A:5:VAL:C	0.49	2.49
1:A:22:ILE:HG22	1:A:23:GLU:N	0.47	2.15
1:A:5:VAL:O	1:A:6:HIS:C	0.47	2.51
1:A:28:ARG:HG2	1:A:29:THR:N	0.47	2.23
1:A:22:ILE:O	1:A:24:TYR:N	0.44	2.50
1:A:7:LEU:C	1:A:9:ALA:N	0.42	2.69
1:A:10:ILE:CD1	1:A:10:ILE:CG2	0.42	2.90
1:A:26:LEU:C	1:A:26:LEU:HD23	0.41	2.36
1:A:26:LEU:HD23	1:A:27:LYS:N	0.41	2.30

6.3 Torsion angles (i)

6.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	30/32 (94%)	25 (83%)	4 (13%)	1 (3%)	8 39
All	All	30/32 (94%)	25 (83%)	4 (13%)	1 (3%)	8 39

All 1 Ramachandran outliers are listed below.

Mol	Chain	Res	Type
1	A	29	THR

6.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	30/30 (100%)	17 (57%)	13 (43%)	0 3
All	All	30/30 (100%)	17 (57%)	13 (43%)	0 3

All 13 residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	24	TYR
1	A	28	ARG
1	A	17	SER
1	A	13	ASP
1	A	8	CYS
1	A	29	THR
1	A	11	SER
1	A	26	LEU
1	A	20	GLN
1	A	31	ARG
1	A	25	ASN
1	A	2	SER
1	A	7	LEU

6.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

6.7 Other polymers [\(i\)](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

7 Chemical shift validation i

No chemical shift data were provided