



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 03:02 PM BST

PDB ID : 1HS7
Title : VAM3P N-TERMINAL DOMAIN SOLUTION STRUCTURE
Authors : Dulubova, I.; Yamaguchi, T.; Wang, Y.; Sudhof, T.C.; Rizo, J.
Deposited on : 2000-12-24

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 86%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	97	

2 Ensemble composition and analysis

This entry contains 20 models. Model 17 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest noe and total energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:27-A:51, A:60-A:114 (80)	0.09	17

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 4 single-model clusters were found.

Cluster number	Models
1	1, 3, 5, 6, 8, 12, 19, 20
2	2, 4, 13, 14, 16, 17
3	10, 11
Single-model clusters	7; 9; 15; 18

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 1626 atoms, of which 830 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called SYNTAXIN VAM3.


Mol	Chain	Residues	Atoms						Trace
1	A	97	Total	C	H	N	O	S	0
			1626	496	830	142	156	2	

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: SYNTAXIN VAM3




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1


- Molecule 1: SYNTAXIN VAM3



4.2.2 Score per residue for model 2


- Molecule 1: SYNTAXIN VAM3






4.2.3 Score per residue for model 3

- Molecule 1: SYNTAXIN VAM3




4.2.4 Score per residue for model 4

- Molecule 1: SYNTAXIN VAM3




4.2.5 Score per residue for model 5

- Molecule 1: SYNTAXIN VAM3




4.2.6 Score per residue for model 6

- Molecule 1: SYNTAXIN VAM3




4.2.7 Score per residue for model 7

- Molecule 1: SYNTAXIN VAM3




4.2.8 Score per residue for model 8

- Molecule 1: SYNTAXIN VAM3




4.2.9 Score per residue for model 9

- Molecule 1: SYNTAXIN VAM3




4.2.10 Score per residue for model 10

- Molecule 1: SYNTAXIN VAM3




4.2.11 Score per residue for model 11

- Molecule 1: SYNTAXIN VAM3




4.2.12 Score per residue for model 12

- Molecule 1: SYNTAXIN VAM3




4.2.13 Score per residue for model 13

- Molecule 1: SYNTAXIN VAM3




4.2.14 Score per residue for model 14

- Molecule 1: SYNTAXIN VAM3




4.2.15 Score per residue for model 15

- Molecule 1: SYNTAXIN VAM3




4.2.16 Score per residue for model 16

- Molecule 1: SYNTAXIN VAM3




4.2.17 Score per residue for model 17 (medoid)

- Molecule 1: SYNTAXIN VAM3




4.2.18 Score per residue for model 18

- Molecule 1: SYNTAXIN VAM3




4.2.19 Score per residue for model 19

- Molecule 1: SYNTAXIN VAM3



4.2.20 Score per residue for model 20

- Molecule 1: SYNTAXIN VAM3



5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 400 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest NOE energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	structure solution	0.9
CNS	refinement	0.9

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 4945
Number of chemical shift lists	1
Total number of shifts	1497
Number of shifts mapped to atoms	1222
Number of unparsed shifts	16
Number of shifts with mapping errors	259
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	86%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	657	681	680	51±4
All	All	13140	13620	13600	1016

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 38.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:30:LEU:HD23	1:A:91:LEU:HD13	0.92	1.41	10	20
1:A:46:LYS:O	1:A:49:THR:HG22	0.85	1.72	17	20
1:A:79:ILE:CG2	1:A:85:ILE:HD13	0.82	2.05	16	20
1:A:64:ILE:HG12	1:A:68:LEU:HD12	0.78	1.55	9	20
1:A:83:ILE:O	1:A:83:ILE:HD13	0.78	1.79	15	2
1:A:69:ILE:HG23	1:A:102:TYR:OH	0.78	1.78	6	20
1:A:33:LEU:O	1:A:36:THR:HG22	0.78	1.79	7	3
1:A:44:LEU:HD13	1:A:48:CYS:SG	0.77	2.19	17	20
1:A:30:LEU:CD2	1:A:91:LEU:HD13	0.76	2.10	10	2
1:A:34:ILE:HG23	1:A:98:LEU:HD11	0.76	1.55	15	20
1:A:83:ILE:HD13	1:A:83:ILE:O	0.76	1.80	14	1
1:A:30:LEU:HD11	1:A:79:ILE:HG23	0.75	1.59	12	20
1:A:84:LEU:HD23	1:A:87:GLN:NE2	0.74	1.96	2	12
1:A:82:ASN:O	1:A:85:ILE:HG22	0.74	1.83	11	20

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:30:LEU:CD1	1:A:79:ILE:HG23	0.73	2.14	15	20
1:A:34:ILE:HG23	1:A:98:LEU:CD1	0.72	2.15	7	20
1:A:84:LEU:HD23	1:A:87:GLN:CD	0.71	2.06	5	14
1:A:38:ALA:HA	1:A:98:LEU:HD22	0.67	1.67	11	20
1:A:36:THR:CG2	1:A:75:VAL:HG21	0.66	2.20	15	20
1:A:50:LYS:HE3	1:A:60:LEU:HD22	0.66	1.65	4	1
1:A:51:ILE:HG23	1:A:61:ARG:NH2	0.66	2.06	11	4
1:A:95:PHE:HA	1:A:98:LEU:HD12	0.65	1.69	12	20
1:A:27:THR:OG1	1:A:84:LEU:HD22	0.64	1.92	19	11
1:A:43:VAL:O	1:A:46:LYS:HG2	0.63	1.93	3	20
1:A:64:ILE:CG1	1:A:68:LEU:HD12	0.62	2.24	15	20
1:A:45:GLU:CB	1:A:105:LEU:HD22	0.62	2.24	19	20
1:A:60:LEU:HD12	1:A:60:LEU:C	0.59	2.17	8	8
1:A:62:TYR:O	1:A:66:THR:HG23	0.58	1.98	4	18
1:A:79:ILE:HG23	1:A:85:ILE:HD13	0.58	1.74	14	18
1:A:60:LEU:C	1:A:60:LEU:HD12	0.58	2.19	6	12
1:A:91:LEU:HD23	1:A:94:ASP:OD2	0.57	1.99	15	1
1:A:43:VAL:HG11	1:A:68:LEU:HD22	0.57	1.76	10	20
1:A:47:GLU:OE1	1:A:60:LEU:HD13	0.57	2.00	12	2
1:A:33:LEU:HD22	1:A:78:LYS:HE3	0.56	1.76	1	2
1:A:47:GLU:CG	1:A:68:LEU:HD11	0.56	2.31	1	19
1:A:51:ILE:HG13	1:A:109:TYR:CD1	0.55	2.36	7	20
1:A:64:ILE:HG22	1:A:65:GLU:N	0.55	2.17	6	20
1:A:102:TYR:HA	1:A:105:LEU:HD12	0.54	1.78	8	18
1:A:64:ILE:HG21	1:A:109:TYR:CZ	0.54	2.38	13	19
1:A:64:ILE:HG21	1:A:109:TYR:CE2	0.53	2.38	15	12
1:A:44:LEU:O	1:A:48:CYS:SG	0.53	2.67	9	20
1:A:47:GLU:HG3	1:A:68:LEU:HD11	0.53	1.79	18	20
1:A:60:LEU:HD12	1:A:60:LEU:O	0.53	2.04	8	6
1:A:60:LEU:O	1:A:60:LEU:HD12	0.53	2.03	6	12
1:A:27:THR:HG23	1:A:91:LEU:HD11	0.53	1.81	10	2
1:A:51:ILE:HD13	1:A:60:LEU:HD21	0.53	1.81	13	3
1:A:103:GLN:O	1:A:106:GLN:HG3	0.53	2.04	20	4
1:A:85:ILE:HG23	1:A:86:HIS:CD2	0.52	2.39	15	8
1:A:110:ASN:O	1:A:113:LYS:HG2	0.52	2.05	20	20
1:A:50:LYS:CG	1:A:60:LEU:HD22	0.52	2.35	17	3
1:A:84:LEU:HD23	1:A:87:GLN:OE1	0.52	2.05	10	1
1:A:109:TYR:C	1:A:109:TYR:CD1	0.51	2.84	13	10
1:A:102:TYR:CZ	1:A:106:GLN:NE2	0.51	2.78	16	2
1:A:44:LEU:HD21	1:A:69:ILE:HD12	0.51	1.82	3	1
1:A:69:ILE:N	1:A:70:PRO:HD2	0.50	2.21	16	19

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:109:TYR:CD1	1:A:109:TYR:C	0.50	2.84	18	10
1:A:34:ILE:HG21	1:A:94:ASP:OD2	0.50	2.07	20	3
1:A:43:VAL:HG11	1:A:68:LEU:CD2	0.50	2.37	17	17
1:A:51:ILE:HG21	1:A:109:TYR:HD1	0.50	1.67	2	8
1:A:44:LEU:HD21	1:A:69:ILE:CD1	0.49	2.37	3	1
1:A:34:ILE:HD13	1:A:94:ASP:HB3	0.49	1.84	12	14
1:A:79:ILE:HG21	1:A:95:PHE:CB	0.49	2.37	18	19
1:A:91:LEU:O	1:A:94:ASP:HB2	0.49	2.08	18	3
1:A:33:LEU:HD22	1:A:78:LYS:NZ	0.49	2.22	15	1
1:A:33:LEU:HD22	1:A:78:LYS:HE2	0.49	1.84	10	1
1:A:47:GLU:O	1:A:51:ILE:HG12	0.48	2.09	4	8
1:A:101:LYS:O	1:A:105:LEU:HG	0.47	2.09	8	6
1:A:34:ILE:HG21	1:A:94:ASP:OD1	0.47	2.09	17	3
1:A:87:GLN:CG	1:A:88:ASN:N	0.47	2.78	19	13
1:A:44:LEU:HB3	1:A:105:LEU:HD13	0.47	1.85	1	20
1:A:27:THR:HG23	1:A:91:LEU:CD1	0.47	2.40	11	2
1:A:27:THR:N	1:A:84:LEU:HD13	0.46	2.25	20	3
1:A:64:ILE:HG23	1:A:69:ILE:HD12	0.46	1.85	18	4
1:A:34:ILE:HD12	1:A:91:LEU:HD22	0.46	1.87	10	2
1:A:46:LYS:CG	1:A:47:GLU:N	0.46	2.79	3	20
1:A:36:THR:HG23	1:A:75:VAL:HG21	0.46	1.87	7	1
1:A:107:GLN:CG	1:A:108:SER:N	0.46	2.78	4	3
1:A:43:VAL:CG1	1:A:68:LEU:HD22	0.46	2.41	15	10
1:A:79:ILE:HD13	1:A:95:PHE:HB2	0.46	1.88	20	1
1:A:110:ASN:OD1	1:A:110:ASN:C	0.46	2.52	20	1
1:A:36:THR:O	1:A:40:GLN:HG2	0.46	2.11	7	2
1:A:102:TYR:CE2	1:A:106:GLN:NE2	0.45	2.85	3	1
1:A:50:LYS:HE2	1:A:60:LEU:HD13	0.45	1.88	4	1
1:A:37:PHE:CD2	1:A:98:LEU:HB2	0.45	2.46	10	11
1:A:48:CYS:SG	1:A:109:TYR:CB	0.45	3.04	5	20
1:A:50:LYS:HG3	1:A:60:LEU:HD22	0.44	1.89	20	1
1:A:100:THR:O	1:A:103:GLN:HG2	0.44	2.11	8	1
1:A:103:GLN:CG	1:A:104:SER:N	0.44	2.80	8	1
1:A:99:LYS:O	1:A:103:GLN:HG3	0.44	2.12	7	1
1:A:82:ASN:ND2	1:A:84:LEU:HB2	0.44	2.27	11	14
1:A:47:GLU:CB	1:A:64:ILE:HD11	0.44	2.42	15	1
1:A:64:ILE:CG2	1:A:65:GLU:N	0.43	2.81	6	11
1:A:45:GLU:CB	1:A:105:LEU:CD2	0.43	2.96	13	14
1:A:106:GLN:O	1:A:110:ASN:HB3	0.43	2.13	6	2
1:A:37:PHE:HB3	1:A:98:LEU:HD13	0.43	1.90	11	2
1:A:42:ARG:O	1:A:45:GLU:HG2	0.43	2.13	2	7

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:64:ILE:O	1:A:68:LEU:HB2	0.43	2.14	4	1
1:A:37:PHE:O	1:A:41:SER:N	0.42	2.47	15	2
1:A:73:THR:O	1:A:76:ARG:HB2	0.42	2.15	15	2
1:A:62:TYR:O	1:A:66:THR:N	0.42	2.47	1	4
1:A:70:PRO:O	1:A:74:SER:CB	0.42	2.67	7	4
1:A:92:SER:O	1:A:96:LYS:CD	0.42	2.67	10	4
1:A:63:LYS:O	1:A:67:GLU:HG2	0.42	2.15	4	1
1:A:50:LYS:CE	1:A:60:LEU:HD22	0.41	2.41	4	1
1:A:62:TYR:O	1:A:66:THR:CG2	0.41	2.68	4	1
1:A:79:ILE:HG22	1:A:85:ILE:HD13	0.41	1.88	1	1
1:A:60:LEU:CD1	1:A:60:LEU:C	0.41	2.87	8	1
1:A:37:PHE:CZ	1:A:76:ARG:CG	0.41	3.03	13	1
1:A:50:LYS:CD	1:A:60:LEU:HD22	0.41	2.45	17	1
1:A:50:LYS:CG	1:A:60:LEU:CD2	0.41	2.98	17	2
1:A:42:ARG:O	1:A:45:GLU:HG3	0.41	2.14	13	2
1:A:110:ASN:O	1:A:113:LYS:CG	0.41	2.69	5	2
1:A:34:ILE:HG12	1:A:79:ILE:HD13	0.41	1.92	3	1
1:A:45:GLU:HB2	1:A:105:LEU:HD22	0.41	1.93	13	2
1:A:44:LEU:HD12	1:A:105:LEU:HB2	0.41	1.93	18	2
1:A:51:ILE:HD13	1:A:60:LEU:CD2	0.41	2.46	13	1
1:A:63:LYS:O	1:A:67:GLU:HB3	0.40	2.16	18	1
1:A:103:GLN:O	1:A:107:GLN:CG	0.40	2.69	2	2
1:A:65:GLU:O	1:A:70:PRO:CG	0.40	2.70	13	1
1:A:67:GLU:O	1:A:71:ASN:ND2	0.40	2.55	17	1
1:A:37:PHE:HB2	1:A:75:VAL:CG1	0.40	2.47	4	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	80/97 (82%)	74±1 (93±1%)	5±1 (6±1%)	1±0 (1±0%)	20	66
All	All	1600/1940 (82%)	1482 (93%)	98 (6%)	20 (1%)	20	66

All 1 unique Ramachandran outliers are listed below.

Mol	Chain	Res	Type	Models (Total)
1	A	68	LEU	20

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	77/93 (83%)	54±2 (70±3%)	23±2 (30±3%)	2	16
All	All	1540/1860 (83%)	1071 (70%)	469 (30%)	2	16

All 46 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	109	TYR	20
1	A	67	GLU	20
1	A	27	THR	20
1	A	64	ILE	20
1	A	95	PHE	20
1	A	39	GLU	20
1	A	60	LEU	20
1	A	44	LEU	20
1	A	113	LYS	19
1	A	36	THR	19
1	A	99	LYS	19
1	A	106	GLN	18
1	A	63	LYS	17
1	A	61	ARG	16
1	A	77	ASP	15
1	A	28	LYS	14
1	A	104	SER	13
1	A	94	ASP	13
1	A	101	LYS	12
1	A	42	ARG	12
1	A	90	LYS	12
1	A	87	GLN	10
1	A	107	GLN	10
1	A	45	GLU	10
1	A	32	ASN	9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	112	ARG	9
1	A	41	SER	8
1	A	62	TYR	8
1	A	97	ASN	5
1	A	78	LYS	5
1	A	46	LYS	4
1	A	50	LYS	4
1	A	108	SER	4
1	A	114	SER	3
1	A	29	GLU	3
1	A	83	ILE	3
1	A	81	SER	2
1	A	110	ASN	2
1	A	35	GLU	2
1	A	88	ASN	2
1	A	96	LYS	2
1	A	100	THR	1
1	A	75	VAL	1
1	A	85	ILE	1
1	A	103	GLN	1
1	A	76	ARG	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 86% for the well-defined parts and 86% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 4945

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1497
Number of shifts mapped to atoms	1222
Number of unparsed shifts	16
Number of shifts with mapping errors	259
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

The following errors were found when reading this chemical shift list.

- Chemical shift has been reported more than once. All 16 occurrences are reported below.

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1434	A	119	LYS	H	8.36	0.03	1
1435	A	119	LYS	HA	4.30	0.03	1
1436	A	119	LYS	HB2	1.72	0.03	1
1437	A	119	LYS	HB3	1.80	0.03	1
1438	A	119	LYS	HG2	1.38	0.03	1
1439	A	119	LYS	HG3	1.38	0.03	1
1440	A	119	LYS	HD2	1.65	0.03	1
1441	A	119	LYS	HD3	1.65	0.03	1
1442	A	119	LYS	HE2	2.95	0.03	1
1443	A	119	LYS	HE3	2.95	0.03	1
1444	A	119	LYS	C	176.03	0.12	1
1445	A	119	LYS	CA	56.10	0.12	1
1446	A	119	LYS	CB	32.98	0.12	1
1447	A	119	LYS	CG	24.50	0.12	1
1448	A	119	LYS	CD	28.90	0.12	1

Continued on next page...

Continued from previous page...

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
1449	A	119	LYS	N	122.38	0.15	1

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Residue not found in structure. All 259 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	4	GLN	CG	33.7	0.12	1
A	8	GLN	HB3	1.94	0.03	1
A	114	THR	HB	4.23	0.03	1
A	109	PRO	HD3	3.85	0.03	1
A	120	ASP	HA	4.55	0.03	1
A	111	SER	C	175.99	0.12	1
A	121	ILE	CG1	26.9	0.12	1
A	8	GLN	H	8.46	0.03	1
A	122	HIS	H	8.29	0.03	1
A	123	PRO	C	173.8	0.12	1
A	118	ARG	CG	26.9	0.12	1
A	121	ILE	CD1	12.8	0.12	1
A	109	PRO	HG2	2.0	0.03	1
A	110	ILE	H	8.19	0.03	1
A	123	PRO	HG3	1.93	0.03	1
A	114	THR	CG2	21.5	0.12	1
A	118	ARG	HD2	3.17	0.03	1
A	109	PRO	C	172.8	0.12	1
A	10	SER	H	8.21	0.03	1
A	114	THR	HG22	1.18	0.03	1
A	115	SER	C	174.68	0.12	1
A	109	PRO	CA	62.9	0.12	1
A	117	GLU	HB3	1.98	0.03	1
A	6	GLU	HB2	1.88	0.03	1
A	121	ILE	HD12	0.77	0.03	1
A	123	PRO	CB	31.8	0.12	1
A	116	LYS	CA	56.1	0.12	1
A	115	SER	CA	58.35	0.12	1
A	6	GLU	C	175.53	0.12	1
A	112	PRO	CG	27.1	0.12	1
A	123	PRO	HB2	1.91	0.03	1
A	9	PHE	HE1	7.3	0.03	1
A	108	THR	HG23	1.23	0.03	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	108	THR	HB	4.11	0.03	1
A	111	SER	HA	4.76	0.03	1
A	118	ARG	CB	30.7	0.12	1
A	116	LYS	HG3	1.39	0.03	1
A	110	ILE	HG23	1.18	0.03	1
A	108	THR	CA	59.7	0.12	1
A	117	GLU	CG	36.2	0.12	1
A	114	THR	HG21	1.18	0.03	1
A	6	GLU	HG3	2.27	0.03	1
A	8	GLN	CA	55.9	0.12	1
A	118	ARG	H	8.29	0.03	1
A	5	GLN	HB3	2.05	0.03	1
A	109	PRO	CB	32.1	0.12	1
A	9	PHE	HD2	7.21	0.03	1
A	121	ILE	HD11	0.77	0.03	1
A	7	PRO	HB2	1.74	0.03	1
A	121	ILE	HG23	1.07	0.03	1
A	116	LYS	CD	28.8	0.12	1
A	115	SER	CB	63.56	0.12	1
A	123	PRO	CD	50.4	0.12	1
A	4	GLN	HG3	2.31	0.03	1
A	9	PHE	N	120.06	0.15	1
A	118	ARG	HB3	1.84	0.03	1
A	112	PRO	HA	4.42	0.03	1
A	118	ARG	N	122.4	0.15	1
A	121	ILE	HG12	0.78	0.03	1
A	7	PRO	C	174.7	0.12	1
A	118	ARG	CD	43.1	0.12	1
A	9	PHE	HE2	7.3	0.03	1
A	6	GLU	H	8.38	0.03	1
A	122	HIS	HD2	7.21	0.03	1
A	112	PRO	HB2	1.96	0.03	1
A	8	GLN	HB2	1.88	0.03	1
A	110	ILE	HB	1.8	0.03	1
A	112	PRO	C	172.8	0.12	1
A	118	ARG	CA	55.9	0.12	1
A	8	GLN	HA	4.19	0.03	1
A	10	SER	HB3	3.85	0.03	1
A	110	ILE	HD12	0.84	0.03	1
A	8	GLN	HG2	2.18	0.03	1
A	122	HIS	HB3	3.16	0.03	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	114	THR	N	113.12	0.15	1
A	120	ASP	H	8.4	0.03	1
A	110	ILE	N	120.99	0.15	1
A	109	PRO	CG	27.2	0.12	1
A	9	PHE	HD1	7.21	0.03	1
A	123	PRO	HG2	1.93	0.03	1
A	116	LYS	CG	24.8	0.12	1
A	123	PRO	CA	64.5	0.12	1
A	9	PHE	C	175.83	0.12	1
A	3	SER	HA	4.45	0.03	1
A	7	PRO	HD3	3.79	0.03	1
A	9	PHE	HB3	3.17	0.03	1
A	114	THR	C	174.32	0.12	1
A	116	LYS	HE3	2.96	0.03	1
A	7	PRO	CB	31.94	0.12	1
A	113	GLY	N	108.7	0.15	1
A	112	PRO	CD	50.74	0.12	1
A	5	GLN	HA	4.3	0.03	1
A	3	SER	H	8.49	0.03	1
A	117	GLU	HG3	2.21	0.03	1
A	115	SER	HB2	3.86	0.03	1
A	108	THR	CG2	21.5	0.12	1
A	112	PRO	HG3	1.99	0.03	1
A	9	PHE	HA	4.63	0.03	1
A	117	GLU	C	176.39	0.12	1
A	123	PRO	HB3	2.23	0.03	1
A	7	PRO	HG2	1.99	0.03	1
A	112	PRO	HD2	3.75	0.03	1
A	109	PRO	HB2	1.87	0.03	1
A	110	ILE	HD11	0.84	0.03	1
A	3	SER	HB2	3.86	0.03	1
A	7	PRO	HA	4.33	0.03	1
A	111	SER	HB2	3.8	0.03	1
A	111	SER	CA	55.9	0.12	1
A	110	ILE	C	176.5	0.12	1
A	120	ASP	HB2	2.56	0.03	1
A	5	GLN	HG2	2.3	0.03	1
A	118	ARG	HG2	1.56	0.03	1
A	110	ILE	HG22	1.18	0.03	1
A	108	THR	CB	69.7	0.12	1
A	122	HIS	C	175.33	0.12	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	123	PRO	HD2	3.48	0.03	1
A	116	LYS	HB3	1.82	0.03	1
A	8	GLN	C	176.89	0.12	1
A	110	ILE	HG12	0.87	0.03	1
A	115	SER	N	118.06	0.15	1
A	123	PRO	CG	27.1	0.12	1
A	110	ILE	CG2	17.3	0.12	1
A	9	PHE	CB	39.3	0.12	1
A	114	THR	CB	69.7	0.12	1
A	111	SER	N	121.45	0.15	1
A	120	ASP	CA	54.05	0.12	1
A	8	GLN	CB	29.1	0.12	1
A	10	SER	N	116.6	0.15	1
A	117	GLU	CA	56.48	0.12	1
A	108	THR	H	8.25	0.03	1
A	4	GLN	HG2	2.31	0.03	1
A	114	THR	HG23	1.18	0.03	1
A	120	ASP	N	120.68	0.15	1
A	117	GLU	CB	29.9	0.12	1
A	112	PRO	CA	63.37	0.12	1
A	121	ILE	HG13	1.31	0.03	1
A	118	ARG	C	176.19	0.12	1
A	108	THR	N	118.98	0.15	1
A	5	GLN	C	175.53	0.12	1
A	113	GLY	HA3	3.97	0.03	1
A	112	PRO	HB3	2.27	0.03	1
A	116	LYS	HD3	1.66	0.03	1
A	111	SER	CB	63.2	0.12	1
A	117	GLU	HA	4.21	0.03	1
A	121	ILE	H	7.83	0.03	1
A	3	SER	CA	58.3	0.12	1
A	118	ARG	HD3	3.17	0.03	1
A	4	GLN	C	174.37	0.12	1
A	10	SER	C	175.94	0.12	1
A	110	ILE	CB	38.77	0.12	1
A	10	SER	HB2	3.85	0.03	1
A	8	GLN	N	119.91	0.15	1
A	10	SER	CB	63.5	0.12	1
A	113	GLY	C	177.34	0.12	1
A	111	SER	H	8.38	0.03	1
A	4	GLN	CA	55.78	0.12	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	9	PHE	CA	57.7	0.12	1
A	6	GLU	CG	36.1	0.12	1
A	109	PRO	CD	51.0	0.12	1
A	4	GLN	HB2	1.95	0.03	1
A	10	SER	HA	4.44	0.03	1
A	4	GLN	N	121.76	0.15	1
A	6	GLU	HA	4.53	0.03	1
A	9	PHE	HB2	3.03	0.03	1
A	8	GLN	HG3	2.24	0.03	1
A	116	LYS	HA	4.29	0.03	1
A	112	PRO	CB	32.05	0.12	1
A	7	PRO	CA	63.3	0.12	1
A	110	ILE	CD1	12.9	0.12	1
A	117	GLU	HG2	2.21	0.03	1
A	115	SER	HB3	3.86	0.03	1
A	5	GLN	CA	55.6	0.12	1
A	112	PRO	HG2	1.99	0.03	1
A	8	GLN	CG	33.5	0.12	1
A	110	ILE	CA	60.72	0.12	1
A	7	PRO	HG3	1.99	0.03	1
A	112	PRO	HD3	3.81	0.03	1
A	109	PRO	HB3	2.28	0.03	1
A	5	GLN	CG	33.8	0.12	1
A	118	ARG	HA	4.29	0.03	1
A	3	SER	HB3	3.86	0.03	1
A	116	LYS	N	123.25	0.15	1
A	122	HIS	HA	4.92	0.03	1
A	108	THR	HG21	1.23	0.03	1
A	121	ILE	HG21	1.07	0.03	1
A	6	GLU	CB	29.5	0.12	1
A	109	PRO	HD2	3.71	0.03	1
A	111	SER	HB3	3.85	0.03	1
A	4	GLN	HA	4.28	0.03	1
A	121	ILE	CG2	17.3	0.12	1
A	120	ASP	HB3	2.65	0.03	1
A	120	ASP	C	175.88	0.12	1
A	109	PRO	HG3	2.0	0.03	1
A	5	GLN	HG3	2.3	0.03	1
A	115	SER	H	8.33	0.03	1
A	117	GLU	H	8.29	0.03	1
A	118	ARG	HG3	1.62	0.03	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	110	ILE	HG21	1.18	0.03	1
A	121	ILE	CB	38.5	0.12	1
A	123	PRO	HD3	3.69	0.03	1
A	116	LYS	HB2	1.71	0.03	1
A	110	ILE	HG13	1.46	0.03	1
A	110	ILE	CG1	27.3	0.12	1
A	116	LYS	H	8.36	0.03	1
A	114	THR	CA	61.79	0.12	1
A	120	ASP	CB	40.84	0.12	1
A	7	PRO	HD2	3.67	0.03	1
A	116	LYS	HE2	2.96	0.03	1
A	117	GLU	HB2	1.91	0.03	1
A	6	GLU	HB3	2.03	0.03	1
A	116	LYS	C	174.57	0.12	1
A	7	PRO	CD	50.46	0.12	1
A	121	ILE	HD13	0.77	0.03	1
A	116	LYS	CB	32.8	0.12	1
A	117	GLU	N	121.3	0.15	1
A	6	GLU	N	123.77	0.15	1
A	113	GLY	H	8.4	0.03	1
A	5	GLN	CB	29.5	0.12	1
A	113	GLY	HA2	3.97	0.03	1
A	108	THR	HG22	1.23	0.03	1
A	109	PRO	HA	4.43	0.03	1
A	116	LYS	HD2	1.66	0.03	1
A	6	GLU	CA	54.6	0.12	1
A	3	SER	CB	63.6	0.12	1
A	108	THR	C	176.29	0.12	1
A	5	GLN	H	8.28	0.03	1
A	3	SER	C	174.57	0.12	1
A	116	LYS	HG2	1.39	0.03	1
A	122	HIS	CA	53.1	0.12	1
A	10	SER	CA	58.0	0.12	1
A	108	THR	HA	4.55	0.03	1
A	121	ILE	N	119.91	0.15	1
A	4	GLN	CB	29.4	0.12	1
A	6	GLU	HG2	2.27	0.03	1
A	114	THR	HA	4.36	0.03	1
A	4	GLN	HB3	2.07	0.03	1
A	7	PRO	CG	27.4	0.12	1
A	122	HIS	N	123.46	0.15	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	5	GLN	N	121.14	0.15	1
A	4	GLN	H	8.36	0.03	1
A	7	PRO	HB3	2.21	0.03	1
A	121	ILE	CA	60.6	0.12	1
A	121	ILE	HA	4.09	0.03	1
A	3	SER	N	118.2	0.15	1
A	9	PHE	H	8.11	0.03	1
A	123	PRO	HA	4.28	0.03	1
A	121	ILE	C	175.53	0.12	1
A	121	ILE	HB	1.77	0.03	1
A	121	ILE	HG22	1.07	0.03	1
A	122	HIS	HE1	8.38	0.03	1
A	110	ILE	HA	4.13	0.03	1
A	115	SER	HA	4.42	0.03	1
A	110	ILE	HD13	0.84	0.03	1
A	113	GLY	CA	45.23	0.12	1
A	122	HIS	CB	28.9	0.12	1
A	122	HIS	HB2	3.16	0.03	1
A	5	GLN	HB2	1.92	0.03	1
A	118	ARG	HB2	1.74	0.03	1
A	114	THR	H	7.98	0.03	1

7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	120	-0.72 ± 0.32	Should be applied
$^{13}\text{C}_\beta$	117	0.37 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}'$	120	-0.53 ± 0.19	Should be applied
^{15}N	113	-0.28 ± 0.40	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 86%, i.e. 913 atoms were assigned a chemical shift out of a possible 1057. 11 out of 11 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	398/398 (100%)	159/159 (100%)	160/160 (100%)	79/79 (100%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Sidechain	493/609 (81%)	314/358 (88%)	169/217 (78%)	10/34 (29%)
Aromatic	22/50 (44%)	22/26 (85%)	0/22 (0%)	0/2 (0%)
Overall	913/1057 (86%)	495/543 (91%)	329/399 (82%)	89/115 (77%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 86%, i.e. 1108 atoms were assigned a chemical shift out of a possible 1287. 13 out of 13 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	479/481 (100%)	191/192 (99%)	194/194 (100%)	94/95 (99%)
Sidechain	603/747 (81%)	388/441 (88%)	203/263 (77%)	12/43 (28%)
Aromatic	26/59 (44%)	26/31 (84%)	0/26 (0%)	0/2 (0%)
Overall	1108/1287 (86%)	605/664 (91%)	397/483 (82%)	106/140 (76%)

7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

