



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 08:52 PM BST

PDB ID : 2I2J  
Title : NMR structure of UA159sp in TFE  
Authors : Syvitski, R.T.; Jakeman, D.L.; Li, Y.  
Deposited on : 2006-08-16

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 44%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	21	

## 2 Ensemble composition and analysis

This entry contains 34 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:7-A:17 (11)	0.08	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters. No single-model clusters were found.

Cluster number	Models
1	1, 7, 9, 12, 16, 19, 20, 21, 24, 25, 26, 27, 28, 29, 30, 31, 33, 34
2	2, 4, 8, 10, 13, 15, 23
3	3, 5, 11, 14, 22
4	6, 18
5	17, 32


### 3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 339 atoms, of which 171 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called signaling peptide UA159sp.

Mol	Chain	Residues	Atoms					Trace
1	A	21	Total	C	H	N	O	0
			336	108	169	30	29	

- Molecule 2 is AMINO GROUP (three-letter code: NH2) (formula: H<sub>2</sub>N).




Mol	Chain	Residues	Atoms		
2	A	1	Total	H	N
			3	2	1

## 4 Residue-property plots [i](#)

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: signaling peptide UA159sp




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1 (medoid)

- Molecule 1: signaling peptide UA159sp




#### 4.2.2 Score per residue for model 2

- Molecule 1: signaling peptide UA159sp




### 4.2.3 Score per residue for model 3

- Molecule 1: signaling peptide UA159sp




### 4.2.4 Score per residue for model 4

- Molecule 1: signaling peptide UA159sp




### 4.2.5 Score per residue for model 5

- Molecule 1: signaling peptide UA159sp




### 4.2.6 Score per residue for model 6

- Molecule 1: signaling peptide UA159sp




### 4.2.7 Score per residue for model 7

- Molecule 1: signaling peptide UA159sp




### 4.2.8 Score per residue for model 8

- Molecule 1: signaling peptide UA159sp




### 4.2.9 Score per residue for model 9

- Molecule 1: signaling peptide UA159sp




### 4.2.10 Score per residue for model 10

- Molecule 1: signaling peptide UA159sp




### 4.2.11 Score per residue for model 11

- Molecule 1: signaling peptide UA159sp




### 4.2.12 Score per residue for model 12

- Molecule 1: signaling peptide UA159sp




### 4.2.13 Score per residue for model 13

- Molecule 1: signaling peptide UA159sp




### 4.2.14 Score per residue for model 14

- Molecule 1: signaling peptide UA159sp




### 4.2.15 Score per residue for model 15

- Molecule 1: signaling peptide UA159sp




### 4.2.16 Score per residue for model 16

- Molecule 1: signaling peptide UA159sp



### 4.2.17 Score per residue for model 17


- Molecule 1: signaling peptide UA159sp






#### 4.2.18 Score per residue for model 18

- Molecule 1: signaling peptide UA159sp




#### 4.2.19 Score per residue for model 19

- Molecule 1: signaling peptide UA159sp




#### 4.2.20 Score per residue for model 20

- Molecule 1: signaling peptide UA159sp




#### 4.2.21 Score per residue for model 21

- Molecule 1: signaling peptide UA159sp




#### 4.2.22 Score per residue for model 22

- Molecule 1: signaling peptide UA159sp




#### 4.2.23 Score per residue for model 23

- Molecule 1: signaling peptide UA159sp




#### 4.2.24 Score per residue for model 24

- Molecule 1: signaling peptide UA159sp




#### 4.2.25 Score per residue for model 25

- Molecule 1: signaling peptide UA159sp




#### 4.2.26 Score per residue for model 26

- Molecule 1: signaling peptide UA159sp




#### 4.2.27 Score per residue for model 27

- Molecule 1: signaling peptide UA159sp




#### 4.2.28 Score per residue for model 28

- Molecule 1: signaling peptide UA159sp




#### 4.2.29 Score per residue for model 29

- Molecule 1: signaling peptide UA159sp




#### 4.2.30 Score per residue for model 30

- Molecule 1: signaling peptide UA159sp




#### 4.2.31 Score per residue for model 31

- Molecule 1: signaling peptide UA159sp




#### 4.2.32 Score per residue for model 32

- Molecule 1: signaling peptide UA159sp




#### 4.2.33 Score per residue for model 33

- Molecule 1: signaling peptide UA159sp



#### 4.2.34 Score per residue for model 34

- Molecule 1: signaling peptide UA159sp



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 100 calculated structures, 34 were deposited, based on the following criterion: *non-violating structures*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR	refinement	3.1

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 15068
Number of chemical shift lists	1
Total number of shifts	130
Number of shifts mapped to atoms	130
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	44%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality i

### 6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NH2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	1.60±3.16	2±9/108 (1.4±8.3%)	1.53±1.56	1±8/144 (0.9±5.4%)
All	All	3.54	53/3672 (1.4%)	2.18	46/4896 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	1.9±0.3
All	All	0	66

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	9	ARG	CZ-NH2	-60.92	0.53	1.33	1	1
1	A	14	SER	CB-OG	-57.81	0.67	1.42	1	1
1	A	13	ARG	CZ-NH2	-54.00	0.62	1.33	1	1
1	A	9	ARG	NE-CZ	-51.02	0.66	1.33	1	1
1	A	13	ARG	NE-CZ	-49.60	0.68	1.33	1	1
1	A	17	GLN	CD-OE1	-46.68	0.21	1.24	1	1
1	A	9	ARG	CD-NE	-45.02	0.69	1.46	1	1
1	A	7	PHE	CG-CD2	-42.73	0.74	1.38	1	1
1	A	13	ARG	CZ-NH1	-42.44	0.77	1.33	1	1
1	A	9	ARG	CZ-NH1	-41.79	0.78	1.33	1	1
1	A	13	ARG	CD-NE	-40.81	0.77	1.46	1	1
1	A	12	ASN	CG-OD1	-35.62	0.45	1.24	1	1
1	A	7	PHE	CE1-CZ	-33.01	0.74	1.37	1	1
1	A	17	GLN	CD-NE2	-29.82	0.58	1.32	1	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	11	PHE	CG-CD2	-27.65	0.97	1.38	1	1
1	A	17	GLN	CG-CD	-27.05	0.88	1.51	1	1
1	A	13	ARG	CG-CD	-26.35	0.86	1.51	1	1
1	A	8	PHE	CG-CD2	-26.09	0.99	1.38	1	1
1	A	15	PHE	CG-CD1	-26.01	0.99	1.38	1	1
1	A	12	ASN	CG-ND2	-25.85	0.68	1.32	1	1
1	A	11	PHE	CG-CD1	-25.52	1.00	1.38	1	1
1	A	9	ARG	CG-CD	-24.46	0.90	1.51	1	1
1	A	8	PHE	CG-CD1	-24.08	1.02	1.38	1	1
1	A	15	PHE	CG-CD2	-23.44	1.03	1.38	1	1
1	A	11	PHE	CE1-CZ	-21.05	0.97	1.37	1	1
1	A	7	PHE	CG-CD1	-20.81	1.07	1.38	1	1
1	A	10	LEU	CG-CD2	-20.39	0.76	1.51	1	1
1	A	16	THR	CB-OG1	-20.31	1.02	1.43	1	1
1	A	8	PHE	CE1-CZ	-19.88	0.99	1.37	1	1
1	A	15	PHE	CE2-CZ	-19.80	0.99	1.37	1	1
1	A	11	PHE	CE2-CZ	-19.45	1.00	1.37	1	1
1	A	8	PHE	CE2-CZ	-18.30	1.02	1.37	1	1
1	A	15	PHE	CE1-CZ	-17.77	1.03	1.37	1	1
1	A	10	LEU	CG-CD1	-17.12	0.88	1.51	1	1
1	A	7	PHE	CE2-CZ	-15.70	1.07	1.37	1	1
1	A	16	THR	CB-CG2	-12.83	1.10	1.52	1	1
1	A	7	PHE	CB-CG	-12.70	1.29	1.51	1	1
1	A	11	PHE	CB-CG	-11.54	1.31	1.51	1	1
1	A	8	PHE	CB-CG	-11.46	1.31	1.51	1	1
1	A	17	GLN	CB-CG	-11.39	1.21	1.52	1	1
1	A	12	ASN	CB-CG	-11.25	1.25	1.51	1	1
1	A	15	PHE	CB-CG	-10.85	1.32	1.51	1	1
1	A	9	ARG	CB-CG	-10.42	1.24	1.52	1	1
1	A	7	PHE	CD2-CE2	-9.43	1.20	1.39	1	1
1	A	7	PHE	CD1-CE1	-9.43	1.20	1.39	1	1
1	A	13	ARG	CB-CG	-8.97	1.28	1.52	1	1
1	A	11	PHE	CD1-CE1	-8.53	1.22	1.39	1	1
1	A	11	PHE	CD2-CE2	-8.53	1.22	1.39	1	1
1	A	8	PHE	CD1-CE1	-8.50	1.22	1.39	1	1
1	A	8	PHE	CD2-CE2	-8.47	1.22	1.39	1	1
1	A	15	PHE	CD2-CE2	-8.00	1.23	1.39	1	1
1	A	15	PHE	CD1-CE1	-8.00	1.23	1.39	1	1
1	A	10	LEU	CB-CG	-5.75	1.35	1.52	1	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	9	ARG	NE-CZ-NH2	-42.26	99.17	120.30	1	1
1	A	13	ARG	CD-NE-CZ	38.26	177.16	123.60	1	1
1	A	9	ARG	NE-CZ-NH1	34.57	137.59	120.30	1	1
1	A	17	GLN	OE1-CD-NE2	-33.99	43.73	121.90	1	1
1	A	9	ARG	CD-NE-CZ	32.58	169.21	123.60	1	1
1	A	12	ASN	OD1-CG-ND2	-32.15	47.96	121.90	1	1
1	A	7	PHE	CB-CG-CD1	30.95	142.46	120.80	1	1
1	A	13	ARG	NE-CZ-NH2	-25.62	107.49	120.30	1	1
1	A	13	ARG	CG-CD-NE	23.88	161.95	111.80	1	1
1	A	9	ARG	CG-CD-NE	22.97	160.04	111.80	1	1
1	A	17	GLN	CG-CD-NE2	21.42	168.11	116.70	1	1
1	A	7	PHE	CG-CD1-CE1	19.68	142.45	120.80	1	1
1	A	13	ARG	NE-CZ-NH1	18.89	129.74	120.30	1	1
1	A	7	PHE	CZ-CE2-CD2	18.54	142.34	120.10	1	1
1	A	12	ASN	CB-CG-ND2	18.07	160.08	116.70	1	1
1	A	12	ASN	CB-CG-OD1	15.18	151.96	121.60	1	1
1	A	10	LEU	CB-CG-CD1	14.77	136.10	111.00	1	1
1	A	7	PHE	CD1-CG-CD2	-14.67	99.23	118.30	1	1
1	A	13	ARG	CB-CG-CD	13.60	146.96	111.60	1	1
1	A	17	GLN	CG-CD-OE1	13.28	148.16	121.60	1	1
1	A	17	GLN	CB-CG-CD	12.31	143.61	111.60	1	1
1	A	9	ARG	CB-CG-CD	12.28	143.53	111.60	1	1
1	A	11	PHE	CB-CG-CD1	12.06	129.24	120.80	1	1
1	A	7	PHE	CE1-CZ-CE2	-11.47	99.36	120.00	1	1
1	A	15	PHE	CB-CG-CD2	11.43	128.80	120.80	1	1
1	A	11	PHE	CD1-CG-CD2	-11.22	103.72	118.30	1	1
1	A	8	PHE	CB-CG-CD1	10.92	128.45	120.80	1	1
1	A	15	PHE	CD1-CG-CD2	-9.99	105.31	118.30	1	1
1	A	8	PHE	CD1-CG-CD2	-9.85	105.50	118.30	1	1
1	A	10	LEU	CD1-CG-CD2	-9.56	81.81	110.50	1	1
1	A	11	PHE	CE1-CZ-CE2	-9.05	103.70	120.00	1	1
1	A	14	SER	CA-CB-OG	9.05	135.63	111.20	1	1
1	A	11	PHE	CB-CG-CD2	8.92	127.05	120.80	1	1
1	A	15	PHE	CE1-CZ-CE2	-8.16	105.31	120.00	1	1
1	A	8	PHE	CE1-CZ-CE2	-8.02	105.56	120.00	1	1
1	A	11	PHE	CG-CD1-CE1	7.67	129.23	120.80	1	1
1	A	11	PHE	CZ-CE2-CD2	7.64	129.27	120.10	1	1
1	A	8	PHE	CB-CG-CD2	7.50	126.05	120.80	1	1
1	A	15	PHE	CB-CG-CD1	7.28	125.89	120.80	1	1
1	A	15	PHE	CG-CD2-CE2	7.24	128.76	120.80	1	1
1	A	15	PHE	CD1-CE1-CZ	7.22	128.76	120.10	1	1
1	A	8	PHE	CG-CD1-CE1	6.94	128.43	120.80	1	1

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	8	PHE	CZ-CE2-CD2	6.90	128.38	120.10	1	1
1	A	10	LEU	CB-CG-CD2	6.53	122.10	111.00	1	1
1	A	11	PHE	CD1-CE1-CZ	5.77	127.03	120.10	1	1
1	A	11	PHE	CG-CD2-CE2	5.68	127.05	120.80	1	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	9	ARG	Sidechain	33
1	A	13	ARG	Sidechain	33

## 6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	104	99	99	2±8
2	A	1	2	0	0±0
All	All	3570	3434	3365	70

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:10:LEU:CD2	1:A:10:LEU:CB	1.53	1.87	1	1
1:A:12:ASN:OD1	1:A:12:ASN:CB	1.43	1.66	1	1
1:A:12:ASN:ND2	1:A:12:ASN:CB	1.35	1.90	1	1
1:A:13:ARG:CB	1:A:13:ARG:CD	1.34	2.05	1	1
1:A:17:GLN:CB	1:A:17:GLN:CD	1.30	1.99	1	1
1:A:10:LEU:CD1	1:A:10:LEU:CB	1.19	2.08	1	1
1:A:14:SER:OG	1:A:14:SER:HB2	1.03	1.29	1	1
1:A:14:SER:CA	1:A:14:SER:OG	1.03	2.05	1	1
1:A:14:SER:OG	1:A:14:SER:HB3	1.02	1.29	1	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:17:GLN:HG2	1:A:17:GLN:CD	0.99	1.43	1	1
1:A:10:LEU:CG	1:A:10:LEU:HD12	0.98	1.51	1	1
1:A:17:GLN:CG	1:A:17:GLN:CD	0.97	0.88	1	1
1:A:10:LEU:HD11	1:A:10:LEU:CG	0.97	1.51	1	1
1:A:14:SER:OG	1:A:14:SER:CB	0.97	0.67	1	1
1:A:10:LEU:HD13	1:A:10:LEU:CG	0.95	1.51	1	1
1:A:17:GLN:HG3	1:A:17:GLN:CD	0.95	1.43	1	1
1:A:10:LEU:HG	1:A:10:LEU:CD2	0.94	1.59	1	1
1:A:10:LEU:HG	1:A:10:LEU:CD1	0.94	1.59	1	1
1:A:10:LEU:CD1	1:A:10:LEU:CG	0.88	0.88	1	1
1:A:10:LEU:HD21	1:A:10:LEU:CG	0.87	1.42	1	1
1:A:10:LEU:HD22	1:A:10:LEU:CG	0.87	1.42	1	1
1:A:10:LEU:HD23	1:A:10:LEU:CG	0.87	1.42	1	1
1:A:13:ARG:CD	1:A:13:ARG:HG2	0.87	1.40	1	1
1:A:13:ARG:HG3	1:A:13:ARG:CD	0.86	1.40	1	1
1:A:13:ARG:CG	1:A:13:ARG:CD	0.84	0.86	1	1
1:A:13:ARG:HD3	1:A:13:ARG:CG	0.76	1.35	1	1
1:A:10:LEU:CD2	1:A:10:LEU:CG	0.76	0.76	1	1
1:A:13:ARG:HD2	1:A:13:ARG:CG	0.73	1.35	1	1
1:A:12:ASN:HD21	1:A:12:ASN:CG	0.71	1.33	1	1
1:A:13:ARG:HH11	1:A:13:ARG:CZ	0.71	1.42	1	1
1:A:13:ARG:CZ	1:A:13:ARG:HH12	0.71	1.42	1	1
1:A:12:ASN:HD22	1:A:12:ASN:CG	0.71	1.33	1	1
1:A:13:ARG:HD3	1:A:13:ARG:NE	0.68	1.29	1	1
1:A:10:LEU:CD2	1:A:10:LEU:HB3	0.67	2.11	1	1
1:A:13:ARG:HD2	1:A:13:ARG:NE	0.65	1.29	1	1
1:A:12:ASN:ND2	1:A:12:ASN:CG	0.65	0.68	1	1
1:A:17:GLN:HE22	1:A:17:GLN:CD	0.64	1.25	1	1
1:A:12:ASN:OD1	1:A:12:ASN:ND2	0.64	0.50	1	1
1:A:17:GLN:HE21	1:A:17:GLN:CD	0.64	1.25	1	1
1:A:13:ARG:NH1	1:A:13:ARG:CZ	0.62	0.77	1	1
1:A:12:ASN:OD1	1:A:12:ASN:CG	0.61	0.45	1	1
1:A:13:ARG:HH22	1:A:13:ARG:CZ	0.57	1.29	1	1
1:A:13:ARG:HH21	1:A:13:ARG:CZ	0.57	1.29	1	1
1:A:11:PHE:CZ	1:A:15:PHE:CE1	0.55	2.95	24	1
1:A:12:ASN:O	1:A:16:THR:HG23	0.55	2.00	7	1
1:A:8:PHE:CE1	1:A:12:ASN:OD1	0.54	2.61	15	2
1:A:17:GLN:NE2	1:A:17:GLN:CD	0.52	0.58	1	1
1:A:14:SER:HG	1:A:14:SER:CB	0.52	1.23	1	1
1:A:15:PHE:C	1:A:15:PHE:CD1	0.49	2.85	18	1
1:A:10:LEU:C	1:A:10:LEU:HD23	0.48	2.29	31	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:13:ARG:C	1:A:13:ARG:CD	0.48	2.82	12	1
1:A:9:ARG:HD2	1:A:13:ARG:NH2	0.47	2.24	10	1
1:A:13:ARG:NH2	1:A:13:ARG:CZ	0.47	0.62	1	1
1:A:9:ARG:HG3	1:A:10:LEU:N	0.47	2.23	26	1
1:A:10:LEU:HD23	1:A:10:LEU:O	0.46	2.09	31	1
1:A:13:ARG:HG2	1:A:17:GLN:NE2	0.46	2.26	28	1
1:A:8:PHE:O	1:A:12:ASN:OD1	0.46	2.34	22	1
1:A:10:LEU:CD2	1:A:10:LEU:C	0.45	2.84	31	1
1:A:9:ARG:CG	1:A:10:LEU:N	0.44	2.80	26	1
1:A:12:ASN:O	1:A:16:THR:OG1	0.44	2.34	18	2
1:A:13:ARG:NE	1:A:13:ARG:CA	0.43	2.80	13	1
1:A:8:PHE:CD1	1:A:8:PHE:C	0.42	2.92	33	1
1:A:13:ARG:HH21	1:A:13:ARG:CD	0.42	1.63	1	1
1:A:11:PHE:CE1	1:A:15:PHE:CD2	0.41	3.08	28	1
1:A:10:LEU:O	1:A:14:SER:CB	0.41	2.68	5	1
1:A:14:SER:O	1:A:17:GLN:HG2	0.41	2.16	3	1
1:A:13:ARG:C	1:A:13:ARG:HD3	0.41	2.36	12	1
1:A:17:GLN:O	1:A:17:GLN:NE2	0.40	2.54	4	1

## 6.3 Torsion angles ⓘ

### 6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	11/21 (52%)	11±0 (96±4%)	0±0 (4±4%)	0±0 (0±0%)	100	100
All	All	374/714 (52%)	360 (96%)	14 (4%)	0 (0%)	100	100

There are no Ramachandran outliers.

### 6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	11/18 (61%)	7±2 (60±17%)	4±2 (40±17%)	1	5
All	All	374/612 (61%)	225 (60%)	149 (40%)	1	5

All 11 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	13	ARG	25
1	A	9	ARG	21
1	A	11	PHE	19
1	A	15	PHE	17
1	A	10	LEU	16
1	A	7	PHE	15
1	A	17	GLN	10
1	A	14	SER	10
1	A	12	ASN	6
1	A	16	THR	5
1	A	8	PHE	5

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is modelled with single atom - leaving 0 for Mogul analysis.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 44% for the well-defined parts and 42% for the entire structure.

### 7.1 Chemical shift list 1

File name: BMRB entry 15068

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	130
Number of shifts mapped to atoms	130
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

#### 7.1.2 Chemical shift referencing

No chemical shift referencing corrections were calculated (not enough data).

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 44%, i.e. 76 atoms were assigned a chemical shift out of a possible 172. 0 out of 1 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	22/55 (40%)	22/22 (100%)	0/22 (0%)	0/11 (0%)
Sidechain	38/81 (47%)	38/49 (78%)	0/24 (0%)	0/8 (0%)
Aromatic	16/36 (44%)	16/20 (80%)	0/16 (0%)	0/0 (—%)
Overall	76/172 (44%)	76/91 (84%)	0/62 (0%)	0/19 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 42%, i.e. 112 atoms were assigned a chemical shift out of a possible 268. 0 out of 3 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Backbone	36/105 (34%)	36/42 (86%)	0/42 (0%)	0/21 (0%)
Sidechain	60/127 (47%)	60/76 (79%)	0/42 (0%)	0/9 (0%)
Aromatic	16/36 (44%)	16/20 (80%)	0/16 (0%)	0/0 (—%)
Overall	112/268 (42%)	112/138 (81%)	0/100 (0%)	0/30 (0%)

#### 7.1.4 Statistically unusual chemical shifts ⓘ

There are no statistically unusual chemical shifts.

#### 7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

