



# Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 05:27 PM GMT

PDB ID : 4IDJ  
Title : S.Aureus a-hemolysin monomer in complex with Fab  
Authors : Strop, P.  
Deposited on : 2012-12-12  
Resolution : 3.36 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 3.36 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	91344	1005 (3.42-3.30)
Clashscore	102246	1076 (3.42-3.30)
Ramachandran outliers	100387	1059 (3.42-3.30)
Sidechain outliers	100360	1058 (3.42-3.30)
RSRZ outliers	91569	1010 (3.42-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition [\(i\)](#)

There are 4 unique types of molecules in this entry. The entry contains 5600 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-hemolysin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C 2231	N 1404	O 379	S 441	7	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	EXPRESSION TAG	UNP P09616
A	0	SER	-	EXPRESSION TAG	UNP P09616
A	35	LEU	HIS	CONFLICT	UNP P09616


- Molecule 2 is a protein called Fab Heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	224	Total	C 1678	N 1050	O 283	S 337	8	0	0

- Molecule 3 is a protein called Fab Light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	214	Total	C 1666	N 1035	O 280	S 344	7	0	4

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0


### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alpha-hemolysin



- Molecule 2: Fab Heavy chain



- Molecule 3: Fab Light chain



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	130.19Å 130.19Å 308.34Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 3.36 49.73 – 3.36	Depositor EDS
% Data completeness (in resolution range)	96.2 (30.00-3.36) 96.2 (49.73-3.36)	Depositor EDS
$R_{merge}$	0.15	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.39 (at 3.33Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
$R$ , $R_{free}$	0.249 , 0.296 0.250 , 0.291	Depositor DCC
$R_{free}$ test set	1146 reflections (5.49%)	DCC
Wilson B-factor (Å <sup>2</sup> )	77.2	Xtriage
Anisotropy	0.786	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 73.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$<  L  > = 0.48$ , $< L^2 > = 0.32$	Xtriage
Outliers	3 of 22124 reflections (0.014%)	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	5600	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	108.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.44% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section:  
SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.43	0/2281	0.61	0/3085
2	H	0.39	0/1716	0.61	0/2341
3	L	0.39	0/1716	0.59	0/2334
All	All	0.41	0/5713	0.60	0/7760

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	H	0	1
3	L	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	H	100(E)	THR	Peptide
3	L	29	ILE	Peptide

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2231	0	2157	58	0
2	H	1678	0	1640	74	0
3	L	1666	0	1589	45	0
4	A	25	0	0	0	0
All	All	5600	0	5386	160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:137:ALA:HB2	2:H:183:THR:HG22	1.47	0.95
2:H:96:MET:HE3	3:L:49:TYR:CE2	2.09	0.88
2:H:124:LEU:HD11	2:H:141:LEU:HB2	1.61	0.82
1:A:115:THR:HG23	1:A:145:THR:HG22	1.60	0.82
2:H:87:THR:HG22	2:H:111:VAL:N	1.96	0.81
3:L:37:GLN:HB2	3:L:47:LEU:HD11	1.66	0.78
2:H:137:ALA:CB	2:H:183:THR:HG22	2.14	0.77
1:A:83:ALA:HB3	1:A:252:VAL:HB	1.66	0.76
2:H:18:VAL:HG12	2:H:82(C):LEU:HD21	1.71	0.73
2:H:100(E):THR:HG22	2:H:100(F):GLU:N	2.04	0.73
3:L:33:VAL:HG13	3:L:51:ALA:HA	1.72	0.70
1:A:14:ILE:N	1:A:14:ILE:HD12	2.06	0.70
2:H:134:SER:O	2:H:135:THR:CG2	2.41	0.69
1:A:52:LEU:HD23	1:A:233:THR:HG22	1.75	0.68
2:H:135:THR:HG22	2:H:185:PRO:HA	1.73	0.68
2:H:134:SER:O	2:H:135:THR:HG23	1.94	0.68
1:A:149:VAL:HG12	1:A:151:PRO:HD3	1.75	0.68
2:H:87:THR:HG22	2:H:111:VAL:H	1.60	0.67
2:H:67:VAL:HG23	2:H:80:LEU:HD21	1.77	0.66
3:L:6:GLN:NE2	3:L:102:THR:HG22	2.10	0.66
3:L:90:GLN:C	3:L:90:GLN:HE21	2.00	0.64
3:L:36:TYR:CE1	3:L:46:LEU:HD22	2.32	0.64
3:L:43:ALA:HB1	3:L:44:PRO:HD2	1.80	0.64
3:L:30:SER:HB2	3:L:31:ASN:OD1	1.98	0.63
2:H:135:THR:CG2	2:H:185:PRO:HA	2.28	0.62
2:H:30:ASN:HD21	2:H:73:LYS:NZ	1.98	0.62
1:A:264:ASN:ND2	1:A:265:TRP:O	2.33	0.62
3:L:30:SER:CB	3:L:31:ASN:OD1	2.49	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:70:GLU:HG3	1:A:207:ALA:HB2	1.83	0.61
1:A:52:LEU:HD23	1:A:233:THR:CG2	2.31	0.60
2:H:96:MET:CE	3:L:49:TYR:CD2	2.85	0.60
2:H:138:LEU:HD12	2:H:138:LEU:C	2.22	0.59
3:L:33:VAL:CG1	3:L:51:ALA:HA	2.32	0.58
1:A:100:ASP:HB3	1:A:231:VAL:CG1	2.33	0.58
2:H:184:VAL:HG21	2:H:194:TYR:CE2	2.38	0.58
3:L:29:ILE:HD12	3:L:33:VAL:HB	1.84	0.58
1:A:65:TYR:CE1	1:A:78:LEU:HD21	2.38	0.58
1:A:53:LEU:HD23	1:A:284:ILE:HD13	1.86	0.58
1:A:106:SER:O	1:A:107:ILE:HG23	2.05	0.57
2:H:96:MET:HE1	3:L:49:TYR:CD2	2.41	0.55
1:A:168:LYS:HE3	1:A:170:ILE:HG21	1.89	0.55
2:H:150:VAL:HG23	2:H:199:ASP:O	2.07	0.55
1:A:157:LEU:HD12	1:A:160:PRO:HD3	1.87	0.55
2:H:96:MET:CE	3:L:49:TYR:CE2	2.88	0.55
2:H:51:ILE:HD13	2:H:52:ILE:N	2.22	0.55
2:H:82(C):LEU:HB3	2:H:111:VAL:HG21	1.88	0.55
1:A:54:VAL:HG22	1:A:231:VAL:HB	1.89	0.54
1:A:52:LEU:CD2	1:A:233:THR:HG22	2.37	0.54
2:H:96:MET:HE3	3:L:49:TYR:CD2	2.43	0.54
1:A:18:THR:HG22	1:A:45:ASP:CA	2.38	0.54
2:H:181:VAL:CG2	3:L:135:PHE:CE2	2.91	0.54
2:H:67:VAL:HG23	2:H:80:LEU:CD2	2.38	0.53
1:A:31:GLU:HG3	2:H:30:ASN:HD22	1.73	0.53
2:H:100(E):THR:HG22	2:H:100(F):GLU:H	1.73	0.53
2:H:138:LEU:HD21	2:H:194:TYR:HD2	1.72	0.53
1:A:18:THR:HG22	1:A:45:ASP:HA	1.89	0.53
3:L:83:PHE:HA	3:L:104:VAL:HG23	1.91	0.53
2:H:2:VAL:HG22	2:H:102:ILE:HD11	1.91	0.53
1:A:150:GLN:HE22	1:A:154:LYS:C	2.12	0.53
2:H:40:ALA:HB1	2:H:41:PRO:HD2	1.90	0.52
1:A:18:THR:HG22	1:A:45:ASP:CB	2.38	0.52
2:H:28:THR:HG21	2:H:97:GLU:OE2	2.09	0.52
3:L:22:SER:HA	3:L:72:THR:HG22	1.91	0.52
3:L:11:LEU:HB3	3:L:104:VAL:HG12	1.92	0.52
2:H:142:VAL:HG22	2:H:198:VAL:HG21	1.92	0.52
2:H:134:SER:C	2:H:135:THR:HG23	2.30	0.52
2:H:169:VAL:HG11	3:L:160:LEU:HG	1.91	0.52
1:A:100:ASP:HB3	1:A:231:VAL:HG13	1.92	0.51
2:H:4:LEU:HD23	2:H:24:THR:HA	1.93	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:GLU:OE1	1:A:113:MET:CE	2.59	0.51
3:L:50:GLY:O	3:L:51:ALA:HB2	2.10	0.50
1:A:191:TYR:CE1	1:A:200:ARG:HG2	2.46	0.50
1:A:169:VAL:HG11	1:A:224:PHE:CZ	2.46	0.50
2:H:201:LYS:N	2:H:202:PRO:CD	2.75	0.50
2:H:169:VAL:CG1	3:L:160:LEU:HD11	2.42	0.50
2:H:169:VAL:HG11	3:L:160:LEU:CG	2.42	0.50
2:H:181:VAL:HB	3:L:135:PHE:CZ	2.47	0.50
1:A:26:VAL:HG22	1:A:37:LYS:CG	2.41	0.50
2:H:123:PRO:C	2:H:124:LEU:HD12	2.32	0.49
2:H:132:SER:O	2:H:134:SER:N	2.45	0.49
2:H:30:ASN:HD21	2:H:73:LYS:HZ3	1.60	0.49
1:A:168:LYS:HG3	1:A:170:ILE:HG23	1.93	0.49
2:H:191:THR:HG23	2:H:192:GLN:HG3	1.95	0.49
1:A:111:GLU:OE1	1:A:113:MET:HE2	2.13	0.49
2:H:181:VAL:HG21	3:L:135:PHE:CD2	2.48	0.49
2:H:54:LEU:HB3	2:H:56:THR:HG23	1.93	0.49
1:A:248:ILE:HD13	1:A:277:ARG:NH2	2.28	0.48
1:A:111:GLU:HG3	1:A:149:VAL:HG22	1.94	0.48
2:H:2:VAL:HG22	2:H:102:ILE:CD1	2.42	0.48
1:A:169:VAL:HG11	1:A:224:PHE:CE2	2.49	0.48
1:A:52:LEU:CD2	1:A:233:THR:CG2	2.91	0.48
1:A:81:PRO:HG2	1:A:220:LEU:HD23	1.95	0.47
2:H:122:PHE:HB3	3:L:121:SER:OG	2.14	0.47
1:A:11:THR:HG22	1:A:21:LYS:HD3	1.96	0.47
2:H:28:THR:OG1	2:H:29:PHE:N	2.47	0.47
2:H:4:LEU:HD13	2:H:92:CYS:SG	2.55	0.47
1:A:191:TYR:CZ	1:A:200:ARG:HG2	2.50	0.47
1:A:27:THR:HG21	1:A:293:ASN:ND2	2.29	0.47
2:H:131:THR:HG22	2:H:132:SER:N	2.30	0.46
3:L:18:ARG:NH2	3:L:74:THR:HG21	2.31	0.46
2:H:124:LEU:HD11	2:H:141:LEU:CB	2.40	0.46
1:A:91:PRO:HG2	1:A:94:GLU:HB2	1.98	0.46
1:A:93:ASN:HD22	1:A:93:ASN:N	2.13	0.46
3:L:11:LEU:HD12	3:L:13:LEU:HG	1.97	0.46
2:H:122:PHE:HD1	3:L:123:GLU:HB2	1.81	0.46
2:H:2:VAL:HG23	2:H:26:GLY:O	2.16	0.46
2:H:150:VAL:CG2	2:H:198:VAL:HG13	2.47	0.45
2:H:165:THR:HG23	2:H:180:SER:HB2	1.97	0.45
1:A:68:TYR:CZ	1:A:77:GLY:HA3	2.51	0.45
3:L:33:VAL:HG11	3:L:71:PHE:CD2	2.52	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:155:ASN:CB	2:H:158:ALA:HB3	2.47	0.45
2:H:108:MET:CE	2:H:110:THR:HG23	2.47	0.45
2:H:51:ILE:HD13	2:H:52:ILE:H	1.81	0.45
3:L:11:LEU:HD12	3:L:13:LEU:CD1	2.47	0.45
1:A:40:TYR:HB2	1:A:53:LEU:HD11	1.99	0.44
2:H:86:ASP:O	2:H:87:THR:C	2.55	0.44
1:A:53:LEU:CD2	1:A:284:ILE:HD13	2.47	0.44
3:L:29:ILE:CD1	3:L:33:VAL:HB	2.47	0.44
3:L:13:LEU:HD12	3:L:19:ALA:HB2	2.00	0.44
1:A:243:THR:O	1:A:243:THR:HG22	2.17	0.43
2:H:100(E):THR:HG21	2:H:100(H):PHE:CE1	2.54	0.43
2:H:155:ASN:HB3	2:H:158:ALA:HB3	2.01	0.43
2:H:160:THR:O	2:H:163:VAL:HG23	2.19	0.43
3:L:29:ILE:HD11	3:L:71:PHE:CZ	2.54	0.43
1:A:14:ILE:H	1:A:14:ILE:HD12	1.80	0.43
1:A:88:LEU:HD12	1:A:88:LEU:N	2.34	0.43
1:A:169:VAL:HG22	1:A:169:VAL:O	2.18	0.43
1:A:13:ASP:HB2	1:A:19:THR:HG22	2.01	0.43
1:A:118:TYR:CE2	1:A:120:PHE:HA	2.54	0.43
2:H:135:THR:HA	2:H:186:SER:HB2	2.00	0.42
2:H:193:THR:HG22	2:H:210:THR:HG22	2.01	0.42
1:A:114:SER:HA	1:A:127:ASP:O	2.18	0.42
2:H:103:TRP:CE2	3:L:44:PRO:HG2	2.54	0.42
1:A:26:VAL:HG22	1:A:37:LYS:HG3	2.01	0.42
2:H:200:HIS:HD2	2:H:203:SER:OG	2.02	0.42
1:A:157:LEU:HD22	1:A:167:TRP:CD1	2.53	0.42
2:H:93:ALA:HB1	2:H:100(H):PHE:HB3	2.00	0.42
1:A:253:ARG:HH12	2:H:54:LEU:HD21	1.84	0.42
2:H:100(E):THR:CG2	2:H:100(F):GLU:N	2.73	0.42
3:L:8:PRO:HD2	3:L:11:LEU:HD23	2.01	0.42
2:H:40:ALA:HB3	2:H:43:GLN:HG2	2.02	0.42
2:H:181:VAL:HG22	2:H:182:VAL:N	2.34	0.42
3:L:161:ASN:HB3	3:L:175:MET:HE1	2.02	0.42
1:A:11:THR:HG22	1:A:21:LYS:CD	2.50	0.41
3:L:13:LEU:CD1	3:L:19:ALA:HB2	2.50	0.41
3:L:83:PHE:CZ	3:L:106:ILE:HG22	2.55	0.41
3:L:90:GLN:C	3:L:90:GLN:NE2	2.71	0.41
1:A:67:VAL:HG12	2:H:100(B):TRP:O	2.20	0.41
3:L:137:ASN:HD22	3:L:174:SER:HB3	1.86	0.41
3:L:30(A):ASN:O	3:L:30(A):ASN:OD1	2.37	0.41
1:A:291:MET:O	1:A:292:THR:HG23	2.21	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:THR:HG22	1:A:45:ASP:HB2	2.02	0.41
2:H:4:LEU:HD11	2:H:94:ARG:HB2	2.02	0.41
3:L:31:ASN:OD1	3:L:31:ASN:O	2.38	0.41
1:A:97:GLN:HE21	1:A:162:ASP:CB	2.33	0.41
3:L:29:ILE:CD1	3:L:71:PHE:CE1	3.04	0.40
1:A:103:PRO:HB3	1:A:112:TYR:CE1	2.56	0.40
2:H:93:ALA:HB2	2:H:103:TRP:CE3	2.56	0.40
1:A:108:ASP:O	1:A:109:THR:C	2.60	0.40
3:L:160:LEU:HD23	3:L:160:LEU:C	2.42	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	272/295 (92%)	243 (89%)	26 (10%)	3 (1%)	17 58
2	H	222/239 (93%)	199 (90%)	18 (8%)	5 (2%)	8 42
3	L	216/215 (100%)	200 (93%)	12 (6%)	4 (2%)	10 46
All	All	710/749 (95%)	642 (90%)	56 (8%)	12 (2%)	11 48

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	133	GLU
1	A	109	THR
1	A	262	SER
2	H	25	SER
2	H	100(F)	GLU
3	L	51	ALA
2	H	100(E)	THR
2	H	169	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	L	32	PHE
3	L	212	ASN
3	L	29	ILE
1	A	14	ILE

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	248/260 (95%)	220 (89%)	28 (11%)	7 29
2	H	191/203 (94%)	179 (94%)	12 (6%)	22 61
3	L	191/188 (102%)	177 (93%)	14 (7%)	17 54
All	All	630/651 (97%)	576 (91%)	54 (9%)	13 46

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	THR
1	A	12	THR
1	A	13	ASP
1	A	14	ILE
1	A	22	THR
1	A	25	LEU
1	A	31	GLU
1	A	41	SER
1	A	64	GLN
1	A	66	ARG
1	A	93	ASN
1	A	128	ASP
1	A	129	THR
1	A	145	THR
1	A	157	LEU
1	A	159	SER
1	A	164	LYS
1	A	169	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	179	TRP
1	A	201	ASN
1	A	222	SER
1	A	231	VAL
1	A	240	LYS
1	A	243	THR
1	A	257	GLN
1	A	262	SER
1	A	270	THR
1	A	273	LYS
2	H	19	LYS
2	H	32	VAL
2	H	38	ARG
2	H	51	ILE
2	H	80	LEU
2	H	105	GLN
2	H	110	THR
2	H	151	THR
2	H	161	SER
2	H	184	VAL
2	H	186	SER
2	H	196	CYS
3	L	3	THR
3	L	4	LEU
3	L	5	THR
3	L	11	LEU
3	L	28	THR
3	L	30	SER
3	L	46	LEU
3	L	56	THR
3	L	63	SER
3	L	89	GLN
3	L	90	GLN
3	L	102	THR
3	L	176	SER
3	L	188	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	GLN
1	A	87	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	89	GLN
1	A	93	ASN
1	A	97	GLN
1	A	121	ASN
1	A	150	GLN
1	A	241	GLN
2	H	30	ASN
2	H	31	ASN
2	H	200	HIS
3	L	42	GLN
3	L	90	GLN
3	L	137	ASN
3	L	156	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [\(i\)](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	SO4	A	301	-	4,4,4	0.14	0	6,6,6	0.16	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	SO4	A	302	-	4,4,4	0.13	0	6,6,6	0.17	0
4	SO4	A	303	-	4,4,4	0.39	0	6,6,6	0.25	0
4	SO4	A	304	-	4,4,4	0.15	0	6,6,6	0.17	0
4	SO4	A	305	-	4,4,4	0.15	0	6,6,6	0.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SO4	A	301	-	-	0/0/0/0	0/0/0/0
4	SO4	A	302	-	-	0/0/0/0	0/0/0/0
4	SO4	A	303	-	-	0/0/0/0	0/0/0/0
4	SO4	A	304	-	-	0/0/0/0	0/0/0/0
4	SO4	A	305	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	276/295 (93%)	0.31	4 (1%) 78 79	59, 88, 159, 188	0
2	H	224/239 (93%)	0.24	10 (4%) 37 36	70, 105, 162, 196	0
3	L	214/215 (99%)	0.63	24 (11%) 7 6	67, 118, 199, 225	0
All	All	714/749 (95%)	0.38	38 (5%) 30 30	59, 101, 180, 225	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	L	194[A]	CYS	5.4
3	L	135	PHE	5.2
3	L	155	ARG	5.1
3	L	148	TRP	4.9
1	A	51	LYS	4.6
3	L	115	VAL	4.3
3	L	157	ASN	4.2
3	L	181	LEU	4.1
1	A	141	SER	4.1
3	L	113	PRO	3.9
3	L	150	ILE	3.8
3	L	195	GLU	3.5
1	A	52	LEU	3.5
2	H	194	TYR	3.5
3	L	116	SER	3.3
2	H	184	VAL	3.3
3	L	193	THR	3.0
3	L	149	LYS	3.0
3	L	196	ALA	2.9
3	L	117	ILE	2.9
3	L	146	VAL	2.7
2	H	130	SER	2.6
3	L	158	GLY	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	L	192	TYR	2.5
2	H	138	LEU	2.5
2	H	18	VAL	2.5
2	H	189	PHE	2.4
3	L	136	LEU	2.4
3	L	133	VAL	2.4
3	L	147	LYS	2.4
3	L	130	ALA	2.4
2	H	188	ASN	2.3
2	H	137	ALA	2.3
2	H	136	ALA	2.2
2	H	82	LEU	2.1
3	L	132	VAL	2.1
3	L	62	PHE	2.1
1	A	129	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	SO4	A	304	5/5	0.91	0.21	0.02	114,115,115,115	0
4	SO4	A	301	5/5	0.92	0.22	-0.14	103,104,104,104	0
4	SO4	A	303	5/5	0.95	0.19	-1.78	83,83,83,84	0
4	SO4	A	302	5/5	0.86	0.16	-	129,129,129,129	0
4	SO4	A	305	5/5	0.74	0.24	-	121,121,121,121	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.