



# Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 05:28 PM GMT

PDB ID : 4IEG  
Title : Structure and interactions of the RNA-dependent RNA polymerase from bacteriophage phi12 (P1 crystal form)  
Authors : Ren, Z.; Franklin, M.C.; Ghose, R.  
Deposited on : 2012-12-13  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MG	B	1001	-	-	-	X

## 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 22601 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-dependent RNA polymerase P2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	649	Total	C 5260	N 3361	O 910	S 967	22	0	3	0
1	B	634	Total	C 5166	N 3305	O 889	S 950	22	0	6	0
1	C	650	Total	C 5281	N 3372	O 915	S 973	21	0	5	0
1	D	643	Total	C 5235	N 3348	O 903	S 962	22	0	6	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	MET	ENGINEERED MUTATION	UNP Q94M06
B	2	ALA	MET	ENGINEERED MUTATION	UNP Q94M06
C	2	ALA	MET	ENGINEERED MUTATION	UNP Q94M06
D	2	ALA	MET	ENGINEERED MUTATION	UNP Q94M06

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Mg 1 1	0	0
2	A	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	416	Total O 416 416	0	0
3	B	422	Total O 422 422	0	0
3	C	437	Total O 437 437	0	0
3	D	380	Total O 380 380	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: RNA-dependent RNA polymerase P2



- Molecule 1: RNA-dependent RNA polymerase P2




- Molecule 1: RNA-dependent RNA polymerase P2





- Molecule 1: RNA-dependent RNA polymerase P2



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	87.87Å 94.47Å 96.48Å 75.16° 63.11° 83.79°	Depositor
Resolution (Å)	50.00 – 2.10 31.03 – 2.10	Depositor EDS
% Data completeness (in resolution range)	92.3 (50.00-2.10) 85.7 (31.03-2.10)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.96 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
$R$ , $R_{free}$	0.217 , 0.278 0.224 , 0.287	Depositor DCC
$R_{free}$ test set	7259 reflections (5.29%)	DCC
Wilson B-factor (Å <sup>2</sup> )	27.6	Xtriage
Anisotropy	0.027	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 38.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$<  L  > = 0.47$ , $< L^2 > = 0.30$	Xtriage
Outliers	0 of 144887 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	22601	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.56% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.41	0/5410	0.57	0/7327
1	B	0.42	0/5321	0.58	0/7205
1	C	0.42	0/5438	0.57	0/7367
1	D	0.40	0/5394	0.56	0/7306
All	All	0.41	0/21563	0.57	0/29205

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5260	0	5130	39	0
1	B	5166	0	5050	52	0
1	C	5281	0	5149	53	0
1	D	5235	0	5108	45	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	416	0	0	7	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	422	0	0	3	0
3	C	437	0	0	6	0
3	D	380	0	0	3	0
All	All	22601	0	20437	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:245[B]:THR:CG2	1:C:298[B]:LEU:HD11	1.17	1.57
1:C:245[B]:THR:CG2	1:C:298[B]:LEU:CD1	2.07	1.33
1:B:245[B]:THR:CG2	1:B:298[B]:LEU:HD11	1.75	1.16
1:C:75:VAL:HG12	1:C:247:VAL:HG23	1.28	1.13
1:C:245[B]:THR:HG23	1:C:298[B]:LEU:HD11	1.19	1.09
1:A:75:VAL:HG12	1:A:247:VAL:HG23	1.32	1.05
1:B:245[B]:THR:HG21	1:B:298[B]:LEU:HD11	1.08	1.04
1:C:75:VAL:CG1	1:C:247:VAL:HG23	1.86	1.04
1:C:245[B]:THR:HG21	1:C:298[B]:LEU:HD11	1.02	1.01
1:D:245[B]:THR:CG2	1:D:298[B]:LEU:HD11	1.94	0.98
1:B:245[B]:THR:CG2	1:B:298[B]:LEU:CD1	2.44	0.95
1:D:190[A]:MET:HA	1:D:190[A]:MET:CE	1.97	0.94
1:B:612:MET:HE1	1:B:619:LYS:HZ3	1.32	0.94
1:D:190[A]:MET:HE2	1:D:190[A]:MET:HA	1.48	0.94
1:B:245[B]:THR:HG21	1:B:298[B]:LEU:CD1	1.96	0.94
1:C:245[B]:THR:HG22	1:C:298[B]:LEU:HD11	1.53	0.90
1:C:75:VAL:HG12	1:C:247:VAL:CG2	2.04	0.87
1:D:245[B]:THR:HG21	1:D:298[B]:LEU:HD11	1.55	0.85
1:C:245[B]:THR:HG23	1:C:298[B]:LEU:CD1	1.91	0.85
1:A:75:VAL:HG12	1:A:247:VAL:CG2	2.09	0.81
1:C:245[B]:THR:HG21	1:C:298[B]:LEU:CD1	1.90	0.79
1:A:75:VAL:CG1	1:A:247:VAL:HG23	2.10	0.79
1:A:324:LEU:HD11	1:A:659:VAL:HG21	1.63	0.78
1:D:245[B]:THR:HG23	1:D:298[B]:LEU:HD11	1.65	0.78
1:A:70:THR:HG22	3:A:1137:HOH:O	1.84	0.78
1:C:245[B]:THR:HG22	1:C:298[B]:LEU:CD1	2.09	0.76
1:B:152:LEU:HD23	1:B:157:LEU:HD12	1.69	0.75
1:D:245[B]:THR:HG23	1:D:298[B]:LEU:CD1	2.17	0.74
1:A:125:THR:HG23	1:A:126:THR:O	1.89	0.72
1:B:65:ALA:O	3:B:1373:HOH:O	2.06	0.72

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:104:ARG:NH2	3:D:1285:HOH:O	2.22	0.72
1:B:52:LEU:HD11	1:B:238:GLU:HG2	1.72	0.72
1:A:245:THR:CG2	1:A:298[B]:LEU:HD11	2.19	0.71
1:A:245:THR:HG21	1:A:298[B]:LEU:HD11	1.71	0.71
1:D:190[A]:MET:CE	1:D:190[A]:MET:CA	2.69	0.71
1:B:612:MET:HE1	1:B:619:LYS:NZ	2.07	0.69
1:B:125:THR:HG23	1:B:126:THR:O	1.93	0.69
1:C:353:TYR:CD2	1:C:469:ASP:HB3	2.29	0.67
1:B:185:ILE:HD11	1:B:312:PRO:HG3	1.77	0.66
1:B:579:THR:HG22	1:B:580:LEU:HD12	1.78	0.66
1:B:185:ILE:HD11	1:B:312:PRO:CG	2.27	0.65
1:D:200:ASN:C	1:D:200:ASN:HD22	2.00	0.65
1:B:596:HIS:CE1	1:C:280:LYS:HE2	2.32	0.64
1:D:190[A]:MET:HA	1:D:190[A]:MET:HE3	1.79	0.64
1:C:75:VAL:HG11	1:C:247:VAL:HG23	1.77	0.62
1:C:185:ILE:HD11	1:C:312:PRO:HG3	1.82	0.62
1:A:443:GLN:HB2	1:A:487:LEU:HD21	1.82	0.62
1:B:266:ILE:HD11	1:B:401:GLN:NE2	2.16	0.61
1:A:241:VAL:HG11	1:A:383:SER:HB3	1.82	0.61
1:C:180:MET:HE3	1:C:650:PHE:CE1	2.35	0.61
1:A:149:VAL:HB	3:A:1484:HOH:O	2.01	0.60
1:D:353:TYR:CD2	1:D:469:ASP:HB3	2.36	0.60
1:C:579:THR:HB	1:C:580:LEU:HD12	1.81	0.60
1:D:486:ARG:NH1	3:D:1354:HOH:O	2.35	0.60
1:C:571:ARG:NE	3:C:1165:HOH:O	2.34	0.60
1:B:561:ASN:HD22	1:B:561:ASN:N	1.98	0.59
1:D:324:LEU:HD21	1:D:659:VAL:HG21	1.84	0.59
1:B:612:MET:CE	1:B:619:LYS:HZ3	2.13	0.58
1:C:52:LEU:HD11	1:C:238:GLU:HG2	1.84	0.58
1:C:149:VAL:HB	3:C:1187:HOH:O	2.03	0.58
1:B:75:VAL:HG12	1:B:247:VAL:HG23	1.85	0.58
1:C:75:VAL:CG1	1:C:247:VAL:CG2	2.69	0.58
1:A:566:LEU:HD22	3:A:1245:HOH:O	2.02	0.58
1:A:590:GLY:O	1:A:594:ARG:HG3	2.04	0.57
1:D:95:LEU:HD13	1:D:288:TYR:CZ	2.39	0.57
1:D:97:PHE:HA	1:D:580:LEU:HD23	1.86	0.57
1:A:52:LEU:HD11	1:A:238:GLU:HG2	1.87	0.57
1:A:185:ILE:HD11	1:A:312:PRO:HG3	1.87	0.56
1:C:190:MET:O	1:C:200:ASN:ND2	2.38	0.56
1:D:245[B]:THR:CG2	1:D:298[B]:LEU:CD1	2.72	0.56
1:B:74:LEU:HD22	1:B:393:PRO:HB2	1.88	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:353:TYR:CD2	1:B:469:ASP:HB3	2.41	0.55
1:D:75:VAL:HG12	1:D:247:VAL:HG23	1.88	0.55
1:B:593:GLN:HE22	1:C:258:ARG:H	1.54	0.55
1:A:539:ARG:HD3	1:A:545:PHE:HB2	1.88	0.55
1:C:104:ARG:HB2	1:C:572:VAL:CG1	2.38	0.54
1:B:612:MET:CE	1:B:619:LYS:NZ	2.68	0.54
1:B:152:LEU:HD21	1:B:356:SER:O	2.07	0.54
1:D:245[A]:THR:HG23	1:D:390:PHE:O	2.07	0.54
1:C:274:LYS:NZ	3:C:1178:HOH:O	2.35	0.53
1:D:245[A]:THR:HG21	1:D:391:THR:HB	1.90	0.53
1:D:143:ALA:HB1	1:D:266:ILE:HD11	1.91	0.53
1:C:489:GLU:OE1	1:D:58:ARG:NH1	2.42	0.53
1:B:561:ASN:ND2	1:B:561:ASN:N	2.56	0.53
1:A:189:LYS:HA	1:A:202:ALA:HB2	1.91	0.52
1:B:172:ILE:HD12	1:B:435:ILE:HG12	1.91	0.52
1:C:66:ASN:OD1	1:C:198:ASN:ND2	2.40	0.51
1:B:350:VAL:HG22	1:B:500:VAL:HG22	1.93	0.51
1:D:408:ARG:O	1:D:413:GLN:NE2	2.43	0.51
1:B:75:VAL:CG1	1:B:247:VAL:HG23	2.41	0.51
1:C:172:ILE:HD12	1:C:435:ILE:HG12	1.92	0.51
1:A:443:GLN:CB	1:A:487:LEU:HD21	2.41	0.50
1:C:10:HIS:HE1	1:C:38:HIS:O	1.95	0.50
1:C:125:THR:HG23	1:C:126:THR:O	2.12	0.50
1:C:241:VAL:HG11	1:C:383:SER:OG	2.11	0.49
1:C:113:LEU:HD23	1:C:119:SER:HA	1.94	0.49
1:C:580:LEU:HD12	1:C:580:LEU:N	2.28	0.49
1:D:200:ASN:ND2	1:D:200:ASN:C	2.64	0.49
1:C:95:LEU:HD11	1:C:283:ILE:HD12	1.94	0.49
1:D:75:VAL:CG1	1:D:247:VAL:HG23	2.43	0.49
1:B:185:ILE:HD11	1:B:312:PRO:CD	2.42	0.49
1:D:84:LEU:HB2	1:D:87:ILE:HD12	1.94	0.49
1:A:72:THR:HB	3:A:1493:HOH:O	2.12	0.48
1:A:225:PHE:CZ	1:A:380:LEU:HA	2.48	0.48
1:B:185:ILE:HG23	1:B:311:GLN:NE2	2.27	0.48
1:B:266:ILE:HD11	1:B:401:GLN:CD	2.34	0.48
1:C:561:ASN:ND2	1:C:567:GLU:OE2	2.46	0.48
1:B:185:ILE:CD1	1:B:312:PRO:HG3	2.41	0.48
1:B:486:ARG:HG2	3:B:1158:HOH:O	2.13	0.48
1:D:187:ILE:HB	1:D:639:ARG:HB2	1.94	0.48
1:A:180:MET:HE1	1:A:313:PHE:HD1	1.79	0.48
1:C:104:ARG:HB2	1:C:572:VAL:HG11	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:70:THR:HG23	1:A:71:GLY:N	2.27	0.48
1:B:203:GLU:O	1:B:207:GLN:HG2	2.14	0.48
1:D:32:ASN:HD21	1:D:35:VAL:HG22	1.79	0.48
1:C:133:VAL:HG21	1:C:281:VAL:HG11	1.96	0.48
1:A:350:VAL:HG22	1:A:500:VAL:HG22	1.96	0.47
1:B:246[A]:ASN:HD21	1:B:301:ALA:HB2	1.79	0.47
3:A:1328:HOH:O	1:C:160:ARG:NH1	2.46	0.47
1:A:55:TYR:CE2	1:A:230:LEU:HD23	2.50	0.47
1:C:225:PHE:CZ	1:C:380:LEU:HA	2.49	0.47
1:B:245[B]:THR:HG23	1:B:298[B]:LEU:CD1	2.41	0.47
1:D:245[B]:THR:HG23	1:D:298[B]:LEU:HD12	1.96	0.47
1:B:185:ILE:HD12	1:B:646:PHE:CE2	2.49	0.47
1:B:263:GLN:HA	1:B:266:ILE:HD13	1.97	0.46
1:D:525:GLU:O	1:D:526:ARG:C	2.53	0.46
1:D:311:GLN:N	1:D:312:PRO:HD2	2.30	0.46
1:D:433:LYS:HE2	1:D:433:LYS:HA	1.97	0.46
1:C:190:MET:HB3	1:C:544:ASN:ND2	2.31	0.46
1:B:245[A]:THR:HG22	1:B:300:ASN:ND2	2.30	0.46
1:A:483:LEU:O	1:A:483:LEU:HD12	2.16	0.46
1:C:70:THR:HG22	1:C:71:GLY:N	2.31	0.45
1:A:538:GLU:HG2	1:A:539:ARG:HG3	1.99	0.45
1:D:225:PHE:CZ	1:D:380:LEU:HA	2.52	0.45
1:C:245[A]:THR:HG21	1:C:391:THR:HB	1.98	0.45
1:B:525:GLU:O	1:B:526:ARG:C	2.54	0.45
1:A:251:VAL:HG21	1:A:532:GLN:CD	2.38	0.45
1:B:444:MET:HG3	1:B:487:LEU:HD22	2.00	0.45
1:A:113:LEU:HD23	1:A:119:SER:HA	1.98	0.44
1:D:643:PRO:HA	1:D:646:PHE:CZ	2.53	0.44
1:B:262:ALA:O	1:B:266:ILE:HG23	2.18	0.44
1:A:149:VAL:HG13	3:A:1474:HOH:O	2.17	0.44
1:B:311:GLN:N	1:B:312:PRO:CD	2.81	0.43
1:B:579:THR:CG2	1:B:580:LEU:HD12	2.46	0.43
1:C:165:GLN:HB3	1:C:497:MET:HE2	2.00	0.43
1:B:190[B]:MET:HE1	1:B:617:PRO:HG2	1.99	0.43
1:D:87:ILE:HG12	1:D:585:TYR:CG	2.53	0.43
1:D:48:MET:HG3	1:D:49:TYR:CD2	2.54	0.43
1:B:48:MET:HG3	1:B:49:TYR:CD2	2.54	0.43
1:D:505:GLY:O	1:D:512:VAL:HG13	2.19	0.43
1:C:245[B]:THR:HG22	1:C:298[B]:LEU:HD12	1.99	0.43
1:B:152:LEU:CD2	1:B:157:LEU:HD12	2.45	0.43
1:B:644:ILE:HG22	1:B:645:PHE:CD2	2.54	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:596:HIS:O	1:C:280:LYS:HE3	2.19	0.42
1:A:261:TRP:CD2	1:A:274:LYS:HD3	2.54	0.42
1:C:199:VAL:HG21	3:C:1489:HOH:O	2.19	0.42
1:B:245[B]:THR:CG2	1:B:298[B]:LEU:HD12	2.43	0.42
1:C:245[A]:THR:HG22	1:C:300:ASN:ND2	2.34	0.42
1:A:75:VAL:CG1	1:A:247:VAL:CG2	2.86	0.42
1:A:626:ASP:OD1	1:A:640:LYS:NZ	2.52	0.42
1:C:415:LYS:NZ	3:C:1487:HOH:O	2.39	0.42
1:A:311:GLN:N	1:A:312:PRO:CD	2.82	0.41
1:D:55:TYR:CE2	1:D:230:LEU:HD23	2.55	0.41
1:A:103:LYS:HA	1:A:103:LYS:HD3	1.84	0.41
1:B:479:ARG:HD3	3:B:1167:HOH:O	2.20	0.41
1:D:300:ASN:HA	1:D:300:ASN:HD22	1.74	0.41
1:C:347:PHE:CD1	1:C:506:ALA:HB1	2.55	0.41
1:A:565:VAL:O	1:A:569:VAL:HG23	2.20	0.41
1:D:566:LEU:HD22	3:D:1210:HOH:O	2.21	0.41
1:C:571:ARG:CZ	3:C:1165:HOH:O	2.68	0.41
1:B:561:ASN:ND2	1:C:273:SER:OG	2.54	0.41
1:D:196:PRO:HB3	1:D:234:TYR:CE2	2.56	0.41
1:A:594:ARG:NH2	3:A:1158:HOH:O	2.48	0.41
1:A:249:TRP:HB2	1:A:538:GLU:HG3	2.03	0.41
1:D:180:MET:HE2	1:D:180:MET:HB2	1.96	0.41
1:A:331:PRO:HG3	1:A:465:ILE:HG23	2.01	0.41
1:B:366:LEU:HD13	1:B:382:SER:HB2	2.03	0.41
1:C:444:MET:HG3	1:C:487:LEU:HD22	2.03	0.40
1:D:580:LEU:HD12	1:D:580:LEU:N	2.37	0.40
1:D:74:LEU:HD11	1:D:395:GLY:C	2.42	0.40
1:A:353:TYR:CD2	1:A:469:ASP:HB3	2.56	0.40
1:C:551:LEU:HD13	1:C:606:LEU:HD12	2.03	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	648/659 (98%)	634 (98%)	13 (2%)	1 (0%)	52 53
1	B	634/659 (96%)	618 (98%)	16 (2%)	0	100 100
1	C	653/659 (99%)	637 (98%)	15 (2%)	1 (0%)	52 53
1	D	645/659 (98%)	632 (98%)	13 (2%)	0	100 100
All	All	2580/2636 (98%)	2521 (98%)	57 (2%)	2 (0%)	56 58

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	71	GLY
1	C	71	GLY

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	562/568 (99%)	554 (99%)	8 (1%)	74 80
1	B	554/568 (98%)	539 (97%)	15 (3%)	52 56
1	C	565/568 (100%)	559 (99%)	6 (1%)	80 85
1	D	561/568 (99%)	548 (98%)	13 (2%)	58 62
All	All	2242/2272 (99%)	2200 (98%)	42 (2%)	66 70

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	70	THR
1	A	125	THR
1	A	217	ARG
1	A	257	LYS
1	A	268	ARG
1	A	433	LYS
1	A	571	ARG
1	A	659	VAL
1	B	72	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	115	SER
1	B	125	THR
1	B	144	LEU
1	B	217	ARG
1	B	226	LYS
1	B	246[A]	ASN
1	B	246[B]	ASN
1	B	266	ILE
1	B	268	ARG
1	B	433	LYS
1	B	544	ASN
1	B	561	ASN
1	B	589	LEU
1	B	594	ARG
1	C	69	GLN
1	C	199	VAL
1	C	217	ARG
1	C	253	ASN
1	C	257	LYS
1	C	433	LYS
1	D	74	LEU
1	D	115	SER
1	D	190[A]	MET
1	D	190[B]	MET
1	D	200	ASN
1	D	217	ARG
1	D	253[A]	ASN
1	D	253[B]	ASN
1	D	433	LYS
1	D	486	ARG
1	D	504	GLU
1	D	589	LEU
1	D	655	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	HIS
1	A	246	ASN
1	A	253	ASN
1	B	284	ASN
1	B	561	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	593	GLN
1	B	632	GLN
1	C	10	HIS
1	C	250	GLN
1	C	544	ASN
1	D	200	ASN
1	D	216	ASN
1	D	300	ASN
1	D	311	GLN
1	D	443	GLN
1	D	491	GLN
1	D	593	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [\(i\)](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	649/659 (98%)	0.26	17 (2%) 59 66	15, 27, 39, 49	0
1	B	634/659 (96%)	0.33	20 (3%) 51 60	14, 26, 41, 53	0
1	C	650/659 (98%)	0.22	13 (2%) 68 73	17, 26, 37, 45	0
1	D	643/659 (97%)	0.29	20 (3%) 52 61	17, 29, 42, 52	0
All	All	2576/2636 (97%)	0.27	70 (2%) 58 65	14, 27, 40, 53	0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	11	ALA	5.3
1	D	10	HIS	4.8
1	B	43	ASP	4.5
1	D	659	VAL	4.4
1	B	545	PHE	4.4
1	A	70	THR	4.3
1	C	70	THR	4.0
1	B	62	THR	3.7
1	D	59	ASN	3.5
1	C	69	GLN	3.2
1	B	200	ASN	3.2
1	C	308	VAL	3.2
1	C	209	ALA	3.1
1	C	285	GLY	3.0
1	A	479	ARG	2.9
1	D	310	LEU	2.9
1	C	68	ARG	2.8
1	D	154[A]	ASP	2.8
1	A	308	VAL	2.8
1	B	659	VAL	2.8
1	B	17	THR	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	190[A]	MET	2.7
1	D	153	ARG	2.7
1	A	444	MET	2.7
1	D	58	ARG	2.7
1	C	310	LEU	2.6
1	B	73	GLN	2.6
1	A	69	GLN	2.6
1	B	153	ARG	2.6
1	D	427	LEU	2.6
1	D	40	GLU	2.6
1	A	431	VAL	2.5
1	A	486	ARG	2.5
1	A	489	GLU	2.4
1	D	11	ALA	2.4
1	B	42	PRO	2.4
1	D	115	SER	2.4
1	A	67	ALA	2.4
1	B	544	ASN	2.4
1	B	310	LEU	2.3
1	C	253	ASN	2.3
1	D	35	VAL	2.3
1	C	424	PHE	2.3
1	C	11	ALA	2.3
1	A	427	LEU	2.3
1	B	216	ASN	2.3
1	B	115	SER	2.3
1	A	310	LEU	2.2
1	D	270	LEU	2.2
1	D	65	ALA	2.2
1	D	130	ILE	2.2
1	A	545	PHE	2.1
1	B	644	ILE	2.1
1	B	12	GLU	2.1
1	A	449	VAL	2.1
1	B	561	ASN	2.1
1	D	632	GLN	2.1
1	A	655	LYS	2.1
1	C	212	LEU	2.1
1	D	544	ASN	2.1
1	C	284	ASN	2.1
1	C	659	VAL	2.1
1	B	58	ARG	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	428	PHE	2.0
1	A	659	VAL	2.0
1	D	268	ARG	2.0
1	A	253	ASN	2.0
1	D	27	GLY	2.0
1	B	40	GLU	2.0
1	A	190[A]	MET	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	MG	B	1001	1/1	0.88	0.19	4.49	18,18,18,18	0
2	MG	D	1001	1/1	0.89	0.09	-1.53	18,18,18,18	0
2	MG	C	1001	1/1	0.92	0.05	-2.39	16,16,16,16	0
2	MG	A	1001	1/1	0.95	0.10	-2.99	16,16,16,16	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.