



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 09:00 PM BST

PDB ID : 2IFS
Title : Structure of the N-WASP EVH1 domain in complex with an extended WIP peptide
Authors : Volkman, B.F.; Peterson, F.C.; Deng, Q.
Deposited on : 2006-09-21

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 87%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	169	

2 Ensemble composition and analysis

This entry contains 20 models. Model 7 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:455-A:478, A:534-A:637 (128)	0.68	7

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters and 4 single-model clusters were found.

Cluster number	Models
1	1, 6, 9, 12, 13, 16
2	7, 14, 17
3	4, 10, 20
4	2, 15
5	8, 19
Single-model clusters	3; 5; 11; 18

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2706 atoms, of which 1346 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera.

Mol	Chain	Residues	Atoms						Trace
1	A	169	Total	C	H	N	O	S	0
			2706	860	1346	245	248	7	

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	449	GLY	-	CLONING ARTIFACT	UNP O08816
A	450	SER	-	CLONING ARTIFACT	UNP O08816
A	516	GLY	-	SEE REMARK 999	UNP O08816
A	517	GLY	-	SEE REMARK 999	UNP O08816
A	518	LEU	-	SEE REMARK 999	UNP O08816
A	519	VAL	-	SEE REMARK 999	UNP O08816
A	520	PRO	-	SEE REMARK 999	UNP O08816
A	521	ARG	-	SEE REMARK 999	UNP O08816
A	522	GLY	-	SEE REMARK 999	UNP O08816
A	523	SER	-	SEE REMARK 999	UNP O08816
A	524	GLY	-	SEE REMARK 999	UNP O08816
A	525	GLY	-	SEE REMARK 999	UNP O08816

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Wiskott-Aldrich Syndrome Protien interacting protein and Neural Wiskott-Aldrich syndrome protein chimera




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Wiskott-Aldrich Syndrome Protien interacting protein and Neural Wiskott-Aldrich syndrome protein chimera




4.2.2 Score per residue for model 2

- Molecule 1: Wiskott-Aldrich Syndrome Protien interacting protein and Neural Wiskott-Aldrich syndrome protein chimera




4.2.3 Score per residue for model 3

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera




4.2.4 Score per residue for model 4

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera




4.2.5 Score per residue for model 5

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera




4.2.6 Score per residue for model 6

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera




4.2.7 Score per residue for model 7 (medoid)

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera



4.2.8 Score per residue for model 8


- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera



4.2.9 Score per residue for model 9

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera






4.2.10 Score per residue for model 10

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera


Chain A: 57% 18% 24%



4.2.11 Score per residue for model 11

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera


Chain A: 55% 20% 24%



4.2.12 Score per residue for model 12


- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera

Chain A: 60% 16% 24%




4.2.13 Score per residue for model 13

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera




4.2.14 Score per residue for model 14

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera



4.2.15 Score per residue for model 15


- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera



4.2.16 Score per residue for model 16

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera






4.2.17 Score per residue for model 17

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera


Chain A: 53% 22% 24%



4.2.18 Score per residue for model 18

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera


Chain A: 61% 14% 24%



4.2.19 Score per residue for model 19


- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera

Chain A: 66% 9% 24%



4.2.20 Score per residue for model 20

- Molecule 1: Wiskott-Aldrich Syndrome Protein interacting protein and Neural Wiskott-Aldrich syndrome protein chimera



5 Refinement protocol and experimental data overview

The models were refined using the following method: *AUTOMATED METHODS WERE USED FOR BACKBONE CHEMICAL SHIFT ASSIGNMENT AND ITERATIVE NOE REFINEMENT. FINAL STRUCTURES WERE OBTAINED BY MOLECULAR DYNAMICS IN EXPLICIT SOLVENT.*

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *TARGET FUNCTION.*

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
Xplor-NIH	refinement	2.9.3

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 15020
Number of chemical shift lists	1
Total number of shifts	1635
Number of shifts mapped to atoms	1635
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	87%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1038	1017	1015	14±3
All	All	20760	20340	20300	280

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:563:CYS:HG	1:A:578:PHE:HZ	0.80	1.18	4	3
1:A:603:TYR:HA	1:A:618:PHE:CE2	0.72	2.19	15	1
1:A:597:TYR:CD1	1:A:628:ARG:HG3	0.67	2.24	14	12
1:A:577:ILE:HG12	1:A:587:TRP:CE3	0.67	2.25	16	11
1:A:582:ASP:OD2	1:A:584:LYS:HG2	0.63	1.93	15	4
1:A:603:TYR:HA	1:A:618:PHE:CZ	0.62	2.29	4	2
1:A:597:TYR:HB2	1:A:632:THR:OG1	0.62	1.94	5	15
1:A:622:GLU:O	1:A:626:LYS:HG3	0.62	1.94	2	10
1:A:561:VAL:HG13	1:A:578:PHE:CE2	0.62	2.29	20	4
1:A:622:GLU:O	1:A:626:LYS:HG2	0.61	1.96	16	4
1:A:624:ALA:HA	1:A:627:PHE:CE2	0.61	2.29	5	13
1:A:559:SER:O	1:A:579:ASP:HA	0.61	1.96	3	5
1:A:478:LYS:O	1:A:478:LYS:HE3	0.60	1.96	18	1
1:A:603:TYR:HB3	1:A:618:PHE:CE1	0.60	2.32	6	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:561:VAL:HB	1:A:578:PHE:CE2	0.59	2.33	5	15
1:A:603:TYR:HA	1:A:618:PHE:CE1	0.57	2.34	14	2
1:A:563:CYS:SG	1:A:578:PHE:HZ	0.57	2.23	4	3
1:A:475:TYR:HB3	1:A:590:GLU:OE2	0.56	2.01	12	3
1:A:467:PRO:HA	1:A:612:CYS:SG	0.56	2.40	13	1
1:A:618:PHE:CZ	1:A:621:GLU:HG3	0.55	2.37	15	1
1:A:456:PHE:HB3	1:A:544:GLN:NE2	0.55	2.17	5	2
1:A:548:ALA:HA	1:A:553:MET:O	0.54	2.02	18	3
1:A:624:ALA:HA	1:A:627:PHE:CE1	0.54	2.36	11	4
1:A:633:ASP:O	1:A:637:ARG:HG2	0.54	2.03	5	3
1:A:543:VAL:HG12	1:A:618:PHE:HB3	0.54	1.80	18	1
1:A:576:ARG:HB3	1:A:585:LEU:HD21	0.54	1.79	17	1
1:A:538:MET:SD	1:A:566:LYS:HB2	0.53	2.44	2	1
1:A:601:ARG:HB3	1:A:604:PHE:HB3	0.53	1.78	7	1
1:A:582:ASP:OD2	1:A:584:LYS:HG3	0.53	2.04	17	1
1:A:595:PHE:HB3	1:A:635:LEU:CD1	0.52	2.35	18	1
1:A:548:ALA:HB2	1:A:554:TRP:CZ3	0.52	2.39	17	3
1:A:624:ALA:HA	1:A:627:PHE:CD2	0.52	2.40	14	5
1:A:631:VAL:O	1:A:634:LEU:HG	0.52	2.04	9	1
1:A:537:THR:HG23	1:A:563:CYS:SG	0.52	2.45	11	4
1:A:597:TYR:CD2	1:A:628:ARG:HG3	0.52	2.40	15	2
1:A:577:ILE:HG13	1:A:587:TRP:CE3	0.52	2.40	14	2
1:A:456:PHE:HB3	1:A:544:GLN:OE1	0.52	2.05	13	1
1:A:478:LYS:HA	1:A:478:LYS:HE3	0.52	1.82	11	1
1:A:567:ASP:OD1	1:A:569:PRO:HD2	0.51	2.05	10	3
1:A:603:TYR:HB2	1:A:618:PHE:CE1	0.51	2.40	8	3
1:A:475:TYR:CD1	1:A:590:GLU:HB2	0.51	2.41	13	1
1:A:579:ASP:O	1:A:583:GLY:HA2	0.51	2.06	11	3
1:A:595:PHE:HB3	1:A:635:LEU:HD13	0.51	1.83	14	1
1:A:597:TYR:CE2	1:A:628:ARG:HA	0.50	2.41	10	2
1:A:624:ALA:HA	1:A:627:PHE:CD1	0.50	2.40	7	1
1:A:603:TYR:HB2	1:A:618:PHE:CD1	0.50	2.42	8	2
1:A:579:ASP:HB3	1:A:582:ASP:HB3	0.50	1.84	17	2
1:A:477:SER:HB3	1:A:590:GLU:CD	0.50	2.27	17	2
1:A:633:ASP:O	1:A:637:ARG:HG3	0.50	2.06	8	1
1:A:473:LYS:HB2	1:A:592:TYR:CD1	0.50	2.41	12	3
1:A:535:CYS:HB2	1:A:565:VAL:CG1	0.50	2.37	2	2
1:A:550:ARG:HG2	1:A:551:ASN:OD1	0.50	2.07	1	2
1:A:572:SER:HB2	1:A:590:GLU:CD	0.50	2.27	6	1
1:A:473:LYS:HB2	1:A:592:TYR:HB3	0.49	1.82	2	1
1:A:455:TYR:HB2	1:A:618:PHE:CZ	0.49	2.42	8	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:546:TYR:CD1	1:A:554:TRP:HB3	0.49	2.42	1	2
1:A:605:HIS:CE1	1:A:624:ALA:HB1	0.49	2.43	1	4
1:A:546:TYR:CE2	1:A:556:LYS:HB2	0.48	2.43	8	1
1:A:618:PHE:HZ	1:A:627:PHE:CZ	0.48	2.26	19	1
1:A:535:CYS:HB3	1:A:565:VAL:CG1	0.48	2.38	7	1
1:A:554:TRP:CH2	1:A:615:ALA:HB2	0.48	2.44	11	6
1:A:462:LEU:HD12	1:A:604:PHE:CD1	0.48	2.44	15	1
1:A:563:CYS:SG	1:A:576:ARG:HB2	0.48	2.48	7	1
1:A:624:ALA:O	1:A:628:ARG:HG2	0.47	2.09	7	1
1:A:468:TYR:CE2	1:A:608:ALA:HB2	0.47	2.44	20	1
1:A:618:PHE:CZ	1:A:627:PHE:CE1	0.47	3.02	19	1
1:A:566:LYS:HG2	1:A:573:TYR:CE2	0.46	2.45	5	1
1:A:457:HIS:HB2	1:A:458:PRO:HA	0.46	1.87	17	2
1:A:573:TYR:CE1	1:A:634:LEU:HD12	0.46	2.45	13	1
1:A:556:LYS:O	1:A:556:LYS:HD2	0.46	2.11	9	1
1:A:597:TYR:CD1	1:A:628:ARG:HG2	0.46	2.45	1	1
1:A:574:PHE:CE2	1:A:590:GLU:HG3	0.46	2.46	13	1
1:A:627:PHE:O	1:A:631:VAL:HG23	0.46	2.10	2	6
1:A:620:ASN:HB3	1:A:623:GLU:HG3	0.46	1.88	8	1
1:A:598:ASN:HB2	1:A:606:THR:O	0.45	2.11	6	2
1:A:630:ALA:O	1:A:634:LEU:HD13	0.45	2.11	8	1
1:A:631:VAL:O	1:A:635:LEU:HG	0.45	2.12	14	1
1:A:599:SER:HB3	1:A:601:ARG:O	0.45	2.12	10	1
1:A:465:PRO:HG2	1:A:553:MET:N	0.45	2.27	14	1
1:A:601:ARG:HD3	1:A:602:GLY:N	0.45	2.26	17	1
1:A:567:ASP:OD1	1:A:570:GLN:HG2	0.44	2.12	17	1
1:A:566:LYS:NZ	1:A:566:LYS:HB2	0.44	2.27	13	1
1:A:475:TYR:HB2	1:A:478:LYS:HG2	0.44	1.89	6	1
1:A:575:LEU:HD12	1:A:587:TRP:CZ3	0.44	2.48	4	1
1:A:603:TYR:HB3	1:A:618:PHE:O	0.44	2.12	1	1
1:A:459:ILE:O	1:A:459:ILE:HD13	0.44	2.12	14	4
1:A:607:PHE:CE1	1:A:616:LEU:HD22	0.44	2.48	2	1
1:A:459:ILE:HD13	1:A:459:ILE:O	0.44	2.13	10	2
1:A:579:ASP:HB3	1:A:583:GLY:H	0.44	1.72	17	1
1:A:624:ALA:O	1:A:628:ARG:HB2	0.44	2.13	17	1
1:A:543:VAL:HG21	1:A:562:ALA:HB2	0.44	1.90	11	1
1:A:597:TYR:CE1	1:A:628:ARG:HG3	0.43	2.49	17	1
1:A:456:PHE:HA	1:A:617:ASN:ND2	0.43	2.28	3	1
1:A:620:ASN:HB3	1:A:623:GLU:CG	0.43	2.43	8	1
1:A:469:VAL:HG12	1:A:470:GLN:H	0.43	1.74	15	1
1:A:563:CYS:SG	1:A:578:PHE:CZ	0.43	3.12	3	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:562:ALA:HB2	1:A:577:ILE:HD13	0.43	1.91	6	1
1:A:478:LYS:HE2	1:A:478:LYS:HA	0.43	1.91	5	2
1:A:631:VAL:O	1:A:635:LEU:HD23	0.43	2.13	5	1
1:A:576:ARG:HD3	1:A:588:GLU:OE2	0.43	2.14	12	1
1:A:600:PRO:HD2	1:A:604:PHE:O	0.43	2.14	11	2
1:A:573:TYR:HB2	1:A:591:LEU:HB2	0.43	1.91	13	1
1:A:626:LYS:HE3	1:A:626:LYS:HA	0.42	1.91	8	1
1:A:549:ASP:HB3	1:A:553:MET:HB2	0.42	1.90	3	1
1:A:475:TYR:HB2	1:A:478:LYS:CB	0.42	2.44	16	1
1:A:540:SER:HA	1:A:562:ALA:O	0.42	2.15	7	3
1:A:568:ASN:N	1:A:569:PRO:HD2	0.42	2.29	6	1
1:A:534:LYS:HG2	1:A:535:CYS:H	0.42	1.73	12	1
1:A:473:LYS:N	1:A:473:LYS:HD2	0.42	2.29	20	2
1:A:601:ARG:HA	1:A:601:ARG:NE	0.42	2.29	7	1
1:A:603:TYR:HA	1:A:618:PHE:CD2	0.42	2.49	15	1
1:A:601:ARG:HB2	1:A:604:PHE:HB3	0.42	1.90	3	1
1:A:473:LYS:HE2	1:A:592:TYR:CZ	0.42	2.50	3	1
1:A:584:LYS:O	1:A:585:LEU:HB2	0.42	2.15	10	1
1:A:618:PHE:CE1	1:A:621:GLU:HA	0.42	2.50	4	1
1:A:586:LEU:H	1:A:586:LEU:HD23	0.41	1.75	1	1
1:A:475:TYR:CB	1:A:478:LYS:HB3	0.41	2.45	9	1
1:A:577:ILE:HB	1:A:587:TRP:HB3	0.41	1.91	10	1
1:A:591:LEU:HD23	1:A:607:PHE:CZ	0.41	2.51	13	1
1:A:456:PHE:HA	1:A:617:ASN:OD1	0.41	2.16	5	1
1:A:630:ALA:O	1:A:634:LEU:HB2	0.41	2.15	16	1
1:A:456:PHE:HB3	1:A:617:ASN:OD1	0.41	2.16	1	1
1:A:573:TYR:O	1:A:590:GLU:HA	0.40	2.16	7	1
1:A:612:CYS:SG	1:A:613:GLN:N	0.40	2.94	17	1
1:A:576:ARG:HD3	1:A:585:LEU:HD11	0.40	1.92	9	1
1:A:463:PRO:HG2	1:A:600:PRO:HB2	0.40	1.92	14	1
1:A:566:LYS:HD2	1:A:573:TYR:CE2	0.40	2.51	18	1
1:A:621:GLU:O	1:A:625:LYS:HG3	0.40	2.15	17	1
1:A:458:PRO:HD2	1:A:461:ASP:HB3	0.40	1.94	18	1
1:A:567:ASP:OD2	1:A:569:PRO:HD2	0.40	2.16	8	1
1:A:587:TRP:CH2	1:A:589:GLN:HB2	0.40	2.51	11	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	128/169 (76%)	118±2 (92±2%)	7±2 (6±2%)	2±1 (2±1%)	15	58
All	All	2560/3380 (76%)	2365 (92%)	148 (6%)	47 (2%)	15	58

All 9 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	550	ARG	19
1	A	585	LEU	18
1	A	612	CYS	2
1	A	610	ASP	2
1	A	594	ASN	2
1	A	593	ASN	1
1	A	552	CYS	1
1	A	600	PRO	1
1	A	571	ARG	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	114/147 (78%)	109±2 (96±2%)	5±2 (4±2%)	42	84
All	All	2280/2940 (78%)	2186 (96%)	94 (4%)	42	84

All 40 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	588	GLU	11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	589	GLN	9
1	A	566	LYS	7
1	A	459	ILE	7
1	A	623	GLU	4
1	A	556	LYS	4
1	A	590	GLU	4
1	A	584	LYS	3
1	A	621	GLU	3
1	A	478	LYS	3
1	A	457	HIS	2
1	A	553	MET	2
1	A	571	ARG	2
1	A	618	PHE	2
1	A	635	LEU	2
1	A	534	LYS	2
1	A	557	LYS	2
1	A	473	LYS	2
1	A	634	LEU	2
1	A	617	ASN	1
1	A	622	GLU	1
1	A	594	ASN	1
1	A	628	ARG	1
1	A	581	LYS	1
1	A	576	ARG	1
1	A	470	GLN	1
1	A	626	LYS	1
1	A	575	LEU	1
1	A	465	PRO	1
1	A	544	GLN	1
1	A	573	TYR	1
1	A	564	LEU	1
1	A	586	LEU	1
1	A	578	PHE	1
1	A	637	ARG	1
1	A	461	ASP	1
1	A	598	ASN	1
1	A	627	PHE	1
1	A	601	ARG	1
1	A	475	TYR	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 87% for the well-defined parts and 69% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 15020

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1635
Number of shifts mapped to atoms	1635
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	4

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	139	-0.39 ± 0.10	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	125	-0.36 ± 0.23	None needed (< 0.5 ppm)
$^{13}\text{C}'$	120	0.02 ± 0.18	None needed (< 0.5 ppm)
^{15}N	123	-0.49 ± 0.60	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 87%, i.e. 1405 atoms were assigned a chemical shift out of a possible 1623. 17 out of 19 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	594/624 (95%)	241/248 (97%)	239/256 (93%)	114/120 (95%)
Sidechain	677/823 (82%)	420/489 (86%)	244/293 (83%)	13/41 (32%)

Continued on next page...

Continued from previous page...

	Total	¹H	¹³C	¹⁵N
Aromatic	134/176 (76%)	85/92 (92%)	46/78 (59%)	3/6 (50%)
Overall	1405/1623 (87%)	746/829 (90%)	529/627 (84%)	130/167 (78%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 69%, i.e. 1484 atoms were assigned a chemical shift out of a possible 2161. 19 out of 24 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	637/827 (77%)	255/329 (78%)	259/338 (77%)	123/160 (77%)
Sidechain	708/1131 (63%)	433/675 (64%)	262/386 (68%)	13/70 (19%)
Aromatic	139/203 (68%)	89/107 (83%)	47/90 (52%)	3/6 (50%)
Overall	1484/2161 (69%)	777/1111 (70%)	568/814 (70%)	139/236 (59%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	615	ALA	HB2	-0.35	2.61 – 0.11	-6.9
1	A	615	ALA	HB3	-0.35	2.61 – 0.11	-6.9
1	A	615	ALA	HB1	-0.35	2.61 – 0.11	-6.9
1	A	465	PRO	HG3	-0.24	3.56 – 0.26	-6.5

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

