



Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 02:46 AM GMT

PDB ID : 2IIV
Title : Human dipeptidyl peptidase 4 in complex with a diazepan-2-one inhibitor
Authors : Scapin, G.; Weber, A.E.; Biftu, T.
Deposited on : 2006-09-28
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	1045 (2.16-2.16)
Clashscore	102246	1152 (2.16-2.16)
Ramachandran outliers	100387	1131 (2.16-2.16)
Sidechain outliers	100360	1131 (2.16-2.16)
RSRZ outliers	91569	1050 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	1086	X	-	-	-
2	NAG	A	1150	X	-	-	-
2	NAG	A	1230	X	-	-	-
2	NAG	A	1321	-	-	-	X
2	NAG	B	2219	-	-	-	X
2	NAG	B	2281	-	-	-	X
3	NAG	B	2321	-	-	-	X

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 13220 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dipeptidyl peptidase 4 soluble form.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	728	Total	C	N	O	S	0	0	0
			5965	3828	982	1129	26			

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	728	Total	C	N	O	S	0	0	0
			5965	3828	982	1129	26			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	39	THR	SER	ENGINEERED	UNP P27487
B	39	THR	SER	ENGINEERED	UNP P27487

- Molecule 2 is a polymer of unknown type called SUGAR (2-MER).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	2	Total	C	N	O		0	0
			28	16	2	10			
2	A	2	Total	C	N	O		0	0
			28	16	2	10			
2	A	2	Total	C	N	O		0	0
			28	16	2	10			
2	A	2	Total	C	N	O		0	0
			28	16	2	10			
2	B	2	Total	C	N	O		0	0
			28	16	2	10			
2	B	2	Total	C	N	O		0	0
			28	16	2	10			
2	B	2	Total	C	N	O		0	0
			28	16	2	10			
2	B	2	Total	C	N	O		0	0
			28	16	2	10			

- Molecule 3 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is (3R)-4-[(3R)-3-AMINO-4-(2,4,5-TRIFLUOROPHENYL)BUTANOYL]-3-METHYL-1,4-DIAZEPAN-2-ONE (three-letter code: 565) (formula: C₁₆H₂₀F₃N₃O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	F	N	O	0	0
			24	16	3	3	2		

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	F	N	O	0	0
			24	16	3	3	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	459	Total	O				0	0
			459	459					
5	B	461	Total	O				0	0
			461	461					


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dipeptidyl peptidase 4 soluble form



- Molecule 1: Dipeptidyl peptidase 4 soluble form



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	118.19 Å 125.78 Å 136.90 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.15 46.31 – 2.15	Depositor EDS
% Data completeness (in resolution range)	96.9 (30.00-2.15) 96.8 (46.31-2.15)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.68 (at 2.14 Å)	Xtriage
Refinement program	CNX	Depositor
R , R_{free}	0.194 , 0.229 0.191 , 0.225	Depositor DCC
R_{free} test set	5436 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	26.1	Xtriage
Anisotropy	0.421	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 48.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$< L > = 0.49$, $< L^2 > = 0.33$	Xtriage
Outliers	1 of 107898 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13220	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, 565

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/6137	0.69	2/8346 (0.0%)
1	B	0.47	0/6137	0.69	2/8346 (0.0%)
All	All	0.48	0/12274	0.69	4/16692 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	A	3	0
All	All	3	1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	300	LEU	N-CA-C	-5.47	96.24	111.00
1	A	319	ILE	N-CA-C	-5.41	96.40	111.00
1	B	388	GLN	N-CA-C	-5.14	97.11	111.00
1	B	669	ARG	NE-CZ-NH2	-5.05	117.78	120.30

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	1086	NAG	C1
2	A	1150	NAG	C1
2	A	1230	NAG	C1

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	700	TYR	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5965	0	5679	121	0
1	B	5965	0	5679	115	0
2	A	140	0	125	10	0
2	B	112	0	100	1	0
3	A	28	0	26	2	0
3	B	42	0	39	2	0
4	A	24	0	20	0	0
4	B	24	0	20	1	0
5	A	459	0	0	7	0
5	B	461	0	0	2	0
All	All	13220	0	11688	240	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (240) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:581:ARG:NH1	3:A:1520:NAG:H62	1.81	0.93
1:B:320:GLN:OE1	1:B:669:ARG:HD3	1.77	0.84
1:B:640:LEU:HD11	1:B:650:GLY:HA3	1.61	0.81
1:B:310:ARG:HH12	1:B:343:ARG:NH1	1.78	0.80
1:A:336:ARG:HG3	1:A:336:ARG:HH11	1.47	0.79
1:A:502:LYS:O	1:A:505:GLN:HG2	1.84	0.77
1:A:581:ARG:CZ	3:A:1520:NAG:H62	2.14	0.76
2:A:1229:NAG:H61	2:A:1230:NAG:O5	1.84	0.75
1:B:65:ASP:HB3	5:B:9426:HOH:O	1.87	0.74
1:B:184:ARG:HD3	1:B:186:THR:O	1.89	0.72
1:A:651:ILE:HD12	1:A:755:MET:HE2	1.71	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:726:VAL:HG23	1:B:728:VAL:HG23	1.72	0.70
1:A:345:HIS:HD2	5:A:9242:HOH:O	1.74	0.70
1:B:74:ASN:N	1:B:74:ASN:HD22	1.88	0.70
1:A:648:LYS:HE3	1:A:762:CYS:O	1.91	0.70
1:B:258:LYS:NZ	1:B:712:HIS:HD2	1.89	0.69
1:B:760:LYS:HA	1:B:765:LEU:HD23	1.75	0.69
1:A:184:ARG:HH11	1:A:187:TRP:HA	1.58	0.69
1:B:75:ASN:HB3	1:B:92:ASN:N	2.07	0.68
1:A:621:ASN:HD22	1:A:622:LYS:N	1.92	0.68
1:A:640:LEU:HD11	1:A:650:GLY:HA3	1.76	0.68
1:A:258:LYS:NZ	1:A:712:HIS:HD2	1.92	0.68
1:A:154:TRP:CD1	1:A:214:LEU:HD21	2.31	0.65
1:B:763:PHE:HB2	1:B:765:LEU:HD21	1.79	0.64
1:B:658:ARG:HG2	1:B:661:TYR:CE2	2.31	0.64
1:B:620:ASP:OD2	1:B:623:ARG:HD3	1.97	0.64
1:A:214:LEU:H	1:A:214:LEU:HD23	1.64	0.62
1:B:139:LYS:O	1:B:141:GLN:HG3	2.00	0.62
1:B:75:ASN:HB3	1:B:92:ASN:H	1.63	0.62
1:A:691:ARG:HD2	5:A:9016:HOH:O	1.99	0.62
1:A:149:PRO:HA	2:A:1150:NAG:C8	2.30	0.61
2:A:1151:NAG:H3	2:A:1151:NAG:O7	2.01	0.61
1:B:422:TYR:CE2	1:B:423:LYS:HE2	2.36	0.61
1:B:756:SER:O	1:B:760:LYS:HG3	2.00	0.61
1:A:65:ASP:OD2	1:A:466:LYS:HB2	2.01	0.61
1:A:184:ARG:NH1	1:A:187:TRP:HA	2.15	0.60
1:B:272:ASN:C	1:B:272:ASN:HD22	2.04	0.60
1:A:214:LEU:N	1:A:214:LEU:HD23	2.16	0.60
1:A:143:ILE:CD1	1:A:178:PRO:HB2	2.31	0.60
2:A:1150:NAG:H4	2:A:1151:NAG:N2	2.15	0.59
1:A:153:GLN:HE22	1:A:170:ASN:ND2	2.00	0.59
1:A:248:TYR:CZ	1:B:234:PRO:HB2	2.37	0.59
1:A:651:ILE:CD1	1:A:755:MET:HE2	2.31	0.59
1:A:621:ASN:C	1:A:621:ASN:HD22	2.06	0.59
2:A:1230:NAG:O7	2:A:1230:NAG:H3	2.02	0.59
1:B:65:ASP:CG	1:B:464:GLU:HB2	2.24	0.58
1:A:291:ALA:O	1:A:295:ILE:HG23	2.03	0.58
1:A:69:LEU:HD13	1:A:107:ILE:HD12	1.84	0.58
1:B:272:ASN:HD21	1:B:274:ASP:HB2	1.68	0.58
1:B:114:ILE:CG2	1:B:135:TYR:HB3	2.34	0.58
1:A:139:LYS:O	1:A:141:GLN:HG2	2.04	0.58
1:A:336:ARG:CG	1:A:336:ARG:HH11	2.16	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:184:ARG:HD2	1:B:187:TRP:CE2	2.38	0.57
1:B:691:ARG:HD2	5:B:9338:HOH:O	2.03	0.57
1:B:109:PRO:HG2	1:B:158:SER:O	2.05	0.57
1:A:149:PRO:HA	2:A:1150:NAG:H81	1.87	0.57
1:A:680:LEU:HD11	1:A:684:ARG:CZ	2.35	0.56
1:A:726:VAL:HG23	1:A:728:VAL:HG12	1.87	0.56
1:A:175:LYS:HG3	1:A:182:SER:HB3	1.87	0.56
1:A:95:PHE:HB3	1:A:98:PHE:HB2	1.87	0.56
1:B:765:LEU:HB2	1:B:766:PRO:O	2.06	0.56
1:A:658:ARG:HG2	1:A:661:TYR:CE2	2.41	0.55
1:B:91:GLU:HG2	1:B:93:SER:H	1.71	0.55
1:B:236:ILE:CG2	1:B:254:VAL:HG13	2.36	0.55
1:A:170:ASN:HD22	1:A:170:ASN:N	2.04	0.55
1:B:596:ARG:O	1:B:597:ARG:HD3	2.07	0.55
1:A:173:TYR:CE2	1:A:184:ARG:HG2	2.41	0.55
1:B:415:LEU:C	1:B:415:LEU:HD23	2.27	0.55
1:B:125:ARG:HG2	1:B:126:HIS:NE2	2.23	0.54
1:B:520:ASN:O	1:B:521:GLU:HB2	2.06	0.54
1:A:60:LEU:C	1:A:60:LEU:HD12	2.27	0.54
1:A:64:SER:HA	1:A:463:LYS:HG3	1.88	0.54
1:A:41:LYS:HD3	1:A:41:LYS:H	1.73	0.54
1:A:77:LEU:HD23	1:A:88:VAL:HA	1.89	0.54
1:A:197:GLY:O	1:A:214:LEU:HD22	2.07	0.54
1:A:510:PRO:HD3	1:A:569:SER:HB2	1.90	0.54
1:B:765:LEU:HD22	1:B:765:LEU:N	2.23	0.53
1:B:487:ASN:C	1:B:487:ASN:HD22	2.12	0.53
1:B:65:ASP:OD2	1:B:466:LYS:HB2	2.09	0.53
1:A:331:ASP:HB3	1:A:334:SER:HB3	1.90	0.52
1:B:544:LEU:HD21	1:B:606:GLN:HG3	1.92	0.52
1:A:459:VAL:HG22	1:A:460:SER:N	2.24	0.52
1:B:763:PHE:HB2	1:B:765:LEU:CD2	2.38	0.52
1:A:258:LYS:HZ1	1:A:712:HIS:HD2	1.56	0.51
1:B:477:LEU:HD22	1:B:500:LEU:HD23	1.92	0.51
1:B:74:ASN:ND2	1:B:74:ASN:N	2.58	0.51
1:A:184:ARG:HD2	1:A:187:TRP:CE2	2.45	0.51
1:A:693:GLU:HB2	5:A:9031:HOH:O	2.10	0.51
1:B:147:ARG:CD	3:B:2150:NAG:H83	2.41	0.51
1:A:388:GLN:HB3	1:A:391:LYS:HB2	1.93	0.50
1:A:397:ILE:HG22	1:A:439:TYR:CE2	2.46	0.50
2:A:1229:NAG:H61	2:A:1230:NAG:C1	2.40	0.50
1:A:184:ARG:HD3	1:A:186:THR:O	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:PRO:HD3	1:A:216:TRP:CB	2.40	0.50
1:A:214:LEU:CD2	1:A:214:LEU:N	2.74	0.50
1:A:620:ASP:OD2	1:A:623:ARG:HD3	2.12	0.50
1:B:492:ARG:HH11	1:B:492:ARG:HB3	1.75	0.50
1:B:105:TYR:HB2	1:B:114:ILE:HD11	1.94	0.50
1:B:173:TYR:CE2	1:B:184:ARG:HG3	2.46	0.49
1:B:677:GLU:N	1:B:677:GLU:OE1	2.34	0.49
1:B:258:LYS:HZ3	1:B:712:HIS:HD2	1.58	0.49
1:A:139:LYS:HG3	1:A:141:GLN:HB2	1.95	0.49
1:A:293:MET:HG2	1:A:315:TRP:HB3	1.95	0.49
1:B:487:ASN:ND2	1:B:489:LYS:H	2.11	0.49
1:A:341:VAL:HG12	5:A:9138:HOH:O	2.12	0.49
1:B:258:LYS:HZ1	1:B:712:HIS:HD2	1.61	0.48
1:B:65:ASP:OD2	1:B:464:GLU:HB2	2.13	0.48
1:A:320:GLN:OE1	1:A:669:ARG:HD3	2.12	0.48
1:A:336:ARG:NH1	1:A:336:ARG:CG	2.75	0.48
1:A:387:PHE:CD1	1:A:394:CYS:HB3	2.49	0.48
1:A:345:HIS:CD2	5:A:9242:HOH:O	2.56	0.48
1:B:658:ARG:HG3	1:B:658:ARG:O	2.14	0.48
1:A:60:LEU:HD12	1:A:60:LEU:O	2.14	0.48
1:A:658:ARG:O	1:A:658:ARG:HG3	2.13	0.47
1:A:390:ASP:O	1:A:391:LYS:HD2	2.13	0.47
1:A:388:GLN:CB	1:A:391:LYS:HB2	2.44	0.47
1:A:159:PRO:HG3	1:A:217:SER:O	2.14	0.47
1:A:621:ASN:ND2	1:A:621:ASN:C	2.67	0.47
2:B:2086:NAG:O7	2:B:2086:NAG:O3	2.31	0.47
1:B:159:PRO:HD3	1:B:216:TRP:CB	2.45	0.47
1:B:696:LYS:HG3	1:B:728:VAL:HG22	1.97	0.47
1:A:312:SER:HB2	1:A:325:MET:CE	2.45	0.47
1:B:741:GLY:O	1:B:742:ILE:C	2.52	0.47
1:A:160:VAL:HG12	1:A:161:GLY:N	2.29	0.47
1:B:65:ASP:OD1	1:B:464:GLU:N	2.41	0.47
1:B:272:ASN:HD22	1:B:274:ASP:H	1.63	0.47
1:B:513:LYS:O	1:B:527:GLN:HA	2.15	0.47
1:A:125:ARG:HG2	1:A:126:HIS:NE2	2.29	0.47
1:B:458:SER:HB3	1:B:471:ARG:HB2	1.96	0.47
1:B:154:TRP:CE2	1:B:212:SER:HB3	2.49	0.47
1:A:651:ILE:HG21	1:A:755:MET:CE	2.45	0.47
1:A:325:MET:HE2	1:A:327:ILE:HG12	1.96	0.47
1:A:74:ASN:HB3	1:A:92:ASN:HB2	1.98	0.46
1:B:60:LEU:C	1:B:60:LEU:HD12	2.35	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:VAL:HA	1:A:255:PRO:HD3	1.84	0.46
1:B:80:ASN:OD1	1:B:82:GLU:HB3	2.16	0.46
1:B:150:ASN:O	1:B:151:ASN:HB2	2.16	0.46
1:B:82:GLU:HG2	1:B:83:TYR:CE1	2.51	0.46
1:B:651:ILE:HD13	1:B:755:MET:HG2	1.98	0.46
1:B:254:VAL:HA	1:B:255:PRO:HD3	1.85	0.46
1:A:41:LYS:HG3	5:A:9096:HOH:O	2.16	0.46
1:A:512:LYS:HD3	5:A:9226:HOH:O	2.15	0.46
1:B:532:PRO:HD3	1:B:569:SER:HA	1.98	0.46
1:A:345:HIS:HE1	1:A:389:ILE:O	1.98	0.46
1:A:504:LEU:HA	1:A:507:VAL:HG12	1.97	0.46
1:B:258:LYS:HZ3	1:B:712:HIS:CD2	2.34	0.45
1:A:69:LEU:CD1	1:A:107:ILE:HD12	2.47	0.45
1:B:507:VAL:HG13	1:B:509:MET:HG2	1.98	0.45
1:B:177:GLU:HB2	1:B:180:LEU:HG	1.98	0.45
1:B:114:ILE:HG23	1:B:135:TYR:HB3	1.97	0.45
1:A:109:PRO:HG2	1:A:158:SER:O	2.17	0.45
1:B:519:LEU:O	1:B:522:THR:HG23	2.16	0.45
1:B:626:ILE:O	1:B:650:GLY:HA2	2.17	0.45
1:B:658:ARG:HD3	1:B:660:GLU:HB2	1.97	0.45
1:A:98:PHE:CE2	1:A:100:HIS:HB2	2.52	0.45
1:B:504:LEU:HA	1:B:507:VAL:HG12	1.98	0.45
1:B:627:TRP:CE3	1:B:755:MET:HE3	2.51	0.45
1:A:597:ARG:HA	1:A:682:HIS:CD2	2.52	0.45
1:A:131:SER:OG	1:A:150:ASN:OD1	2.22	0.45
1:B:136:ASP:CG	1:B:139:LYS:HG2	2.37	0.45
1:B:491:LEU:O	1:B:492:ARG:HB3	2.17	0.45
1:B:275:SER:O	1:B:279:VAL:HG22	2.17	0.45
1:B:696:LYS:CG	1:B:728:VAL:HG22	2.47	0.45
1:A:253:ARG:NH2	1:B:253:ARG:HH22	2.15	0.45
1:A:321:ASN:HA	1:A:354:VAL:HG23	2.00	0.44
1:B:658:ARG:HG2	1:B:661:TYR:CD2	2.53	0.44
1:A:114:ILE:HG23	1:A:135:TYR:HB3	1.99	0.44
1:A:184:ARG:HD2	1:A:187:TRP:CD2	2.52	0.44
1:B:75:ASN:ND2	1:B:92:ASN:ND2	2.65	0.44
1:B:147:ARG:HG3	3:B:2150:NAG:H83	1.99	0.44
1:B:484:SER:OG	1:B:486:VAL:HG12	2.17	0.44
1:B:520:ASN:O	1:B:521:GLU:CB	2.65	0.44
1:B:487:ASN:HD22	1:B:488:ASP:N	2.15	0.44
1:A:415:LEU:C	1:A:415:LEU:HD23	2.38	0.44
2:A:1321:NAG:H61	2:A:1322:NAG:O5	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:325:MET:HE1	1:A:327:ILE:HD11	2.00	0.43
1:A:240:PHE:HB3	1:A:250:LYS:CG	2.48	0.43
1:B:206:GLU:CD	4:B:900:565:H202	2.21	0.43
1:A:148:ILE:HA	1:A:149:PRO:HD3	1.92	0.43
1:B:107:ILE:HG22	1:B:108:SER:O	2.18	0.43
1:B:159:PRO:HD3	1:B:216:TRP:HB2	2.00	0.43
1:A:268:PHE:CD2	1:A:313:LEU:HD21	2.52	0.43
1:A:330:TYR:CE2	2:A:1220:NAG:H83	2.54	0.43
1:A:146:GLU:OE1	1:A:181:PRO:HA	2.18	0.43
1:B:82:GLU:HG2	1:B:83:TYR:CZ	2.53	0.43
1:A:723:LEU:HB3	1:A:728:VAL:HG13	2.00	0.43
1:B:106:SER:HB3	1:B:115:LEU:HB3	2.01	0.43
1:A:689:MET:HE3	1:B:244:GLU:HG3	2.00	0.43
1:A:633:GLY:HA3	1:A:655:PRO:HB3	2.01	0.43
1:B:98:PHE:HE1	1:B:142:LEU:HD21	1.82	0.43
1:B:658:ARG:HB2	1:B:687:THR:HG22	2.01	0.43
1:B:272:ASN:ND2	1:B:274:ASP:H	2.17	0.43
1:B:405:ILE:HG13	1:B:429:ARG:CD	2.49	0.42
1:A:206:GLU:OE2	1:A:663:ASP:OD2	2.38	0.42
1:A:403:GLU:OE1	1:A:585:TYR:HA	2.20	0.42
1:B:613:PHE:O	1:B:616:MET:HB2	2.20	0.42
1:A:81:ALA:O	1:A:492:ARG:NH2	2.40	0.42
1:A:422:TYR:CZ	1:A:423:LYS:HE3	2.54	0.42
1:B:268:PHE:CE2	1:B:313:LEU:HD21	2.54	0.42
1:B:237:GLU:HA	1:B:252:VAL:O	2.20	0.42
1:A:534:PHE:HZ	1:A:618:PHE:CG	2.38	0.42
1:A:95:PHE:CE1	1:A:116:LEU:HD11	2.54	0.42
1:A:658:ARG:HD3	1:A:660:GLU:HB2	2.02	0.41
1:A:741:GLY:O	1:A:742:ILE:C	2.58	0.41
1:A:765:LEU:HA	1:A:766:PRO:HD3	1.92	0.41
1:A:234:PRO:HB2	1:B:248:TYR:CZ	2.55	0.41
1:A:676:PRO:HG2	1:A:677:GLU:OE2	2.20	0.41
1:B:501:ASP:O	1:B:505:GLN:HG2	2.19	0.41
1:A:134:ILE:HG21	1:A:178:PRO:HB3	2.02	0.41
1:A:312:SER:HB2	1:A:325:MET:HE2	2.03	0.41
1:B:236:ILE:HG23	1:B:254:VAL:HG13	2.02	0.41
1:B:125:ARG:HG2	1:B:126:HIS:CE1	2.56	0.41
1:A:224:ALA:HB1	1:A:268:PHE:CZ	2.56	0.41
1:A:538:LYS:O	1:A:618:PHE:HA	2.21	0.41
1:B:310:ARG:NH1	1:B:329:ASP:OD1	2.54	0.41
1:A:111:GLY:O	1:A:137:LEU:HD12	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:229:ASN:HB3	1:A:265:THR:OG1	2.21	0.41
1:A:345:HIS:CE1	1:A:389:ILE:O	2.74	0.41
1:A:136:ASP:CG	1:A:139:LYS:HG2	2.41	0.41
1:B:60:LEU:HD12	1:B:60:LEU:O	2.20	0.41
1:B:258:LYS:NZ	1:B:712:HIS:CD2	2.80	0.41
1:B:81:ALA:O	1:B:492:ARG:NH2	2.54	0.41
1:A:677:GLU:CD	1:A:677:GLU:H	2.24	0.41
1:B:765:LEU:HB2	1:B:766:PRO:C	2.41	0.40
1:A:723:LEU:HD22	1:A:728:VAL:HG11	2.03	0.40
1:A:693:GLU:OE1	1:A:696:LYS:HE2	2.21	0.40
1:A:472:CYS:O	1:A:478:PRO:HA	2.21	0.40
1:B:627:TRP:CE3	1:B:755:MET:CE	3.04	0.40
1:A:250:LYS:HE3	1:A:250:LYS:HB2	1.96	0.40
1:A:55:LEU:CD1	1:A:561:LEU:HD12	2.52	0.40
1:B:148:ILE:HA	1:B:149:PRO:HD3	1.87	0.40
1:B:568:ALA:HA	1:B:573:ILE:O	2.21	0.40
2:A:1150:NAG:H4	2:A:1151:NAG:HN2	1.82	0.40
1:B:459:VAL:HG22	1:B:460:SER:N	2.37	0.40
1:A:139:LYS:HB3	1:A:139:LYS:HE2	1.94	0.40
1:B:510:PRO:HD3	1:B:569:SER:HB2	2.03	0.40
1:B:57:LEU:HA	1:B:480:TYR:CE1	2.57	0.40
1:B:680:LEU:HD11	1:B:684:ARG:CZ	2.52	0.40
1:B:314:GLN:HG2	1:B:325:MET:HB2	2.03	0.40
1:B:334:SER:O	1:B:336:ARG:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	726/728 (100%)	690 (95%)	34 (5%)	2 (0%)	46 42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	726/728 (100%)	692 (95%)	32 (4%)	2 (0%)	46 42
All	All	1452/1456 (100%)	1382 (95%)	66 (4%)	4 (0%)	46 42

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	40	ARG
1	B	320	GLN
1	B	40	ARG
1	A	320	GLN

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	653/653 (100%)	633 (97%)	20 (3%)	47 47
1	B	653/653 (100%)	637 (98%)	16 (2%)	55 58
All	All	1306/1306 (100%)	1270 (97%)	36 (3%)	51 52

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	LYS
1	A	170	ASN
1	A	184	ARG
1	A	214	LEU
1	A	230	ASP
1	A	253	ARG
1	A	254	VAL
1	A	326	ASP
1	A	344	GLN
1	A	385	CYS
1	A	388	GLN
1	A	448	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	472	CYS
1	A	520	ASN
1	A	566	TYR
1	A	597	ARG
1	A	608	GLU
1	A	621	ASN
1	A	658	ARG
1	A	761	GLN
1	B	74	ASN
1	B	230	ASP
1	B	254	VAL
1	B	272	ASN
1	B	385	CYS
1	B	388	GLN
1	B	472	CYS
1	B	487	ASN
1	B	492	ARG
1	B	506	ASN
1	B	522	THR
1	B	566	TYR
1	B	597	ARG
1	B	658	ARG
1	B	685	ASN
1	B	761	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	ASN
1	A	169	ASN
1	A	170	ASN
1	A	345	HIS
1	A	435	GLN
1	A	505	GLN
1	A	572	ASN
1	A	621	ASN
1	A	712	HIS
1	B	51	ASN
1	B	74	ASN
1	B	123	GLN
1	B	141	GLN
1	B	169	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	272	ASN
1	B	345	HIS
1	B	435	GLN
1	B	487	ASN
1	B	506	ASN
1	B	533	HIS
1	B	595	ASN
1	B	685	ASN
1	B	712	HIS
1	B	761	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

18 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	A	1085	1,2	14,14,15	0.77	0	15,19,21	1.24	2 (13%)
2	NAG	A	1086	2	14,14,15	0.75	0	15,19,21	0.84	1 (6%)
2	NAG	A	1150	1,2	14,14,15	0.80	1 (7%)	15,19,21	0.80	0
2	NAG	A	1151	2	14,14,15	0.67	0	15,19,21	0.71	0
2	NAG	A	1219	1,2	14,14,15	0.56	0	15,19,21	0.67	0
2	NAG	A	1220	2	14,14,15	0.60	0	15,19,21	0.95	1 (6%)
2	NAG	A	1229	1,2	14,14,15	0.74	0	15,19,21	1.00	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	A	1230	2	14,14,15	0.83	1 (7%)	15,19,21	0.83	1 (6%)
2	NAG	A	1321	1,2	14,14,15	0.69	0	15,19,21	0.82	0
2	NAG	A	1322	2	14,14,15	0.66	0	15,19,21	0.74	0
2	NAG	B	2085	1,2	14,14,15	0.67	0	15,19,21	0.80	0
2	NAG	B	2086	2	14,14,15	0.90	1 (7%)	15,19,21	0.80	0
2	NAG	B	2219	1,2	14,14,15	0.41	0	15,19,21	0.75	1 (6%)
2	NAG	B	2220	2	14,14,15	0.54	0	15,19,21	0.76	1 (6%)
2	NAG	B	2229	1,2	14,14,15	0.49	0	15,19,21	0.80	1 (6%)
2	NAG	B	2230	2	14,14,15	0.60	0	15,19,21	0.77	1 (6%)
2	NAG	B	2281	1,2	14,14,15	0.43	0	15,19,21	0.97	1 (6%)
2	NAG	B	2282	2	14,14,15	0.58	0	15,19,21	0.80	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1085	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	1086	2	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	A	1150	1,2	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	A	1151	2	-	0/6/23/26	0/1/1/1
2	NAG	A	1219	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	1220	2	-	0/6/23/26	0/1/1/1
2	NAG	A	1229	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	1230	2	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	A	1321	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	1322	2	-	0/6/23/26	0/1/1/1
2	NAG	B	2085	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	2086	2	-	0/6/23/26	0/1/1/1
2	NAG	B	2219	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	2220	2	-	0/6/23/26	0/1/1/1
2	NAG	B	2229	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	2230	2	-	0/6/23/26	0/1/1/1
2	NAG	B	2281	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	2282	2	-	0/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1150	NAG	C1-C2	2.49	1.55	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1230	NAG	C1-C2	2.54	1.56	1.52
2	B	2086	NAG	C1-C2	2.81	1.56	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2281	NAG	C2-N2-C7	-2.82	119.42	123.04
2	A	1229	NAG	C2-N2-C7	-2.66	119.62	123.04
2	A	1085	NAG	C4-C3-C2	-2.63	107.14	111.23
2	A	1220	NAG	C2-N2-C7	-2.39	119.97	123.04
2	B	2230	NAG	C2-N2-C7	-2.35	120.02	123.04
2	A	1086	NAG	C2-N2-C7	-2.31	120.07	123.04
2	B	2220	NAG	C2-N2-C7	-2.27	120.12	123.04
2	B	2219	NAG	C2-N2-C7	-2.26	120.14	123.04
2	B	2282	NAG	C2-N2-C7	-2.14	120.29	123.04
2	A	1230	NAG	C2-N2-C7	-2.11	120.33	123.04
2	B	2229	NAG	C2-N2-C7	-2.08	120.36	123.04
2	A	1085	NAG	C2-N2-C7	-2.04	120.41	123.04

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	1150	NAG	C1
2	A	1086	NAG	C1
2	A	1230	NAG	C1

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1150	NAG	4	0
2	A	1151	NAG	3	0
2	A	1220	NAG	1	0
2	A	1229	NAG	2	0
2	A	1230	NAG	3	0
2	A	1321	NAG	1	0
2	A	1322	NAG	1	0
2	B	2086	NAG	1	0

5.6 Ligand geometry (i)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	A	1281	1	14,14,15	0.70	0	15,19,21	0.91	0
3	NAG	A	1520	1	14,14,15	0.73	0	15,19,21	0.78	0
4	565	A	9001	-	23,25,25	4.23	15 (65%)	22,35,35	3.13	7 (31%)
3	NAG	B	2092	1	14,14,15	0.80	1 (7%)	15,19,21	0.62	0
3	NAG	B	2150	1	14,14,15	0.66	0	15,19,21	1.00	1 (6%)
3	NAG	B	2321	1	14,14,15	0.55	0	15,19,21	1.27	2 (13%)
4	565	B	9002	-	23,25,25	4.18	14 (60%)	22,35,35	3.26	8 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1281	1	-	0/6/23/26	0/1/1/1
3	NAG	A	1520	1	-	0/6/23/26	0/1/1/1
4	565	A	9001	-	-	0/10/27/27	0/1/2/2
3	NAG	B	2092	1	-	0/6/23/26	0/1/1/1
3	NAG	B	2150	1	-	0/6/23/26	0/1/1/1
3	NAG	B	2321	1	-	0/6/23/26	0/1/1/1
4	565	B	9002	-	-	0/10/27/27	0/1/2/2

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	9001	565	C15-C12	-9.09	1.39	1.53
4	B	9002	565	C15-C12	-9.07	1.39	1.53
4	B	9002	565	F44-C6	-4.31	1.25	1.35
4	A	9001	565	F44-C6	-3.32	1.27	1.35
4	B	9002	565	O42-C29	-2.52	1.18	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	9001	565	O42-C29	-2.43	1.18	1.23
4	A	9001	565	C11-C3	-2.24	1.48	1.51
3	B	2092	NAG	C1-C2	2.19	1.55	1.52
4	B	9002	565	C6-C5	2.29	1.48	1.38
4	A	9001	565	C6-C5	2.30	1.48	1.38
4	B	9002	565	C11-C12	3.30	1.59	1.53
4	B	9002	565	C4-C5	3.83	1.44	1.37
4	A	9001	565	C27-N28	3.83	1.54	1.46
4	A	9001	565	C4-C5	3.90	1.44	1.37
4	B	9002	565	C27-N28	3.99	1.54	1.46
4	A	9001	565	C11-C12	4.18	1.60	1.53
4	B	9002	565	C25-N19	4.19	1.55	1.47
4	A	9001	565	C25-N19	4.66	1.55	1.47
4	A	9001	565	C1-C6	4.66	1.46	1.37
4	A	9001	565	C1-C2	4.80	1.46	1.37
4	B	9002	565	C1-C6	5.06	1.46	1.37
4	B	9002	565	C15-C16	5.22	1.60	1.51
4	A	9001	565	C3-C2	5.27	1.47	1.38
4	A	9001	565	C4-C3	5.52	1.49	1.39
4	B	9002	565	C1-C2	5.54	1.47	1.37
4	A	9001	565	C15-C16	5.64	1.61	1.51
4	B	9002	565	C3-C2	6.26	1.49	1.38
4	B	9002	565	C4-C3	6.43	1.50	1.39
4	B	9002	565	C29-N28	7.38	1.41	1.33
4	A	9001	565	C29-N28	9.33	1.43	1.33

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	9001	565	C26-C25-N19	-8.36	99.78	113.11
4	B	9002	565	O42-C29-N28	-8.24	114.03	122.04
4	B	9002	565	C26-C25-N19	-8.11	100.18	113.11
4	A	9001	565	O42-C29-N28	-7.61	114.64	122.04
4	B	9002	565	C11-C12-C15	-6.79	99.24	110.81
4	A	9001	565	C11-C12-C15	-5.98	100.62	110.81
3	B	2150	NAG	C2-N2-C7	-3.10	119.06	123.04
3	B	2321	NAG	C2-N2-C7	-2.93	119.27	123.04
4	B	9002	565	O22-C16-C15	-2.23	117.93	122.22
4	A	9001	565	O22-C16-C15	-2.13	118.12	122.22
4	B	9002	565	C1-C2-C3	-2.10	121.45	124.13
3	B	2321	NAG	C4-C3-C2	-2.08	108.00	111.23
4	A	9001	565	C25-C26-C27	2.15	118.64	113.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	9002	565	C25-C26-C27	2.35	119.08	113.81
4	B	9002	565	C27-N28-C29	3.85	134.49	127.17
4	B	9002	565	C4-C3-C2	3.89	119.54	116.52
4	A	9001	565	C4-C3-C2	3.92	119.57	116.52
4	A	9001	565	C27-N28-C29	4.28	135.30	127.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1520	NAG	2	0
3	B	2150	NAG	2	0
4	B	9002	565	1	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	728/728 (100%)	-0.07	15 (2%) 67 74	15, 24, 43, 56	0
1	B	728/728 (100%)	0.02	28 (3%) 44 54	15, 25, 44, 59	0
All	All	1456/1456 (100%)	-0.02	43 (2%) 54 64	15, 25, 44, 59	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	39	THR	7.7
1	B	765	LEU	7.4
1	B	39	THR	6.9
1	B	766	PRO	6.2
1	B	76	ILE	4.8
1	B	73	GLU	4.7
1	A	73	GLU	4.6
1	B	95	PHE	4.4
1	B	74	ASN	4.3
1	B	88	VAL	4.2
1	B	98	PHE	4.0
1	A	74	ASN	4.0
1	B	97	GLU	3.9
1	B	91	GLU	3.8
1	B	506	ASN	3.7
1	B	138	ASN	3.6
1	A	97	GLU	3.4
1	B	92	ASN	3.3
1	A	766	PRO	3.3
1	B	40	ARG	3.2
1	B	94	THR	3.2
1	B	72	GLN	3.2
1	A	99	GLY	3.1
1	A	92	ASN	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	96	ASP	3.0
1	A	75	ASN	2.9
1	B	140	ARG	2.8
1	A	279	VAL	2.8
1	B	99	GLY	2.7
1	B	100	HIS	2.7
1	B	93	SER	2.7
1	A	96	ASP	2.6
1	B	507	VAL	2.6
1	A	93	SER	2.5
1	B	78	VAL	2.4
1	B	75	ASN	2.4
1	B	505	GLN	2.3
1	A	138	ASN	2.3
1	A	335	GLY	2.2
1	B	87	SER	2.2
1	A	40	ARG	2.1
1	B	71	LYS	2.1
1	A	278	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	A	1321	14/15	0.81	0.25	9.00	39,43,44,50	0
2	NAG	B	2281	14/15	0.90	0.12	2.21	34,35,41,44	0
2	NAG	B	2219	14/15	0.94	0.10	2.02	33,37,39,40	0
2	NAG	A	1219	14/15	0.92	0.13	1.35	38,41,42,44	0
2	NAG	B	2085	14/15	0.77	0.21	1.00	45,50,53,54	0
2	NAG	B	2220	14/15	0.88	0.18	0.99	40,43,46,47	0
2	NAG	A	1085	14/15	0.77	0.15	0.99	42,45,49,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	A	1220	14/15	0.85	0.20	0.76	46,47,50,50	0
2	NAG	A	1229	14/15	0.93	0.12	0.72	33,38,43,45	0
2	NAG	B	2229	14/15	0.94	0.09	-0.36	27,31,35,40	0
2	NAG	A	1086	14/15	0.30	0.43	-	57,59,60,60	0
2	NAG	B	2282	14/15	0.56	0.26	-	47,50,51,52	0
2	NAG	A	1150	14/15	0.71	0.37	-	52,54,56,58	0
2	NAG	B	2086	14/15	0.81	0.49	-	57,59,60,60	0
2	NAG	B	2230	14/15	0.86	0.24	-	44,46,50,51	0
2	NAG	A	1322	14/15	0.55	0.43	-	52,54,56,57	0
2	NAG	A	1151	14/15	0.63	0.41	-	59,60,61,62	0
2	NAG	A	1230	14/15	0.73	0.31	-	50,53,57,59	0

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	NAG	B	2321	14/15	0.78	0.19	2.53	36,40,43,44	0
4	565	B	9002	24/24	0.95	0.18	1.49	19,22,24,26	0
4	565	A	9001	24/24	0.95	0.18	0.94	17,20,24,26	0
3	NAG	A	1281	14/15	0.86	0.15	-	41,43,45,45	0
3	NAG	B	2150	14/15	0.77	0.34	-	47,49,51,52	0
3	NAG	B	2092	14/15	0.60	0.39	-	55,56,58,58	0
3	NAG	A	1520	14/15	0.58	0.32	-	55,57,59,59	0

6.5 Other polymers (i)

There are no such residues in this entry.