



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 16, 2016 – 06:22 PM EDT

PDB ID : 5IJZ
Title : Crystal structure of glutamate dehydrogenase(GDH) from Corynebacterium glutamicum
Authors : Son, H.-F.; Kim, K.-J.
Deposited on : 2016-03-03
Resolution : 2.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027107
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0122
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027107


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	<div> <div>%</div> <div> <div></div> <div>90%</div> <div>10%</div> </div> </div>
1	B	447	<div> <div></div> <div>89%</div> <div>10%</div> <div>.</div> </div>
1	C	447	<div> <div></div> <div>89%</div> <div>9%</div> <div>.</div> </div>
1	D	447	<div> <div>%</div> <div> <div></div> <div>90%</div> <div>9%</div> <div>.</div> </div> </div>
1	E	447	<div> <div>%</div> <div> <div></div> <div>91%</div> <div>9%</div> </div> </div>
1	F	447	<div> <div>%</div> <div> <div></div> <div>89%</div> <div>10%</div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	447	
1	H	447	
1	I	447	
1	J	447	
1	K	447	
1	L	447	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	AKG	B	502	-	-	-	X
3	AKG	E	502	-	-	-	X

2 Entry composition


There are 4 unique types of molecules in this entry. The entry contains 42426 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADP-specific glutamate dehydrogenase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	447	Total	C	N	O	S	0	0	0
			3447	2166	605	659	17			
1	B	447	Total	C	N	O	S	0	0	0
			3447	2166	605	659	17			
1	C	447	Total	C	N	O	S	0	0	0
			3447	2166	605	659	17			
1	D	447	Total	C	N	O	S	0	0	0
			3447	2166	605	659	17			
1	E	447	Total	C	N	O	S	0	0	0
			3447	2166	605	659	17			
1	F	447	Total	C	N	O	S	0	0	0
			3447	2166	605	659	17			
1	G	447	Total	C	N	O	S	0	0	0
			3447	2166	605	659	17			
1	H	447	Total	C	N	O	S	0	0	0
			3447	2166	605	659	17			
1	I	447	Total	C	N	O	S	0	0	0
			3447	2166	605	659	17			
1	J	447	Total	C	N	O	S	0	0	0
			3447	2166	605	659	17			
1	K	304	Total	C	N	O	S	0	0	0
			2358	1495	413	437	13			
1	L	447	Total	C	N	O	S	0	0	0
			3447	2166	605	659	17			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	E	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	F	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	G	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	H	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	J	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 2-OXOGLUTARIC ACID (three-letter code: AKG) (formula: C₅H₆O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	5	5		
3	B	1	Total	C	O	0	0
			10	5	5		
3	C	1	Total	C	O	0	0
			10	5	5		
3	D	1	Total	C	O	0	0
			10	5	5		
3	E	1	Total	C	O	0	0
			10	5	5		
3	F	1	Total	C	O	0	0
			10	5	5		
3	G	1	Total	C	O	0	0
			10	5	5		
3	H	1	Total	C	O	0	0
			10	5	5		
3	J	1	Total	C	O	0	0
			10	5	5		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	169	Total	O	0	0
			169	169		
4	B	172	Total	O	0	0
			172	172		
4	C	161	Total	O	0	0
			161	161		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	172	Total 172	O 172	0	0
4	E	160	Total 160	O 160	0	0
4	F	162	Total 162	O 162	0	0
4	G	149	Total 149	O 149	0	0
4	H	111	Total 111	O 111	0	0
4	I	107	Total 107	O 107	0	0
4	J	68	Total 68	O 68	0	0
4	K	66	Total 66	O 66	0	0
4	L	132	Total 132	O 132	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADP-specific glutamate dehydrogenase




- Molecule 1: NADP-specific glutamate dehydrogenase




- Molecule 1: NADP-specific glutamate dehydrogenase





- Molecule 1: NADP-specific glutamate dehydrogenase








- Molecule 1: NADP-specific glutamate dehydrogenase





- Molecule 1: NADP-specific glutamate dehydrogenase




- Molecule 1: NADP-specific glutamate dehydrogenase




- Molecule 1: NADP-specific glutamate dehydrogenase





- Molecule 1: NADP-specific glutamate dehydrogenase







- Molecule 1: NADP-specific glutamate dehydrogenase



- Molecule 1: NADP-specific glutamate dehydrogenase



- Molecule 1: NADP-specific glutamate dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	171.22Å 93.03Å 187.88Å 90.00° 108.16° 90.00°	Depositor
Resolution (Å)	34.37 – 2.29 34.37 – 2.29	Depositor EDS
% Data completeness (in resolution range)	97.7 (34.37-2.29) 97.8 (34.37-2.29)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.20 (at 2.29Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.165 , 0.222 0.173 , 0.225	Depositor DCC
R_{free} test set	12145 reflections (5.20%)	DCC
Wilson B-factor (Å ²)	18.7	Xtriage
Anisotropy	0.277	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 18.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 245753 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	42426	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, AKG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.82	2/3517 (0.1%)	0.88	4/4748 (0.1%)
1	B	0.81	1/3517 (0.0%)	0.92	10/4748 (0.2%)
1	C	0.83	1/3517 (0.0%)	0.95	17/4748 (0.4%)
1	D	0.82	1/3517 (0.0%)	0.90	8/4748 (0.2%)
1	E	0.81	0/3517	0.85	6/4748 (0.1%)
1	F	0.78	0/3517	0.89	9/4748 (0.2%)
1	G	0.77	0/3517	0.88	9/4748 (0.2%)
1	H	0.77	0/3517	0.87	5/4748 (0.1%)
1	I	0.78	1/3517 (0.0%)	0.91	9/4748 (0.2%)
1	J	0.74	0/3517	0.85	2/4748 (0.0%)
1	K	0.72	0/2407	0.84	1/3239 (0.0%)
1	L	0.74	1/3517 (0.0%)	0.87	4/4748 (0.1%)
All	All	0.79	7/41094 (0.0%)	0.89	84/55467 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	2
1	D	0	1
1	I	0	2
1	J	0	1
1	L	0	2
All	All	0	8

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	353	GLU	CD-OE1	9.24	1.35	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	206	LEU	C-O	6.53	1.35	1.23
1	A	353	GLU	CD-OE2	5.53	1.31	1.25
1	A	268	TRP	CE3-CZ3	5.50	1.47	1.38
1	L	112	GLU	CG-CD	5.46	1.60	1.51
1	I	242	GLY	N-CA	-5.18	1.38	1.46
1	B	42	ASP	CB-CG	5.04	1.62	1.51

All (84) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	164	VAL	CB-CA-C	11.65	133.53	111.40
1	G	276	ASP	CB-CG-OD1	8.98	126.38	118.30
1	C	361	ARG	NE-CZ-NH2	-8.43	116.08	120.30
1	D	164	VAL	C-N-CD	-8.15	102.67	120.60
1	I	361	ARG	NE-CZ-NH1	8.02	124.31	120.30
1	D	281	ARG	NE-CZ-NH2	-7.77	116.41	120.30
1	C	164	VAL	C-N-CD	-7.73	103.60	120.60
1	B	281	ARG	NE-CZ-NH1	7.61	124.11	120.30
1	D	281	ARG	NE-CZ-NH1	7.49	124.05	120.30
1	H	59	ARG	NE-CZ-NH1	7.45	124.03	120.30
1	B	281	ARG	NE-CZ-NH2	-7.43	116.58	120.30
1	G	281	ARG	NE-CZ-NH2	-7.42	116.59	120.30
1	L	156	ARG	NE-CZ-NH1	7.32	123.96	120.30
1	G	281	ARG	NE-CZ-NH1	7.28	123.94	120.30
1	F	59	ARG	NE-CZ-NH1	7.23	123.92	120.30
1	H	132	ASP	CB-CG-OD1	7.21	124.79	118.30
1	C	156	ARG	NE-CZ-NH1	7.09	123.85	120.30
1	D	164	VAL	CA-C-N	6.88	136.35	117.10
1	H	281	ARG	NE-CZ-NH2	-6.87	116.87	120.30
1	C	69	ASP	CB-CG-OD1	6.68	124.31	118.30
1	C	162	ARG	NE-CZ-NH2	-6.68	116.96	120.30
1	B	400	ARG	NE-CZ-NH1	6.68	123.64	120.30
1	B	389	ARG	NE-CZ-NH1	6.66	123.63	120.30
1	C	281	ARG	NE-CZ-NH2	-6.64	116.98	120.30
1	J	59	ARG	NE-CZ-NH1	6.48	123.54	120.30
1	F	400	ARG	NE-CZ-NH2	-6.44	117.08	120.30
1	C	281	ARG	NE-CZ-NH1	6.32	123.46	120.30
1	B	361	ARG	NE-CZ-NH1	6.29	123.45	120.30
1	A	140	ASP	CB-CG-OD1	6.28	123.96	118.30
1	C	208	ARG	NE-CZ-NH1	6.27	123.44	120.30
1	B	53	ARG	NE-CZ-NH1	6.22	123.41	120.30
1	E	281	ARG	NE-CZ-NH2	-6.22	117.19	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	81	ARG	NE-CZ-NH1	6.11	123.36	120.30
1	L	400	ARG	NE-CZ-NH1	6.10	123.35	120.30
1	G	287	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	G	287	ARG	NE-CZ-NH1	6.05	123.33	120.30
1	I	69	ASP	CB-CG-OD1	6.02	123.72	118.30
1	I	156	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	K	17	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	J	145	ARG	NE-CZ-NH2	-5.96	117.32	120.30
1	A	439	ASP	CB-CG-OD1	5.94	123.65	118.30
1	D	400	ARG	NE-CZ-NH1	5.93	123.27	120.30
1	F	156	ARG	NE-CZ-NH1	5.81	123.21	120.30
1	I	232	SER	N-CA-C	5.70	126.39	111.00
1	B	156	ARG	NE-CZ-NH2	-5.69	117.46	120.30
1	L	156	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	C	361	ARG	NE-CZ-NH1	5.61	123.10	120.30
1	F	156	ARG	NE-CZ-NH2	-5.59	117.51	120.30
1	C	364	ARG	NE-CZ-NH1	5.56	123.08	120.30
1	A	156	ARG	NE-CZ-NH1	5.55	123.08	120.30
1	C	400	ARG	NE-CZ-NH1	5.51	123.06	120.30
1	E	439	ASP	CB-CG-OD1	5.51	123.26	118.30
1	G	276	ASP	CB-CG-OD2	-5.45	113.40	118.30
1	B	361	ARG	NE-CZ-NH2	-5.42	117.59	120.30
1	I	264	ASP	CB-CG-OD1	5.39	123.15	118.30
1	E	264	ASP	CB-CG-OD1	5.39	123.15	118.30
1	I	132	ASP	CB-CG-OD1	5.37	123.13	118.30
1	F	64	ARG	NE-CZ-NH1	5.33	122.96	120.30
1	F	281	ARG	NE-CZ-NH2	-5.33	117.64	120.30
1	B	53	ARG	NE-CZ-NH2	-5.32	117.64	120.30
1	E	264	ASP	CB-CG-OD2	-5.28	113.55	118.30
1	F	145	ARG	NE-CZ-NH1	5.26	122.93	120.30
1	H	156	ARG	NE-CZ-NH1	5.24	122.92	120.30
1	E	281	ARG	NE-CZ-NH1	5.23	122.92	120.30
1	D	164	VAL	O-C-N	-5.22	111.18	121.10
1	G	364	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	C	287	ARG	NE-CZ-NH2	-5.21	117.70	120.30
1	G	156	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	G	156	ARG	NE-CZ-NH2	-5.19	117.70	120.30
1	C	156	ARG	NE-CZ-NH2	-5.19	117.70	120.30
1	C	400	ARG	NE-CZ-NH2	-5.18	117.71	120.30
1	F	400	ARG	NE-CZ-NH1	5.14	122.87	120.30
1	I	69	ASP	CB-CG-OD2	-5.14	113.67	118.30
1	H	281	ARG	NE-CZ-NH1	5.12	122.86	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	340	ARG	NE-CZ-NH1	5.12	122.86	120.30
1	I	361	ARG	CG-CD-NE	5.12	122.55	111.80
1	A	59	ARG	NE-CZ-NH1	5.09	122.84	120.30
1	C	59	ARG	NE-CZ-NH1	5.09	122.85	120.30
1	C	165	PRO	N-CA-C	5.09	125.33	112.10
1	E	70	ASP	CB-CG-OD1	5.09	122.88	118.30
1	I	156	ARG	NE-CZ-NH2	-5.07	117.77	120.30
1	D	47	ASP	CB-CG-OD1	5.05	122.85	118.30
1	B	156	ARG	NE-CZ-NH1	5.02	122.81	120.30
1	F	184	ARG	NE-CZ-NH1	5.01	122.80	120.30

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	164	VAL	Mainchain,Peptide
1	D	306	ASP	Peptide
1	I	238	VAL	Peptide
1	I	301	ALA	Peptide
1	J	314	CYS	Peptide
1	L	273	ASN	Peptide
1	L	421	HIS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3447	0	3356	24	0
1	B	3447	0	3356	25	0
1	C	3447	0	3356	26	0
1	D	3447	0	3356	38	0
1	E	3447	0	3356	16	0
1	F	3447	0	3356	29	0
1	G	3447	0	3356	13	0
1	H	3447	0	3356	22	0
1	I	3447	0	3356	37	0
1	J	3447	0	3356	26	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	K	2358	0	2313	13	0
1	L	3447	0	3356	32	0
2	A	48	0	25	0	0
2	B	48	0	25	0	0
2	C	48	0	25	0	0
2	D	48	0	25	0	0
2	E	48	0	25	0	0
2	F	48	0	25	0	0
2	G	48	0	25	2	0
2	H	48	0	25	0	0
2	J	48	0	25	0	0
3	A	10	0	4	0	0
3	B	10	0	4	2	0
3	C	10	0	4	0	0
3	D	10	0	4	0	0
3	E	10	0	4	1	0
3	F	10	0	4	0	0
3	G	10	0	4	0	0
3	H	10	0	4	0	0
3	J	10	0	4	1	0
4	A	169	0	0	1	0
4	B	172	0	0	1	0
4	C	161	0	0	6	0
4	D	172	0	0	7	0
4	E	160	0	0	1	0
4	F	162	0	0	2	0
4	G	149	0	0	1	0
4	H	111	0	0	0	0
4	I	107	0	0	1	0
4	J	68	0	0	0	0
4	K	66	0	0	0	0
4	L	132	0	0	1	0
All	All	42426	0	39490	282	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (282) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:164:VAL:O	1:C:194:VAL:O	1.65	1.11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:165:PRO:HA	4:D:601:HOH:O	1.52	1.09
1:D:164:VAL:CA	4:D:601:HOH:O	2.18	0.90
1:C:165:PRO:N	4:C:601:HOH:O	2.08	0.86
1:D:165:PRO:CA	4:D:601:HOH:O	2.17	0.83
1:C:164:VAL:C	4:C:601:HOH:O	2.18	0.82
1:H:269:VAL:HG23	1:H:291:VAL:CG1	2.10	0.81
1:J:297:GLU:HB3	1:J:298:VAL:HA	1.60	0.81
1:D:253:GLN:HE22	1:D:275:VAL:H	1.31	0.77
1:B:26:GLN:HE22	1:B:324:ASN:HD21	1.32	0.77
1:I:239:SER:OG	1:I:320:CYS:C	2.24	0.76
1:G:253:GLN:HE22	1:G:275:VAL:H	1.30	0.76
1:G:327:ASN:H	1:G:330:ASN:HD22	1.32	0.75
1:C:164:VAL:CA	4:C:601:HOH:O	2.35	0.74
1:F:67:TRP:HE1	1:F:77:ASN:HD22	1.36	0.74
1:G:395:GLU:HG2	4:G:709:HOH:O	1.87	0.74
1:G:67:TRP:HE1	1:G:77:ASN:HD22	1.35	0.73
1:F:253:GLN:HE22	1:F:275:VAL:H	1.34	0.73
1:I:353:GLU:O	1:I:357:VAL:HG23	1.89	0.72
1:J:96:ARG:HH12	1:J:323:GLN:HE22	1.34	0.72
1:F:26:GLN:HE22	1:F:324:ASN:HD21	1.36	0.70
1:E:253:GLN:HE22	1:E:275:VAL:H	1.39	0.70
1:D:26:GLN:HE22	1:D:324:ASN:HD21	1.39	0.69
1:E:26:GLN:HE22	1:E:324:ASN:HD21	1.39	0.69
1:F:151:MET:CE	1:F:155:HIS:N	2.55	0.69
1:F:151:MET:HE2	1:F:155:HIS:N	2.07	0.69
1:G:26:GLN:HE22	1:G:324:ASN:HD21	1.40	0.68
1:C:253:GLN:HE22	1:C:275:VAL:H	1.41	0.68
1:C:165:PRO:CA	4:C:601:HOH:O	2.40	0.68
1:I:67:TRP:HE1	1:I:77:ASN:HD22	1.42	0.68
1:C:165:PRO:HA	4:C:601:HOH:O	1.94	0.68
1:B:253:GLN:HE22	1:B:275:VAL:H	1.41	0.68
1:D:164:VAL:C	4:D:601:HOH:O	2.32	0.68
1:K:410:LYS:O	1:K:414:GLU:HG2	1.94	0.67
1:E:253:GLN:HE21	1:E:259:VAL:H	1.43	0.66
1:H:69:ASP:OD2	1:H:75:HIS:HE1	1.79	0.66
1:H:67:TRP:HE1	1:H:77:ASN:HD22	1.41	0.66
1:L:271:THR:HG21	1:L:275:VAL:HG22	1.77	0.66
1:L:271:THR:OG1	1:L:274:GLY:HA3	1.96	0.66
1:I:238:VAL:HG21	1:I:325:GLU:OE1	1.96	0.66
1:A:67:TRP:HE1	1:A:77:ASN:HD22	1.42	0.65
1:A:253:GLN:HE21	1:A:259:VAL:H	1.43	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:67:TRP:HE1	1:L:77:ASN:HD22	1.44	0.65
1:F:151:MET:HE2	1:F:155:HIS:CA	2.27	0.65
1:A:253:GLN:HE22	1:A:275:VAL:H	1.44	0.64
1:I:242:GLY:HA2	1:I:243:ASN:C	2.18	0.63
1:E:67:TRP:HE1	1:E:77:ASN:HD22	1.47	0.62
1:I:238:VAL:HG22	1:I:319:PRO:HA	1.81	0.62
1:C:26:GLN:HE22	1:C:324:ASN:HD21	1.47	0.62
1:D:151:MET:HE1	1:D:155:HIS:HA	1.81	0.62
1:B:253:GLN:HE21	1:B:259:VAL:H	1.48	0.62
1:F:151:MET:HE3	1:F:154:LEU:HB3	1.82	0.61
1:G:253:GLN:HE21	1:G:259:VAL:H	1.48	0.61
1:A:26:GLN:HE22	1:A:324:ASN:HD21	1.48	0.61
1:H:269:VAL:HG23	1:H:291:VAL:HG12	1.83	0.60
1:H:26:GLN:HE22	1:H:324:ASN:HD21	1.50	0.60
1:J:298:VAL:O	1:J:298:VAL:HG13	2.02	0.60
1:B:327:ASN:H	1:B:330:ASN:HD22	1.49	0.60
1:D:190:HIS:HE1	4:D:640:HOH:O	1.84	0.59
1:L:253:GLN:HE22	1:L:275:VAL:H	1.50	0.59
1:A:327:ASN:H	1:A:330:ASN:HD22	1.48	0.59
1:L:190:HIS:HE1	4:L:506:HOH:O	1.86	0.59
1:B:128:LYS:NZ	3:B:502:AKG:O5	2.33	0.59
1:D:165:PRO:N	4:D:601:HOH:O	2.29	0.59
1:J:320:CYS:SG	1:J:345:GLY:HA3	2.43	0.58
1:J:67:TRP:HE1	1:J:77:ASN:HD22	1.52	0.58
1:K:23:GLU:O	1:K:108:PHE:CD1	2.56	0.58
1:D:151:MET:CE	1:D:155:HIS:CA	2.81	0.58
1:I:98:HIS:HD2	1:I:100:SER:H	1.51	0.58
1:C:67:TRP:HE1	1:C:77:ASN:HD22	1.52	0.58
1:K:28:VAL:O	1:K:32:LEU:HB2	2.03	0.57
1:B:67:TRP:HE1	1:B:77:ASN:HD22	1.53	0.57
1:F:253:GLN:HE21	1:F:259:VAL:H	1.51	0.57
1:C:253:GLN:HE21	1:C:259:VAL:H	1.53	0.57
1:I:10:TYR:O	1:I:13:MET:HB3	2.04	0.57
1:I:241:SER:OG	1:I:242:GLY:N	2.34	0.56
1:J:236:ILE:HB	1:J:318:LEU:HD23	1.88	0.55
1:H:253:GLN:HE22	1:H:275:VAL:H	1.53	0.55
1:D:30:GLU:OE2	1:D:112:GLU:OE2	2.24	0.55
1:L:253:GLN:HE22	1:L:275:VAL:N	2.04	0.55
1:A:184:ARG:HE	1:H:444:GLN:HE22	1.55	0.55
1:K:67:TRP:HE1	1:K:77:ASN:HD22	1.54	0.54
1:J:298:VAL:HG12	1:J:301:ALA:HB2	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:269:VAL:HG23	1:H:291:VAL:HG13	1.88	0.54
1:B:60:GLN:HE21	1:B:103:LEU:HD11	1.73	0.54
1:F:151:MET:HA	1:F:151:MET:HE3	1.88	0.54
1:K:224:ILE:HA	1:K:227:LYS:HE2	1.89	0.54
1:I:190:HIS:HE1	4:I:501:HOH:O	1.91	0.54
1:K:7:VAL:HG13	1:K:32:LEU:HD23	1.89	0.54
1:I:238:VAL:HG13	1:I:310:TRP:CH2	2.43	0.53
1:E:116:LYS:HZ2	3:E:502:AKG:C1	2.22	0.53
1:I:239:SER:HB3	1:I:321:ALA:HA	1.90	0.53
1:L:42:ASP:O	1:L:44:HIS:N	2.42	0.53
1:I:35:LEU:HD22	1:I:51:ILE:HG21	1.91	0.53
1:L:411:THR:O	1:L:415:THR:HG23	2.09	0.53
1:H:269:VAL:CG2	1:H:291:VAL:HG13	2.39	0.52
1:L:359:ARG:O	1:L:361:ARG:O	2.28	0.52
1:C:336:ASP:OD1	1:C:361:ARG:NH2	2.34	0.52
1:I:231:ILE:O	1:I:233:GLY:N	2.43	0.52
1:L:61:LEU:HD21	1:L:157:HIS:NE2	2.25	0.52
1:D:67:TRP:HE1	1:D:77:ASN:HD22	1.57	0.51
1:D:92:LYS:HD2	1:D:164:VAL:HB	1.93	0.51
1:L:271:THR:HG21	1:L:275:VAL:CG2	2.40	0.51
1:F:327:ASN:H	1:F:330:ASN:HD22	1.59	0.51
1:D:151:MET:HE2	1:D:155:HIS:HB3	1.92	0.51
1:E:109:LEU:HB3	1:E:128:LYS:HG3	1.93	0.51
1:L:35:LEU:HD13	1:L:51:ILE:HD11	1.92	0.51
1:E:327:ASN:H	1:E:330:ASN:HD22	1.59	0.51
1:I:239:SER:O	1:I:240:GLY:C	2.48	0.50
1:I:287:ARG:NH2	1:I:297:GLU:OE2	2.32	0.50
1:J:297:GLU:OE2	1:J:297:GLU:N	2.44	0.50
1:E:184:ARG:HE	1:F:444:GLN:HE22	1.59	0.50
3:J:502:AKG:O2	3:J:502:AKG:H41	2.11	0.50
1:D:116:LYS:NZ	1:D:347:ASN:HD21	2.09	0.50
1:L:271:THR:O	1:L:271:THR:HG23	2.10	0.50
1:D:151:MET:HE3	1:D:155:HIS:N	2.27	0.50
1:I:239:SER:HB3	1:I:321:ALA:CA	2.41	0.50
1:I:128:LYS:NZ	1:I:168:ASP:OD2	2.45	0.50
1:I:207:VAL:HG12	1:I:207:VAL:O	2.12	0.50
1:I:238:VAL:HG12	1:I:309:ILE:HG21	1.93	0.50
1:A:62:ILE:HB	1:L:60:GLN:HB2	1.94	0.49
1:A:67:TRP:HE1	1:A:77:ASN:ND2	2.08	0.49
1:I:238:VAL:O	1:I:263:SER:N	2.45	0.49
1:J:246:THR:HG23	1:J:280:LEU:HD12	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:184:ARG:HH21	1:I:444:GLN:NE2	2.10	0.49
1:L:60:GLN:NE2	1:L:107:LYS:HD2	2.28	0.49
1:J:35:LEU:HD21	1:J:434:PHE:CE1	2.47	0.49
1:L:238:VAL:O	1:L:262:PHE:HA	2.11	0.49
1:B:92:LYS:NZ	3:B:502:AKG:O3	2.36	0.49
1:J:277:VAL:O	1:J:278:ALA:C	2.49	0.49
1:D:151:MET:CE	1:D:155:HIS:N	2.76	0.49
1:D:151:MET:CE	1:D:155:HIS:HA	2.41	0.49
1:A:444:GLN:NE2	1:G:184:ARG:HH21	2.11	0.49
1:H:14:LEU:HD22	1:H:28:VAL:HG11	1.92	0.49
1:D:238:VAL:O	1:D:262:PHE:HA	2.13	0.49
1:I:239:SER:HG	1:I:320:CYS:HB2	1.78	0.49
1:I:235:LYS:NZ	1:I:257:ALA:HB1	2.27	0.49
1:I:323:GLN:HA	1:I:349:PRO:HA	1.95	0.48
1:D:151:MET:CE	1:D:155:HIS:HB3	2.44	0.48
1:D:253:GLN:HE21	1:D:259:VAL:H	1.62	0.48
1:K:224:ILE:HA	1:K:227:LYS:CE	2.43	0.48
1:B:69:ASP:OD2	1:B:75:HIS:HE1	1.96	0.48
1:B:38:VAL:HG23	1:B:431:ILE:HG12	1.96	0.48
1:C:281:ARG:HD2	1:C:285:GLU:OE2	2.14	0.48
1:F:190:HIS:HE1	4:F:616:HOH:O	1.97	0.48
1:K:32:LEU:HD12	1:K:35:LEU:HD22	1.95	0.48
1:J:190:HIS:CD2	1:L:86:SER:O	2.67	0.47
1:C:38:VAL:HG23	1:C:431:ILE:HG12	1.96	0.47
1:F:238:VAL:O	1:F:262:PHE:HA	2.15	0.47
1:A:190:HIS:CD2	1:H:86:SER:O	2.68	0.47
1:A:207:VAL:O	1:A:207:VAL:HG12	2.14	0.47
1:B:313:LYS:HG3	1:B:337:ASN:HB3	1.97	0.47
1:D:151:MET:HE1	1:D:155:HIS:CA	2.44	0.47
1:B:444:GLN:HE22	1:D:184:ARG:HE	1.62	0.47
1:B:98:HIS:HE1	4:B:609:HOH:O	1.98	0.47
1:J:84:PHE:CD1	1:J:114:ILE:HD11	2.50	0.46
1:J:297:GLU:CB	1:J:298:VAL:HA	2.37	0.46
1:J:238:VAL:HA	1:J:318:LEU:O	2.15	0.46
1:H:238:VAL:O	1:H:262:PHE:HA	2.16	0.46
1:L:42:ASP:N	1:L:43:PRO:CD	2.79	0.46
1:E:184:ARG:HE	1:F:444:GLN:NE2	2.14	0.46
1:E:184:ARG:HH21	1:F:444:GLN:NE2	2.14	0.46
1:G:283:ILE:HG23	1:G:289:ALA:HB3	1.96	0.46
1:K:108:PHE:CD2	1:K:109:LEU:HD23	2.50	0.46
1:L:61:LEU:HD21	1:L:157:HIS:CD2	2.51	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:194:VAL:HG13	1:I:195:LEU:HG	1.98	0.46
1:B:143:ILE:HD13	1:B:174:ARG:NH2	2.31	0.46
1:L:253:GLN:HE21	1:L:259:VAL:H	1.64	0.46
1:D:151:MET:HE3	1:D:151:MET:O	2.16	0.46
1:H:236:ILE:HD12	1:H:252:ALA:HB1	1.98	0.45
1:A:177:GLY:HA2	1:A:202:TRP:CH2	2.51	0.45
1:J:314:CYS:HB3	1:J:315:ASP:HA	1.97	0.45
1:C:119:LEU:HD11	1:C:429:ALA:HB1	1.97	0.45
1:D:10:TYR:CZ	1:D:14:LEU:HD13	2.51	0.45
1:D:164:VAL:O	1:D:194:VAL:O	2.34	0.45
1:I:133:PHE:HB2	1:I:146:PHE:CZ	2.51	0.45
1:B:60:GLN:HB2	1:E:62:ILE:HB	1.99	0.45
1:D:14:LEU:HD23	1:D:28:VAL:HG11	1.99	0.45
1:L:339:CYS:O	1:L:363:ILE:HD12	2.17	0.45
1:J:298:VAL:HG12	1:J:301:ALA:CB	2.47	0.45
1:K:28:VAL:O	1:K:32:LEU:HD13	2.17	0.45
1:B:444:GLN:NE2	1:D:184:ARG:HH21	2.15	0.45
1:C:92:LYS:HD2	1:C:164:VAL:HB	1.99	0.45
1:H:177:GLY:HA2	1:H:202:TRP:CH2	2.52	0.45
1:L:117:ASN:OD1	1:L:376:VAL:HG21	2.17	0.45
1:L:229:GLU:OE2	1:L:340:ARG:NH1	2.50	0.45
1:A:38:VAL:HG23	1:A:431:ILE:HG12	1.98	0.44
1:F:177:GLY:HA2	1:F:202:TRP:CH2	2.52	0.44
1:I:238:VAL:CG1	1:I:310:TRP:CZ2	3.00	0.44
1:A:92:LYS:HE3	1:A:379:SER:HB3	1.99	0.44
1:D:164:VAL:CB	4:D:601:HOH:O	2.58	0.44
1:D:327:ASN:H	1:D:330:ASN:HD22	1.64	0.44
1:I:298:VAL:O	1:I:300:GLY:N	2.50	0.44
1:I:2:THR:OG1	1:I:3:VAL:N	2.51	0.44
1:E:400:ARG:NH1	4:E:607:HOH:O	2.49	0.44
1:A:444:GLN:HE22	1:G:184:ARG:HE	1.66	0.44
1:C:184:ARG:HE	1:D:444:GLN:HE22	1.65	0.44
1:J:323:GLN:HE21	1:J:323:GLN:H	1.63	0.44
1:J:330:ASN:O	1:J:334:LEU:N	2.51	0.44
1:C:98:HIS:HE1	4:C:668:HOH:O	2.00	0.44
1:A:190:HIS:HD2	1:H:86:SER:O	1.99	0.43
1:D:151:MET:HE2	1:D:155:HIS:CB	2.48	0.43
1:E:61:LEU:HD22	1:E:157:HIS:CD2	2.53	0.43
1:F:151:MET:HE2	1:F:155:HIS:HB3	1.99	0.43
1:G:242:GLY:HA3	2:G:501:NAP:O5B	2.18	0.43
1:I:253:GLN:HE22	1:I:275:VAL:H	1.66	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:151:MET:CE	1:F:155:HIS:CA	2.94	0.43
1:F:98:HIS:HE1	4:F:641:HOH:O	2.00	0.43
1:G:38:VAL:HG23	1:G:431:ILE:HG12	2.00	0.43
1:I:210:GLU:HG3	1:I:247:TYR:CD1	2.53	0.43
1:K:444:GLN:NE2	1:L:184:ARG:HE	2.16	0.43
1:B:84:PHE:CD1	1:B:114:ILE:HD11	2.54	0.43
1:E:30:GLU:OE2	1:E:112:GLU:OE2	2.37	0.43
1:A:207:VAL:HG23	1:A:397:THR:HB	2.00	0.43
1:D:151:MET:CE	1:D:155:HIS:CB	2.96	0.43
1:F:38:VAL:HG23	1:F:431:ILE:HG12	2.00	0.43
1:C:184:ARG:HE	1:D:444:GLN:NE2	2.17	0.43
1:G:177:GLY:HA2	1:G:202:TRP:CH2	2.54	0.43
1:H:269:VAL:CG2	1:H:291:VAL:CG1	2.87	0.43
1:H:407:ASN:O	1:H:411:THR:HG23	2.19	0.43
1:J:268:TRP:CZ3	1:J:312:LEU:HD11	2.54	0.43
1:L:84:PHE:CD1	1:L:114:ILE:HD11	2.54	0.43
1:H:116:LYS:NZ	1:H:347:ASN:HD21	2.17	0.42
1:L:60:GLN:HE21	1:L:103:LEU:HD11	1.84	0.42
1:D:177:GLY:HA2	1:D:202:TRP:CH2	2.54	0.42
1:F:98:HIS:HD2	1:F:100:SER:H	1.67	0.42
1:H:239:SER:OG	1:H:319:PRO:HA	2.20	0.42
1:C:207:VAL:HG12	1:C:207:VAL:O	2.20	0.42
1:E:238:VAL:O	1:E:262:PHE:HA	2.19	0.42
1:A:184:ARG:HE	1:H:444:GLN:NE2	2.16	0.42
1:F:143:ILE:HD13	1:F:174:ARG:NH2	2.34	0.42
1:C:156:ARG:NH2	1:F:186:MET:O	2.52	0.42
1:F:283:ILE:CD1	1:F:294:TYR:HA	2.49	0.42
1:L:249:ILE:HG12	1:L:259:VAL:HG11	2.02	0.42
1:B:281:ARG:HD2	1:B:285:GLU:OE2	2.20	0.42
2:G:501:NAP:O1N	2:G:501:NAP:O2A	2.27	0.42
1:I:177:GLY:HA2	1:I:202:TRP:CH2	2.55	0.42
1:L:214:TYR:CD1	1:L:251:LYS:HB2	2.55	0.42
1:E:86:SER:HB3	1:E:91:TYR:CE1	2.55	0.42
1:J:224:ILE:HG23	1:J:341:PHE:CE2	2.55	0.42
1:B:177:GLY:HA2	1:B:202:TRP:CH2	2.55	0.42
1:C:236:ILE:HD12	1:C:252:ALA:HB1	2.02	0.42
1:C:94:GLY:O	1:C:128:LYS:HD3	2.20	0.42
1:J:314:CYS:CB	1:J:315:ASP:HA	2.50	0.42
1:J:426:VAL:O	1:J:430:ASN:HB2	2.20	0.42
1:K:5:GLU:O	1:K:6:GLN:C	2.58	0.42
1:A:190:HIS:HE1	4:A:611:HOH:O	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:TRP:HE1	1:B:77:ASN:ND2	2.16	0.42
1:F:109:LEU:HB3	1:F:128:LYS:HG3	2.02	0.42
1:J:340:ARG:O	1:J:363:ILE:HG23	2.20	0.42
1:L:262:PHE:CE2	1:L:280:LEU:HD13	2.55	0.42
1:B:239:SER:OG	1:B:319:PRO:HA	2.20	0.41
1:I:116:LYS:HG3	1:I:369:LYS:O	2.19	0.41
1:H:86:SER:HB3	1:H:91:TYR:CE1	2.56	0.41
1:K:14:LEU:HD13	1:K:28:VAL:HG11	2.02	0.41
1:L:236:ILE:HG12	1:L:316:ILE:HB	2.02	0.41
1:A:116:LYS:NZ	1:A:347:ASN:HD21	2.19	0.41
1:J:314:CYS:HB3	1:J:315:ASP:CA	2.51	0.41
1:C:93:GLY:HA3	1:C:127:GLY:O	2.20	0.41
1:C:109:LEU:HB3	1:C:128:LYS:HG3	2.03	0.41
1:D:165:PRO:HB2	1:D:166:ALA:H	1.64	0.41
1:F:2:THR:HG22	1:F:4:ASP:N	2.36	0.41
1:D:116:LYS:HZ1	1:D:347:ASN:HD21	1.67	0.41
1:B:108:PHE:CD1	1:B:108:PHE:C	2.93	0.41
1:B:238:VAL:O	1:B:262:PHE:HA	2.21	0.41
1:D:348:MET:N	1:D:349:PRO:CD	2.84	0.41
1:I:239:SER:HB3	1:I:321:ALA:HB2	2.03	0.41
1:A:348:MET:N	1:A:349:PRO:CD	2.84	0.41
1:C:249:ILE:HG12	1:C:259:VAL:HG11	2.03	0.41
1:A:21:GLU:CD	1:A:107:LYS:HZ3	2.24	0.41
1:A:122:LEU:HD13	1:A:380:ALA:HB3	2.03	0.41
1:B:184:ARG:HH21	1:C:444:GLN:NE2	2.19	0.41
1:B:116:LYS:NZ	1:B:347:ASN:HD21	2.19	0.41
1:J:237:ILE:HG22	1:J:260:ILE:HD12	2.01	0.41
1:A:38:VAL:CG2	1:A:431:ILE:HG12	2.51	0.40
1:G:86:SER:O	1:H:190:HIS:CD2	2.75	0.40
1:F:151:MET:CE	1:F:155:HIS:HA	2.51	0.40
1:I:62:ILE:HD11	1:I:103:LEU:HD22	2.03	0.40
1:F:116:LYS:NZ	1:F:347:ASN:HD21	2.19	0.40
1:I:238:VAL:HG11	1:I:310:TRP:CZ2	2.56	0.40
1:L:283:ILE:HD13	1:L:294:TYR:HA	2.04	0.40
1:L:210:GLU:HG3	1:L:247:TYR:CD1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	445/447 (100%)	435 (98%)	8 (2%)	2 (0%)	39	48
1	B	445/447 (100%)	434 (98%)	10 (2%)	1 (0%)	52	64
1	C	445/447 (100%)	433 (97%)	9 (2%)	3 (1%)	26	31
1	D	445/447 (100%)	435 (98%)	7 (2%)	3 (1%)	26	31
1	E	445/447 (100%)	436 (98%)	8 (2%)	1 (0%)	52	64
1	F	445/447 (100%)	434 (98%)	11 (2%)	0	100	100
1	G	445/447 (100%)	435 (98%)	8 (2%)	2 (0%)	39	48
1	H	445/447 (100%)	437 (98%)	7 (2%)	1 (0%)	52	64
1	I	445/447 (100%)	420 (94%)	19 (4%)	6 (1%)	15	15
1	J	445/447 (100%)	390 (88%)	45 (10%)	10 (2%)	8	6
1	K	298/447 (67%)	283 (95%)	13 (4%)	2 (1%)	26	31
1	L	445/447 (100%)	429 (96%)	14 (3%)	2 (0%)	39	48
All	All	5193/5364 (97%)	5001 (96%)	159 (3%)	33 (1%)	30	36

All (33) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	165	PRO
1	C	207	VAL
1	D	164	VAL
1	D	165	PRO
1	G	207	VAL
1	I	232	SER
1	J	272	PRO
1	J	319	PRO
1	J	337	ASN
1	K	207	VAL
1	L	43	PRO
1	L	207	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	168	ASP
1	I	240	GLY
1	I	300	GLY
1	J	253	GLN
1	E	168	ASP
1	H	168	ASP
1	I	241	SER
1	J	320	CYS
1	K	6	GLN
1	A	168	ASP
1	B	168	ASP
1	J	297	GLU
1	J	338	GLY
1	J	418	GLU
1	C	168	ASP
1	D	168	ASP
1	I	168	ASP
1	J	168	ASP
1	A	3	VAL
1	I	238	VAL
1	J	231	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	358/358 (100%)	350 (98%)	8 (2%)	60	77
1	B	358/358 (100%)	352 (98%)	6 (2%)	68	83
1	C	358/358 (100%)	352 (98%)	6 (2%)	68	83
1	D	358/358 (100%)	348 (97%)	10 (3%)	51	68
1	E	358/358 (100%)	347 (97%)	11 (3%)	47	64
1	F	358/358 (100%)	351 (98%)	7 (2%)	63	79
1	G	358/358 (100%)	354 (99%)	4 (1%)	80	90
1	H	358/358 (100%)	350 (98%)	8 (2%)	60	77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	358/358 (100%)	336 (94%)	22 (6%)	23	30
1	J	358/358 (100%)	334 (93%)	24 (7%)	20	26
1	K	243/358 (68%)	238 (98%)	5 (2%)	61	78
1	L	358/358 (100%)	345 (96%)	13 (4%)	42	57
All	All	4181/4296 (97%)	4057 (97%)	124 (3%)	48	65

All (124) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	MET
1	A	50	LEU
1	A	84	PHE
1	A	108	PHE
1	A	230	SER
1	A	279	LYS
1	A	379	SER
1	A	391	SER
1	B	1	MET
1	B	13	MET
1	B	42	ASP
1	B	84	PHE
1	B	108	PHE
1	B	251	LYS
1	C	44	HIS
1	C	50	LEU
1	C	61	LEU
1	C	84	PHE
1	C	108	PHE
1	C	220	VAL
1	D	2	THR
1	D	6	GLN
1	D	13	MET
1	D	35	LEU
1	D	61	LEU
1	D	84	PHE
1	D	108	PHE
1	D	202	TRP
1	D	306	ASP
1	D	329	GLU
1	E	2	THR
1	E	13	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	14	LEU
1	E	16	LYS
1	E	40	GLU
1	E	84	PHE
1	E	108	PHE
1	E	234	GLN
1	E	235	LYS
1	E	359	ARG
1	E	399	GLU
1	F	13	MET
1	F	14	LEU
1	F	84	PHE
1	F	108	PHE
1	F	234	GLN
1	F	306	ASP
1	F	391	SER
1	G	50	LEU
1	G	84	PHE
1	G	108	PHE
1	G	391	SER
1	H	14	LEU
1	H	38	VAL
1	H	84	PHE
1	H	108	PHE
1	H	230	SER
1	H	333	THR
1	H	391	SER
1	H	411	THR
1	I	2	THR
1	I	4	ASP
1	I	51	ILE
1	I	84	PHE
1	I	119	LEU
1	I	220	VAL
1	I	238	VAL
1	I	239	SER
1	I	260	ILE
1	I	264	ASP
1	I	269	VAL
1	I	285	GLU
1	I	302	THR
1	I	306	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	308	SER
1	I	326	LEU
1	I	333	THR
1	I	334	LEU
1	I	336	ASP
1	I	361	ARG
1	I	364	ARG
1	I	400	ARG
1	J	61	LEU
1	J	84	PHE
1	J	108	PHE
1	J	222	GLU
1	J	239	SER
1	J	254	GLU
1	J	260	ILE
1	J	273	ASN
1	J	279	LYS
1	J	283	ILE
1	J	284	LYS
1	J	285	GLU
1	J	287	ARG
1	J	290	ARG
1	J	294	TYR
1	J	302	THR
1	J	313	LYS
1	J	315	ASP
1	J	322	THR
1	J	323	GLN
1	J	326	LEU
1	J	339	CYS
1	J	359	ARG
1	J	427	VAL
1	K	2	THR
1	K	13	MET
1	K	84	PHE
1	K	216	CYS
1	K	372	ASN
1	L	1	MET
1	L	14	LEU
1	L	50	LEU
1	L	61	LEU
1	L	84	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	296	ASP
1	L	299	GLU
1	L	305	THR
1	L	308	SER
1	L	332	LYS
1	L	348	MET
1	L	360	GLU
1	L	391	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (124) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	A	75	HIS
1	A	77	ASN
1	A	155	HIS
1	A	190	HIS
1	A	234	GLN
1	A	253	GLN
1	A	324	ASN
1	A	330	ASN
1	A	347	ASN
1	A	384	GLN
1	A	423	ASN
1	A	444	GLN
1	B	60	GLN
1	B	75	HIS
1	B	77	ASN
1	B	98	HIS
1	B	190	HIS
1	B	253	GLN
1	B	324	ASN
1	B	330	ASN
1	B	347	ASN
1	B	384	GLN
1	B	444	GLN
1	C	60	GLN
1	C	75	HIS
1	C	77	ASN
1	C	98	HIS
1	C	190	HIS
1	C	253	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	270	HIS
1	C	324	ASN
1	C	330	ASN
1	C	347	ASN
1	C	444	GLN
1	D	60	GLN
1	D	71	GLN
1	D	75	HIS
1	D	77	ASN
1	D	98	HIS
1	D	190	HIS
1	D	253	GLN
1	D	324	ASN
1	D	330	ASN
1	D	347	ASN
1	D	384	GLN
1	D	444	GLN
1	E	75	HIS
1	E	77	ASN
1	E	98	HIS
1	E	190	HIS
1	E	234	GLN
1	E	253	GLN
1	E	324	ASN
1	E	330	ASN
1	E	347	ASN
1	E	384	GLN
1	E	423	ASN
1	E	444	GLN
1	F	60	GLN
1	F	75	HIS
1	F	77	ASN
1	F	98	HIS
1	F	155	HIS
1	F	190	HIS
1	F	234	GLN
1	F	253	GLN
1	F	324	ASN
1	F	330	ASN
1	F	347	ASN
1	F	384	GLN
1	F	444	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	75	HIS
1	G	77	ASN
1	G	98	HIS
1	G	253	GLN
1	G	324	ASN
1	G	330	ASN
1	G	347	ASN
1	G	423	ASN
1	G	444	GLN
1	H	75	HIS
1	H	77	ASN
1	H	98	HIS
1	H	190	HIS
1	H	234	GLN
1	H	253	GLN
1	H	324	ASN
1	H	330	ASN
1	H	347	ASN
1	H	423	ASN
1	H	444	GLN
1	I	60	GLN
1	I	75	HIS
1	I	77	ASN
1	I	98	HIS
1	I	190	HIS
1	I	253	GLN
1	I	384	GLN
1	I	444	GLN
1	J	26	GLN
1	J	60	GLN
1	J	77	ASN
1	J	98	HIS
1	J	155	HIS
1	J	190	HIS
1	J	323	GLN
1	J	324	ASN
1	J	423	ASN
1	J	444	GLN
1	K	60	GLN
1	K	75	HIS
1	K	77	ASN
1	K	98	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	190	HIS
1	K	384	GLN
1	K	444	GLN
1	L	60	GLN
1	L	75	HIS
1	L	77	ASN
1	L	98	HIS
1	L	190	HIS
1	L	253	GLN
1	L	444	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAP	A	501	-	45,52,52	1.51	4 (8%)	55,80,80	2.14	9 (16%)
3	AKG	A	502	-	3,9,9	1.20	0	4,11,11	3.52	2 (50%)
2	NAP	B	501	-	45,52,52	1.62	5 (11%)	55,80,80	1.97	5 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	AKG	B	502	-	3,9,9	0.97	0	4,11,11	2.13	2 (50%)
2	NAP	C	501	-	45,52,52	1.63	5 (11%)	55,80,80	2.29	10 (18%)
3	AKG	C	502	-	3,9,9	0.96	0	4,11,11	3.62	2 (50%)
2	NAP	D	501	-	45,52,52	1.63	5 (11%)	55,80,80	2.68	10 (18%)
3	AKG	D	502	-	3,9,9	0.46	0	4,11,11	0.75	0
2	NAP	E	501	-	45,52,52	1.80	3 (6%)	55,80,80	2.16	10 (18%)
3	AKG	E	502	-	3,9,9	1.18	0	4,11,11	3.55	3 (75%)
2	NAP	F	501	-	45,52,52	1.69	5 (11%)	55,80,80	2.22	11 (20%)
3	AKG	F	502	-	3,9,9	0.76	0	4,11,11	2.34	2 (50%)
2	NAP	G	501	-	45,52,52	1.74	6 (13%)	55,80,80	2.59	13 (23%)
3	AKG	G	502	-	3,9,9	0.94	0	4,11,11	2.74	3 (75%)
2	NAP	H	501	-	45,52,52	1.69	5 (11%)	55,80,80	2.43	12 (21%)
3	AKG	H	502	-	3,9,9	0.71	0	4,11,11	4.11	2 (50%)
2	NAP	J	501	-	45,52,52	1.72	5 (11%)	55,80,80	2.02	6 (10%)
3	AKG	J	502	-	3,9,9	0.90	0	4,11,11	1.91	2 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	501	-	-	0/27/67/67	0/5/5/5
3	AKG	A	502	-	-	0/3/9/9	0/0/0/0
2	NAP	B	501	-	-	0/27/67/67	0/5/5/5
3	AKG	B	502	-	-	0/3/9/9	0/0/0/0
2	NAP	C	501	-	-	0/27/67/67	0/5/5/5
3	AKG	C	502	-	-	0/3/9/9	0/0/0/0
2	NAP	D	501	-	-	0/27/67/67	0/5/5/5
3	AKG	D	502	-	-	0/3/9/9	0/0/0/0
2	NAP	E	501	-	-	0/27/67/67	0/5/5/5
3	AKG	E	502	-	-	0/3/9/9	0/0/0/0
2	NAP	F	501	-	-	0/27/67/67	0/5/5/5
3	AKG	F	502	-	-	0/3/9/9	0/0/0/0
2	NAP	G	501	-	-	0/27/67/67	0/5/5/5
3	AKG	G	502	-	-	0/3/9/9	0/0/0/0
2	NAP	H	501	-	-	0/27/67/67	0/5/5/5
3	AKG	H	502	-	-	0/3/9/9	0/0/0/0
2	NAP	J	501	-	-	0/27/67/67	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AKG	J	502	-	-	0/3/9/9	0/0/0/0

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	501	NAP	PA-O2A	-2.00	1.46	1.55
2	D	501	NAP	C8A-N7A	2.01	1.38	1.34
2	B	501	NAP	O4B-C1B	2.03	1.44	1.41
2	H	501	NAP	C2A-N3A	2.04	1.35	1.32
2	D	501	NAP	C2A-N3A	2.08	1.35	1.32
2	A	501	NAP	C5A-C4A	2.22	1.45	1.40
2	A	501	NAP	C2A-N3A	2.41	1.36	1.32
2	J	501	NAP	C2A-N3A	2.47	1.36	1.32
2	F	501	NAP	O4D-C1D	2.48	1.44	1.41
2	F	501	NAP	C2A-N3A	2.49	1.36	1.32
2	D	501	NAP	C4A-N3A	2.51	1.39	1.35
2	G	501	NAP	C2A-N3A	2.72	1.37	1.32
2	B	501	NAP	C2A-N3A	2.72	1.37	1.32
2	C	501	NAP	C2A-N1A	2.80	1.39	1.33
2	B	501	NAP	C5A-C4A	2.82	1.46	1.40
2	H	501	NAP	C5A-C4A	2.83	1.46	1.40
2	C	501	NAP	C5A-C4A	2.85	1.46	1.40
2	H	501	NAP	C4A-N3A	2.85	1.39	1.35
2	E	501	NAP	C5A-C4A	2.92	1.47	1.40
2	G	501	NAP	C5A-C4A	2.96	1.47	1.40
2	F	501	NAP	C5N-C4N	3.06	1.44	1.38
2	J	501	NAP	O4B-C1B	3.07	1.45	1.41
2	B	501	NAP	C5N-C4N	3.11	1.45	1.38
2	C	501	NAP	C2A-N3A	3.23	1.37	1.32
2	F	501	NAP	C5A-C4A	3.32	1.48	1.40
2	A	501	NAP	C5N-C4N	3.40	1.45	1.38
2	D	501	NAP	C5N-C4N	3.52	1.45	1.38
2	E	501	NAP	C5N-C4N	3.58	1.45	1.38
2	J	501	NAP	C5A-C4A	3.73	1.48	1.40
2	G	501	NAP	O4D-C1D	3.74	1.46	1.41
2	J	501	NAP	C5N-C4N	3.76	1.46	1.38
2	C	501	NAP	C5N-C4N	3.83	1.46	1.38
2	G	501	NAP	C5N-C4N	3.86	1.46	1.38
2	H	501	NAP	C5N-C4N	3.92	1.46	1.38
2	A	501	NAP	C4N-C3N	7.09	1.50	1.39
2	C	501	NAP	C4N-C3N	7.30	1.51	1.39
2	G	501	NAP	C4N-C3N	7.57	1.51	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501	NAP	C4N-C3N	7.87	1.52	1.39
2	B	501	NAP	C4N-C3N	7.93	1.52	1.39
2	J	501	NAP	C4N-C3N	8.07	1.52	1.39
2	H	501	NAP	C4N-C3N	8.07	1.52	1.39
2	F	501	NAP	C4N-C3N	8.31	1.52	1.39
2	E	501	NAP	C4N-C3N	9.07	1.54	1.39

All (104) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	NAP	N3A-C2A-N1A	-12.68	118.91	128.87
2	G	501	NAP	N3A-C2A-N1A	-10.42	120.69	128.87
2	D	501	NAP	C1B-N9A-C4A	-10.33	115.28	126.81
2	H	501	NAP	N3A-C2A-N1A	-10.11	120.93	128.87
2	C	501	NAP	N3A-C2A-N1A	-9.91	121.09	128.87
2	F	501	NAP	N3A-C2A-N1A	-9.17	121.67	128.87
2	A	501	NAP	N3A-C2A-N1A	-9.04	121.77	128.87
2	H	501	NAP	C1B-N9A-C4A	-9.01	116.75	126.81
2	B	501	NAP	N3A-C2A-N1A	-8.85	121.92	128.87
2	E	501	NAP	N3A-C2A-N1A	-8.49	122.20	128.87
2	J	501	NAP	N3A-C2A-N1A	-8.47	122.22	128.87
2	B	501	NAP	C5N-C4N-C3N	-7.31	111.63	120.35
2	J	501	NAP	C5N-C4N-C3N	-7.13	111.85	120.35
3	H	502	AKG	C3-C4-C5	-7.06	99.05	112.78
2	F	501	NAP	C5N-C4N-C3N	-7.02	111.97	120.35
2	C	501	NAP	C5N-C4N-C3N	-6.87	112.15	120.35
2	G	501	NAP	C5N-C4N-C3N	-6.39	112.73	120.35
2	D	501	NAP	C5N-C4N-C3N	-5.98	113.21	120.35
2	E	501	NAP	C5N-C4N-C3N	-5.90	113.31	120.35
2	A	501	NAP	C5N-C4N-C3N	-5.80	113.43	120.35
2	H	501	NAP	C5N-C4N-C3N	-5.59	113.68	120.35
3	A	502	AKG	C3-C4-C5	-5.57	101.94	112.78
3	C	502	AKG	C3-C4-C5	-5.32	102.44	112.78
3	E	502	AKG	C3-C2-C1	-4.88	110.82	121.63
3	C	502	AKG	C3-C2-C1	-4.66	111.30	121.63
3	E	502	AKG	C3-C4-C5	-4.48	104.07	112.78
3	G	502	AKG	C3-C2-C1	-4.27	112.16	121.63
2	E	501	NAP	O7N-C7N-N7N	-4.07	116.78	122.58
2	A	501	NAP	C4D-O4D-C1D	-3.98	105.42	109.64
2	F	501	NAP	C1B-N9A-C4A	-3.89	122.47	126.81
3	A	502	AKG	C3-C2-C1	-3.88	113.03	121.63
3	H	502	AKG	C3-C2-C1	-3.73	113.35	121.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	501	NAP	O5D-PN-O1N	-3.72	93.97	109.21
2	A	501	NAP	O7N-C7N-C3N	-3.50	115.71	119.60
2	E	501	NAP	O2X-P2B-O2B	-3.50	96.16	106.62
3	F	502	AKG	C4-C3-C2	-3.34	104.14	112.94
2	F	501	NAP	O7N-C7N-C3N	-3.24	116.00	119.60
2	G	501	NAP	O7N-C7N-C3N	-3.14	116.11	119.60
2	D	501	NAP	O7N-C7N-N7N	-3.14	118.11	122.58
2	J	501	NAP	O4B-C1B-C2B	-2.98	101.24	106.60
2	G	501	NAP	O2B-P2B-O1X	-2.95	100.44	107.48
3	B	502	AKG	C4-C3-C2	-2.90	105.31	112.94
3	B	502	AKG	C3-C4-C5	-2.77	107.39	112.78
2	E	501	NAP	O4B-C1B-C2B	-2.64	101.85	106.60
2	J	501	NAP	C1B-N9A-C4A	-2.59	123.91	126.81
3	F	502	AKG	O5-C2-C3	-2.59	115.42	120.26
2	F	501	NAP	O2B-P2B-O1X	-2.57	101.34	107.48
2	D	501	NAP	C4B-O4B-C1B	-2.41	107.09	109.64
2	H	501	NAP	O2X-P2B-O2B	-2.37	99.52	106.62
2	C	501	NAP	O7N-C7N-N7N	-2.32	119.28	122.58
2	C	501	NAP	O3X-P2B-O2B	-2.27	99.82	106.62
2	G	501	NAP	O2N-PN-O1N	-2.19	101.15	112.56
2	H	501	NAP	C4B-O4B-C1B	-2.15	107.36	109.64
2	F	501	NAP	C4D-O4D-C1D	-2.12	107.39	109.64
2	E	501	NAP	C4B-O4B-C1B	-2.09	107.43	109.64
2	G	501	NAP	C4N-C3N-C7N	-2.05	115.66	121.11
3	G	502	AKG	C3-C4-C5	-2.05	108.79	112.78
2	D	501	NAP	O3X-P2B-O2B	-2.05	100.49	106.62
2	H	501	NAP	O2N-PN-O5D	-2.04	98.49	108.24
2	H	501	NAP	O3D-C3D-C4D	-2.01	105.00	111.01
2	H	501	NAP	O7N-C7N-N7N	-2.01	119.71	122.58
2	F	501	NAP	O4B-C1B-N9A	2.00	111.89	108.11
2	F	501	NAP	O2X-P2B-O1X	2.02	117.23	110.63
2	H	501	NAP	O2A-PA-O3	2.04	113.99	105.27
3	J	502	AKG	C4-C3-C2	2.16	118.64	112.94
2	H	501	NAP	C2A-N1A-C6A	2.26	122.80	118.77
2	A	501	NAP	O2N-PN-O1N	2.26	124.34	112.56
2	A	501	NAP	O2A-PA-O3	2.32	115.20	105.27
2	D	501	NAP	C2D-C1D-N1N	2.36	118.15	113.53
3	J	502	AKG	C3-C4-C5	2.36	117.38	112.78
2	E	501	NAP	O3X-P2B-O2X	2.37	116.13	107.44
2	C	501	NAP	C2N-C3N-C4N	2.38	120.97	118.27
2	A	501	NAP	C2D-C1D-N1N	2.39	118.22	113.53
2	D	501	NAP	N6A-C6A-N1A	2.40	122.55	118.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	502	AKG	O5-C2-C3	2.43	124.80	120.26
2	C	501	NAP	C2A-N1A-C6A	2.50	123.23	118.77
2	C	501	NAP	O3X-P2B-O2X	2.66	117.22	107.44
2	H	501	NAP	O3X-P2B-O2X	2.76	117.57	107.44
3	G	502	AKG	O5-C2-C3	2.76	125.42	120.26
2	J	501	NAP	C2N-C3N-C4N	2.76	121.40	118.27
2	C	501	NAP	O7N-C7N-C3N	2.79	122.69	119.60
2	G	501	NAP	O3X-P2B-O2X	2.81	117.76	107.44
2	F	501	NAP	C2A-N1A-C6A	2.97	124.08	118.77
2	B	501	NAP	C2D-C1D-N1N	3.21	119.83	113.53
2	D	501	NAP	O4B-C1B-N9A	3.28	114.31	108.11
2	C	501	NAP	O2A-PA-O3	3.40	119.83	105.27
2	D	501	NAP	O7N-C7N-C3N	3.48	123.45	119.60
2	B	501	NAP	C2N-C3N-C4N	3.52	122.26	118.27
2	G	501	NAP	O4D-C1D-N1N	3.55	111.94	108.10
2	G	501	NAP	O2N-PN-O3	3.66	120.96	105.27
2	F	501	NAP	N6A-C6A-N1A	4.06	125.33	118.52
2	H	501	NAP	C3N-C7N-N7N	4.20	122.57	117.82
2	G	501	NAP	C3N-C7N-N7N	4.20	122.58	117.82
2	E	501	NAP	C2D-C1D-N1N	4.27	121.89	113.53
2	E	501	NAP	C3N-C7N-N7N	4.33	122.72	117.82
2	F	501	NAP	C3N-C7N-N7N	4.84	123.30	117.82
2	A	501	NAP	C3N-C7N-N7N	4.89	123.35	117.82
2	B	501	NAP	N6A-C6A-N1A	4.90	126.74	118.52
2	A	501	NAP	N6A-C6A-N1A	5.58	127.88	118.52
2	E	501	NAP	O4B-C1B-N9A	5.75	118.96	108.11
2	J	501	NAP	O4B-C1B-N9A	5.85	119.16	108.11
2	G	501	NAP	N6A-C6A-N1A	6.09	128.74	118.52
2	G	501	NAP	O2A-PA-O3	6.11	131.47	105.27
2	C	501	NAP	N6A-C6A-N1A	7.66	131.37	118.52

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	502	AKG	2	0
3	E	502	AKG	1	0
2	G	501	NAP	2	0
3	J	502	AKG	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	447/447 (100%)	-0.30	4 (0%) 85 89	10, 16, 33, 63	0
1	B	447/447 (100%)	-0.39	1 (0%) 95 97	8, 15, 31, 61	0
1	C	447/447 (100%)	-0.38	1 (0%) 95 97	8, 15, 33, 67	0
1	D	447/447 (100%)	-0.26	5 (1%) 82 86	9, 16, 36, 70	0
1	E	447/447 (100%)	-0.28	4 (0%) 85 89	8, 17, 34, 76	0
1	F	447/447 (100%)	-0.22	3 (0%) 89 92	9, 18, 37, 53	0
1	G	447/447 (100%)	-0.32	5 (1%) 82 86	11, 19, 38, 77	0
1	H	447/447 (100%)	-0.13	12 (2%) 58 67	12, 22, 45, 67	0
1	I	447/447 (100%)	0.18	44 (9%) 10 14	8, 23, 69, 91	0
1	J	447/447 (100%)	1.71	148 (33%) 0 0	13, 45, 117, 146	0
1	K	304/447 (68%)	0.55	48 (15%) 3 4	17, 30, 75, 99	0
1	L	447/447 (100%)	-0.04	18 (4%) 42 51	12, 26, 54, 96	0
All	All	5221/5364 (97%)	-0.00	293 (5%) 28 36	8, 20, 65, 146	0

All (293) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	314	CYS	15.2
1	J	328	GLY	13.8
1	J	320	CYS	12.1
1	J	277	VAL	10.8
1	J	274	GLY	10.4
1	J	343	ALA	10.2
1	J	319	PRO	10.2
1	J	300	GLY	9.8
1	J	340	ARG	9.6
1	I	1	MET	9.0
1	J	266	SER	8.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	266	SER	8.3
1	J	342	VAL	8.3
1	J	306	ASP	8.0
1	J	296	ASP	7.9
1	J	272	PRO	7.8
1	J	307	GLY	7.7
1	J	303	TYR	7.6
1	J	230	SER	7.6
1	J	275	VAL	7.6
1	J	321	ALA	7.5
1	J	345	GLY	7.5
1	J	276	ASP	7.4
1	I	307	GLY	7.3
1	K	1	MET	7.3
1	J	341	PHE	7.2
1	J	286	VAL	7.2
1	J	315	ASP	7.2
1	J	353	GLU	7.1
1	J	346	ALA	7.1
1	J	311	ASP	6.9
1	J	309	ILE	6.9
1	J	237	ILE	6.9
1	J	259	VAL	6.8
1	J	361	ARG	6.8
1	J	329	GLU	6.8
1	L	3	VAL	6.8
1	J	260	ILE	6.7
1	J	244	VAL	6.7
1	L	1	MET	6.7
1	J	302	THR	6.7
1	J	293	VAL	6.7
1	J	226	ALA	6.6
1	J	308	SER	6.5
1	J	223	MET	6.4
1	J	366	GLY	6.4
1	J	228	GLY	6.3
1	J	318	LEU	6.2
1	J	351	THR	6.1
1	J	327	ASN	6.0
1	J	344	GLU	6.0
1	J	349	PRO	5.8
1	J	339	CYS	5.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	337	ASN	5.8
1	J	359	ARG	5.7
1	J	247	TYR	5.7
1	J	1	MET	5.6
1	J	290	ARG	5.5
1	J	316	ILE	5.5
1	J	352	PRO	5.3
1	J	263	SER	5.3
1	J	289	ALA	5.2
1	L	44	HIS	5.2
1	J	326	LEU	5.1
1	J	231	ILE	5.0
1	G	1	MET	5.0
1	J	264	ASP	5.0
1	I	336	ASP	5.0
1	J	304	HIS	5.0
1	J	238	VAL	4.9
1	K	417	ALA	4.9
1	J	324	ASN	4.9
1	I	306	ASP	4.9
1	J	287	ARG	4.9
1	J	268	TRP	4.9
1	J	218	TYR	4.9
1	J	357	VAL	4.8
1	E	1	MET	4.8
1	J	365	PHE	4.8
1	J	283	ILE	4.8
1	J	294	TYR	4.7
1	J	317	ALA	4.7
1	K	218	TYR	4.7
1	J	350	SER	4.7
1	K	216	CYS	4.7
1	J	240	GLY	4.7
1	K	223	MET	4.7
1	K	3	VAL	4.6
1	J	305	THR	4.6
1	K	13	MET	4.6
1	J	292	SER	4.5
1	J	288	ARG	4.5
1	J	269	VAL	4.5
1	J	216	CYS	4.5
1	J	279	LYS	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	301	ALA	4.5
1	K	2	THR	4.4
1	J	224	ILE	4.4
1	H	1	MET	4.4
1	L	13	MET	4.4
1	J	360	GLU	4.4
1	I	228	GLY	4.3
1	J	299	GLU	4.3
1	J	291	VAL	4.3
1	J	295	ALA	4.3
1	J	262	PHE	4.3
1	I	286	VAL	4.3
1	B	1	MET	4.2
1	I	3	VAL	4.2
1	K	226	ALA	4.2
1	K	31	VAL	4.2
1	J	333	THR	4.1
1	J	297	GLU	4.1
1	K	217	VAL	4.1
1	J	282	GLU	4.1
1	J	368	GLY	4.1
1	K	9	ASN	4.1
1	D	1	MET	4.0
1	J	347	ASN	3.9
1	H	9	ASN	3.9
1	I	256	GLY	3.9
1	J	256	GLY	3.9
1	K	39	LEU	3.9
1	J	227	LYS	3.9
1	J	331	ALA	3.8
1	I	282	GLU	3.8
1	I	329	GLU	3.8
1	K	227	LYS	3.7
1	I	296	ASP	3.7
1	J	336	ASP	3.7
1	I	293	VAL	3.7
1	K	7	VAL	3.7
1	K	41	LYS	3.7
1	K	219	PHE	3.7
1	J	253	GLN	3.7
1	A	1	MET	3.7
1	K	22	PRO	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	356	GLU	3.6
1	K	6	GLN	3.6
1	L	6	GLN	3.5
1	K	40	GLU	3.5
1	I	327	ASN	3.5
1	J	3	VAL	3.5
1	J	246	THR	3.5
1	K	5	GLU	3.5
1	K	214	TYR	3.5
1	J	265	SER	3.5
1	J	285	GLU	3.5
1	K	29	ALA	3.5
1	J	235	LYS	3.5
1	I	305	THR	3.4
1	J	273	ASN	3.4
1	J	239	SER	3.4
1	L	360	GLU	3.4
1	K	4	ASP	3.3
1	I	238	VAL	3.3
1	K	213	GLY	3.3
1	L	43	PRO	3.2
1	K	12	ASP	3.2
1	J	281	ARG	3.2
1	J	5	GLU	3.2
1	H	3	VAL	3.1
1	K	44	HIS	3.1
1	J	232	SER	3.1
1	I	9	ASN	3.1
1	E	299	GLU	3.1
1	J	363	ILE	3.1
1	J	355	VAL	3.0
1	L	9	ASN	3.0
1	K	42	ASP	3.0
1	K	366	GLY	3.0
1	J	335	ALA	3.0
1	J	258	THR	3.0
1	J	261	GLY	2.9
1	J	271	THR	2.9
1	J	417	ALA	2.9
1	I	240	GLY	2.9
1	J	229	GLU	2.9
1	I	311	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	K	419	TYR	2.9
1	E	40	GLU	2.8
1	J	330	ASN	2.8
1	J	242	GLY	2.8
1	J	338	GLY	2.8
1	K	221	SER	2.8
1	J	298	VAL	2.8
1	J	367	PRO	2.8
1	J	334	LEU	2.8
1	K	26	GLN	2.8
1	J	236	ILE	2.8
1	K	33	GLU	2.8
1	L	329	GLU	2.8
1	J	422	GLU	2.7
1	K	426	VAL	2.7
1	H	5	GLU	2.7
1	J	255	LEU	2.7
1	J	245	ALA	2.7
1	J	39	LEU	2.7
1	H	13	MET	2.7
1	L	228	GLY	2.7
1	J	249	ILE	2.7
1	J	243	ASN	2.7
1	I	299	GLU	2.7
1	K	34	SER	2.6
1	J	310	TRP	2.6
1	A	40	GLU	2.6
1	J	332	LYS	2.6
1	J	372	ASN	2.6
1	J	280	LEU	2.6
1	J	267	GLY	2.6
1	L	353	GLU	2.6
1	F	1	MET	2.6
1	A	44	HIS	2.6
1	J	423	ASN	2.6
1	G	5	GLU	2.5
1	J	322	THR	2.5
1	G	299	GLU	2.5
1	K	25	HIS	2.5
1	L	274	GLY	2.5
1	I	241	SER	2.5
1	H	12	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	362	ASP	2.5
1	I	267	GLY	2.5
1	J	40	GLU	2.5
1	I	301	ALA	2.5
1	I	337	ASN	2.5
1	L	15	LEU	2.5
1	L	5	GLU	2.4
1	D	306	ASP	2.4
1	C	1	MET	2.4
1	I	5	GLU	2.4
1	J	44	HIS	2.4
1	I	273	ASN	2.4
1	I	289	ALA	2.4
1	K	28	VAL	2.4
1	I	332	LYS	2.3
1	J	395	GLU	2.3
1	H	2	THR	2.3
1	J	364	ARG	2.3
1	L	306	ASP	2.3
1	D	420	GLY	2.3
1	K	224	ILE	2.3
1	J	252	ALA	2.3
1	I	361	ARG	2.3
1	I	339	CYS	2.3
1	K	37	ILE	2.3
1	L	11	TYR	2.3
1	I	274	GLY	2.3
1	I	294	TYR	2.3
1	I	276	ASP	2.3
1	K	10	TYR	2.3
1	I	352	PRO	2.3
1	J	416	ALA	2.3
1	K	32	LEU	2.2
1	I	255	LEU	2.2
1	G	4	ASP	2.2
1	H	286	VAL	2.2
1	K	8	SER	2.2
1	H	295	ALA	2.2
1	L	40	GLU	2.2
1	D	299	GLU	2.2
1	I	44	HIS	2.2
1	D	4	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	K	30	GLU	2.2
1	E	286	VAL	2.2
1	G	300	GLY	2.2
1	I	6	GLN	2.2
1	J	42	ASP	2.1
1	K	16	LYS	2.1
1	H	329	GLU	2.1
1	H	289	ALA	2.1
1	I	313	LYS	2.1
1	J	370	ALA	2.1
1	J	396	TYR	2.1
1	F	2	THR	2.1
1	I	357	VAL	2.1
1	H	10	TYR	2.1
1	I	290	ARG	2.1
1	J	2	THR	2.1
1	K	415	THR	2.1
1	J	354	ALA	2.1
1	A	16	LYS	2.0
1	I	331	ALA	2.0
1	I	8	SER	2.0
1	K	222	GLU	2.0
1	F	362	ASP	2.0
1	I	303	TYR	2.0
1	K	35	LEU	2.0
1	K	416	ALA	2.0
1	J	270	HIS	2.0
1	J	9	ASN	2.0
1	I	239	SER	2.0
1	L	42	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	AKG	E	502	10/10	0.91	0.20	2.61	24,35,41,43	0
3	AKG	B	502	10/10	0.91	0.21	2.07	30,33,41,43	0
3	AKG	D	502	10/10	0.92	0.22	1.69	22,28,42,56	0
3	AKG	J	502	10/10	0.83	0.27	1.67	40,58,69,71	0
3	AKG	A	502	10/10	0.92	0.19	1.42	23,31,36,39	0
3	AKG	F	502	10/10	0.94	0.18	1.36	21,32,40,43	0
3	AKG	H	502	10/10	0.93	0.16	1.22	25,33,38,39	0
3	AKG	G	502	10/10	0.94	0.19	1.19	21,32,44,48	0
3	AKG	C	502	10/10	0.94	0.14	1.09	21,30,35,35	0
2	NAP	J	501	48/48	0.76	0.31	0.04	69,96,113,116	0
2	NAP	E	501	48/48	0.97	0.13	-0.00	13,18,37,42	0
2	NAP	D	501	48/48	0.97	0.13	-0.16	12,17,29,32	0
2	NAP	G	501	48/48	0.97	0.12	-0.21	14,18,31,36	0
2	NAP	F	501	48/48	0.96	0.12	-0.24	11,16,25,27	0
2	NAP	B	501	48/48	0.98	0.10	-0.52	9,11,21,22	0
2	NAP	H	501	48/48	0.97	0.11	-0.58	17,24,43,50	0
2	NAP	A	501	48/48	0.97	0.11	-0.58	12,16,28,32	0
2	NAP	C	501	48/48	0.97	0.10	-0.67	12,16,27,32	0

6.5 Other polymers [i](#)

There are no such residues in this entry.