



Full wwPDB X-ray Structure Validation Report i

Oct 10, 2016 – 06:27 PM EDT

PDB ID : 5IZL
Title : The crystal structure of human eEFSec in complex with GDPCP
Authors : Dobosz-Bartoszek, M.; Simonovic, M.
Deposited on : 2016-03-25
Resolution : 2.72 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20027939
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20027939


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2439 (2.74-2.70)
Clashscore	102246	2771 (2.74-2.70)
Ramachandran outliers	100387	2726 (2.74-2.70)
Sidechain outliers	100360	2727 (2.74-2.70)
RSRZ outliers	91569	2443 (2.74-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GCP	A	1002	-	-	X	-

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 7350 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Selenocysteine-specific elongation factor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	514	Total	C 3713	N 2390	O 636	S 663	24	0	0
1	B	498	Total	C 3540	N 2270	O 606	S 640	24	0	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P57772
A	-18	GLY	-	expression tag	UNP P57772
A	-17	SER	-	expression tag	UNP P57772
A	-16	SER	-	expression tag	UNP P57772
A	-15	HIS	-	expression tag	UNP P57772
A	-14	HIS	-	expression tag	UNP P57772
A	-13	HIS	-	expression tag	UNP P57772
A	-12	HIS	-	expression tag	UNP P57772
A	-11	HIS	-	expression tag	UNP P57772
A	-10	HIS	-	expression tag	UNP P57772
A	-9	SER	-	expression tag	UNP P57772
A	-8	SER	-	expression tag	UNP P57772
A	-7	GLY	-	expression tag	UNP P57772
A	-6	LEU	-	expression tag	UNP P57772
A	-5	VAL	-	expression tag	UNP P57772
A	-4	PRO	-	expression tag	UNP P57772
A	-3	ARG	-	expression tag	UNP P57772
A	-2	GLY	-	expression tag	UNP P57772
A	-1	SER	-	expression tag	UNP P57772
A	0	HIS	-	expression tag	UNP P57772
B	-19	MET	-	initiating methionine	UNP P57772
B	-18	GLY	-	expression tag	UNP P57772
B	-17	SER	-	expression tag	UNP P57772
B	-16	SER	-	expression tag	UNP P57772
B	-15	HIS	-	expression tag	UNP P57772

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP P57772
B	-13	HIS	-	expression tag	UNP P57772
B	-12	HIS	-	expression tag	UNP P57772
B	-11	HIS	-	expression tag	UNP P57772
B	-10	HIS	-	expression tag	UNP P57772
B	-9	SER	-	expression tag	UNP P57772
B	-8	SER	-	expression tag	UNP P57772
B	-7	GLY	-	expression tag	UNP P57772
B	-6	LEU	-	expression tag	UNP P57772
B	-5	VAL	-	expression tag	UNP P57772
B	-4	PRO	-	expression tag	UNP P57772
B	-3	ARG	-	expression tag	UNP P57772
B	-2	GLY	-	expression tag	UNP P57772
B	-1	SER	-	expression tag	UNP P57772
B	0	HIS	-	expression tag	UNP P57772

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Mg 1 1	0	0
2	A	1	Total Mg 1 1	0	0

- Molecule 3 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (three-letter code: GCP) (formula: C₁₁H₁₈N₅O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			32	11	5	13	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	16	Total	O	0	0
			16	16		
4	B	15	Total	O	0	0
			15	15		


3 Residue-property plots [\(i\)](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Selenocysteine-specific elongation factor



- Molecule 1: Selenocysteine-specific elongation factor





4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	94.30 Å 113.24 Å 329.73 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.77 – 2.72 50.33 – 2.72	Depositor EDS
% Data completeness (in resolution range)	97.2 (48.77-2.72) 89.9 (50.33-2.72)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.63 (at 2.73 Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R , R_{free}	0.244 , 0.286 0.244 , 0.282	Depositor DCC
R_{free} test set	1851 reflections (4.29%)	DCC
Wilson B-factor (Å ²)	80.6	Xtriage
Anisotropy	0.231	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 55.8	EDS
L-test for twinning ²	$< L > = 0.47$, $< L^2 > = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7350	wwPDB-VP
Average B, all atoms (Å ²)	83.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GCP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/3782	0.62	4/5143 (0.1%)
1	B	0.52	0/3604	0.60	3/4912 (0.1%)
All	All	0.52	0/7386	0.61	7/10055 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	305	ALA	N-CA-C	-5.83	95.27	111.00
1	A	573	GLN	N-CA-C	5.58	126.07	111.00
1	A	112	LEU	CA-CB-CG	5.28	127.44	115.30
1	A	354	ALA	N-CA-C	-5.25	96.81	111.00
1	A	482	ALA	N-CA-C	-5.13	97.16	111.00
1	B	215	ILE	C-N-CD	5.07	139.05	128.40
1	B	219	ASP	C-N-CD	5.06	139.03	128.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3713	0	3597	124	0
1	B	3540	0	3367	141	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	32	0	14	10	0
3	B	32	0	14	5	0
4	A	16	0	0	5	0
4	B	15	0	0	6	0
All	All	7350	0	6992	263	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (263) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:590:LYS:HE2	1:A:590:LYS:H	1.06	1.15
1:B:5:ARG:HD3	1:B:273:PHE:CG	1.83	1.13
1:A:304:CYS:SG	1:A:309:LEU:HG	1.89	1.12
1:A:590:LYS:CE	1:A:590:LYS:H	1.64	1.09
1:B:317:ILE:CG2	1:B:450:LEU:HA	1.84	1.07
1:A:317:ILE:HG22	1:A:450:LEU:HA	1.38	1.04
1:B:26:ALA:HB1	1:B:202:ILE:CD1	1.90	1.02
1:B:171:LEU:O	1:B:174:THR:HG22	1.59	1.01
1:B:317:ILE:HG22	1:B:450:LEU:CA	1.90	1.01
1:B:580:THR:HG22	1:B:593:VAL:O	1.64	0.96
1:A:16:ILE:HD12	1:A:96:HIS:HA	1.46	0.94
1:A:119:VAL:HG11	1:A:148:ILE:HD13	1.52	0.91
1:B:5:ARG:HG3	1:B:273:PHE:CE2	2.05	0.91
1:B:317:ILE:HG22	1:B:450:LEU:HA	0.96	0.90
1:B:26:ALA:HB1	1:B:202:ILE:HD11	1.57	0.85
1:A:349:MET:SD	1:A:584:TYR:OH	2.34	0.85
1:B:310:HIS:CE1	1:B:424:ARG:HG2	2.11	0.85
1:A:590:LYS:N	1:A:590:LYS:HE2	1.90	0.84
1:B:17:ASP:H	3:B:1002:GCP:H3B2	1.40	0.84
1:B:209:LEU:O	1:B:213:ILE:HG12	1.78	0.84
1:A:507:LYS:HB3	1:A:515:LEU:HD11	1.61	0.83
1:B:5:ARG:CD	1:B:273:PHE:CG	2.61	0.83
1:A:519:ASP:OD1	1:A:531:HIS:NE2	2.14	0.81
1:B:119:VAL:HG22	1:B:145:LEU:HB3	1.64	0.79
1:B:5:ARG:HD3	1:B:273:PHE:CB	2.12	0.79
1:A:590:LYS:N	1:A:590:LYS:CE	2.44	0.79
1:B:183:PRO:O	1:B:184:VAL:HG13	1.83	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:LYS:NZ	3:A:1002:GCP:H3B1	1.98	0.78
1:B:239:THR:HG21	1:B:293:PHE:CZ	2.19	0.77
1:A:317:ILE:CG2	1:A:450:LEU:HD12	2.15	0.76
1:B:225:LEU:HD11	1:B:302:LEU:HD22	1.67	0.76
1:A:110:ILE:HG13	1:A:138:CYS:SG	2.25	0.76
1:A:321:LYS:NZ	1:A:327:GLY:O	2.17	0.76
1:B:218:ARG:HG2	1:B:282:GLN:O	1.86	0.76
1:B:310:HIS:HD2	1:B:312:VAL:CG1	1.99	0.75
1:A:514:GLU:N	1:A:514:GLU:OE1	2.20	0.74
1:B:5:ARG:HD3	1:B:273:PHE:CD2	2.22	0.74
1:B:580:THR:O	1:B:580:THR:HG23	1.88	0.73
1:B:5:ARG:HG3	1:B:273:PHE:CZ	2.22	0.73
1:A:294:ASP:HB3	1:A:297:LEU:HG	1.70	0.72
1:B:147:LYS:HB3	1:B:150:LEU:HD12	1.71	0.72
1:B:414:VAL:O	4:B:1101:HOH:O	2.08	0.72
1:B:119:VAL:HG21	1:B:148:ILE:HD13	1.71	0.71
1:B:423:PRO:HG2	1:B:426:CYS:HB3	1.72	0.71
1:B:146:ASN:HA	1:B:184:VAL:O	1.90	0.70
1:B:183:PRO:O	1:B:184:VAL:CG1	2.40	0.70
1:A:304:CYS:SG	4:A:1112:HOH:O	2.49	0.70
1:A:229:ASP:OD2	4:A:1101:HOH:O	2.10	0.69
1:A:116:VAL:O	4:A:1102:HOH:O	2.10	0.69
1:A:460:ALA:HA	1:A:464:LEU:HD12	1.76	0.68
1:B:119:VAL:HG21	1:B:148:ILE:CD1	2.23	0.68
1:A:15:HIS:CE1	1:A:124:GLN:HB3	2.29	0.68
1:B:465:PRO:HA	1:B:585:VAL:HA	1.74	0.68
1:B:272:MET:HE2	1:B:277:ILE:HD13	1.77	0.67
1:A:221:SER:OG	4:A:1103:HOH:O	2.13	0.67
1:B:310:HIS:CD2	1:B:312:VAL:CG1	2.78	0.67
1:A:108:GLN:NE2	1:A:340:GLY:O	2.29	0.66
1:A:20:LYS:HZ1	3:A:1002:GCP:H3B1	1.61	0.66
1:B:119:VAL:HG23	1:B:146:ASN:O	1.96	0.66
1:B:310:HIS:HE1	1:B:424:ARG:HG2	1.59	0.65
1:A:183:PRO:O	1:A:184:VAL:CG1	2.45	0.65
1:A:19:GLY:N	3:A:1002:GCP:O2B	2.29	0.65
1:A:183:PRO:O	1:A:184:VAL:HG13	1.97	0.65
1:A:361:GLU:OE1	1:A:361:GLU:N	2.30	0.64
1:B:5:ARG:HD3	1:B:273:PHE:HB3	1.79	0.64
1:B:26:ALA:HB1	1:B:202:ILE:HD13	1.74	0.64
1:B:331:THR:HG23	1:B:349:MET:HA	1.80	0.64
1:A:372:GLU:OE1	1:A:582:LYS:NZ	2.31	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:250:ILE:HD11	1:B:267:VAL:HG21	1.79	0.64
1:A:521:ALA:HA	1:A:528:PHE:HA	1.80	0.64
1:A:100:ILE:HD12	1:A:103:ILE:HD12	1.79	0.63
1:A:44:GLU:OE1	1:A:191:PRO:HB3	1.99	0.63
1:A:510:LEU:HG	1:A:575:VAL:HG12	1.81	0.63
1:B:63:ARG:NH1	1:B:211:SER:O	2.22	0.62
1:B:5:ARG:CG	1:B:273:PHE:CD2	2.82	0.62
1:B:96:HIS:HD2	1:B:98:SER:H	1.47	0.62
1:B:63:ARG:NH2	1:B:213:ILE:O	2.33	0.62
1:A:423:PRO:HG2	1:A:426:CYS:HB3	1.81	0.61
1:B:250:ILE:HG22	1:B:280:ALA:HB3	1.81	0.61
1:B:486:TYR:HE1	1:B:535:GLY:HA2	1.66	0.61
1:B:414:VAL:CG1	1:B:416:PHE:CE1	2.84	0.60
1:A:470:TYR:HA	1:A:582:LYS:HA	1.84	0.60
1:B:5:ARG:CG	1:B:273:PHE:CE2	2.83	0.60
1:B:311:THR:HG22	1:B:421:THR:HG23	1.83	0.60
1:A:17:ASP:O	1:A:147:LYS:NZ	2.35	0.59
1:B:414:VAL:HG11	1:B:416:PHE:CE1	2.36	0.59
1:A:20:LYS:HZ3	3:A:1002:GCP:H3B1	1.66	0.59
1:A:63:ARG:NH1	1:A:213:ILE:O	2.26	0.58
1:B:5:ARG:HG3	1:B:273:PHE:CD2	2.38	0.58
1:B:91:VAL:HG11	1:B:109:ILE:HD11	1.85	0.58
1:A:317:ILE:HD13	1:A:428:VAL:HG11	1.86	0.58
1:B:373:TYR:O	1:B:469:VAL:HA	2.03	0.58
1:A:487:SER:O	1:A:488:VAL:HG23	2.04	0.57
1:A:257:GLU:HB3	4:A:1112:HOH:O	2.03	0.57
1:B:26:ALA:CB	1:B:202:ILE:CD1	2.76	0.57
1:A:15:HIS:CD2	1:A:16:ILE:HG22	2.39	0.57
1:A:26:ALA:HB1	1:A:202:ILE:CD1	2.33	0.57
1:A:357:ASN:O	1:A:360:GLN:HG2	2.03	0.57
1:A:352:SER:HB2	1:A:353:PRO:HD2	1.86	0.57
1:B:157:GLN:NE2	1:B:157:GLN:O	2.38	0.57
1:B:292:GLN:HG3	1:B:293:PHE:N	2.19	0.57
1:B:239:THR:HG21	1:B:293:PHE:CE2	2.40	0.57
1:B:362:PRO:HB3	1:B:409:GLN:HB2	1.86	0.56
1:A:365:ASP:OD1	1:A:365:ASP:N	2.38	0.56
1:B:98:SER:OG	1:B:437:ILE:HD11	2.05	0.56
1:A:261:LEU:HB2	1:A:263:VAL:HG12	1.87	0.56
1:A:209:LEU:O	1:A:213:ILE:HG12	2.05	0.56
1:B:304:CYS:C	1:B:305:ALA:O	2.38	0.56
1:B:486:TYR:CE1	1:B:535:GLY:HA2	2.41	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:539:GLU:OE1	1:A:539:GLU:N	2.28	0.55
1:B:580:THR:HG22	1:B:593:VAL:C	2.25	0.55
1:B:26:ALA:CB	1:B:202:ILE:HD11	2.33	0.55
1:B:171:LEU:O	1:B:174:THR:CG2	2.44	0.55
1:A:183:PRO:C	1:A:184:VAL:HG13	2.28	0.54
1:A:477:GLY:HA3	1:A:493:LEU:HB3	1.88	0.54
1:B:218:ARG:CG	1:B:282:GLN:O	2.53	0.54
1:A:17:ASP:HA	3:A:1002:GCP:H3B2	1.89	0.54
1:A:44:GLU:OE2	3:A:1002:GCP:C3'	2.55	0.54
1:B:5:ARG:CD	1:B:273:PHE:CD2	2.89	0.54
1:B:321:LYS:HB2	1:B:379:TYR:CE2	2.43	0.54
1:A:202:ILE:N	1:A:203:PRO:HD2	2.23	0.54
1:A:224:PHE:O	1:A:304:CYS:HB2	2.07	0.54
1:B:580:THR:CG2	1:B:593:VAL:HB	2.39	0.53
1:B:20:LYS:NZ	3:B:1002:GCP:H3B1	2.23	0.53
1:B:183:PRO:C	1:B:184:VAL:HG13	2.28	0.53
1:A:146:ASN:HA	1:A:184:VAL:O	2.10	0.52
1:A:15:HIS:CG	1:A:16:ILE:H	2.28	0.52
1:B:460:ALA:HA	1:B:464:LEU:HD12	1.92	0.52
1:B:243:GLY:HA2	4:B:1102:HOH:O	2.08	0.52
1:A:63:ARG:NH2	1:A:210:THR:O	2.43	0.52
1:A:109:ILE:HG22	1:A:244:THR:HG21	1.92	0.52
1:A:187:LYS:O	3:A:1002:GCP:C6	2.57	0.51
1:A:317:ILE:HG21	1:A:428:VAL:HG21	1.92	0.51
1:B:258:ILE:HG12	1:B:303:VAL:HG22	1.93	0.51
1:B:464:LEU:O	1:B:466:ARG:N	2.44	0.51
1:B:229:ASP:OD2	4:B:1102:HOH:O	2.19	0.51
1:A:109:ILE:CG2	1:A:244:THR:HG21	2.41	0.51
1:B:19:GLY:N	3:B:1002:GCP:O2B	2.41	0.51
1:B:129:GLU:O	1:B:133:ILE:HG13	2.11	0.51
1:B:17:ASP:N	3:B:1002:GCP:H3B2	2.18	0.50
1:B:215:ILE:CG2	1:B:218:ARG:HD3	2.41	0.50
1:B:6:VAL:HG22	1:B:68:LEU:HD13	1.92	0.50
1:A:503:PHE:HD2	1:A:506:LEU:HD12	1.76	0.50
1:B:463:PHE:HB2	4:B:1104:HOH:O	2.11	0.50
1:B:245:ILE:HD11	1:B:286:LEU:HD21	1.93	0.50
1:A:250:ILE:HD11	1:A:267:VAL:HG21	1.93	0.50
1:A:590:LYS:HE3	1:A:590:LYS:H	1.66	0.50
1:A:136:ILE:O	1:A:136:ILE:HG22	2.11	0.50
1:A:594:GLN:O	1:A:595:SER:OG	2.23	0.50
1:B:362:PRO:HA	1:B:409:GLN:OE1	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:5:ARG:NE	1:B:273:PHE:CD1	2.80	0.49
1:A:281:MET:O	1:A:282:GLN:C	2.51	0.49
1:A:286:LEU:CD1	1:A:288:ILE:HG13	2.42	0.49
1:B:229:ASP:CG	4:B:1102:HOH:O	2.51	0.49
1:A:499:ASN:O	1:A:501:GLN:N	2.46	0.49
1:A:26:ALA:HB1	1:A:202:ILE:HD12	1.95	0.48
1:B:467:LEU:HD23	1:B:584:TYR:OH	2.13	0.48
1:B:174:THR:HG23	1:B:176:PHE:H	1.78	0.48
1:B:414:VAL:HG12	1:B:416:PHE:CE1	2.48	0.48
1:A:374:LEU:HG	1:A:376:GLN:HE21	1.78	0.48
1:B:317:ILE:HD13	1:B:428:VAL:HG11	1.95	0.48
1:B:182:ILE:N	1:B:182:ILE:HD12	2.29	0.48
1:A:252:LEU:HG	1:A:270:MET:HE2	1.96	0.48
1:B:321:LYS:HG3	1:B:329:LEU:HD11	1.96	0.48
1:A:476:HIS:ND1	1:A:576:VAL:HG22	2.29	0.47
1:A:499:ASN:O	1:A:502:LEU:N	2.33	0.47
1:A:582:LYS:HB2	1:A:586:PHE:H	1.80	0.47
1:A:110:ILE:CG1	1:A:138:CYS:SG	2.99	0.47
1:A:16:ILE:O	3:A:1002:GCP:H3B2	2.15	0.47
1:B:55:CYS:SG	1:B:87:GLN:CD	2.93	0.47
1:A:348:LEU:HD11	1:A:414:VAL:HG22	1.97	0.47
1:A:83:GLU:CD	1:A:83:GLU:H	2.17	0.47
1:B:280:ALA:O	1:B:281:MET:HB2	2.14	0.47
1:B:96:HIS:CD2	1:B:98:SER:H	2.29	0.47
1:A:119:VAL:HG11	1:A:148:ILE:CD1	2.34	0.47
1:B:167:MET:O	1:B:171:LEU:HB2	2.15	0.47
1:A:182:ILE:HD11	1:A:208:LEU:HD23	1.96	0.47
1:A:129:GLU:O	1:A:133:ILE:HG13	2.15	0.47
1:B:26:ALA:CB	1:B:202:ILE:HD13	2.43	0.47
1:A:44:GLU:OE2	3:A:1002:GCP:O3'	2.29	0.47
1:B:106:GLY:O	1:B:109:ILE:HG12	2.15	0.47
1:B:220:PRO:O	1:B:248:GLY:HA2	2.14	0.47
1:A:374:LEU:HG	1:A:376:GLN:NE2	2.29	0.46
1:A:501:GLN:HA	1:A:504:VAL:HG23	1.97	0.46
1:B:315:ALA:O	4:B:1101:HOH:O	2.20	0.46
1:A:252:LEU:HD23	1:A:267:VAL:HG12	1.96	0.46
1:A:119:VAL:CG1	1:A:148:ILE:HD13	2.35	0.46
1:A:98:SER:HB2	1:B:437:ILE:HG13	1.97	0.46
1:B:13:LEU:HD13	1:B:113:MET:HG3	1.98	0.46
1:B:227:SER:HG	1:B:341:HIS:CE1	2.34	0.46
1:B:580:THR:O	1:B:580:THR:CG2	2.58	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:5:ARG:HB3	1:A:85:LEU:HB2	1.98	0.46
1:B:227:SER:O	1:B:243:GLY:HA3	2.16	0.46
1:B:414:VAL:HG11	1:B:416:PHE:HE1	1.79	0.46
1:B:182:ILE:HD11	1:B:208:LEU:HD23	1.98	0.46
1:B:239:THR:CG2	1:B:293:PHE:CZ	2.97	0.45
1:B:136:ILE:O	1:B:136:ILE:HG22	2.17	0.45
1:B:171:LEU:HD23	1:B:171:LEU:HA	1.82	0.45
1:B:239:THR:CG2	1:B:293:PHE:CE2	2.98	0.45
1:A:8:VAL:HG11	1:A:213:ILE:HD12	1.99	0.45
1:A:202:ILE:H	1:A:203:PRO:HD2	1.81	0.45
1:A:590:LYS:N	1:A:590:LYS:HE3	2.28	0.45
1:B:231:CYS:SG	1:B:293:PHE:CZ	3.10	0.45
1:B:582:LYS:HA	1:B:582:LYS:HD3	1.70	0.45
1:B:464:LEU:HB3	1:B:584:TYR:CD1	2.52	0.45
1:A:590:LYS:HE3	1:A:591:ARG:N	2.32	0.45
1:A:363:ILE:O	1:A:409:GLN:NE2	2.41	0.45
1:B:378:GLN:O	1:B:379:TYR:C	2.53	0.44
1:B:468:LYS:HE3	1:B:468:LYS:HB2	1.66	0.44
1:A:147:LYS:HB3	1:A:150:LEU:HD12	1.99	0.44
1:A:149:ASP:N	1:A:149:ASP:OD1	2.51	0.44
1:A:318:SER:O	1:A:448:GLY:HA3	2.16	0.44
1:B:318:SER:O	1:B:448:GLY:HA3	2.17	0.44
1:B:310:HIS:CD2	1:B:312:VAL:HG13	2.51	0.44
1:B:506:LEU:O	1:B:518:ILE:HG13	2.18	0.44
1:A:19:GLY:CA	3:A:1002:GCP:O2B	2.66	0.44
1:A:590:LYS:CA	1:A:590:LYS:HE3	2.48	0.44
1:A:96:HIS:CD2	1:A:97:ALA:H	2.35	0.44
1:B:60:LEU:HD12	1:B:61:PRO:HD2	1.99	0.44
1:A:7:ASN:O	1:A:218:ARG:NH2	2.51	0.44
1:B:140:LYS:HE2	1:B:212:GLN:O	2.18	0.44
1:B:141:LEU:HG	1:B:142:VAL:N	2.32	0.44
1:B:460:ALA:O	1:B:464:LEU:HB2	2.18	0.44
1:B:486:TYR:HE1	1:B:535:GLY:CA	2.29	0.44
1:B:5:ARG:CD	1:B:273:PHE:CD1	3.01	0.43
1:B:239:THR:HB	1:B:293:PHE:CE2	2.54	0.43
1:A:9:ASN:HD22	1:A:109:ILE:HG22	1.84	0.43
1:B:231:CYS:SG	1:B:293:PHE:HZ	2.42	0.43
1:A:311:THR:HG22	1:A:421:THR:OG1	2.18	0.43
1:A:500:ILE:H	1:A:500:ILE:HG13	1.66	0.43
1:A:317:ILE:HG22	1:A:450:LEU:HD12	1.97	0.43
1:B:17:ASP:H	3:B:1002:GCP:C3B	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:304:CYS:O	1:B:305:ALA:C	2.57	0.42
1:A:68:LEU:HD21	1:A:84:PRO:HB3	2.00	0.42
1:A:101:ARG:NH2	1:B:436:ASP:OD2	2.45	0.42
1:A:216:PRO:HG2	1:A:218:ARG:HD3	2.00	0.42
1:A:587:ASP:O	1:A:589:HIS:N	2.53	0.42
1:B:252:LEU:HD21	1:B:269:SER:HA	2.02	0.42
1:B:55:CYS:SG	1:B:87:GLN:CG	3.08	0.42
1:A:237:GLN:O	1:A:289:CYS:SG	2.78	0.42
1:B:375:PHE:CD1	1:B:376:GLN:N	2.88	0.42
1:A:304:CYS:HG	1:A:309:LEU:HG	1.79	0.42
1:B:351:PHE:CZ	1:B:411:TRP:HB2	2.55	0.42
1:B:66:SER:O	1:B:67:SER:OG	2.38	0.41
1:A:15:HIS:CG	1:A:16:ILE:N	2.88	0.41
1:A:220:PRO:HB3	1:A:281:MET:HB2	2.02	0.41
1:A:229:ASP:OD2	1:A:243:GLY:HA2	2.20	0.41
1:A:589:HIS:HB3	1:A:590:LYS:HE2	2.02	0.41
1:B:117:ILE:HB	1:B:145:LEU:HD23	2.03	0.41
1:B:62:ALA:O	1:B:65:ARG:HG2	2.21	0.41
1:A:182:ILE:N	1:A:182:ILE:HD12	2.36	0.41
1:B:119:VAL:HG21	1:B:148:ILE:HD11	2.02	0.41
1:A:141:LEU:HG	1:A:142:VAL:N	2.36	0.41
1:A:225:LEU:HD12	1:A:304:CYS:HB3	2.03	0.41
1:A:487:SER:OG	1:A:488:VAL:N	2.54	0.41
1:A:252:LEU:HD23	1:A:252:LEU:HA	1.89	0.40
1:A:50:ASP:OD2	1:A:300:ARG:NH2	2.54	0.40
1:B:151:LEU:O	1:B:156:ARG:NH2	2.46	0.40
1:B:65:ARG:HA	1:B:65:ARG:HD2	1.91	0.40
1:A:183:PRO:C	1:A:184:VAL:CG1	2.89	0.40
1:B:413:LEU:HD23	1:B:413:LEU:C	2.41	0.40
1:B:515:LEU:O	1:B:533:PRO:HD2	2.21	0.40
1:B:179:ALA:HA	1:B:180:PRO:HD3	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	498/616 (81%)	440 (88%)	52 (10%)	6 (1%)	16 38
1	B	480/616 (78%)	417 (87%)	57 (12%)	6 (1%)	15 36
All	All	978/1232 (79%)	857 (88%)	109 (11%)	12 (1%)	16 38

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	500	ILE
1	A	15	HIS
1	A	585	VAL
1	A	588	THR
1	B	465	PRO
1	A	282	GLN
1	B	4	ARG
1	B	217	THR
1	B	221	SER
1	A	465	PRO
1	B	235	LYS
1	B	216	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	367/524 (70%)	364 (99%)	3 (1%)	86 95
1	B	345/524 (66%)	340 (99%)	5 (1%)	74 91
All	All	712/1048 (68%)	704 (99%)	8 (1%)	80 94

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	83	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	347	ARG
1	A	590	LYS
1	B	16	ILE
1	B	58	VAL
1	B	218	ARG
1	B	281	MET
1	B	285	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	HIS
1	A	96	HIS
1	A	124	GLN
1	A	376	GLN
1	B	96	HIS
1	B	310	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	GCP	A	1002	2	29,34,34	3.46	12 (41%)	31,54,54	1.47	6 (19%)
3	GCP	B	1002	2	29,34,34	3.46	12 (41%)	31,54,54	1.47	6 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GCP	A	1002	2	-	0/18/38/38	0/3/3/3
3	GCP	B	1002	2	-	0/18/38/38	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1002	GCP	C4-N9	-10.77	1.33	1.47
3	B	1002	GCP	C5-C6	-10.77	1.33	1.53
3	A	1002	GCP	C4-N9	-10.75	1.33	1.47
3	A	1002	GCP	C5-C6	-10.73	1.33	1.53
3	A	1002	GCP	C8-N9	-4.34	1.33	1.47
3	B	1002	GCP	C8-N9	-4.30	1.33	1.47
3	A	1002	GCP	PB-O2B	-3.11	1.48	1.56
3	B	1002	GCP	PB-O2B	-3.10	1.48	1.56
3	A	1002	GCP	PG-O3G	-2.69	1.48	1.54
3	B	1002	GCP	PG-O3G	-2.67	1.48	1.54
3	A	1002	GCP	C2-N3	-2.18	1.34	1.43
3	B	1002	GCP	C2-N3	-2.17	1.34	1.43
3	B	1002	GCP	PG-O2G	2.55	1.61	1.54
3	A	1002	GCP	PG-O2G	2.55	1.61	1.54
3	B	1002	GCP	PB-O3A	2.67	1.61	1.58
3	A	1002	GCP	PB-O3A	2.74	1.61	1.58
3	B	1002	GCP	PB-C3B	2.75	1.83	1.80
3	A	1002	GCP	PB-C3B	2.87	1.83	1.80
3	B	1002	GCP	C1'-N9	3.33	1.48	1.42
3	A	1002	GCP	C1'-N9	3.35	1.48	1.42
3	A	1002	GCP	C6-N1	4.08	1.40	1.33
3	B	1002	GCP	C6-N1	4.13	1.40	1.33
3	A	1002	GCP	PB-O1B	4.15	1.62	1.51
3	B	1002	GCP	PB-O1B	4.17	1.62	1.51

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1002	GCP	C4'-O4'-C1'	-2.53	103.96	109.52
3	A	1002	GCP	C4'-O4'-C1'	-2.52	103.97	109.52
3	B	1002	GCP	O6-C6-N1	-2.46	119.57	122.80
3	A	1002	GCP	O6-C6-N1	-2.40	119.65	122.80
3	A	1002	GCP	C2-N1-C6	-2.19	118.25	125.36
3	B	1002	GCP	C2-N1-C6	-2.19	118.25	125.36
3	A	1002	GCP	O3G-PG-O1G	2.70	119.59	112.32
3	B	1002	GCP	O3G-PG-O1G	2.70	119.59	112.32
3	B	1002	GCP	C8-N9-C4	3.12	108.33	104.78
3	A	1002	GCP	C8-N9-C4	3.18	108.41	104.78
3	B	1002	GCP	C4-C5-N7	3.33	107.87	102.67
3	A	1002	GCP	C4-C5-N7	3.36	107.92	102.67

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1002	GCP	10	0
3	B	1002	GCP	5	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	514/616 (83%)	-0.07	13 (2%) 61 61	51, 77, 118, 168	0
1	B	498/616 (80%)	0.15	29 (5%) 26 26	50, 80, 137, 179	0
All	All	1012/1232 (82%)	0.04	42 (4%) 40 40	50, 79, 131, 179	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	509	HIS	5.5
1	B	536	LEU	5.1
1	B	585	VAL	5.0
1	B	515	LEU	4.7
1	B	512	THR	4.4
1	A	585	VAL	4.4
1	B	191	PRO	4.3
1	B	576	VAL	4.0
1	B	508	VAL	4.0
1	A	586	PHE	3.9
1	B	404	GLY	3.8
1	B	510	LEU	3.6
1	B	586	PHE	3.3
1	B	234	ILE	3.2
1	B	535	GLY	3.1
1	B	481	ARG	2.9
1	B	511	SER	2.8
1	A	584	TYR	2.7
1	B	196	THR	2.7
1	B	405	HIS	2.7
1	B	518	ILE	2.7
1	A	589	HIS	2.6
1	A	587	ASP	2.6
1	A	234	ILE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	44	GLU	2.6
1	B	474	HIS	2.6
1	B	482	ALA	2.5
1	B	533	PRO	2.5
1	B	537	SER	2.5
1	B	575	VAL	2.4
1	A	3	GLY	2.4
1	B	341	HIS	2.4
1	B	516	GLY	2.4
1	A	494	PHE	2.3
1	A	85	LEU	2.3
1	A	359	ASP	2.2
1	B	486	TYR	2.2
1	B	520	SER	2.1
1	A	496	LYS	2.1
1	B	539	GLU	2.0
1	A	571	PRO	2.0
1	B	577	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	MG	A	1001	1/1	0.98	0.19	1.08	64,64,64,64	0
3	GCP	A	1002	32/32	0.93	0.17	0.17	58,83,99,123	0
3	GCP	B	1002	32/32	0.94	0.17	0.09	52,73,97,122	0
2	MG	B	1001	1/1	0.90	0.21	-	75,75,75,75	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.