



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:58 AM GMT

PDB ID : 2JJJ
Title : Endothiapepsin in complex with a gem-diol inhibitor.
Authors : Coates, L.; Tuan, H.-F.; Tomanicek, S.J.; Kovalevsky, A.; Mustyakimov, M.;
Erskine, P.; Cooper, J.
Deposited on : 2008-04-09
Resolution : 1.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1235 (1.10-0.90)
Clashscore	102246	1333 (1.10-0.90)
Ramachandran outliers	100387	1247 (1.10-0.90)
Sidechain outliers	100360	1246 (1.10-0.90)
RSRZ outliers	91569	1239 (1.10-0.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	329	<div> <div>91%</div> <div> <div></div> <div>92%</div> <div>8%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	501	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	502	-	-	-	X
3	SO4	A	503	-	-	-	X

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5463 atoms, of which 2395 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ENDOTHAPEPSIN.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	329	4861	1573	2388	367	531	2	0	26	0

- Molecule 2 is N 2 -[(2R)-2-BENZYL-3-(TERT-BUTYLSULFONYL)PROPANOYL]-N-{(1R)-1-(CYCLOHEXYLMETHYL)-3,3-DIFLUORO-2,2-DIHYDROXY-4-[(2-MORPHOLIN-4-YLETHYL)AMINO]-4-OXOBUTYL}-3-(1H-IMIDAZOL-3-IUM-4-YL)-L-ALANINAMIDE (three-letter code: OQS) (formula: C₃₆H₅₆F₂N₇O₈S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	F	H	N	O		
2	A	1	61	36	2	7	7	8	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	521	Total	O	0	0
			521	521		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ENDOTHIAPEPSIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	42.69Å 74.34Å 42.53Å 90.00° 97.49° 90.00°	Depositor
Resolution (Å)	30.00 – 1.00 42.33 – 1.00	Depositor EDS
% Data completeness (in resolution range)	90.8 (30.00-1.00) 95.6 (42.33-1.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	9.03 (at 1.00Å)	Xtriage
Refinement program	SHELXL-97	Depositor
R, R_{free}	0.111 , 0.136 0.108 , 0.128	Depositor DCC
R_{free} test set	6783 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	3.9	Xtriage
Anisotropy	0.369	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 53.6	EDS
Estimated twinning fraction	0.025 for l,-k,h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 135014 reflections	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	5463	wwPDB-VP
Average B, all atoms (Å ²)	9.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 0QS, SO4, SUI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	2/2606 (0.1%)	1.06	10/3563 (0.3%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	45[A]	SER	CB-OG	-5.37	1.35	1.42
1	A	45[B]	SER	CB-OG	-5.37	1.35	1.42

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	277	TYR	CB-CG-CD1	7.02	125.21	121.00
1	A	33	ASP	CB-CG-OD2	-6.74	112.23	118.30
1	A	276[A]	ASP	CB-CG-OD1	-6.42	112.52	118.30
1	A	276[B]	ASP	CB-CG-OD1	-6.42	112.52	118.30
1	A	47[A]	GLU	OE1-CD-OE2	-5.70	116.46	123.30
1	A	47[B]	GLU	OE1-CD-OE2	-5.70	116.46	123.30
1	A	160	ASP	CB-CG-OD2	-5.42	113.43	118.30
1	A	59	TYR	CB-CG-CD1	5.10	124.06	121.00
1	A	276[A]	ASP	N-CA-CB	5.00	119.61	110.60
1	A	276[B]	ASP	N-CA-CB	5.00	119.61	110.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2473	2388	2401	19	0
2	A	54	7	56	9	0
3	A	20	0	0	0	0
4	A	521	0	0	14	0
All	All	3068	2395	2457	26	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (26) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:331:0QS:CE11	2:A:331:0QS:HE11	0.97	1.11
2:A:331:0QS:CD21	2:A:331:0QS:HD21	0.97	1.07
2:A:331:0QS:HD21	2:A:331:0QS:CG1	2.06	0.85
1:A:210:LYS:HE2	4:A:2384:HOH:O	1.85	0.77
2:A:331:0QS:H211	4:A:2520:HOH:O	1.89	0.72
2:A:331:0QS:ND1	2:A:331:0QS:HE11	2.05	0.71
2:A:331:0QS:HE11	2:A:331:0QS:NE2	2.07	0.70
1:A:47[B]:GLU:OE2	4:A:2099:HOH:O	2.09	0.70
2:A:331:0QS:NE2	2:A:331:0QS:HD21	2.10	0.66
1:A:212[A]:THR:HG21	4:A:2388:HOH:O	1.97	0.65
1:A:180[B]:THR:HG21	4:A:2338:HOH:O	1.98	0.64
1:A:180[B]:THR:HG23	4:A:2336:HOH:O	2.03	0.58
1:A:283:ILE:HD11	4:A:2226:HOH:O	2.03	0.57
1:A:6[B]:THR:HG22	4:A:2313:HOH:O	2.07	0.54
1:A:63:LYS:HE3	4:A:2053:HOH:O	2.07	0.53
1:A:134:ASN:ND2	1:A:141:GLN:H	2.07	0.52
1:A:258:THR:HA	4:A:2432:HOH:O	2.10	0.52
1:A:119[A]:ASP:OD2	1:A:122:ILE:HD12	2.10	0.51
1:A:125[A]:LEU:HD21	2:A:331:0QS:HD12	1.93	0.50
1:A:125[B]:LEU:HD11	2:A:331:0QS:HD12	1.96	0.48
1:A:134:ASN:ND2	1:A:136:VAL:H	2.14	0.46
1:A:98:GLY:HA3	4:A:2215:HOH:O	2.17	0.44
1:A:283:ILE:HD11	4:A:2470:HOH:O	2.18	0.43
1:A:323:PRO:HD2	4:A:2353:HOH:O	2.19	0.41
1:A:285:THR:HG23	4:A:2465:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	352/329 (107%)	349 (99%)	3 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	288/262 (110%)	283 (98%)	5 (2%)	68	30

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	ASP
1	A	244[A]	SER
1	A	244[B]	SER
1	A	246[A]	SER
1	A	246[B]	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	134	ASN
1	A	147	ASN
1	A	170	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	303	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SUI	A	54	1	10,11,12	1.16	0	10,15,17	1.81	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SUI	A	54	1	-	0/2/19/20	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	54	SUI	C2A-N2-CG	-3.41	121.29	123.61
1	A	54	SUI	C1-N2-CG	3.74	115.31	113.11

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	0QS	A	331	-	48,57,57	2.34	7 (14%)	60,82,82	3.16	17 (28%)
3	SO4	A	500	-	4,4,4	0.80	0	6,6,6	0.21	0
3	SO4	A	501	-	4,4,4	0.92	0	6,6,6	0.52	0
3	SO4	A	502	-	4,4,4	0.44	0	6,6,6	0.48	0
3	SO4	A	503	-	4,4,4	1.07	1 (25%)	6,6,6	1.50	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	0QS	A	331	-	-	0/52/85/85	0/4/4/4
3	SO4	A	500	-	-	0/0/0/0	0/0/0/0
3	SO4	A	501	-	-	0/0/0/0	0/0/0/0
3	SO4	A	502	-	-	0/0/0/0	0/0/0/0
3	SO4	A	503	-	-	0/0/0/0	0/0/0/0

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	331	0QS	CD11-CG2	-3.38	1.43	1.52
2	A	331	0QS	CA-N3	-3.33	1.41	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	503	SO4	O1-S	-2.08	1.40	1.47
2	A	331	0QS	O1S-S	2.16	1.46	1.43
2	A	331	0QS	C2-C	2.41	1.57	1.52
2	A	331	0QS	O2S-S	4.66	1.50	1.43
2	A	331	0QS	C1-C	5.43	1.63	1.52
2	A	331	0QS	S-N3	12.24	1.90	1.60

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	331	0QS	C-S-N3	-5.85	96.99	107.17
2	A	331	0QS	C3-C-C1	-5.26	99.45	111.05
2	A	331	0QS	C2-C-C1	-3.79	102.68	111.05
2	A	331	0QS	CB1-CA1-N	-3.64	103.19	110.80
2	A	331	0QS	O2S-S-N3	-3.54	101.76	109.25
2	A	331	0QS	O2S-S-O1S	-3.42	113.60	120.31
2	A	331	0QS	O11-C21-C31	-2.89	105.22	111.84
2	A	331	0QS	O11-C61-C51	-2.68	105.69	111.84
2	A	331	0QS	C51-N4-C31	-2.52	103.44	108.90
2	A	331	0QS	CZ1-CE12-CD11	-2.48	106.23	111.44
2	A	331	0QS	C3-C-C2	-2.46	105.62	111.05
2	A	331	0QS	CE12-CD11-CG2	2.18	115.73	112.22
2	A	331	0QS	C4-CA-N3	2.46	117.83	110.88
3	A	503	SO4	O2-S-O1	3.39	120.22	109.50
2	A	331	0QS	C2-C-S	6.05	117.06	107.87
2	A	331	0QS	C3-C-S	8.63	121.00	107.87
2	A	331	0QS	O2S-S-C	11.65	116.57	107.56
2	A	331	0QS	O1S-S-C	12.25	117.03	107.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	331	0QS	9	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	328/329 (99%)	3.13	300 (91%) 0 1	3, 5, 13, 23	0

All (300) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	300	ILE	6.5
1	A	283	ILE	5.5
1	A	236	TRP	5.3
1	A	280	PHE	5.3
1	A	258	THR	5.3
1	A	195	TRP	5.2
1	A	246[A]	SER	5.2
1	A	284[A]	SER	5.1
1	A	197	TRP	5.1
1	A	42	TRP	4.9
1	A	156[A]	VAL	4.8
1	A	18	ILE	4.8
1	A	130	PHE	4.8
1	A	75	TRP	4.7
1	A	44	PHE	4.5
1	A	273	ILE	4.5
1	A	239	VAL	4.5
1	A	255	CYS	4.5
1	A	325[A]	LEU	4.5
1	A	235	TYR	4.4
1	A	99	LEU	4.4
1	A	209	PHE	4.4
1	A	231	VAL	4.4
1	A	308	VAL	4.4
1	A	227	LEU	4.3
1	A	144	PHE	4.3
1	A	163	TYR	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	217	ILE	4.3
1	A	34	PHE	4.3
1	A	128	LEU	4.2
1	A	21	VAL	4.2
1	A	315	VAL	4.2
1	A	194	PHE	4.2
1	A	290	CYS	4.2
1	A	232	VAL	4.2
1	A	6[A]	THR	4.2
1	A	122	ILE	4.2
1	A	226	TYR	4.1
1	A	278	ILE	4.1
1	A	169	TYR	4.1
1	A	30	LEU	4.1
1	A	314	PHE	4.1
1	A	294	ILE	4.1
1	A	204	VAL	4.0
1	A	302	ILE	4.0
1	A	304	ILE	4.0
1	A	262	PHE	4.0
1	A	94	VAL	4.0
1	A	252	VAL	4.0
1	A	224	LEU	4.0
1	A	225	LEU	4.0
1	A	106	VAL	4.0
1	A	19	THR	4.0
1	A	212[A]	THR	4.0
1	A	23	ILE	3.9
1	A	13	LEU	3.9
1	A	222	THR	3.9
1	A	237	ALA	3.9
1	A	312	ALA	3.9
1	A	5	ALA	3.9
1	A	129	ALA	3.9
1	A	41	LEU	3.9
1	A	126	LEU	3.9
1	A	136	VAL	3.9
1	A	272	VAL	3.9
1	A	309	ALA	3.9
1	A	230	THR	3.9
1	A	145	PHE	3.8
1	A	271	ILE	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	32	LEU	3.8
1	A	125[A]	LEU	3.8
1	A	133	LEU	3.8
1	A	266	VAL	3.8
1	A	264	PHE	3.8
1	A	305	PHE	3.8
1	A	69	LEU	3.8
1	A	43	VAL	3.8
1	A	202	TYR	3.8
1	A	313	ALA	3.8
1	A	328	ALA	3.8
1	A	174	ILE	3.8
1	A	96	VAL	3.8
1	A	188	VAL	3.8
1	A	316	VAL	3.8
1	A	187	ALA	3.7
1	A	256[A]	SER	3.7
1	A	282	PRO	3.7
1	A	310	LEU	3.7
1	A	214	ILE	3.7
1	A	186	THR	3.7
1	A	59	TYR	3.6
1	A	251	TYR	3.6
1	A	161	LEU	3.6
1	A	229	ALA	3.6
1	A	152	LEU	3.6
1	A	112	VAL	3.6
1	A	171	PHE	3.6
1	A	181	GLY	3.6
1	A	17	TYR	3.6
1	A	90	TYR	3.6
1	A	218	ALA	3.6
1	A	7	THR	3.6
1	A	322	THR	3.6
1	A	80	GLY	3.6
1	A	291	PHE	3.6
1	A	173	PHE	3.5
1	A	168	THR	3.5
1	A	292	GLY	3.5
1	A	306	GLY	3.5
1	A	228	PRO	3.5
1	A	50	ALA	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	277	TYR	3.4
1	A	190	THR	3.4
1	A	203	ALA	3.4
1	A	234	ALA	3.4
1	A	317	PHE	3.4
1	A	36	THR	3.4
1	A	198	THR	3.4
1	A	191[A]	LYS	3.4
1	A	321	THR	3.4
1	A	8	THR	3.3
1	A	253	PHE	3.3
1	A	327	PHE	3.3
1	A	185	TYR	3.3
1	A	26	PRO	3.3
1	A	139	THR	3.3
1	A	200	THR	3.3
1	A	29	THR	3.3
1	A	116	PHE	3.3
1	A	220	THR	3.3
1	A	207	GLY	3.3
1	A	298	ALA	3.3
1	A	183	ILE	3.3
1	A	166	PRO	3.3
1	A	66	THR	3.3
1	A	184	THR	3.3
1	A	208	THR	3.3
1	A	157	PHE	3.3
1	A	193	GLY	3.3
1	A	216	GLY	3.3
1	A	79	TYR	3.3
1	A	215	ASP	3.2
1	A	293	GLY	3.2
1	A	319	GLY	3.2
1	A	45[A]	SER	3.2
1	A	100	THR	3.2
1	A	135	THR	3.2
1	A	143	THR	3.2
1	A	263	THR	3.2
1	A	77	ILE	3.2
1	A	20	PRO	3.2
1	A	269	ALA	3.2
1	A	211[A]	SER	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	89	VAL	3.2
1	A	167	GLY	3.2
1	A	274	PRO	3.1
1	A	165	ALA	3.1
1	A	276[A]	ASP	3.1
1	A	201	GLY	3.1
1	A	12	SER	3.1
1	A	162	GLY	3.1
1	A	16	ALA	3.1
1	A	48	THR	3.1
1	A	158	THR	3.1
1	A	285	THR	3.1
1	A	296	SER	3.1
1	A	265	GLY	3.1
1	A	289	SER	3.1
1	A	60	THR	3.1
1	A	70	LEU	3.1
1	A	37	GLY	3.1
1	A	137[A]	SER	3.0
1	A	63	LYS	3.0
1	A	241	GLY	3.0
1	A	299	GLY	3.0
1	A	3	GLY	3.0
1	A	117	THR	3.0
1	A	254	PRO	3.0
1	A	73	ALA	3.0
1	A	148	ALA	3.0
1	A	249	GLY	3.0
1	A	49	THR	3.0
1	A	123	ASP	2.9
1	A	25	THR	2.9
1	A	31	ASN	2.9
1	A	121	THR	2.9
1	A	53	VAL	2.9
1	A	233[A]	SER	2.9
1	A	221	GLY	2.9
1	A	67	ALA	2.9
1	A	109	ALA	2.9
1	A	159	ALA	2.9
1	A	65	THR	2.9
1	A	240	SER	2.9
1	A	124	GLY	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	172	GLY	2.9
1	A	179	TYR	2.9
1	A	324	THR	2.9
1	A	119[A]	ASP	2.9
1	A	164	HIS	2.8
1	A	10	ILE	2.8
1	A	223	THR	2.8
1	A	142	LYS	2.8
1	A	27	ALA	2.8
1	A	127	GLY	2.8
1	A	132	THR	2.8
1	A	105	ALA	2.8
1	A	257	ALA	2.8
1	A	180[A]	THR	2.8
1	A	58	ILE	2.8
1	A	261	SER	2.8
1	A	205	GLY	2.8
1	A	91	THR	2.8
1	A	39	SER	2.8
1	A	98	GLY	2.7
1	A	131	SER	2.7
1	A	213[A]	SER	2.7
1	A	178	ALA	2.7
1	A	93	THR	2.7
1	A	82	GLY	2.7
1	A	138	PRO	2.7
1	A	297	SER	2.7
1	A	248	VAL	2.7
1	A	38	SER	2.7
1	A	57	THR	2.6
1	A	74	THR	2.6
1	A	4	SER	2.6
1	A	85[A]	SER	2.6
1	A	9	PRO	2.6
1	A	33	ASP	2.6
1	A	259	LEU	2.6
1	A	154[A]	SER	2.6
1	A	242	ALA	2.6
1	A	134	ASN	2.6
1	A	151[A]	SER	2.6
1	A	281	GLY	2.6
1	A	182	SER	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	81	ASP	2.6
1	A	24	GLY	2.6
1	A	87	GLY	2.6
1	A	97	GLY	2.6
1	A	83	SER	2.6
1	A	189	SER	2.6
1	A	101	VAL	2.6
1	A	303	ASN	2.5
1	A	86	SER	2.5
1	A	199	SER	2.5
1	A	320	ALA	2.5
1	A	61	PRO	2.5
1	A	71[A]	SER	2.5
1	A	108	SER	2.5
1	A	22	GLN	2.5
1	A	40	ASP	2.5
1	A	192	GLN	2.4
1	A	275	GLY	2.4
1	A	301	GLY	2.4
1	A	326	GLY	2.4
1	A	307	ASP	2.4
1	A	247	SER	2.4
1	A	150	ALA	2.4
1	A	46	SER	2.4
1	A	260	PRO	2.4
1	A	295	GLN	2.4
1	A	104	GLN	2.4
1	A	323	PRO	2.4
1	A	35	ASP	2.4
1	A	160	ASP	2.4
1	A	62	SER	2.3
1	A	28	GLN	2.3
1	A	141	GLN	2.3
1	A	47[A]	GLU	2.3
1	A	92	ASP	2.3
1	A	176	THR	2.3
1	A	177	THR	2.3
1	A	329	SER	2.3
1	A	219	ASP	2.3
1	A	2	THR	2.3
1	A	95	SER	2.3
1	A	113	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	287	SER	2.3
1	A	84	SER	2.3
1	A	103	GLY	2.3
1	A	245	SER	2.3
1	A	288[A]	SER	2.3
1	A	155	PRO	2.2
1	A	140	GLN	2.2
1	A	170	ASN	2.2
1	A	267	GLY	2.2
1	A	206	SER	2.2
1	A	14	ASP	2.2
1	A	318	ASN	2.1
1	A	244[A]	SER	2.1
1	A	76	SER	2.1
1	A	102	THR	2.1
1	A	146	ASP	2.1
1	A	1	SER	2.1
1	A	64	SER	2.1
1	A	268[A]	SER	2.1
1	A	250	GLY	2.0
1	A	115[A]	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	SUI	A	54	11/12	0.94	0.17	-	5,6,8,11	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SO4	A	503	5/5	0.61	0.43	17.90	8,18,29,37	5
3	SO4	A	501	5/5	0.71	0.29	5.66	17,17,28,32	5
3	SO4	A	502	5/5	0.47	0.34	3.47	24,28,33,37	5
2	OQS	A	331	54/54	0.89	0.23	1.99	5,12,26,31	0
3	SO4	A	500	5/5	0.96	0.22	1.50	5,6,9,10	5

6.5 Other polymers [i](#)

There are no such residues in this entry.