



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:57 PM GMT

PDB ID : 4JYX
Title : Crystal structure of polyprenyl synthase PATL_3739 (TARGET EFI-509195) FROM PSEUDOALTEROMONAS ATLANTICA, COMPLEX WITH INORGANIC PHOSPHATE AND AN UNKNOWN LIGAND
Authors : Patskovsky, Y.; Toro, R.; Bhosle, R.; Hillerich, B.; Seidel, R.D.; Washington, E.; Scott Glenn, A.; Chowdhury, S.; Evans, B.; Hammonds, J.; Zencheck, W.D.; Imker, H.J.; Al Obaidi, N.; Stead, M.; Love, J.; Poulter, C.D.; Gerlt, J.A.; Almo, S.C.; Enzyme Function Initiative (Efi)
Deposited on : 2013-04-01
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	345	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, green 99%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> 88% • 8% </div> </div>
1	B	345	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, green 99%, yellow 1%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> 86% 5% • 8% </div> </div>
1	C	345	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, green 98%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> 86% • 10% </div> </div>
1	D	345	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, green 98%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> 85% 5% 10% </div> </div>
1	E	345	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 3%, green 97%);"></div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> 85% • • 10% </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	345	
1	G	345	
1	H	345	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	B	402	-	-	-	X
3	UNL	A	404	-	-	-	X
3	UNL	B	403	-	-	-	X
3	UNL	G	403	-	-	-	X
3	UNL	H	403	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 20169 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Trans-hexaprenyltranstransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	317	Total	C	N	O	S	0	2	0
			2460	1539	409	496	16			
1	B	316	Total	C	N	O	S	0	0	0
			2445	1530	408	491	16			
1	C	311	Total	C	N	O	S	0	2	0
			2415	1522	396	483	14			
1	D	312	Total	C	N	O	S	0	0	0
			2411	1516	396	484	15			
1	E	310	Total	C	N	O	S	0	3	0
			2426	1526	397	489	14			
1	F	312	Total	C	N	O	S	0	1	0
			2415	1521	395	485	14			
1	G	317	Total	C	N	O	S	0	0	0
			2451	1533	409	493	16			
1	H	316	Total	C	N	O	S	0	3	0
			2463	1541	412	494	16			

There are 176 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	EXPRESSION TAG	UNP Q15PE7
A	-20	HIS	-	EXPRESSION TAG	UNP Q15PE7
A	-19	HIS	-	EXPRESSION TAG	UNP Q15PE7
A	-18	HIS	-	EXPRESSION TAG	UNP Q15PE7
A	-17	HIS	-	EXPRESSION TAG	UNP Q15PE7
A	-16	HIS	-	EXPRESSION TAG	UNP Q15PE7
A	-15	HIS	-	EXPRESSION TAG	UNP Q15PE7
A	-14	SER	-	EXPRESSION TAG	UNP Q15PE7
A	-13	SER	-	EXPRESSION TAG	UNP Q15PE7
A	-12	GLY	-	EXPRESSION TAG	UNP Q15PE7
A	-11	VAL	-	EXPRESSION TAG	UNP Q15PE7
A	-10	ASP	-	EXPRESSION TAG	UNP Q15PE7
A	-9	LEU	-	EXPRESSION TAG	UNP Q15PE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	GLY	-	EXPRESSION TAG	UNP Q15PE7
A	-7	THR	-	EXPRESSION TAG	UNP Q15PE7
A	-6	GLU	-	EXPRESSION TAG	UNP Q15PE7
A	-5	ASN	-	EXPRESSION TAG	UNP Q15PE7
A	-4	LEU	-	EXPRESSION TAG	UNP Q15PE7
A	-3	TYR	-	EXPRESSION TAG	UNP Q15PE7
A	-2	PHE	-	EXPRESSION TAG	UNP Q15PE7
A	-1	GLN	-	EXPRESSION TAG	UNP Q15PE7
A	0	SER	-	EXPRESSION TAG	UNP Q15PE7
B	-21	MET	-	EXPRESSION TAG	UNP Q15PE7
B	-20	HIS	-	EXPRESSION TAG	UNP Q15PE7
B	-19	HIS	-	EXPRESSION TAG	UNP Q15PE7
B	-18	HIS	-	EXPRESSION TAG	UNP Q15PE7
B	-17	HIS	-	EXPRESSION TAG	UNP Q15PE7
B	-16	HIS	-	EXPRESSION TAG	UNP Q15PE7
B	-15	HIS	-	EXPRESSION TAG	UNP Q15PE7
B	-14	SER	-	EXPRESSION TAG	UNP Q15PE7
B	-13	SER	-	EXPRESSION TAG	UNP Q15PE7
B	-12	GLY	-	EXPRESSION TAG	UNP Q15PE7
B	-11	VAL	-	EXPRESSION TAG	UNP Q15PE7
B	-10	ASP	-	EXPRESSION TAG	UNP Q15PE7
B	-9	LEU	-	EXPRESSION TAG	UNP Q15PE7
B	-8	GLY	-	EXPRESSION TAG	UNP Q15PE7
B	-7	THR	-	EXPRESSION TAG	UNP Q15PE7
B	-6	GLU	-	EXPRESSION TAG	UNP Q15PE7
B	-5	ASN	-	EXPRESSION TAG	UNP Q15PE7
B	-4	LEU	-	EXPRESSION TAG	UNP Q15PE7
B	-3	TYR	-	EXPRESSION TAG	UNP Q15PE7
B	-2	PHE	-	EXPRESSION TAG	UNP Q15PE7
B	-1	GLN	-	EXPRESSION TAG	UNP Q15PE7
B	0	SER	-	EXPRESSION TAG	UNP Q15PE7
C	-21	MET	-	EXPRESSION TAG	UNP Q15PE7
C	-20	HIS	-	EXPRESSION TAG	UNP Q15PE7
C	-19	HIS	-	EXPRESSION TAG	UNP Q15PE7
C	-18	HIS	-	EXPRESSION TAG	UNP Q15PE7
C	-17	HIS	-	EXPRESSION TAG	UNP Q15PE7
C	-16	HIS	-	EXPRESSION TAG	UNP Q15PE7
C	-15	HIS	-	EXPRESSION TAG	UNP Q15PE7
C	-14	SER	-	EXPRESSION TAG	UNP Q15PE7
C	-13	SER	-	EXPRESSION TAG	UNP Q15PE7
C	-12	GLY	-	EXPRESSION TAG	UNP Q15PE7
C	-11	VAL	-	EXPRESSION TAG	UNP Q15PE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-10	ASP	-	EXPRESSION TAG	UNP Q15PE7
C	-9	LEU	-	EXPRESSION TAG	UNP Q15PE7
C	-8	GLY	-	EXPRESSION TAG	UNP Q15PE7
C	-7	THR	-	EXPRESSION TAG	UNP Q15PE7
C	-6	GLU	-	EXPRESSION TAG	UNP Q15PE7
C	-5	ASN	-	EXPRESSION TAG	UNP Q15PE7
C	-4	LEU	-	EXPRESSION TAG	UNP Q15PE7
C	-3	TYR	-	EXPRESSION TAG	UNP Q15PE7
C	-2	PHE	-	EXPRESSION TAG	UNP Q15PE7
C	-1	GLN	-	EXPRESSION TAG	UNP Q15PE7
C	0	SER	-	EXPRESSION TAG	UNP Q15PE7
D	-21	MET	-	EXPRESSION TAG	UNP Q15PE7
D	-20	HIS	-	EXPRESSION TAG	UNP Q15PE7
D	-19	HIS	-	EXPRESSION TAG	UNP Q15PE7
D	-18	HIS	-	EXPRESSION TAG	UNP Q15PE7
D	-17	HIS	-	EXPRESSION TAG	UNP Q15PE7
D	-16	HIS	-	EXPRESSION TAG	UNP Q15PE7
D	-15	HIS	-	EXPRESSION TAG	UNP Q15PE7
D	-14	SER	-	EXPRESSION TAG	UNP Q15PE7
D	-13	SER	-	EXPRESSION TAG	UNP Q15PE7
D	-12	GLY	-	EXPRESSION TAG	UNP Q15PE7
D	-11	VAL	-	EXPRESSION TAG	UNP Q15PE7
D	-10	ASP	-	EXPRESSION TAG	UNP Q15PE7
D	-9	LEU	-	EXPRESSION TAG	UNP Q15PE7
D	-8	GLY	-	EXPRESSION TAG	UNP Q15PE7
D	-7	THR	-	EXPRESSION TAG	UNP Q15PE7
D	-6	GLU	-	EXPRESSION TAG	UNP Q15PE7
D	-5	ASN	-	EXPRESSION TAG	UNP Q15PE7
D	-4	LEU	-	EXPRESSION TAG	UNP Q15PE7
D	-3	TYR	-	EXPRESSION TAG	UNP Q15PE7
D	-2	PHE	-	EXPRESSION TAG	UNP Q15PE7
D	-1	GLN	-	EXPRESSION TAG	UNP Q15PE7
D	0	SER	-	EXPRESSION TAG	UNP Q15PE7
E	-21	MET	-	EXPRESSION TAG	UNP Q15PE7
E	-20	HIS	-	EXPRESSION TAG	UNP Q15PE7
E	-19	HIS	-	EXPRESSION TAG	UNP Q15PE7
E	-18	HIS	-	EXPRESSION TAG	UNP Q15PE7
E	-17	HIS	-	EXPRESSION TAG	UNP Q15PE7
E	-16	HIS	-	EXPRESSION TAG	UNP Q15PE7
E	-15	HIS	-	EXPRESSION TAG	UNP Q15PE7
E	-14	SER	-	EXPRESSION TAG	UNP Q15PE7
E	-13	SER	-	EXPRESSION TAG	UNP Q15PE7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-12	GLY	-	EXPRESSION TAG	UNP Q15PE7
E	-11	VAL	-	EXPRESSION TAG	UNP Q15PE7
E	-10	ASP	-	EXPRESSION TAG	UNP Q15PE7
E	-9	LEU	-	EXPRESSION TAG	UNP Q15PE7
E	-8	GLY	-	EXPRESSION TAG	UNP Q15PE7
E	-7	THR	-	EXPRESSION TAG	UNP Q15PE7
E	-6	GLU	-	EXPRESSION TAG	UNP Q15PE7
E	-5	ASN	-	EXPRESSION TAG	UNP Q15PE7
E	-4	LEU	-	EXPRESSION TAG	UNP Q15PE7
E	-3	TYR	-	EXPRESSION TAG	UNP Q15PE7
E	-2	PHE	-	EXPRESSION TAG	UNP Q15PE7
E	-1	GLN	-	EXPRESSION TAG	UNP Q15PE7
E	0	SER	-	EXPRESSION TAG	UNP Q15PE7
F	-21	MET	-	EXPRESSION TAG	UNP Q15PE7
F	-20	HIS	-	EXPRESSION TAG	UNP Q15PE7
F	-19	HIS	-	EXPRESSION TAG	UNP Q15PE7
F	-18	HIS	-	EXPRESSION TAG	UNP Q15PE7
F	-17	HIS	-	EXPRESSION TAG	UNP Q15PE7
F	-16	HIS	-	EXPRESSION TAG	UNP Q15PE7
F	-15	HIS	-	EXPRESSION TAG	UNP Q15PE7
F	-14	SER	-	EXPRESSION TAG	UNP Q15PE7
F	-13	SER	-	EXPRESSION TAG	UNP Q15PE7
F	-12	GLY	-	EXPRESSION TAG	UNP Q15PE7
F	-11	VAL	-	EXPRESSION TAG	UNP Q15PE7
F	-10	ASP	-	EXPRESSION TAG	UNP Q15PE7
F	-9	LEU	-	EXPRESSION TAG	UNP Q15PE7
F	-8	GLY	-	EXPRESSION TAG	UNP Q15PE7
F	-7	THR	-	EXPRESSION TAG	UNP Q15PE7
F	-6	GLU	-	EXPRESSION TAG	UNP Q15PE7
F	-5	ASN	-	EXPRESSION TAG	UNP Q15PE7
F	-4	LEU	-	EXPRESSION TAG	UNP Q15PE7
F	-3	TYR	-	EXPRESSION TAG	UNP Q15PE7
F	-2	PHE	-	EXPRESSION TAG	UNP Q15PE7
F	-1	GLN	-	EXPRESSION TAG	UNP Q15PE7
F	0	SER	-	EXPRESSION TAG	UNP Q15PE7
G	-21	MET	-	EXPRESSION TAG	UNP Q15PE7
G	-20	HIS	-	EXPRESSION TAG	UNP Q15PE7
G	-19	HIS	-	EXPRESSION TAG	UNP Q15PE7
G	-18	HIS	-	EXPRESSION TAG	UNP Q15PE7
G	-17	HIS	-	EXPRESSION TAG	UNP Q15PE7
G	-16	HIS	-	EXPRESSION TAG	UNP Q15PE7
G	-15	HIS	-	EXPRESSION TAG	UNP Q15PE7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-14	SER	-	EXPRESSION TAG	UNP Q15PE7
G	-13	SER	-	EXPRESSION TAG	UNP Q15PE7
G	-12	GLY	-	EXPRESSION TAG	UNP Q15PE7
G	-11	VAL	-	EXPRESSION TAG	UNP Q15PE7
G	-10	ASP	-	EXPRESSION TAG	UNP Q15PE7
G	-9	LEU	-	EXPRESSION TAG	UNP Q15PE7
G	-8	GLY	-	EXPRESSION TAG	UNP Q15PE7
G	-7	THR	-	EXPRESSION TAG	UNP Q15PE7
G	-6	GLU	-	EXPRESSION TAG	UNP Q15PE7
G	-5	ASN	-	EXPRESSION TAG	UNP Q15PE7
G	-4	LEU	-	EXPRESSION TAG	UNP Q15PE7
G	-3	TYR	-	EXPRESSION TAG	UNP Q15PE7
G	-2	PHE	-	EXPRESSION TAG	UNP Q15PE7
G	-1	GLN	-	EXPRESSION TAG	UNP Q15PE7
G	0	SER	-	EXPRESSION TAG	UNP Q15PE7
H	-21	MET	-	EXPRESSION TAG	UNP Q15PE7
H	-20	HIS	-	EXPRESSION TAG	UNP Q15PE7
H	-19	HIS	-	EXPRESSION TAG	UNP Q15PE7
H	-18	HIS	-	EXPRESSION TAG	UNP Q15PE7
H	-17	HIS	-	EXPRESSION TAG	UNP Q15PE7
H	-16	HIS	-	EXPRESSION TAG	UNP Q15PE7
H	-15	HIS	-	EXPRESSION TAG	UNP Q15PE7
H	-14	SER	-	EXPRESSION TAG	UNP Q15PE7
H	-13	SER	-	EXPRESSION TAG	UNP Q15PE7
H	-12	GLY	-	EXPRESSION TAG	UNP Q15PE7
H	-11	VAL	-	EXPRESSION TAG	UNP Q15PE7
H	-10	ASP	-	EXPRESSION TAG	UNP Q15PE7
H	-9	LEU	-	EXPRESSION TAG	UNP Q15PE7
H	-8	GLY	-	EXPRESSION TAG	UNP Q15PE7
H	-7	THR	-	EXPRESSION TAG	UNP Q15PE7
H	-6	GLU	-	EXPRESSION TAG	UNP Q15PE7
H	-5	ASN	-	EXPRESSION TAG	UNP Q15PE7
H	-4	LEU	-	EXPRESSION TAG	UNP Q15PE7
H	-3	TYR	-	EXPRESSION TAG	UNP Q15PE7
H	-2	PHE	-	EXPRESSION TAG	UNP Q15PE7
H	-1	GLN	-	EXPRESSION TAG	UNP Q15PE7
H	0	SER	-	EXPRESSION TAG	UNP Q15PE7

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		
2	G	1	Total	O	P	0	0
			5	4	1		
2	G	1	Total	O	P	0	0
			5	4	1		
2	H	1	Total	O	P	0	0
			5	4	1		
2	H	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is UNKNOWN LIGAND (three-letter code: UNL) (formula:).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	H	1	Total C N 8 7 1	0	0
3	G	1	Total C N 8 7 1	0	0
3	B	1	Total C N 8 7 1	0	0
3	A	1	Total C N 8 7 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	100	Total O 100 100	0	0
4	B	97	Total O 97 97	0	0
4	C	63	Total O 63 63	0	0
4	D	84	Total O 84 84	0	0
4	E	44	Total O 44 44	0	0
4	F	59	Total O 59 59	0	0
4	G	76	Total O 76 76	0	0
4	H	63	Total O 63 63	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Trans-hexaprenyltranstransferase




- Molecule 1: Trans-hexaprenyltranstransferase




- Molecule 1: Trans-hexaprenyltranstransferase





- Molecule 1: Trans-hexaprenyltranstransferase









• Molecule 1: Trans-hexaprenyltranstransferase





• Molecule 1: Trans-hexaprenyltranstransferase



• Molecule 1: Trans-hexaprenyltranstransferase



• Molecule 1: Trans-hexaprenyltranstransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.10Å 152.91Å 284.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.40 – 2.30 48.35 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.5 (48.40-2.30) 99.5 (48.35-2.30)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.48 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.177 , 0.239 0.185 , 0.243	Depositor DCC
R_{free} test set	4257 reflections (3.10%)	DCC
Wilson B-factor (Å ²)	35.6	Xtriage
Anisotropy	0.664	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Outliers	8 of 141526 reflections (0.006%)	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	20169	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.66 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 5.4507e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, UNL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/2497	0.49	0/3384
1	B	0.30	0/2476	0.48	0/3356
1	C	0.31	0/2453	0.47	0/3327
1	D	0.30	0/2442	0.49	0/3312
1	E	0.29	0/2457	0.46	0/3332
1	F	0.30	0/2450	0.46	0/3324
1	G	0.30	0/2482	0.47	0/3364
1	H	0.28	0/2503	0.48	0/3392
All	All	0.30	0/19760	0.47	0/26791

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2460	0	2445	12	0
1	B	2445	0	2429	14	0
1	C	2415	0	2401	5	0
1	D	2411	0	2389	6	0
1	E	2426	0	2398	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2415	0	2390	5	0
1	G	2451	0	2434	12	0
1	H	2463	0	2452	7	0
2	A	15	0	0	0	0
2	B	10	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
2	G	10	0	0	0	0
2	H	10	0	0	0	0
3	A	8	0	0	0	0
3	B	8	0	0	0	0
3	G	8	0	0	0	0
3	H	8	0	0	0	0
4	A	100	0	0	2	0
4	B	97	0	0	0	0
4	C	63	0	0	1	0
4	D	84	0	0	0	0
4	E	44	0	0	0	0
4	F	59	0	0	1	0
4	G	76	0	0	0	0
4	H	63	0	0	1	0
All	All	20169	0	19338	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149:GLN:HE21	1:A:235:LYS:NZ	1.86	0.73
1:A:149:GLN:HE21	1:A:235:LYS:HZ3	1.41	0.69
1:A:42:SER:OG	1:A:94:ARG:NH1	2.25	0.69
1:D:87:VAL:H	1:D:105:ASN:HD21	1.44	0.66
1:A:18:ASN:OD1	1:A:46:ARG:NH2	2.32	0.63
1:B:51:LEU:HD11	1:B:203:LEU:CD2	2.31	0.60
1:G:24:GLN:HG2	1:G:122:MET:SD	2.41	0.60
1:C:87:VAL:H	1:C:105:ASN:HD21	1.50	0.60
1:A:235:LYS:HE3	4:A:555:HOH:O	2.02	0.60
1:B:55:ALA:HB1	1:B:196:MET:CE	2.32	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:LYS:NZ	4:A:593:HOH:O	2.37	0.58
1:B:42:SER:OG	1:B:94:ARG:NH1	2.31	0.57
1:A:149:GLN:NE2	1:A:235:LYS:CE	2.68	0.55
1:B:18:ASN:OD1	1:B:46:ARG:NH2	2.39	0.55
1:B:100:ASN:HD22	1:B:100:ASN:H	1.58	0.52
1:A:149:GLN:HE22	1:A:235:LYS:HE2	1.74	0.52
1:A:149:GLN:NE2	1:A:235:LYS:HE2	2.24	0.51
1:D:189:SER:HB2	1:G:125:THR:HG22	1.93	0.51
1:A:149:GLN:NE2	1:A:235:LYS:NZ	2.56	0.50
1:G:42:SER:OG	1:G:94:ARG:NH1	2.44	0.50
1:F:269:THR:HB	1:F:270:PRO:HD3	1.93	0.49
1:B:51:LEU:HD11	1:B:203:LEU:HD21	1.94	0.48
1:C:119:SER:O	1:C:123:MET:HG3	2.13	0.48
1:F:254:ILE:HG23	1:F:267:ASN:HD22	1.76	0.48
1:B:85:ASP:HB3	1:B:100:ASN:HD21	1.78	0.48
1:G:231:LEU:C	1:G:231:LEU:HD23	2.34	0.48
1:D:168:TYR:HA	1:D:172:ALA:HB3	1.96	0.48
1:B:163:TYR:CE2	1:B:238:LEU:HB2	2.50	0.47
1:F:289:LEU:HD23	1:F:319:VAL:HG21	1.97	0.46
1:G:81:LEU:HD22	1:G:93:ARG:CZ	2.46	0.46
1:H:39:ILE:HD11	1:H:81:LEU:HD22	1.97	0.45
1:B:106:GLN:HG2	1:D:150:LEU:HD13	1.98	0.45
1:H:265:MET:HB2	4:H:549:HOH:O	2.15	0.44
1:B:300:SER:HB2	1:B:301:PRO:HD3	1.99	0.44
1:G:163:TYR:CE2	1:G:238:LEU:HB2	2.53	0.44
1:C:45[A]:LYS:NZ	4:C:562:HOH:O	2.51	0.43
1:B:168:TYR:HA	1:B:172:ALA:HB3	2.01	0.43
1:B:147:VAL:HG11	1:D:32:ILE:HG13	2.00	0.43
1:E:106:GLN:HG2	1:H:87:VAL:HG13	2.01	0.43
1:C:25:VAL:HG21	1:C:40:VAL:HG21	2.00	0.43
1:E:32:ILE:HG13	1:H:147:VAL:HG11	2.01	0.43
1:H:291:ALA:HA	1:H:294:GLN:HE21	1.84	0.43
1:D:45:LYS:HG2	1:D:74:GLU:HG2	2.01	0.42
1:E:84:ASP:OD2	1:E:170:LYS:NZ	2.52	0.42
1:G:291:ALA:HA	1:G:294:GLN:HE21	1.85	0.42
1:A:163:TYR:CE2	1:A:238:LEU:HB2	2.55	0.42
1:B:100:ASN:ND2	1:B:100:ASN:H	2.17	0.41
1:G:269:THR:HB	1:G:270:PRO:HD3	2.02	0.41
1:F:285:LYS:HG2	1:F:322:VAL:HG13	2.02	0.41
1:G:168:TYR:HA	1:G:172:ALA:HB3	2.03	0.41
1:F:147:VAL:HG11	1:G:32:ILE:HG13	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:55:ALA:HB1	1:B:196:MET:HE3	2.02	0.40
4:F:537:HOH:O	1:G:146:GLU:HG3	2.21	0.40
1:G:35:LEU:HD22	1:G:111:VAL:HG11	2.03	0.40
1:H:81:LEU:HD21	1:H:93:ARG:CD	2.52	0.40
1:E:300:SER:N	1:E:301:PRO:HD2	2.36	0.40
1:A:291:ALA:HA	1:A:294:GLN:HE21	1.86	0.40
1:C:210:VAL:HA	1:C:213:ILE:HD12	2.03	0.40
1:E:285:LYS:HG2	1:E:322:VAL:HG13	2.03	0.40
1:E:147:VAL:HG11	1:H:32:ILE:HG13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	315/345 (91%)	312 (99%)	3 (1%)	0	100	100
1	B	312/345 (90%)	306 (98%)	6 (2%)	0	100	100
1	C	307/345 (89%)	303 (99%)	4 (1%)	0	100	100
1	D	306/345 (89%)	301 (98%)	5 (2%)	0	100	100
1	E	305/345 (88%)	298 (98%)	7 (2%)	0	100	100
1	F	307/345 (89%)	303 (99%)	4 (1%)	0	100	100
1	G	313/345 (91%)	311 (99%)	2 (1%)	0	100	100
1	H	315/345 (91%)	311 (99%)	4 (1%)	0	100	100
All	All	2480/2760 (90%)	2445 (99%)	35 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/293 (92%)	265 (98%)	5 (2%)	65	81
1	B	267/293 (91%)	263 (98%)	4 (2%)	72	85
1	C	264/293 (90%)	256 (97%)	8 (3%)	48	65
1	D	263/293 (90%)	252 (96%)	11 (4%)	36	49
1	E	265/293 (90%)	255 (96%)	10 (4%)	40	54
1	F	263/293 (90%)	251 (95%)	12 (5%)	33	44
1	G	268/293 (92%)	264 (98%)	4 (2%)	72	85
1	H	270/293 (92%)	265 (98%)	5 (2%)	65	81
All	All	2130/2344 (91%)	2071 (97%)	59 (3%)	52	68

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	46	ARG
1	A	106	GLN
1	A	211	ASP
1	A	215	ASP
1	B	46	ARG
1	B	100	ASN
1	B	148	LEU
1	B	185	LEU
1	C	-1	GLN
1	C	1	MET
1	C	22	GLN
1	C	27	SER
1	C	40	VAL
1	C	41	ASN
1	C	46	ARG
1	C	116	TYR
1	D	0	SER
1	D	2	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	45	LYS
1	D	46	ARG
1	D	98	THR
1	D	116	TYR
1	D	185	LEU
1	D	215	ASP
1	D	265	MET
1	D	304	GLU
1	D	321	ARG
1	E	-4	LEU
1	E	2	ASP
1	E	15	LEU
1	E	27	SER
1	E	84	ASP
1	E	100	ASN
1	E	116	TYR
1	E	153	CYS
1	E	170	LYS
1	E	269	THR
1	F	-1	GLN
1	F	22	GLN
1	F	40	VAL
1	F	45	LYS
1	F	46	ARG
1	F	116	TYR
1	F	133	GLN
1	F	194	ASN
1	F	211	ASP
1	F	276	GLU
1	F	304[A]	GLU
1	F	304[B]	GLU
1	G	4	ASP
1	G	27	SER
1	G	211	ASP
1	G	226	ASN
1	H	46	ARG
1	H	148	LEU
1	H	211	ASP
1	H	229	ASP
1	H	265	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (39) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	GLN
1	A	106	GLN
1	A	149	GLN
1	A	194	ASN
1	A	208	GLN
1	A	294	GLN
1	B	100	ASN
1	B	105	ASN
1	B	194	ASN
1	B	226	ASN
1	B	294	GLN
1	C	24	GLN
1	C	105	ASN
1	C	194	ASN
1	C	267	ASN
1	D	19	GLN
1	D	24	GLN
1	D	105	ASN
1	D	149	GLN
1	D	152	ASN
1	D	194	ASN
1	D	267	ASN
1	D	294	GLN
1	E	22	GLN
1	E	65	GLN
1	E	152	ASN
1	E	194	ASN
1	F	-1	GLN
1	F	19	GLN
1	F	22	GLN
1	F	152	ASN
1	F	194	ASN
1	F	267	ASN
1	G	100	ASN
1	G	194	ASN
1	G	294	GLN
1	H	194	ASN
1	H	263	ASN
1	H	294	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 4 are unknown - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	A	401	-	4,4,4	0.49	0	6,6,6	0.29	0
2	PO4	A	402	-	4,4,4	0.44	0	6,6,6	0.28	0
2	PO4	A	403	-	4,4,4	0.46	0	6,6,6	0.27	0
2	PO4	B	401	-	4,4,4	0.49	0	6,6,6	0.28	0
2	PO4	B	402	-	4,4,4	0.46	0	6,6,6	0.27	0
2	PO4	C	401	-	4,4,4	0.42	0	6,6,6	0.27	0
2	PO4	D	401	-	4,4,4	0.43	0	6,6,6	0.27	0
2	PO4	E	401	-	4,4,4	0.43	0	6,6,6	0.28	0
2	PO4	F	401	-	4,4,4	0.42	0	6,6,6	0.28	0
2	PO4	G	401	-	4,4,4	0.44	0	6,6,6	0.29	0
2	PO4	G	402	-	4,4,4	0.47	0	6,6,6	0.27	0
2	PO4	H	401	-	4,4,4	0.51	0	6,6,6	0.28	0
2	PO4	H	402	-	4,4,4	0.45	0	6,6,6	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PO4	A	401	-	-	0/0/0/0	0/0/0/0
2	PO4	A	402	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PO4	A	403	-	-	0/0/0/0	0/0/0/0
2	PO4	B	401	-	-	0/0/0/0	0/0/0/0
2	PO4	B	402	-	-	0/0/0/0	0/0/0/0
2	PO4	C	401	-	-	0/0/0/0	0/0/0/0
2	PO4	D	401	-	-	0/0/0/0	0/0/0/0
2	PO4	E	401	-	-	0/0/0/0	0/0/0/0
2	PO4	F	401	-	-	0/0/0/0	0/0/0/0
2	PO4	G	401	-	-	0/0/0/0	0/0/0/0
2	PO4	G	402	-	-	0/0/0/0	0/0/0/0
2	PO4	H	401	-	-	0/0/0/0	0/0/0/0
2	PO4	H	402	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	317/345 (91%)	-0.20	3 (0%) 85 89	25, 40, 71, 107	0
1	B	316/345 (91%)	-0.19	1 (0%) 94 96	26, 42, 70, 98	0
1	C	311/345 (90%)	0.00	8 (2%) 59 68	22, 46, 87, 120	0
1	D	312/345 (90%)	0.07	6 (1%) 70 76	27, 46, 96, 143	0
1	E	310/345 (89%)	0.14	11 (3%) 48 56	30, 51, 91, 131	0
1	F	312/345 (90%)	0.12	8 (2%) 59 68	28, 49, 89, 125	0
1	G	317/345 (91%)	-0.05	7 (2%) 65 73	30, 46, 76, 106	0
1	H	316/345 (91%)	-0.03	5 (1%) 74 80	31, 51, 80, 104	0
All	All	2511/2760 (90%)	-0.02	49 (1%) 68 75	22, 46, 83, 143	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	-1	GLN	6.3
1	H	323	ALA	5.5
1	G	323	ALA	4.9
1	D	-1	GLN	4.7
1	E	-3	TYR	4.5
1	F	322	VAL	4.3
1	E	323	ALA	4.2
1	F	323	ALA	4.2
1	D	323	ALA	4.2
1	C	265	MET	4.0
1	B	323	ALA	3.9
1	C	323	ALA	3.9
1	A	323	ALA	3.9
1	F	265	MET	3.8
1	F	218	SER	3.7
1	C	-1	GLN	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	322	VAL	3.6
1	H	218	SER	3.6
1	H	322	VAL	3.5
1	E	272	LEU	3.3
1	D	43	GLY	3.0
1	A	218	SER	3.0
1	E	322	VAL	2.9
1	G	226	ASN	2.8
1	A	226	ASN	2.8
1	F	263	ASN	2.8
1	C	271	ILE	2.7
1	E	-4	LEU	2.7
1	E	269	THR	2.7
1	G	306	VAL	2.7
1	D	322	VAL	2.6
1	F	266	ASP	2.6
1	E	231	LEU	2.6
1	F	231	LEU	2.6
1	E	42	SER	2.4
1	G	229	ASP	2.3
1	G	0	SER	2.3
1	F	89	GLU	2.3
1	H	306	VAL	2.2
1	H	229	ASP	2.2
1	G	218	SER	2.2
1	E	271	ILE	2.2
1	D	45	LYS	2.1
1	G	322	VAL	2.1
1	C	1	MET	2.1
1	C	268	LEU	2.1
1	C	266	ASP	2.1
1	D	79	ALA	2.0
1	E	143	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	PO4	B	402	5/5	0.96	0.24	11.58	72,79,93,125	0
3	UNL	B	403	8/-	0.90	0.29	7.84	33,40,49,52	0
3	UNL	H	403	8/-	0.91	0.29	5.44	40,53,59,66	0
3	UNL	A	404	8/-	0.91	0.26	3.86	45,45,62,64	0
3	UNL	G	403	8/-	0.93	0.25	2.99	43,53,66,74	0
2	PO4	G	401	5/5	0.99	0.10	-1.02	47,47,56,60	0
2	PO4	A	401	5/5	0.99	0.10	-1.08	40,44,53,55	0
2	PO4	B	401	5/5	0.98	0.10	-1.15	35,42,54,62	0
2	PO4	H	401	5/5	0.98	0.09	-1.32	44,55,66,72	0
2	PO4	A	403	5/5	0.94	0.32	-	43,126,139,170	0
2	PO4	D	401	5/5	0.96	0.14	-	48,51,78,140	0
2	PO4	C	401	5/5	0.94	0.10	-	63,63,79,82	0
2	PO4	H	402	5/5	0.91	0.23	-	53,61,99,122	0
2	PO4	A	402	5/5	0.84	0.21	-	68,76,97,152	0
2	PO4	G	402	5/5	0.94	0.23	-	59,79,103,137	0
2	PO4	F	401	5/5	0.91	0.11	-	48,62,102,111	0
2	PO4	E	401	5/5	0.89	0.14	-	51,67,99,113	0

6.5 Other polymers [i](#)

There are no such residues in this entry.