



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 10:04 PM BST

PDB ID : 2JZI  
Title : Structure of Calmodulin complexed with the Calmodulin Binding Domain of Calcineurin  
Authors : Chyan, C.; Huang, J.; Irene, D.; Lin, T.  
Deposited on : 2008-01-09

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 86%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	148	<div> <div>39%</div> <div>36%</div> <div>17%</div> <div>8%</div> </div>
2	B	24	<div> <div>17%</div> <div>58%</div> <div>25%</div> </div>

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 2 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:72, A:82-A:145, B:1-B:24 (160)	0.19	2

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters. No single-model clusters were found.

Cluster number	Models
1	2, 4, 9, 10, 11, 12, 15, 20
2	1, 3, 6, 7, 13, 18, 19
3	5, 8, 14, 16, 17

### 3 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2694 atoms, of which 1327 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Calmodulin.

Mol	Chain	Residues	Atoms						Trace
1	A	148	Total	C	H	N	O	S	0
			2263	714	1097	188	255	9	

- Molecule 2 is a protein called Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform.

Mol	Chain	Residues	Atoms						Trace
2	B	24	Total	C	H	N	O	S	0
			427	124	230	43	29	1	

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	
3	A	4	Total	Ca
			4	4

## 4 Residue-property plots [i](#)


### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Calmodulin



- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform




### 4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1

- Molecule 1: Calmodulin




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform


Chain B: 



#### 4.2.2 Score per residue for model 2 (medoid)

- Molecule 1: Calmodulin

Chain A: 




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform


Chain B: 



#### 4.2.3 Score per residue for model 3

- Molecule 1: Calmodulin

Chain A: 




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform

Chain B: 




#### 4.2.4 Score per residue for model 4

- Molecule 1: Calmodulin




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform




#### 4.2.5 Score per residue for model 5

- Molecule 1: Calmodulin




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform



#### 4.2.6 Score per residue for model 6

- Molecule 1: Calmodulin





- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform


Chain B: 13% 71% 17%



#### 4.2.7 Score per residue for model 7

- Molecule 1: Calmodulin

Chain A: 41% 34% 17% 8%



- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform

Chain B: 17% 58% 25%



#### 4.2.8 Score per residue for model 8

- Molecule 1: Calmodulin

Chain A: 40% 38% 14% 8%



- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform


Chain B: 17% 58% 25%






### 4.2.9 Score per residue for model 9

- Molecule 1: Calmodulin




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform




### 4.2.10 Score per residue for model 10

- Molecule 1: Calmodulin




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform



### 4.2.11 Score per residue for model 11

- Molecule 1: Calmodulin





- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform




#### 4.2.12 Score per residue for model 12

- Molecule 1: Calmodulin




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform



#### 4.2.13 Score per residue for model 13

- Molecule 1: Calmodulin




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform





#### 4.2.14 Score per residue for model 14

- Molecule 1: Calmodulin





- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform




#### 4.2.15 Score per residue for model 15

- Molecule 1: Calmodulin





- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform




#### 4.2.16 Score per residue for model 16

- Molecule 1: Calmodulin






- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform




#### 4.2.17 Score per residue for model 17

- Molecule 1: Calmodulin




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform



#### 4.2.18 Score per residue for model 18

- Molecule 1: Calmodulin




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform






#### 4.2.19 Score per residue for model 19

- Molecule 1: Calmodulin




- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform




#### 4.2.20 Score per residue for model 20

- Molecule 1: Calmodulin



- Molecule 2: Serine/threonine-protein phosphatase 2B catalytic subunit alpha isoform



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *distance geometry*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *back calculated data agree with experimental NOESY spectrum*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	1.2

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 15624
Number of chemical shift lists	1
Total number of shifts	2026
Number of shifts mapped to atoms	2026
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	86%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality ⓘ

### 6.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section:  
CA

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1073	999	998	96±3
2	B	197	230	230	41±3
All	All	25480	24580	24560	2431

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 49.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:116:LEU:HD12	1:A:121:VAL:HG22	1.06	1.12	13	20
1:A:55:VAL:HG11	2:B:6:ILE:HG21	0.97	1.32	12	20
1:A:100:ILE:HD13	1:A:105:LEU:HD13	0.93	1.37	8	15
1:A:116:LEU:HD12	1:A:121:VAL:CG2	0.86	2.01	17	20
2:B:1:ALA:O	2:B:5:VAL:HG23	0.85	1.72	5	20
2:B:23:LEU:HD12	2:B:24:ARG:N	0.85	1.86	13	18
1:A:117:THR:O	1:A:121:VAL:HG23	0.82	1.75	19	20
1:A:100:ILE:CD1	1:A:105:LEU:HD12	0.81	2.05	17	4
2:B:15:LYS:O	2:B:19:VAL:HG13	0.81	1.75	9	20
1:A:31:GLU:O	1:A:35:VAL:HG23	0.81	1.75	11	20
1:A:100:ILE:HD12	1:A:105:LEU:HD12	0.81	1.52	17	4

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:71:MET:HG2	2:B:10:ILE:HD13	0.80	1.51	20	20
1:A:18:LEU:HD11	1:A:112:LEU:O	0.80	1.77	15	20
1:A:19:PHE:CE2	1:A:35:VAL:HG21	0.79	2.12	19	20
1:A:55:VAL:HG11	2:B:6:ILE:CG2	0.79	2.06	12	20
1:A:141:PHE:CE1	2:B:23:LEU:HD23	0.78	2.14	10	11
1:A:13:LYS:HA	1:A:16:PHE:CD2	0.76	2.15	2	20
2:B:9:LYS:O	2:B:13:ILE:HD12	0.76	1.79	5	18
1:A:104:GLU:O	1:A:108:VAL:HG23	0.73	1.83	17	20
1:A:108:VAL:O	1:A:112:LEU:HD12	0.73	1.82	11	7
1:A:116:LEU:CD1	1:A:121:VAL:HG22	0.73	2.08	12	20
1:A:100:ILE:CD1	1:A:105:LEU:HD13	0.72	2.13	11	14
1:A:105:LEU:HD11	1:A:124:MET:HG3	0.72	1.59	13	3
1:A:18:LEU:HD21	1:A:112:LEU:HB3	0.71	1.62	10	17
1:A:32:LEU:HD11	1:A:63:ILE:CD1	0.71	2.15	2	5
1:A:57:ALA:HB3	1:A:64:ASP:OD2	0.70	1.86	16	16
2:B:6:ILE:O	2:B:10:ILE:HD12	0.70	1.87	15	19
2:B:5:VAL:HG12	2:B:9:LYS:HD3	0.69	1.63	12	4
1:A:100:ILE:HD12	1:A:105:LEU:HD22	0.69	1.65	8	13
1:A:105:LEU:HD21	1:A:124:MET:HG3	0.69	1.63	12	15
1:A:1:ALA:HB2	1:A:70:THR:OG1	0.69	1.88	20	10
2:B:15:LYS:CE	2:B:15:LYS:N	0.69	2.56	17	14
2:B:15:LYS:N	2:B:15:LYS:CE	0.68	2.57	8	6
1:A:106:ARG:HA	1:A:116:LEU:HD11	0.68	1.64	17	20
1:A:29:THR:HG21	1:A:49:GLN:CG	0.68	2.18	20	20
1:A:32:LEU:HD23	2:B:9:LYS:HD2	0.67	1.67	14	14
1:A:105:LEU:HD21	1:A:124:MET:CG	0.66	2.20	12	3
1:A:71:MET:HB3	2:B:10:ILE:HG21	0.66	1.68	11	18
1:A:19:PHE:HB3	1:A:27:ILE:HD11	0.65	1.69	20	20
1:A:88:ALA:CB	2:B:19:VAL:HG21	0.65	2.22	17	20
2:B:16:MET:O	2:B:19:VAL:HG22	0.65	1.92	13	20
2:B:16:MET:O	2:B:20:PHE:HB2	0.65	1.92	10	17
1:A:29:THR:HB	1:A:48:LEU:HD12	0.64	1.69	1	18
2:B:20:PHE:CD1	2:B:23:LEU:HD21	0.64	2.27	3	20
1:A:138:TYR:O	1:A:142:VAL:HG23	0.64	1.91	19	20
1:A:94:LYS:NZ	1:A:108:VAL:HG22	0.63	2.08	6	1
1:A:32:LEU:HD11	1:A:63:ILE:HD12	0.63	1.70	10	11
2:B:2:ARG:O	2:B:6:ILE:HG13	0.62	1.94	10	20
2:B:6:ILE:HG22	2:B:10:ILE:HD11	0.62	1.71	15	18
1:A:29:THR:HG21	1:A:49:GLN:HG3	0.62	1.72	20	18
1:A:100:ILE:CD1	1:A:105:LEU:HD22	0.62	2.24	19	11
2:B:20:PHE:O	2:B:24:ARG:HG2	0.62	1.94	6	9

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:44:THR:O	1:A:48:LEU:CD2	0.62	2.48	15	20
2:B:2:ARG:NH1	2:B:5:VAL:HG11	0.62	2.09	19	4
1:A:84:GLU:O	2:B:19:VAL:HG11	0.60	1.96	2	12
1:A:87:GLU:OE2	2:B:12:ALA:HB1	0.60	1.96	8	2
1:A:9:ILE:HG22	1:A:69:LEU:CD2	0.60	2.27	4	20
1:A:87:GLU:O	1:A:91:VAL:HG23	0.60	1.96	3	17
1:A:138:TYR:CE1	1:A:142:VAL:CG2	0.60	2.85	20	20
1:A:27:ILE:HG23	1:A:31:GLU:HB3	0.59	1.73	16	20
1:A:71:MET:CG	2:B:10:ILE:HD13	0.59	2.25	20	20
1:A:18:LEU:HD11	1:A:112:LEU:C	0.59	2.18	17	16
1:A:88:ALA:HB2	2:B:19:VAL:HG21	0.59	1.74	10	9
1:A:27:ILE:HD12	1:A:68:PHE:CE2	0.59	2.33	17	20
1:A:4:LEU:CD1	1:A:12:PHE:CZ	0.58	2.85	11	20
1:A:84:GLU:HB3	2:B:15:LYS:HB3	0.58	1.73	3	11
1:A:111:ASN:C	1:A:112:LEU:HD12	0.58	2.19	2	4
1:A:129:ASP:HB2	1:A:136:VAL:HG22	0.58	1.76	7	20
1:A:68:PHE:CE1	2:B:10:ILE:HG23	0.58	2.34	11	19
1:A:9:ILE:HG22	1:A:69:LEU:HD21	0.57	1.76	20	20
2:B:3:LYS:HA	2:B:6:ILE:HD12	0.57	1.76	19	20
1:A:32:LEU:HD23	2:B:9:LYS:CD	0.57	2.30	20	1
1:A:4:LEU:HD12	1:A:69:LEU:CD2	0.56	2.30	11	20
1:A:110:THR:HG23	1:A:115:LYS:HA	0.56	1.76	10	17
2:B:13:ILE:O	2:B:17:ALA:HB2	0.56	2.01	12	20
2:B:15:LYS:HE3	2:B:15:LYS:N	0.56	2.16	17	12
2:B:15:LYS:N	2:B:15:LYS:HE3	0.56	2.16	20	8
2:B:18:ARG:HE	2:B:19:VAL:HG12	0.56	1.61	20	11
1:A:28:THR:HG23	1:A:30:LYS:HG3	0.56	1.78	3	9
1:A:48:LEU:O	1:A:52:ILE:CG1	0.56	2.54	1	20
1:A:27:ILE:HD12	1:A:68:PHE:HE2	0.55	1.61	16	20
1:A:30:LYS:CD	1:A:31:GLU:N	0.55	2.70	17	20
1:A:1:ALA:HB2	1:A:70:THR:HA	0.55	1.79	5	1
1:A:68:PHE:CD1	2:B:10:ILE:HG23	0.54	2.38	10	17
1:A:108:VAL:HG12	2:B:20:PHE:CE2	0.54	2.38	18	9
2:B:2:ARG:HH12	2:B:5:VAL:HG11	0.54	1.62	19	2
2:B:5:VAL:HG12	2:B:9:LYS:CD	0.54	2.32	19	4
1:A:18:LEU:HD21	1:A:112:LEU:CB	0.53	2.32	4	11
1:A:85:ILE:HG22	1:A:138:TYR:HE1	0.53	1.64	19	20
1:A:36:MET:HB2	2:B:9:LYS:HD2	0.53	1.81	7	4
1:A:89:PHE:CD2	1:A:138:TYR:HB2	0.53	2.39	17	20
1:A:71:MET:CG	2:B:10:ILE:HG21	0.52	2.34	20	2
2:B:15:LYS:O	2:B:18:ARG:HG3	0.52	2.05	19	11

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:138:TYR:C	1:A:138:TYR:CD1	0.51	2.83	11	12
1:A:138:TYR:CD1	1:A:138:TYR:C	0.51	2.83	17	8
1:A:130:ILE:HG13	1:A:131:ASP:OD1	0.51	2.05	6	20
1:A:14:GLU:O	1:A:18:LEU:CB	0.51	2.59	16	20
1:A:29:THR:CB	1:A:48:LEU:HD12	0.51	2.35	15	6
1:A:105:LEU:C	1:A:105:LEU:HD23	0.51	2.25	13	3
1:A:9:ILE:HA	1:A:12:PHE:CD1	0.50	2.42	3	20
1:A:52:ILE:O	1:A:55:VAL:HG22	0.50	2.06	14	20
2:B:13:ILE:O	2:B:17:ALA:CB	0.50	2.59	1	20
1:A:16:PHE:CD1	1:A:68:PHE:CD2	0.50	3.00	20	20
1:A:109:MET:CE	2:B:20:PHE:CD2	0.50	2.95	19	18
2:B:12:ALA:O	2:B:16:MET:HG2	0.50	2.07	3	20
1:A:138:TYR:CE1	1:A:142:VAL:HG21	0.50	2.40	19	6
1:A:18:LEU:HD23	1:A:18:LEU:C	0.50	2.27	10	7
1:A:12:PHE:CD2	1:A:69:LEU:CD2	0.49	2.95	20	20
1:A:102:ALA:HB1	1:A:121:VAL:CG1	0.49	2.36	19	20
1:A:131:ASP:N	1:A:131:ASP:OD1	0.49	2.45	8	11
1:A:16:PHE:N	1:A:16:PHE:CD1	0.49	2.80	7	13
1:A:131:ASP:OD1	1:A:131:ASP:N	0.49	2.45	19	9
1:A:36:MET:CE	1:A:39:LEU:HD22	0.49	2.38	19	2
1:A:84:GLU:O	1:A:88:ALA:HB2	0.49	2.07	18	7
1:A:18:LEU:C	1:A:18:LEU:HD23	0.49	2.28	12	13
1:A:71:MET:CB	2:B:10:ILE:HG21	0.49	2.37	20	6
1:A:39:LEU:C	1:A:39:LEU:HD23	0.49	2.28	4	10
1:A:28:THR:HA	1:A:62:THR:HG22	0.49	1.85	20	5
1:A:39:LEU:HD23	1:A:39:LEU:C	0.49	2.28	13	10
1:A:32:LEU:HD23	2:B:9:LYS:HD3	0.49	1.82	20	1
1:A:4:LEU:N	1:A:4:LEU:HD23	0.48	2.23	5	12
1:A:9:ILE:O	1:A:12:PHE:N	0.48	2.46	14	20
2:B:6:ILE:O	2:B:9:LYS:HG2	0.48	2.09	20	1
1:A:105:LEU:HD23	1:A:105:LEU:C	0.48	2.29	18	1
1:A:32:LEU:HD13	1:A:52:ILE:CD1	0.48	2.39	7	2
1:A:13:LYS:HA	1:A:16:PHE:CE2	0.47	2.44	13	20
1:A:92:PHE:CD1	2:B:20:PHE:CE1	0.47	3.03	17	18
1:A:85:ILE:CG2	1:A:142:VAL:HG22	0.47	2.39	20	5
1:A:4:LEU:HD23	1:A:4:LEU:N	0.47	2.24	6	8
1:A:137:ASN:ND2	1:A:138:TYR:H	0.47	2.06	16	20
1:A:112:LEU:HD12	1:A:112:LEU:N	0.47	2.24	2	2
1:A:109:MET:HE1	2:B:20:PHE:CD2	0.47	2.45	6	5
1:A:55:VAL:CG1	2:B:6:ILE:HG21	0.47	2.25	15	1
2:B:18:ARG:NE	2:B:19:VAL:HG12	0.47	2.25	11	13

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:4:LEU:HB2	1:A:9:ILE:HG23	0.46	1.87	2	20
1:A:16:PHE:CD1	1:A:16:PHE:N	0.46	2.80	15	7
1:A:12:PHE:O	1:A:16:PHE:CD1	0.46	2.69	13	20
1:A:12:PHE:CE2	1:A:69:LEU:HD23	0.46	2.46	20	10
1:A:20:ASP:CG	1:A:26:THR:O	0.46	2.54	14	20
1:A:108:VAL:HG12	2:B:20:PHE:HE2	0.46	1.71	8	11
2:B:18:ARG:C	2:B:18:ARG:HD2	0.46	2.31	7	15
1:A:65:PHE:N	1:A:66:PRO:HD2	0.46	2.26	20	20
2:B:9:LYS:C	2:B:13:ILE:HD12	0.46	2.31	14	12
2:B:11:ARG:O	2:B:15:LYS:HG2	0.46	2.11	16	14
1:A:29:THR:HG21	1:A:49:GLN:CB	0.46	2.41	19	5
1:A:27:ILE:HG23	1:A:31:GLU:CB	0.45	2.40	16	19
1:A:84:GLU:CB	2:B:15:LYS:HB3	0.45	2.41	18	11
2:B:20:PHE:O	2:B:24:ARG:CG	0.45	2.64	6	6
1:A:19:PHE:CZ	2:B:13:ILE:CG1	0.45	3.00	5	2
1:A:28:THR:OG1	1:A:29:THR:N	0.45	2.50	7	17
1:A:102:ALA:N	1:A:125:ILE:HD11	0.45	2.27	19	18
2:B:19:VAL:O	2:B:22:VAL:HG22	0.45	2.12	10	5
1:A:131:ASP:O	1:A:132:GLY:C	0.45	2.55	14	20
1:A:13:LYS:CB	1:A:65:PHE:CE2	0.45	3.00	11	12
2:B:23:LEU:HD12	2:B:23:LEU:C	0.45	2.32	3	10
1:A:12:PHE:HB3	1:A:16:PHE:CZ	0.45	2.47	9	20
2:B:3:LYS:HA	2:B:6:ILE:CD1	0.45	2.42	6	20
2:B:18:ARG:HD2	2:B:18:ARG:C	0.44	2.32	17	5
1:A:19:PHE:HE2	1:A:35:VAL:HG21	0.44	1.68	15	5
1:A:13:LYS:HA	1:A:16:PHE:CG	0.44	2.48	11	20
1:A:72:MET:HG2	2:B:10:ILE:HG22	0.44	1.88	11	1
1:A:129:ASP:CG	1:A:135:GLN:O	0.44	2.56	4	20
2:B:19:VAL:O	2:B:22:VAL:CG2	0.44	2.65	10	6
1:A:19:PHE:CZ	2:B:13:ILE:HG12	0.44	2.47	20	15
1:A:105:LEU:HD13	1:A:125:ILE:HG12	0.44	1.88	13	1
1:A:137:ASN:ND2	1:A:138:TYR:N	0.43	2.67	19	20
1:A:84:GLU:O	1:A:88:ALA:CB	0.43	2.66	18	7
1:A:14:GLU:O	1:A:18:LEU:HB3	0.43	2.13	16	15
2:B:20:PHE:O	2:B:23:LEU:HG	0.43	2.13	5	6
2:B:21:SER:HA	2:B:24:ARG:HG2	0.43	1.90	18	10
1:A:112:LEU:N	1:A:112:LEU:HD12	0.43	2.29	4	1
2:B:23:LEU:C	2:B:23:LEU:HD12	0.43	2.33	15	2
1:A:28:THR:CG2	1:A:30:LYS:HG3	0.43	2.43	3	5
2:B:5:VAL:O	2:B:9:LYS:HD3	0.43	2.13	19	3
2:B:21:SER:HA	2:B:24:ARG:CG	0.43	2.44	10	2

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:19:PHE:HB3	1:A:27:ILE:CD1	0.43	2.43	14	4
1:A:64:ASP:O	1:A:68:PHE:HB2	0.42	2.15	20	1
1:A:19:PHE:CD1	1:A:112:LEU:CD2	0.42	3.01	18	4
1:A:92:PHE:CE2	1:A:100:ILE:CD1	0.42	3.03	1	3
1:A:12:PHE:CD2	1:A:69:LEU:HD23	0.42	2.50	20	8
1:A:56:ASP:CG	1:A:62:THR:O	0.42	2.58	19	16
1:A:48:LEU:O	1:A:52:ILE:HG13	0.42	2.15	5	4
1:A:4:LEU:HD13	1:A:12:PHE:CZ	0.42	2.50	13	17
1:A:94:LYS:HZ2	1:A:108:VAL:HG22	0.42	1.72	6	1
1:A:105:LEU:HD11	1:A:124:MET:CG	0.42	2.38	13	1
1:A:12:PHE:HB3	1:A:16:PHE:CE1	0.42	2.49	20	20
1:A:44:THR:O	1:A:48:LEU:HD23	0.42	2.15	13	4
1:A:124:MET:CE	1:A:128:ALA:HB2	0.42	2.45	18	3
1:A:105:LEU:HD21	1:A:124:MET:HG2	0.42	1.91	5	1
2:B:11:ARG:O	2:B:15:LYS:HE3	0.42	2.15	9	2
1:A:13:LYS:HB2	1:A:65:PHE:CE2	0.42	2.49	14	4
1:A:44:THR:O	1:A:48:LEU:HG	0.42	2.14	7	1
1:A:11:GLU:O	1:A:14:GLU:CG	0.42	2.68	20	18
1:A:131:ASP:C	1:A:133:ASP:N	0.42	2.73	10	18
1:A:1:ALA:HB2	1:A:70:THR:CB	0.41	2.45	8	3
1:A:30:LYS:O	1:A:34:THR:CB	0.41	2.68	7	2
1:A:102:ALA:HB1	1:A:121:VAL:HG11	0.41	1.93	6	5
2:B:16:MET:HG3	2:B:17:ALA:N	0.41	2.31	6	12
1:A:141:PHE:O	1:A:141:PHE:CD1	0.41	2.74	12	2
1:A:141:PHE:CD1	1:A:141:PHE:O	0.41	2.74	10	1
2:B:15:LYS:CE	2:B:15:LYS:CA	0.41	2.98	17	1
1:A:12:PHE:O	1:A:15:ALA:N	0.41	2.52	7	3
1:A:105:LEU:HD22	1:A:121:VAL:HG13	0.40	1.91	13	1
1:A:84:GLU:OE1	1:A:85:ILE:CG1	0.40	2.70	19	1
1:A:141:PHE:C	1:A:141:PHE:CD1	0.40	2.94	14	2
1:A:141:PHE:CD1	1:A:141:PHE:C	0.40	2.95	8	2
2:B:18:ARG:O	2:B:22:VAL:HG13	0.40	2.17	5	1
1:A:33:GLY:O	1:A:37:ARG:CB	0.40	2.69	15	2
1:A:89:PHE:HB2	1:A:141:PHE:CE2	0.40	2.52	19	1
1:A:41:GLN:HB3	1:A:43:PRO:HD3	0.40	1.93	12	1
1:A:19:PHE:CE1	1:A:112:LEU:HD21	0.40	2.52	20	1
2:B:19:VAL:C	2:B:22:VAL:HG22	0.40	2.37	5	1
1:A:109:MET:O	1:A:113:GLY:N	0.40	2.55	9	1
1:A:39:LEU:HD23	1:A:40:GLY:N	0.40	2.32	18	1

## 6.3 Torsion angles

### 6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	135/148 (91%)	127±1 (94±1%)	6±1 (5±1%)	1±1 (1±0%)	26	73
2	B	22/24 (92%)	22±0 (100±1%)	0±0 (0±1%)	0±0 (0±0%)	100	100
All	All	3140/3440 (91%)	2985 (95%)	130 (4%)	25 (1%)	29	74

All 2 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	40	GLY	19
1	A	2	ASP	6

### 6.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	116/126 (92%)	83±3 (72±3%)	33±3 (28±3%)	2	20
2	B	20/20 (100%)	13±1 (64±6%)	7±1 (36±6%)	1	9
All	All	2720/2920 (93%)	1920 (71%)	800 (29%)	2	18

All 65 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	92	PHE	20
1	A	68	PHE	20
1	A	116	LEU	20
1	A	52	ILE	20
1	A	49	GLN	20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
2	B	16	MET	20
1	A	125	ILE	20
1	A	54	GLU	20
1	A	14	GLU	20
1	A	117	THR	20
1	A	140	GLU	20
1	A	16	PHE	20
1	A	32	LEU	20
2	B	20	PHE	20
1	A	69	LEU	20
1	A	131	ASP	20
2	B	3	LYS	20
2	B	15	LYS	20
1	A	86	ARG	20
1	A	30	LYS	20
1	A	48	LEU	20
1	A	135	GLN	19
1	A	104	GLU	19
1	A	31	GLU	18
1	A	8	GLN	17
1	A	28	THR	17
2	B	8	ASN	16
1	A	47	GLU	16
1	A	36	MET	15
1	A	4	LEU	15
2	B	24	ARG	15
1	A	141	PHE	14
1	A	138	TYR	14
2	B	11	ARG	13
1	A	100	ILE	13
1	A	29	THR	13
1	A	13	LYS	12
1	A	84	GLU	12
2	B	18	ARG	12
1	A	51	MET	11
1	A	17	SER	10
1	A	37	ARG	10
1	A	67	GLU	9
1	A	41	GLN	8
1	A	139	GLU	7
1	A	114	GLU	6
2	B	9	LYS	5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	123	GLU	5
1	A	90	ARG	5
1	A	118	ASP	4
1	A	64	ASP	4
1	A	112	LEU	4
1	A	145	MET	4
1	A	101	SER	2
1	A	44	THR	2
1	A	94	LYS	2
1	A	6	GLU	2
2	B	4	GLU	2
1	A	107	HIS	2
1	A	42	ASN	1
1	A	45	GLU	1
1	A	82	GLU	1
1	A	2	ASP	1
1	A	111	ASN	1
1	A	3	GLN	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.



## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 86% for the well-defined parts and 85% for the entire structure.

### 7.1 Chemical shift list 1

File name: BMRB entry 15624

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2026
Number of shifts mapped to atoms	2026
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	9

#### 7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	171	$-0.35 \pm 0.09$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	160	$0.25 \pm 0.09$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	168	$-0.70 \pm 0.06$	Should be applied
$^{15}\text{N}$	165	$0.33 \pm 0.22$	None needed ( $< 0.5$ ppm)

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 86%, i.e. 1677 atoms were assigned a chemical shift out of a possible 1959. 16 out of 20 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	783/796 (98%)	314/318 (99%)	315/320 (98%)	154/158 (97%)
Sidechain	848/1058 (80%)	510/612 (83%)	324/395 (82%)	14/51 (27%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	46/105 (44%)	46/57 (81%)	0/46 (0%)	0/2 (0%)
Overall	1677/1959 (86%)	870/987 (88%)	639/761 (84%)	168/211 (80%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 85%, i.e. 1794 atoms were assigned a chemical shift out of a possible 2107. 16 out of 20 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	841/856 (98%)	337/342 (99%)	339/344 (99%)	165/170 (97%)
Sidechain	907/1146 (79%)	548/664 (83%)	345/425 (81%)	14/57 (25%)
Aromatic	46/105 (44%)	46/57 (81%)	0/46 (0%)	0/2 (0%)
Overall	1794/2107 (85%)	931/1063 (88%)	684/815 (84%)	179/229 (78%)

#### 7.1.4 Statistically unusual chemical shifts ⓘ


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
2	B	9	LYS	NZ	121.00	49.86 – 18.16	27.4
2	B	15	LYS	NZ	120.00	49.86 – 18.16	27.1
1	A	37	ARG	NE	115.26	92.63 – 76.73	19.2
1	A	90	ARG	NE	114.72	92.63 – 76.73	18.9
2	B	18	ARG	NE	114.61	92.63 – 76.73	18.8
1	A	126	ARG	NE	114.50	92.63 – 76.73	18.8
2	B	11	ARG	NE	114.30	92.63 – 76.73	18.6
1	A	86	ARG	NE	114.21	92.63 – 76.73	18.6
2	B	7	ARG	NE	113.38	92.63 – 76.73	18.1

#### 7.1.5 Random Coil Index (RCI) plots ⓘ

The images below report *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



Random coil index (RCI) for chain B:

