



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:56 PM GMT

PDB ID : 4JZA  
Title : Crystal structure of a Legionella phosphoinositide phosphatase: insights into lipid metabolism in pathogen host interaction  
Authors : Toulabi, L.; Wu, X.; Cheng, Y.; Mao, Y.  
Deposited on : 2013-04-02  
Resolution : 2.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2636 (2.60-2.56)
Clashscore	102246	3003 (2.60-2.56)
Ramachandran outliers	100387	2956 (2.60-2.56)
Sidechain outliers	100360	2956 (2.60-2.56)
RSRZ outliers	91569	2642 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	825	 9% 82% 15% ..
1	B	825	 9% 81% 16% ..

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 13343 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uncharacterized protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	817	Total	C	N	O	S	Se	0	0	0
			6597	4203	1116	1259	8	11			
1	B	815	Total	C	N	O	S	Se	0	0	0
			6585	4196	1114	1257	8	10			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	73	Total	O	0	0
			73	73		
2	B	88	Total	O	0	0
			88	88		


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Uncharacterized protein



#### • Molecule 1: Uncharacterized protein





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.28Å 119.65Å 133.53Å 90.00° 101.33° 90.00°	Depositor
Resolution (Å)	49.44 – 2.58 49.39 – 2.58	Depositor EDS
% Data completeness (in resolution range)	97.1 (49.44-2.58) 97.2 (49.39-2.58)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.09 (at 2.58Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, $R_{free}$	0.196 , 0.237 0.203 , 0.241	Depositor DCC
$R_{free}$ test set	4206 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	47.6	Xtriage
Anisotropy	0.736	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 31.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 83821 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	13343	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.54% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.78	8/6737 (0.1%)	0.87	15/9116 (0.2%)
1	B	0.80	7/6725 (0.1%)	0.89	21/9101 (0.2%)
All	All	0.79	15/13462 (0.1%)	0.88	36/18217 (0.2%)

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	251	PRO	N-CD	5.60	1.55	1.47
1	A	434	TYR	CE1-CZ	-5.42	1.31	1.38
1	A	150	PRO	N-CD	5.18	1.55	1.47
1	A	251	PRO	N-CD	5.17	1.55	1.47
1	B	253	PRO	N-CD	5.13	1.55	1.47
1	B	150	PRO	N-CD	5.12	1.55	1.47
1	A	614	PRO	N-CD	5.09	1.54	1.47
1	B	250	PRO	N-CD	5.08	1.54	1.47
1	B	614	PRO	N-CD	5.07	1.54	1.47
1	A	621	THR	CB-CG2	-5.06	1.35	1.52
1	B	434	TYR	CE1-CZ	-5.05	1.31	1.38
1	A	56	PHE	CG-CD2	-5.04	1.31	1.38
1	A	250	PRO	N-CD	5.04	1.54	1.47
1	B	56	PHE	CG-CD1	-5.02	1.31	1.38
1	A	253	PRO	N-CD	5.01	1.54	1.47

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	782	ARG	NE-CZ-NH1	9.09	124.84	120.30
1	B	782	ARG	NE-CZ-NH2	-8.88	115.86	120.30
1	A	782	ARG	NE-CZ-NH2	-8.80	115.90	120.30
1	B	782	ARG	NE-CZ-NH1	7.48	124.04	120.30
1	B	653	ASP	CB-CG-OD1	7.38	124.95	118.30
1	A	47	ARG	NE-CZ-NH1	7.34	123.97	120.30
1	B	655	GLU	OE1-CD-OE2	-6.92	115.00	123.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	47	ARG	NE-CZ-NH1	6.70	123.65	120.30
1	B	653	ASP	CB-CG-OD2	-6.16	112.75	118.30
1	B	82	ASP	CB-CG-OD1	6.07	123.77	118.30
1	A	655	GLU	OE1-CD-OE2	-5.96	116.15	123.30
1	B	603	ARG	NE-CZ-NH2	-5.94	117.33	120.30
1	A	753	ILE	CG1-CB-CG2	-5.87	98.50	111.40
1	B	740	MSE	CA-CB-CG	-5.85	103.35	113.30
1	B	613	ALA	C-N-CD	5.77	140.51	128.40
1	B	249	SER	C-N-CD	5.76	140.50	128.40
1	A	252	LEU	C-N-CD	5.74	140.46	128.40
1	A	249	SER	C-N-CD	5.74	140.45	128.40
1	B	642	ARG	CB-CA-C	-5.71	98.98	110.40
1	B	47	ARG	NE-CZ-NH2	-5.69	117.45	120.30
1	B	252	LEU	C-N-CD	5.65	140.27	128.40
1	B	149	LEU	C-N-CD	5.63	140.22	128.40
1	A	149	LEU	C-N-CD	5.63	140.22	128.40
1	B	381	ARG	NE-CZ-NH1	5.61	123.10	120.30
1	A	8	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	A	613	ALA	C-N-CD	5.58	140.12	128.40
1	A	250	PRO	C-N-CD	5.46	139.88	128.40
1	A	647	ASP	CB-CG-OD2	5.46	123.22	118.30
1	B	528	GLU	OE1-CD-OE2	-5.37	116.86	123.30
1	B	8	ARG	NE-CZ-NH2	-5.28	117.66	120.30
1	B	19	LEU	CA-CB-CG	5.28	127.43	115.30
1	B	359	LEU	CA-CB-CG	5.24	127.35	115.30
1	A	381	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	A	47	ARG	NE-CZ-NH2	-5.19	117.71	120.30
1	A	647	ASP	CB-CG-OD1	-5.18	113.64	118.30
1	B	8	ARG	NE-CZ-NH1	5.00	122.80	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6597	0	6535	80	0
1	B	6585	0	6520	75	0
2	A	73	0	0	5	0
2	B	88	0	0	3	0
All	All	13343	0	13055	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:456:LYS:HE3	2:A:952:HOH:O	1.62	0.99
1:A:56:PHE:CD2	1:A:81:VAL:HG21	1.99	0.97
1:A:56:PHE:CE2	1:A:81:VAL:HG21	1.99	0.96
1:A:70:THR:HG22	1:A:72:LEU:H	1.32	0.94
1:B:70:THR:HG22	1:B:72:LEU:H	1.38	0.85
1:A:156:ASP:O	1:A:360:SER:HB3	1.81	0.79
1:A:56:PHE:HD1	1:A:56:PHE:O	1.68	0.76
1:B:537:LEU:O	1:B:541:THR:HG23	1.87	0.75
1:B:164:ASP:OD1	1:B:354:HIS:HD2	1.69	0.74
1:A:156:ASP:OD1	1:A:156:ASP:N	2.20	0.74
1:B:343:ARG:NH2	1:B:377:HIS:O	2.21	0.73
1:A:72:LEU:HA	1:A:685:GLN:HE22	1.54	0.71
1:B:56:PHE:HD1	1:B:56:PHE:C	1.95	0.70
1:A:156:ASP:O	1:A:360:SER:CB	2.39	0.70
1:A:156:ASP:OD2	1:A:366:ARG:NH2	2.24	0.69
1:A:479:ALA:O	1:A:512:LEU:HD23	1.93	0.69
1:B:479:ALA:O	1:B:512:LEU:HD23	1.92	0.68
1:A:241:ASP:HB3	1:A:253:PRO:HG2	1.76	0.68
1:A:610:GLY:HA3	1:A:617:GLU:HG3	1.76	0.67
1:A:621:THR:HG22	1:A:621:THR:O	1.94	0.67
1:B:203:TYR:HD1	1:B:266:MSE:HE2	1.59	0.67
1:B:56:PHE:CE2	1:B:81:VAL:HG21	2.29	0.67
1:A:343:ARG:NH2	1:A:377:HIS:O	2.28	0.67
1:B:56:PHE:CD2	1:B:81:VAL:HG21	2.30	0.66
1:B:56:PHE:C	1:B:56:PHE:CD1	2.65	0.66
1:A:47:ARG:NH1	1:A:617:GLU:OE2	2.26	0.66
1:A:537:LEU:O	1:A:541:THR:HG23	1.95	0.65
1:A:391:GLN:HG2	2:A:924:HOH:O	1.96	0.65
1:B:621:THR:O	1:B:621:THR:HG22	1.96	0.65
1:A:224:PHE:HB2	1:A:263:GLN:HE21	1.62	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:391:GLN:HG2	2:B:973:HOH:O	1.97	0.63
1:B:77:LEU:HD22	1:B:112:LEU:HD11	1.81	0.63
1:A:56:PHE:HE2	1:A:81:VAL:HG21	1.62	0.62
1:A:56:PHE:HD2	1:A:81:VAL:HG21	1.61	0.62
1:B:324:VAL:HG12	1:B:334:ALA:HB1	1.82	0.61
1:A:77:LEU:HD22	1:A:112:LEU:HD11	1.82	0.61
1:B:354:HIS:HE1	1:B:565:ASP:OD2	1.84	0.61
1:A:164:ASP:OD1	1:A:354:HIS:HD2	1.83	0.61
1:B:56:PHE:HD1	1:B:56:PHE:O	1.82	0.61
1:B:621:THR:O	1:B:621:THR:CG2	2.49	0.60
1:B:156:ASP:N	1:B:156:ASP:OD1	2.31	0.60
1:A:603:ARG:NH2	1:A:647:ASP:OD1	2.34	0.60
1:A:243:GLN:HA	1:A:246:VAL:HG12	1.84	0.59
1:A:354:HIS:HE1	1:A:565:ASP:OD2	1.84	0.59
1:B:201:HIS:HD2	1:B:308:GLN:HE21	1.48	0.59
1:B:261:VAL:HG23	2:B:931:HOH:O	2.03	0.58
1:A:201:HIS:HD2	1:A:308:GLN:HE21	1.52	0.57
1:B:56:PHE:O	1:B:56:PHE:CD1	2.56	0.57
1:A:70:THR:HG22	1:A:72:LEU:N	2.12	0.57
1:B:184:LYS:HE3	1:B:305:SER:HB3	1.86	0.57
1:A:17:SER:O	1:A:21:SER:HB2	2.05	0.57
1:A:56:PHE:O	1:A:56:PHE:CD1	2.53	0.56
1:B:360:SER:OG	1:B:362:ASN:OD1	2.21	0.56
1:A:184:LYS:HE3	1:A:305:SER:HB3	1.87	0.56
1:B:243:GLN:HA	1:B:246:VAL:HG12	1.86	0.56
1:B:449:ARG:NH2	1:B:483:ASP:OD2	2.33	0.56
1:A:621:THR:CG2	1:A:621:THR:O	2.54	0.56
1:B:70:THR:HG22	1:B:72:LEU:N	2.17	0.55
1:B:415:GLN:NE2	1:B:536:GLN:HE21	2.04	0.55
1:A:238:LEU:O	1:A:241:ASP:HB2	2.07	0.55
1:A:613:ALA:O	1:A:616:SER:HB2	2.06	0.55
1:A:56:PHE:C	1:A:56:PHE:CD1	2.78	0.55
1:A:324:VAL:HG12	1:A:334:ALA:HB1	1.89	0.54
1:A:396:ASP:OD1	1:A:454:ARG:NH1	2.39	0.54
1:B:72:LEU:HA	1:B:685:GLN:HE22	1.71	0.54
1:B:203:TYR:CD1	1:B:266:MSE:HE2	2.41	0.53
1:B:409:ASP:OD1	1:B:409:ASP:N	2.40	0.53
1:B:256:PHE:CZ	1:B:264:ARG:HG2	2.43	0.52
1:B:354:HIS:CE1	1:B:565:ASP:OD2	2.61	0.52
1:A:354:HIS:CE1	1:A:565:ASP:OD2	2.61	0.52
1:B:169:PRO:CD	1:B:336:SER:O	2.58	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:396:ASP:OD1	1:B:454:ARG:NH1	2.42	0.52
1:B:603:ARG:NH2	1:B:647:ASP:OD1	2.42	0.52
1:A:479:ALA:O	1:A:512:LEU:CD2	2.57	0.51
1:B:138:MSE:HG3	1:B:337:PHE:O	2.09	0.51
1:B:479:ALA:O	1:B:512:LEU:CD2	2.59	0.51
1:B:156:ASP:O	1:B:360:SER:CB	2.58	0.50
1:A:244:GLN:OE1	1:A:251:PRO:HD2	2.11	0.50
1:B:621:THR:CG2	1:B:624:TRP:HB3	2.42	0.50
1:A:429:ASN:HA	1:A:434:TYR:CE1	2.47	0.49
1:B:487:LEU:O	1:B:487:LEU:HD23	2.13	0.49
1:A:445:TYR:CD1	1:A:445:TYR:C	2.86	0.49
1:B:273:ASP:OD1	1:B:275:THR:HG23	2.12	0.49
1:B:416:THR:OG1	1:B:465:ASN:ND2	2.37	0.49
1:A:203:TYR:HD1	1:A:266:MSE:HE2	1.76	0.49
1:A:487:LEU:HD23	1:A:487:LEU:O	2.13	0.49
1:A:80:TYR:HD2	1:A:112:LEU:HD22	1.78	0.49
1:A:445:TYR:HD1	1:A:445:TYR:C	2.16	0.49
1:B:314:SER:O	1:B:318:GLN:HG3	2.12	0.49
1:B:224:PHE:HB2	1:B:263:GLN:HE21	1.78	0.48
1:A:244:GLN:HA	1:A:247:SER:OG	2.13	0.48
1:B:343:ARG:NH1	2:B:932:HOH:O	2.47	0.48
1:B:445:TYR:C	1:B:445:TYR:CD1	2.87	0.48
1:B:111:GLU:CG	1:B:677:LEU:HD22	2.44	0.47
1:B:169:PRO:HD3	1:B:336:SER:O	2.13	0.47
1:A:111:GLU:CG	1:A:677:LEU:HD22	2.45	0.47
1:B:17:SER:O	1:B:21:SER:HB2	2.14	0.47
1:A:359:LEU:HD12	1:A:360:SER:N	2.29	0.47
1:A:456:LYS:CE	2:A:952:HOH:O	2.37	0.47
1:A:314:SER:O	1:A:318:GLN:HG3	2.15	0.47
1:A:449:ARG:HA	1:A:463:GLN:HE22	1.80	0.46
1:A:429:ASN:HA	1:A:434:TYR:HE1	1.81	0.46
1:A:416:THR:OG1	1:A:465:ASN:ND2	2.39	0.46
1:A:642:ARG:NH1	1:A:646:ASP:OD1	2.48	0.46
1:A:429:ASN:C	1:A:434:TYR:HE1	2.20	0.46
1:A:420:PRO:HG2	1:A:445:TYR:HD2	1.81	0.46
1:B:197:GLU:HB2	1:B:200:GLN:HE21	1.81	0.46
1:B:238:LEU:O	1:B:241:ASP:HB2	2.15	0.45
1:B:224:PHE:HB2	1:B:263:GLN:NE2	2.32	0.45
1:A:359:LEU:HD12	1:A:359:LEU:C	2.36	0.45
1:A:273:ASP:OD1	1:A:275:THR:HG23	2.17	0.45
1:A:621:THR:CG2	1:A:624:TRP:HB3	2.46	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:407:LYS:CD	1:B:407:LYS:N	2.80	0.45
1:B:56:PHE:HE2	1:B:112:LEU:HD23	1.82	0.45
1:B:571:LYS:HD3	1:B:577:TRP:CE2	2.52	0.45
1:B:790:LYS:O	1:B:792:THR:HG23	2.16	0.45
1:A:70:THR:CG2	1:A:72:LEU:HG	2.47	0.44
1:A:138:MSE:HG3	1:A:337:PHE:O	2.18	0.44
1:B:429:ASN:HA	1:B:434:TYR:CE1	2.51	0.44
1:B:455:ARG:NH1	1:B:459:GLN:OE1	2.51	0.44
1:B:80:TYR:HD2	1:B:112:LEU:HD22	1.82	0.44
1:A:407:LYS:N	1:A:407:LYS:CD	2.81	0.44
1:A:455:ARG:NH1	1:A:459:GLN:OE1	2.49	0.44
1:A:37:GLN:HG3	1:B:727:ASN:HD21	1.82	0.44
1:A:482:LYS:HE3	1:A:482:LYS:HB3	1.84	0.44
1:B:445:TYR:C	1:B:445:TYR:HD1	2.20	0.44
1:A:267:MSE:HE1	1:A:281:LEU:HD21	2.00	0.44
1:B:642:ARG:NH1	1:B:646:ASP:OD1	2.51	0.43
1:B:111:GLU:HG2	1:B:677:LEU:HD22	2.00	0.43
1:A:244:GLN:HA	1:A:247:SER:HG	1.83	0.43
1:B:111:GLU:HB2	1:B:671:LEU:HD22	2.00	0.42
1:A:111:GLU:HB2	1:A:671:LEU:HD22	2.00	0.42
1:B:359:LEU:HD12	1:B:359:LEU:C	2.40	0.42
1:B:449:ARG:HA	1:B:463:GLN:HE22	1.83	0.42
1:A:429:ASN:C	1:A:434:TYR:CE1	2.92	0.42
1:B:156:ASP:O	1:B:360:SER:HB2	2.20	0.42
1:A:571:LYS:HD3	1:A:577:TRP:CE2	2.55	0.42
1:B:256:PHE:CZ	1:B:264:ARG:CG	3.03	0.42
1:B:416:THR:HA	1:B:549:SER:O	2.20	0.41
1:B:695:TYR:CE2	1:B:740:MSE:HE3	2.55	0.41
1:A:409:ASP:OD1	1:A:409:ASP:N	2.53	0.41
1:A:744:SER:HB3	1:A:752:ARG:CZ	2.50	0.41
1:A:558:ALA:HB1	1:A:605:GLN:HB3	2.03	0.41
1:A:391:GLN:CG	2:A:924:HOH:O	2.61	0.41
1:B:8:ARG:HA	1:B:33:GLU:O	2.21	0.41
1:B:589:ARG:O	1:B:593:VAL:HG23	2.21	0.41
1:B:556:ARG:HD2	1:B:625:TYR:CE1	2.56	0.41
1:A:148:LEU:HD23	1:A:148:LEU:C	2.41	0.41
1:A:391:GLN:NE2	2:A:958:HOH:O	2.54	0.40
1:A:556:ARG:HD2	1:A:625:TYR:CE1	2.56	0.40
1:A:197:GLU:HB2	1:A:200:GLN:HE21	1.87	0.40
1:B:821:GLU:HA	1:B:821:GLU:OE2	2.21	0.40
1:A:111:GLU:HG2	1:A:677:LEU:HD22	2.03	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:THR:HG23	1:B:71:PRO:HD2	2.01	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	813/825 (98%)	789 (97%)	23 (3%)	1 (0%)	56	79
1	B	811/825 (98%)	787 (97%)	23 (3%)	1 (0%)	56	79
All	All	1624/1650 (98%)	1576 (97%)	46 (3%)	2 (0%)	56	79

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	673	PRO
1	B	673	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	729/725 (101%)	677 (93%)	52 (7%)	18	35
1	B	728/725 (100%)	677 (93%)	51 (7%)	19	36
All	All	1457/1450 (100%)	1354 (93%)	103 (7%)	18	35

All (103) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	VAL
1	A	14	GLU
1	A	19	LEU
1	A	21	SER
1	A	56	PHE
1	A	92	LYS
1	A	111	GLU
1	A	120	SER
1	A	153	LEU
1	A	155	GLN
1	A	156	ASP
1	A	185	LYS
1	A	209	GLN
1	A	254	SER
1	A	275	THR
1	A	286	LYS
1	A	295	GLU
1	A	359	LEU
1	A	407	LYS
1	A	409	ASP
1	A	432	THR
1	A	441	ASP
1	A	445	TYR
1	A	456	LYS
1	A	460	SER
1	A	482	LYS
1	A	486	SER
1	A	512	LEU
1	A	518	THR
1	A	576	THR
1	A	621	THR
1	A	643	SER
1	A	661	ILE
1	A	700	SER
1	A	702	ILE
1	A	712	GLU
1	A	718	THR
1	A	720	SER
1	A	738	GLU
1	A	741	LEU
1	A	743	PRO
1	A	745	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	747	LYS
1	A	751	ILE
1	A	787	CYS
1	A	789	GLU
1	A	790	LYS
1	A	793	THR
1	A	799	SER
1	A	807	LYS
1	A	819	GLU
1	A	824	HIS
1	B	9	VAL
1	B	14	GLU
1	B	19	LEU
1	B	56	PHE
1	B	92	LYS
1	B	111	GLU
1	B	153	LEU
1	B	156	ASP
1	B	185	LYS
1	B	209	GLN
1	B	237	SER
1	B	251	PRO
1	B	254	SER
1	B	266	MSE
1	B	275	THR
1	B	286	LYS
1	B	295	GLU
1	B	359	LEU
1	B	380	THR
1	B	407	LYS
1	B	409	ASP
1	B	432	THR
1	B	441	ASP
1	B	445	TYR
1	B	456	LYS
1	B	460	SER
1	B	486	SER
1	B	512	LEU
1	B	554	LYS
1	B	576	THR
1	B	621	THR
1	B	643	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	700	SER
1	B	702	ILE
1	B	712	GLU
1	B	718	THR
1	B	720	SER
1	B	738	GLU
1	B	741	LEU
1	B	743	PRO
1	B	745	SER
1	B	747	LYS
1	B	751	ILE
1	B	787	CYS
1	B	789	GLU
1	B	790	LYS
1	B	793	THR
1	B	799	SER
1	B	807	LYS
1	B	819	GLU
1	B	822	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	200	GLN
1	A	201	HIS
1	A	354	HIS
1	A	391	GLN
1	A	392	GLN
1	A	463	GLN
1	A	465	ASN
1	A	685	GLN
1	A	758	GLN
1	B	134	GLN
1	B	162	GLN
1	B	200	GLN
1	B	201	HIS
1	B	244	GLN
1	B	342	HIS
1	B	354	HIS
1	B	392	GLN
1	B	415	GLN
1	B	463	GLN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	465	ASN
1	B	727	ASN
1	B	758	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	806/825 (97%)	0.62	72 (8%) 12 9	33, 53, 105, 173	0
1	B	805/825 (97%)	0.72	77 (9%) 10 7	29, 51, 110, 161	0
All	All	1611/1650 (97%)	0.67	149 (9%) 11 8	29, 52, 109, 173	0

All (149) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	824	HIS	9.7
1	B	823	SER	8.5
1	B	822	SER	8.2
1	B	820	PHE	7.8
1	A	236	LEU	7.6
1	A	821	GLU	7.5
1	A	235	ALA	7.1
1	A	237	SER	6.9
1	B	824	HIS	6.8
1	A	234	ILE	6.5
1	B	480	TYR	6.5
1	A	823	SER	6.4
1	A	231	ILE	6.3
1	A	255	TRP	6.1
1	A	251	PRO	5.8
1	A	822	SER	5.7
1	A	743	PRO	5.6
1	B	816	HIS	5.4
1	A	820	PHE	5.4
1	A	244	GLN	5.3
1	B	155	GLN	5.2
1	A	789	GLU	5.1
1	B	229	ALA	4.8
1	B	712	GLU	4.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	252	LEU	4.8
1	B	255	TRP	4.8
1	B	819	GLU	4.8
1	B	724	SER	4.6
1	B	251	PRO	4.6
1	A	228	TRP	4.6
1	A	271	ALA	4.5
1	B	744	SER	4.5
1	A	480	TYR	4.4
1	B	821	GLU	4.4
1	B	741	LEU	4.4
1	B	742	SER	4.3
1	B	818	LYS	4.3
1	A	741	LEU	4.3
1	B	815	ALA	4.2
1	A	240	SER	4.2
1	A	238	LEU	4.2
1	B	243	GLN	4.2
1	A	230	SER	4.1
1	B	713	GLN	4.0
1	B	246	VAL	4.0
1	B	717	TRP	4.0
1	B	715	SER	3.9
1	A	817	VAL	3.9
1	B	252	LEU	3.9
1	A	744	SER	3.8
1	B	711	GLN	3.8
1	A	747	LYS	3.7
1	A	254	SER	3.7
1	B	714	SER	3.7
1	B	743	PRO	3.7
1	A	274	PRO	3.6
1	A	742	SER	3.6
1	A	241	ASP	3.6
1	B	817	VAL	3.5
1	A	515	ALA	3.4
1	B	813	LYS	3.4
1	B	520	THR	3.4
1	B	745	SER	3.4
1	A	427	VAL	3.3
1	A	245	ILE	3.3
1	A	277	LEU	3.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	249	SER	3.3
1	A	249	SER	3.3
1	A	243	GLN	3.3
1	B	242	LEU	3.3
1	B	68	LYS	3.3
1	A	518	THR	3.2
1	A	281	LEU	3.1
1	B	789	GLU	3.1
1	B	716	ARG	3.1
1	A	224	PHE	3.1
1	A	819	GLU	3.1
1	B	244	GLN	3.1
1	A	520	THR	3.1
1	A	229	ALA	3.1
1	A	278	ASP	3.1
1	A	471	ALA	3.1
1	B	294	TRP	3.1
1	A	233	LYS	3.0
1	A	790	LYS	3.0
1	A	270	LEU	3.0
1	B	791	ALA	3.0
1	B	725	GLU	3.0
1	B	250	PRO	2.9
1	A	258	GLY	2.9
1	A	259	LEU	2.8
1	B	256	PHE	2.8
1	A	226	LEU	2.8
1	A	256	PHE	2.8
1	A	714	SER	2.7
1	A	712	GLU	2.7
1	B	253	PRO	2.6
1	B	472	LYS	2.6
1	A	68	LYS	2.6
1	B	145	LEU	2.6
1	B	283	GLN	2.6
1	A	434	TYR	2.6
1	A	253	PRO	2.5
1	A	257	ASN	2.5
1	B	228	TRP	2.5
1	B	521	ILE	2.5
1	A	155	GLN	2.5
1	B	339	SER	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	2	GLY	2.4
1	B	146	VAL	2.4
1	A	246	VAL	2.4
1	B	90	ASP	2.4
1	B	747	LYS	2.4
1	B	710	PRO	2.4
1	B	238	LEU	2.4
1	B	562	ILE	2.4
1	B	237	SER	2.3
1	A	232	LYS	2.3
1	B	338	LEU	2.3
1	A	788	SER	2.3
1	B	340	SER	2.3
1	A	280	LYS	2.2
1	B	353	ALA	2.2
1	B	790	LYS	2.2
1	B	231	ILE	2.2
1	A	227	ASN	2.2
1	B	235	ALA	2.2
1	A	472	LYS	2.2
1	A	662	GLY	2.2
1	A	748	ASP	2.2
1	B	516	LEU	2.2
1	B	561	LEU	2.2
1	B	241	ASP	2.2
1	B	613	ALA	2.1
1	A	818	LYS	2.1
1	B	471	ALA	2.1
1	A	445	TYR	2.1
1	B	811	GLU	2.1
1	B	788	SER	2.1
1	B	812	SER	2.1
1	A	745	SER	2.1
1	B	349	ALA	2.1
1	B	352	ALA	2.1
1	A	424	THR	2.1
1	A	715	SER	2.1
1	B	239	ASN	2.0
1	B	236	LEU	2.0
1	B	550	CYS	2.0
1	A	90	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.