



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 8, 2016 – 11:40 AM EDT

PDB ID : 5K3J
Title : Crystals structure of Acyl-CoA oxidase-2 in Caenorhabditis elegans bound with FAD, ascaroside-CoA, and ATP
Authors : Zhang, X.; Li, K.; Jones, R.A.; Bruner, S.D.; Butcher, R.A.
Deposited on : 2016-05-19
Resolution : 2.68 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027939
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027939


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2780 (2.70-2.66)
Clashscore	102246	3138 (2.70-2.66)
Ramachandran outliers	100387	3089 (2.70-2.66)
Sidechain outliers	100360	3089 (2.70-2.66)
RSRZ outliers	91569	2789 (2.70-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	674	<div> <div>%</div> <div> <div></div> <div>76%</div> <div>19%</div> <div>..</div> </div> </div>
1	B	674	<div> <div>3%</div> <div> <div></div> <div>77%</div> <div>19%</div> <div>..</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	6QA	B	705	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 10979 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acyl-coenzyme A oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	662	Total	C	N	O	S	0	0	0
			5275	3344	930	974	27			
1	B	659	Total	C	N	O	S	0	0	0
			5243	3323	924	969	27			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	432	ALA	GLU	conflict	UNP O62137
A	662	ALA	-	expression tag	UNP O62137
A	663	ALA	-	expression tag	UNP O62137
A	664	ALA	-	expression tag	UNP O62137
A	665	HIS	-	expression tag	UNP O62137
A	666	HIS	-	expression tag	UNP O62137
A	667	HIS	-	expression tag	UNP O62137
A	668	HIS	-	expression tag	UNP O62137
A	669	HIS	-	expression tag	UNP O62137
A	670	HIS	-	expression tag	UNP O62137
A	671	HIS	-	expression tag	UNP O62137
A	672	HIS	-	expression tag	UNP O62137
A	673	HIS	-	expression tag	UNP O62137
A	674	HIS	-	expression tag	UNP O62137
B	432	ALA	GLU	conflict	UNP O62137
B	662	ALA	-	expression tag	UNP O62137
B	663	ALA	-	expression tag	UNP O62137
B	664	ALA	-	expression tag	UNP O62137
B	665	HIS	-	expression tag	UNP O62137
B	666	HIS	-	expression tag	UNP O62137
B	667	HIS	-	expression tag	UNP O62137
B	668	HIS	-	expression tag	UNP O62137
B	669	HIS	-	expression tag	UNP O62137
B	670	HIS	-	expression tag	UNP O62137
B	671	HIS	-	expression tag	UNP O62137

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	672	HIS	-	expression tag	UNP O62137
B	673	HIS	-	expression tag	UNP O62137
B	674	HIS	-	expression tag	UNP O62137

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
3	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 4 is {S}-[2-[3-[(2 {R})-4-[[[(2 {R}),3 {S},4 {R}),5 {R})-5-(6-aminopurin-9-yl)-4-oxidany-3-phosphonooxy-oxolan-2-yl]methoxy-oxidanyl-phosphoryl]oxy-oxidanyl-phosphoryl]oxy-3,3-dimethyl-2-oxidanyl-butanoyl]amino]propanoylamino]ethyl] 5-[(2 {R}),3 {R}),5 {R}),6 {S})-6-methyl-3,5-bis(oxidanyl)oxan-2-yl]oxypentanethioate (three-letter code: 6QA) (formula: C₃₂H₅₄N₇O₂₁P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			64	32	7	21	3	1		
4	B	1	Total	C	N	O	P	S	0	0
			64	32	7	21	3	1		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	2	Total	Mg	0	0
			2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	64	Total	O	0	0
			64	64		
6	B	99	Total	O	0	0
			99	99		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Acyl-coenzyme A oxidase



• Molecule 1: Acyl-coenzyme A oxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.04Å 85.57Å 106.90Å 90.00° 91.43° 90.00°	Depositor
Resolution (Å)	39.72 – 2.68 39.72 – 2.68	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.72-2.68) 99.8 (39.72-2.68)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	0.20	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.54 (at 2.69Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, R_{free}	0.213 , 0.245 0.226 , 0.261	Depositor DCC
R_{free} test set	1938 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	34.0	Xtriage
Anisotropy	1.297	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 16.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.090 for h,-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	10979	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 6QA, FAD, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/5379	0.47	0/7264
1	B	0.25	0/5347	0.46	0/7221
All	All	0.25	0/10726	0.47	0/14485

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5275	0	5299	83	0
1	B	5243	0	5249	98	0
2	A	53	0	30	3	0
2	B	53	0	30	5	0
3	A	31	0	12	1	0
3	B	31	0	12	3	0
4	A	64	0	0	0	0
4	B	64	0	0	1	0
5	B	2	0	0	0	0
6	A	64	0	0	3	0
6	B	99	0	0	6	0
All	All	10979	0	10632	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:140:ARG:CG	1:B:140:ARG:HH11	1.65	1.06
1:B:289:MET:HB3	1:B:293:ARG:NH2	1.74	1.03
1:B:140:ARG:NH1	1:B:140:ARG:HG2	1.51	1.00
1:A:136:GLU:O	1:A:140:ARG:HG3	1.75	0.86
1:B:470:ASP:O	1:B:471:LYS:HB3	1.77	0.84
1:B:471:LYS:HG3	1:B:471:LYS:O	1.78	0.83
1:B:441:GLN:OE1	4:B:705:6QA:C22	2.26	0.83
1:B:289:MET:HB3	1:B:293:ARG:HH22	1.48	0.79
1:B:475:THR:O	1:B:476:ASP:HB2	1.81	0.79
1:B:475:THR:O	1:B:476:ASP:CB	2.32	0.77
1:B:474:GLU:O	1:B:475:THR:CB	2.33	0.77
1:B:140:ARG:HG2	1:B:140:ARG:HH11	0.71	0.77
1:B:473:ASP:O	1:B:474:GLU:CB	2.34	0.76
1:B:279:PRO:HB2	1:B:284:ILE:HD11	1.68	0.76
1:A:329:GLU:CD	1:B:154:HIS:HE2	1.91	0.71
1:A:564:ASN:OD1	1:A:586:VAL:HG23	1.91	0.71
1:B:136:GLU:HG3	1:B:140:ARG:HD2	1.73	0.70
1:B:136:GLU:HG3	1:B:140:ARG:CD	2.22	0.69
1:B:471:LYS:CG	1:B:471:LYS:O	2.42	0.68
1:B:289:MET:HE3	1:B:293:ARG:HH22	1.60	0.67
1:A:53:PRO:HG2	1:A:54:GLU:OE2	1.96	0.65
1:B:188:PRO:HA	2:B:702:FAD:C4	2.26	0.65
1:A:320:GLN:HE21	1:B:154:HIS:HA	1.63	0.63
1:A:304:LEU:HB2	1:A:396:THR:HG23	1.80	0.63
1:B:289:MET:HB3	1:B:293:ARG:HH21	1.62	0.63
1:A:452:LEU:HD22	1:A:457:LYS:HB2	1.80	0.62
1:A:186:TRP:O	1:A:187:TRP:HB2	1.99	0.62
1:A:375:THR:OG1	1:A:378:MET:HB2	1.99	0.62
1:B:186:TRP:O	1:B:187:TRP:HB2	2.00	0.62
1:B:473:ASP:OD1	1:B:577:PHE:HE1	1.83	0.62
1:A:329:GLU:OE1	1:B:154:HIS:NE2	2.32	0.61
1:A:587:ARG:HD3	1:B:522:GLU:OE2	2.01	0.60
1:B:493:ARG:HD3	1:B:576:GLU:OE2	2.01	0.60
1:B:133:LYS:NZ	6:B:802:HOH:O	2.33	0.60
1:A:587:ARG:NH1	6:A:806:HOH:O	2.35	0.59
1:B:528:ARG:NH2	3:B:703:ATP:O1A	2.35	0.59
1:A:3:ASN:N	6:A:805:HOH:O	2.35	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:66:ARG:HD2	1:B:244:ASN:HB3	1.85	0.59
1:B:2:ALA:N	6:B:804:HOH:O	2.36	0.58
1:B:267:HIS:CD2	1:B:284:ILE:HG13	2.39	0.58
1:A:489:ASN:O	1:A:491:ALA:N	2.36	0.58
1:B:4:ARG:NH1	6:B:803:HOH:O	2.34	0.57
1:A:70:VAL:HG21	1:B:639:LEU:HD11	1.85	0.57
1:A:51:LYS:NZ	6:A:802:HOH:O	2.32	0.57
1:B:136:GLU:O	1:B:140:ARG:HD3	2.05	0.57
1:B:473:ASP:N	1:B:473:ASP:OD2	2.30	0.57
1:A:375:THR:OG1	1:A:378:MET:CE	2.53	0.56
1:B:113:LEU:HA	1:B:116:ALA:HB3	1.88	0.56
1:A:479:SER:O	1:A:481:ASN:N	2.39	0.56
1:A:485:LYS:O	1:A:489:ASN:ND2	2.39	0.55
1:A:51:LYS:HG2	1:A:52:ILE:HG13	1.87	0.55
1:A:659:ALA:HB1	1:B:140:ARG:O	2.06	0.55
1:A:269:LYS:HB2	1:A:277:VAL:HB	1.88	0.55
1:B:470:ASP:O	1:B:471:LYS:CB	2.53	0.54
1:A:206:ILE:HB	1:A:211:TYR:HE2	1.73	0.53
1:B:362:LEU:HD23	1:B:381:LEU:HD13	1.90	0.53
1:B:53:PRO:HG2	1:B:54:GLU:OE2	2.08	0.53
1:A:282:ALA:O	1:A:283:LYS:HB2	2.09	0.53
1:A:188:PRO:HB2	1:A:191:LEU:HB2	1.91	0.52
1:A:188:PRO:HA	2:A:701:FAD:C4	2.39	0.52
1:A:327:GLN:HG2	1:A:328:VAL:HG23	1.90	0.52
1:B:452:LEU:HA	1:B:455:ALA:HB3	1.90	0.52
1:B:289:MET:CE	1:B:293:ARG:HH22	2.21	0.52
1:B:452:LEU:HD21	1:B:458:ALA:HA	1.92	0.52
1:A:567:LEU:HD23	1:A:586:VAL:HG21	1.93	0.51
1:A:645:LEU:HB2	1:A:648:VAL:HG23	1.93	0.51
1:A:113:LEU:HA	1:A:116:ALA:HB3	1.93	0.51
1:B:36:GLU:OE1	1:B:40:ARG:NH2	2.43	0.51
1:B:308:LEU:HD13	1:B:346:LEU:HA	1.91	0.51
1:B:450:VAL:O	1:B:452:LEU:N	2.43	0.50
1:A:522:GLU:OE2	1:B:587:ARG:HD3	2.11	0.50
1:B:108:GLY:HA3	1:B:246:ALA:HB2	1.94	0.50
1:A:209:ASN:HB3	1:A:211:TYR:CE2	2.47	0.50
1:A:576:GLU:HG3	1:B:580:PHE:CE2	2.46	0.50
1:B:489:ASN:OD1	1:B:492:ARG:NH2	2.35	0.50
1:A:391:VAL:HG22	1:A:528:ARG:HG2	1.94	0.50
1:B:166:VAL:HB	1:B:175:VAL:HG13	1.94	0.50
1:B:9:GLY:O	1:B:625:HIS:NE2	2.40	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:472:SER:O	1:B:473:ASP:O	2.30	0.49
1:A:113:LEU:HD12	1:A:117:LEU:HD12	1.95	0.49
1:B:505:LEU:HD13	1:B:518:LYS:HG2	1.93	0.49
1:A:653:LYS:HB2	1:A:654:PRO:HD3	1.94	0.49
1:A:630:LEU:HD23	1:B:152:LEU:HD11	1.95	0.48
1:B:562:HIS:O	1:B:566:GLU:HG2	2.13	0.48
1:B:593:TYR:HA	1:B:596:LYS:HB2	1.94	0.48
1:B:502:PHE:HD2	6:B:806:HOH:O	1.94	0.48
1:B:456:GLY:O	1:B:458:ALA:N	2.46	0.48
1:A:444:ARG:HG2	1:A:516:TRP:CH2	2.49	0.48
1:B:126:ALA:C	1:B:266:ARG:HG2	2.34	0.48
1:B:484:VAL:O	1:B:488:GLU:HG2	2.14	0.47
1:A:472:SER:O	1:A:474:GLU:N	2.47	0.47
1:A:402:GLN:NE2	3:B:703:ATP:H1'	2.30	0.47
3:A:702:ATP:H1'	1:B:402:GLN:NE2	2.30	0.47
1:B:156:SER:HB2	2:B:702:FAD:O1A	2.15	0.47
1:B:140:ARG:CG	1:B:140:ARG:NH1	2.37	0.47
1:B:653:LYS:HB2	1:B:654:PRO:HD3	1.96	0.47
1:A:185:LYS:HB2	1:A:251:LEU:HB3	1.97	0.46
1:B:188:PRO:HB2	1:B:191:LEU:HB2	1.97	0.46
1:B:543:VAL:HA	1:B:546:ILE:HD12	1.97	0.46
1:B:490:MET:SD	1:B:574:ALA:HB2	2.55	0.46
1:B:541:ARG:O	1:B:545:ARG:HG3	2.15	0.46
1:A:562:HIS:O	1:A:566:GLU:HG2	2.16	0.46
1:B:489:ASN:HA	1:B:492:ARG:NH1	2.31	0.46
1:A:490:MET:SD	1:A:574:ALA:HB2	2.55	0.46
3:B:703:ATP:N6	6:B:813:HOH:O	2.43	0.46
1:A:145:GLY:HA2	1:A:197:TYR:O	2.16	0.46
1:A:24:ASP:HB3	1:A:27:LYS:HB2	1.97	0.46
1:A:401:GLU:OE2	1:A:401:GLU:HA	2.15	0.45
1:A:521:VAL:O	1:A:525:ARG:HG3	2.16	0.45
1:A:571:ALA:O	1:A:575:LEU:HG	2.16	0.45
1:A:82:LYS:HE3	1:A:83:TYR:CZ	2.51	0.45
1:A:547:GLU:HG2	1:A:547:GLU:H	1.47	0.45
1:A:477:LEU:HD22	1:A:477:LEU:H	1.81	0.45
1:B:273:ASP:N	1:B:273:ASP:OD1	2.41	0.45
2:B:702:FAD:O5'	2:B:702:FAD:O3'	2.30	0.45
1:A:144:ILE:HB	1:A:195:CYS:HA	1.99	0.45
2:A:701:FAD:H8A	2:A:701:FAD:O1A	2.16	0.45
1:A:651:TYR:HB2	1:B:74:THR:HG22	1.97	0.45
1:A:102:GLU:HA	1:A:614:GLN:HB2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:292:ILE:O	1:B:296:MET:HG2	2.16	0.45
1:A:148:ALA:HA	1:A:188:PRO:CG	2.47	0.45
1:A:564:ASN:OD1	1:A:586:VAL:CG2	2.63	0.45
1:B:156:SER:CB	2:B:702:FAD:O1A	2.65	0.45
1:A:148:ALA:HA	1:A:188:PRO:HG3	1.98	0.44
1:A:338:GLN:O	1:A:342:LEU:HB2	2.17	0.44
1:A:303:PHE:O	1:A:306:HIS:HB3	2.18	0.44
1:A:239:PRO:HB2	1:B:414:MET:HG3	2.00	0.44
1:A:365:GLN:C	1:A:367:LEU:H	2.20	0.44
1:A:313:ARG:NH2	1:A:606:ASP:OD1	2.37	0.44
1:A:527:SER:O	1:A:531:THR:HG23	2.17	0.44
1:B:136:GLU:CG	1:B:140:ARG:HD2	2.45	0.44
1:A:343:PHE:HD2	1:A:594:LEU:HD12	1.84	0.43
1:B:645:LEU:HB2	1:B:648:VAL:HG23	2.00	0.43
1:A:33:TYR:HB3	1:A:38:PHE:CD2	2.54	0.42
1:A:375:THR:OG1	1:A:378:MET:HE3	2.19	0.42
1:A:434:GLU:OE1	2:A:701:FAD:O2B	2.34	0.42
1:A:66:ARG:HD3	1:A:244:ASN:HB3	2.02	0.42
1:A:74:THR:HG22	1:B:651:TYR:HB2	2.01	0.42
1:A:74:THR:HG23	1:B:652:LEU:HG	2.01	0.42
1:B:297:ALA:HA	1:B:392:VAL:HG11	2.01	0.42
1:B:473:ASP:HA	1:B:489:ASN:OD1	2.19	0.42
1:A:284:ILE:HG13	1:A:284:ILE:H	1.59	0.42
1:A:323:LEU:HA	1:A:323:LEU:HD23	1.90	0.42
1:A:208:ARG:HD3	1:A:208:ARG:C	2.40	0.42
1:B:185:LYS:HB2	1:B:251:LEU:HB3	2.02	0.42
1:A:298:MET:SD	1:A:353:ILE:HG23	2.60	0.42
1:B:649:GLU:HA	1:B:653:LYS:HG3	2.01	0.42
1:B:77:ILE:HA	1:B:77:ILE:HD12	1.93	0.42
1:A:639:LEU:HD12	1:A:639:LEU:HA	1.93	0.41
1:A:326:LYS:HB3	1:A:326:LYS:HE2	1.78	0.41
1:A:13:GLU:OE1	1:A:319:ARG:NH2	2.52	0.41
1:B:505:LEU:CD1	1:B:518:LYS:HG2	2.49	0.41
1:B:237:ILE:HG12	1:B:248:ASN:O	2.20	0.41
1:A:58:ILE:HG23	1:A:59:LYS:HG2	2.02	0.41
1:A:119:ILE:HB	1:A:120:PRO:HD3	2.03	0.41
1:B:548:ASP:OD2	1:B:551:VAL:HG23	2.21	0.41
1:A:458:ALA:O	1:A:461:LEU:HB2	2.21	0.41
1:B:248:ASN:ND2	6:B:832:HOH:O	2.54	0.41
1:A:12:PRO:HA	1:A:15:LEU:HB3	2.03	0.40
1:B:136:GLU:HG3	1:B:140:ARG:HD3	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:178:THR:N	1:B:253:LEU:O	2.42	0.40
1:B:358:GLU:O	1:B:362:LEU:HB2	2.21	0.40
1:B:497:LYS:O	1:B:501:LYS:HD3	2.21	0.40
1:B:281:HIS:HB3	1:B:282:ALA:H	1.61	0.40
1:A:358:GLU:O	1:A:362:LEU:HG	2.21	0.40
1:B:119:ILE:HB	1:B:120:PRO:HD3	2.03	0.40
1:B:215:PHE:O	1:B:263:LEU:HD12	2.22	0.40
1:B:586:VAL:HA	1:B:589:GLN:HB2	2.04	0.40
1:A:338:GLN:NE2	2:B:702:FAD:H4B	2.36	0.40
1:B:144:ILE:HB	1:B:195:CYS:HA	2.04	0.40
1:B:372:MET:HG2	1:B:373:GLY:H	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	660/674 (98%)	610 (92%)	34 (5%)	16 (2%)	7	17
1	B	655/674 (97%)	615 (94%)	26 (4%)	14 (2%)	9	21
All	All	1315/1348 (98%)	1225 (93%)	60 (5%)	30 (2%)	8	19

All (30) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	187	TRP
1	A	266	ARG
1	A	283	LYS
1	A	580	PHE
1	B	187	TRP
1	B	280	PRO
1	B	452	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	457	LYS
1	B	473	ASP
1	B	474	GLU
1	B	475	THR
1	B	476	ASP
1	A	473	ASP
1	A	480	LEU
1	B	451	GLU
1	B	471	LYS
1	A	208	ARG
1	A	372	MET
1	A	490	MET
1	A	545	ARG
1	B	480	LEU
1	A	280	PRO
1	A	328	VAL
1	A	451	GLU
1	A	452	LEU
1	A	548	ASP
1	B	282	ALA
1	B	376	SER
1	B	155	GLY
1	A	155	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	562/574 (98%)	526 (94%)	36 (6%)	22	44
1	B	557/574 (97%)	522 (94%)	35 (6%)	22	46
All	All	1119/1148 (98%)	1048 (94%)	71 (6%)	22	46

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	ARG
1	A	66	ARG
1	A	76	LYS
1	A	208	ARG
1	A	209	ASN
1	A	234	VAL
1	A	266	ARG
1	A	268	CYS
1	A	289	MET
1	A	326	LYS
1	A	338	GLN
1	A	342	LEU
1	A	362	LEU
1	A	367	LEU
1	A	368	LYS
1	A	369	ASP
1	A	375	THR
1	A	376	SER
1	A	380	ASP
1	A	389	LYS
1	A	435	ASN
1	A	448	LYS
1	A	454	LYS
1	A	477	LEU
1	A	478	THR
1	A	485	LYS
1	A	493	ARG
1	A	500	GLU
1	A	539	PHE
1	A	547	GLU
1	A	558	LEU
1	A	576	GLU
1	A	580	PHE
1	A	588	ASP
1	A	594	LEU
1	A	653	LYS
1	B	19	ARG
1	B	76	LYS
1	B	140	ARG
1	B	175	VAL
1	B	234	VAL
1	B	266	ARG
1	B	275	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	278	LYS
1	B	283	LYS
1	B	284	ILE
1	B	320	GLN
1	B	367	LEU
1	B	368	LYS
1	B	369	ASP
1	B	371	ASP
1	B	435	ASN
1	B	452	LEU
1	B	453	ILE
1	B	466	SER
1	B	472	SER
1	B	473	ASP
1	B	477	LEU
1	B	478	THR
1	B	480	LEU
1	B	487	PHE
1	B	488	GLU
1	B	493	ARG
1	B	539	PHE
1	B	553	GLU
1	B	558	LEU
1	B	575	LEU
1	B	576	GLU
1	B	584	ASP
1	B	595	GLU
1	B	653	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	410	HIS
1	A	435	ASN
1	B	267	HIS
1	B	435	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	FAD	A	701	-	52,58,58	4.02	18 (34%)	52,89,89	2.46	10 (19%)
3	ATP	A	702	5	26,33,33	0.95	1 (3%)	26,52,52	1.61	1 (3%)
4	6QA	A	703	-	57,67,67	3.64	17 (29%)	70,98,98	2.12	14 (20%)
2	FAD	B	702	-	52,58,58	3.97	18 (34%)	52,89,89	2.48	9 (17%)
3	ATP	B	703	5	26,33,33	0.96	1 (3%)	26,52,52	1.66	3 (11%)
4	6QA	B	705	-	57,67,67	3.65	17 (29%)	70,98,98	2.12	14 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	701	-	-	0/30/50/50	0/6/6/6
3	ATP	A	702	5	-	0/18/38/38	0/3/3/3
4	6QA	A	703	-	-	0/55/91/91	0/4/4/4
2	FAD	B	702	-	-	0/30/50/50	0/6/6/6
3	ATP	B	703	5	-	0/18/38/38	0/3/3/3
4	6QA	B	705	-	-	0/55/91/91	0/4/4/4

All (72) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	702	FAD	C2B-C1B	-15.67	1.28	1.53
2	A	701	FAD	C2B-C1B	-15.66	1.28	1.53
4	B	705	6QA	C46-C35	-14.79	1.30	1.53
4	A	703	6QA	C46-C35	-14.73	1.30	1.53
4	B	705	6QA	O34-C33	-7.35	1.28	1.45
4	A	703	6QA	O34-C33	-7.33	1.28	1.45
2	B	702	FAD	O4B-C4B	-6.23	1.30	1.45
2	A	701	FAD	O4B-C4B	-5.95	1.31	1.45
4	B	705	6QA	C08-C09	-3.97	1.47	1.50
4	A	703	6QA	C08-C09	-3.92	1.47	1.50
2	B	702	FAD	O3B-C3B	-3.67	1.34	1.43
2	A	701	FAD	O3B-C3B	-3.61	1.34	1.43
4	B	705	6QA	C63-C62	-3.34	1.47	1.52
4	A	703	6QA	C63-C62	-3.30	1.47	1.52
4	B	705	6QA	C63-C02	-2.90	1.48	1.52
4	A	703	6QA	C63-C02	-2.89	1.48	1.52
2	B	702	FAD	C5A-C4A	-2.75	1.34	1.40
2	A	701	FAD	C5A-C4A	-2.68	1.34	1.40
4	B	705	6QA	O04-C03	-2.42	1.35	1.40
4	A	703	6QA	O04-C03	-2.41	1.35	1.40
4	A	703	6QA	O57-C14	-2.02	1.19	1.23
4	B	705	6QA	O57-C14	-2.02	1.19	1.23
2	B	702	FAD	C6A-N6A	2.13	1.42	1.34
2	A	701	FAD	C6A-N6A	2.16	1.42	1.34
4	B	705	6QA	P29-O31	2.20	1.68	1.59
4	A	703	6QA	P29-O31	2.20	1.68	1.59
4	A	703	6QA	C32-C33	2.29	1.59	1.51
4	B	705	6QA	C32-C33	2.31	1.59	1.51
2	B	702	FAD	C4X-C10	2.33	1.45	1.40
2	A	701	FAD	C2A-N3A	2.42	1.36	1.32
2	B	702	FAD	C2A-N3A	2.43	1.36	1.32
2	A	701	FAD	C4X-C10	2.46	1.45	1.40
4	B	705	6QA	C22-C21	2.54	1.59	1.53
4	A	703	6QA	C22-C21	2.55	1.59	1.53
2	A	701	FAD	O2B-C2B	2.95	1.49	1.43
3	B	703	ATP	C5-C4	3.06	1.47	1.40
4	A	703	6QA	C15-C14	3.15	1.57	1.51
4	A	703	6QA	O47-C46	3.16	1.50	1.43
4	B	705	6QA	C15-C14	3.16	1.57	1.51
3	A	702	ATP	C5-C4	3.16	1.47	1.40
4	A	703	6QA	C44-N45	3.17	1.47	1.34
2	B	702	FAD	O2B-C2B	3.17	1.50	1.43
4	B	705	6QA	C44-N45	3.18	1.47	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	705	6QA	O47-C46	3.18	1.50	1.43
2	B	702	FAD	C4-C4X	3.95	1.49	1.41
2	B	702	FAD	C2-N1	3.98	1.46	1.38
2	A	701	FAD	C2-N3	4.13	1.46	1.38
2	B	702	FAD	C10-N10	4.14	1.44	1.39
2	A	701	FAD	C2-N1	4.15	1.46	1.38
2	A	701	FAD	C4-C4X	4.21	1.49	1.41
2	B	702	FAD	C2-N3	4.23	1.47	1.38
2	A	701	FAD	C10-N10	4.72	1.44	1.39
2	A	701	FAD	C4-N3	4.79	1.41	1.33
2	B	702	FAD	C4-N3	4.80	1.41	1.33
4	A	703	6QA	C14-N13	4.92	1.45	1.33
4	B	705	6QA	C14-N13	4.93	1.45	1.33
2	B	702	FAD	C10-N1	4.94	1.44	1.35
2	A	701	FAD	C10-N1	4.95	1.44	1.35
2	B	702	FAD	C9A-N10	6.52	1.48	1.38
4	A	703	6QA	C18-N17	6.63	1.47	1.33
4	B	705	6QA	C18-N17	6.63	1.47	1.33
2	A	701	FAD	C9A-N10	6.95	1.48	1.38
2	A	701	FAD	C5X-N5	6.99	1.46	1.35
4	A	703	6QA	C09-S10	7.01	1.87	1.76
4	B	705	6QA	C09-S10	7.07	1.87	1.76
2	B	702	FAD	C5X-N5	7.07	1.46	1.35
2	B	702	FAD	C4X-N5	7.50	1.44	1.33
2	A	701	FAD	C4X-N5	7.68	1.45	1.33
2	B	702	FAD	O4B-C1B	14.06	1.61	1.41
2	A	701	FAD	O4B-C1B	14.38	1.61	1.41
4	A	703	6QA	O34-C35	15.31	1.63	1.41
4	B	705	6QA	O34-C35	15.33	1.63	1.41

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	702	FAD	N3A-C2A-N1A	-11.24	120.04	128.87
2	A	701	FAD	N3A-C2A-N1A	-10.95	120.27	128.87
4	A	703	6QA	O58-C09-C08	-8.46	118.12	123.94
4	B	705	6QA	O58-C09-C08	-8.45	118.12	123.94
4	B	705	6QA	N41-C42-N43	-8.11	122.50	128.87
4	A	703	6QA	N41-C42-N43	-8.11	122.50	128.87
2	A	701	FAD	N6A-C6A-N1A	-7.96	105.17	118.52
2	B	702	FAD	N6A-C6A-N1A	-7.95	105.18	118.52
3	A	702	ATP	N3-C2-N1	-6.36	123.88	128.87

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	703	ATP	N3-C2-N1	-6.30	123.92	128.87
2	B	702	FAD	N3-C2-N1	-4.46	120.19	127.69
2	A	701	FAD	N3-C2-N1	-4.23	120.57	127.69
2	A	701	FAD	C7M-C7-C6	-3.66	110.00	120.33
2	B	702	FAD	C7M-C7-C6	-3.45	110.57	120.33
4	A	703	6QA	C22-C21-C19	-3.29	103.16	109.17
4	B	705	6QA	C22-C21-C19	-3.29	103.18	109.17
4	B	705	6QA	C16-C15-C14	-2.78	107.45	112.22
4	A	703	6QA	C16-C15-C14	-2.77	107.47	112.22
2	A	701	FAD	C4X-C4-N3	-2.73	119.96	123.52
2	B	702	FAD	C4X-C4-N3	-2.72	119.97	123.52
2	A	701	FAD	C1B-N9A-C4A	-2.63	123.87	126.81
4	B	705	6QA	O01-C02-C03	-2.53	102.63	108.46
4	A	703	6QA	O01-C02-C03	-2.52	102.65	108.46
4	A	703	6QA	C16-N17-C18	-2.46	117.69	122.62
4	B	705	6QA	C16-N17-C18	-2.44	117.72	122.62
4	A	703	6QA	C11-C12-N13	-2.36	107.68	112.43
4	B	705	6QA	C11-C12-N13	-2.35	107.70	112.43
3	B	703	ATP	C1'-N9-C4	-2.15	124.41	126.81
4	A	703	6QA	O57-C14-C15	-2.06	118.39	121.97
4	B	705	6QA	O57-C14-C15	-2.06	118.40	121.97
4	B	705	6QA	C15-C14-N13	2.09	120.10	116.46
4	A	703	6QA	C15-C14-N13	2.11	120.12	116.46
4	A	703	6QA	C23-C21-C22	2.23	114.11	109.22
4	B	705	6QA	C23-C21-C22	2.23	114.11	109.22
3	B	703	ATP	O4'-C1'-N9	2.33	112.52	108.11
2	B	702	FAD	C4X-N5-C5X	2.82	120.05	116.72
2	A	701	FAD	C4X-N5-C5X	3.01	120.26	116.72
2	B	702	FAD	C5X-C9A-N10	3.11	119.91	117.58
2	A	701	FAD	C5X-C9A-N10	3.13	119.92	117.58
4	A	703	6QA	O04-C03-C02	3.17	111.83	107.98
4	B	705	6QA	O04-C03-C02	3.18	111.85	107.98
4	B	705	6QA	C11-S10-C09	3.33	113.94	102.09
4	A	703	6QA	C11-S10-C09	3.34	113.98	102.09
4	A	703	6QA	C48-C46-C35	3.40	107.47	100.06
4	B	705	6QA	C48-C46-C35	3.43	107.52	100.06
2	B	702	FAD	C7M-C7-C8	3.97	129.26	120.73
2	A	701	FAD	C7M-C7-C8	4.16	129.69	120.73
2	A	701	FAD	C4-N3-C2	5.35	119.62	115.16
2	B	702	FAD	C4-N3-C2	5.81	120.00	115.16
4	A	703	6QA	O58-C09-S10	6.88	128.29	122.83
4	B	705	6QA	O58-C09-S10	6.91	128.31	122.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	FAD	3	0
3	A	702	ATP	1	0
2	B	702	FAD	5	0
3	B	703	ATP	3	0
4	B	705	6QA	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	662/674 (98%)	-0.18	9 (1%) 78 77	10, 45, 91, 148	0
1	B	659/674 (97%)	-0.14	18 (2%) 58 57	11, 45, 103, 167	0
All	All	1321/1348 (97%)	-0.16	27 (2%) 68 68	10, 45, 99, 167	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	454	LYS	4.6
1	B	460	LYS	3.9
1	B	496	TRP	3.8
1	B	507	GLU	3.8
1	A	455	ALA	3.7
1	B	505	LEU	3.3
1	B	471	LYS	3.0
1	A	577	PHE	2.9
1	B	455	ALA	2.9
1	B	516	TRP	2.9
1	B	479	SER	2.9
1	B	285	GLY	2.8
1	A	366	LEU	2.6
1	A	374	ASN	2.5
1	B	469	ALA	2.5
1	B	500	GLU	2.5
1	B	512	ARG	2.5
1	B	279	PRO	2.4
1	A	471	LYS	2.4
1	A	581	THR	2.3
1	B	372	MET	2.3
1	A	372	MET	2.2
1	B	498	ALA	2.2
1	A	575	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	382	HIS	2.1
1	A	475	THR	2.1
1	B	280	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	6QA	B	705	64/64	0.74	0.35	2.80	39,81,96,112	0
4	6QA	A	703	64/64	0.88	0.23	1.50	39,81,96,112	0
2	FAD	A	701	53/53	0.98	0.13	0.17	21,26,46,49	0
2	FAD	B	702	53/53	0.95	0.14	-0.20	25,34,51,54	0
3	ATP	B	703	31/31	0.94	0.14	-0.83	41,52,71,79	0
3	ATP	A	702	31/31	0.95	0.12	-1.21	40,44,59,62	0
5	MG	B	701	1/1	0.88	0.14	-	44,44,44,44	0
5	MG	B	704	1/1	0.95	0.12	-	41,41,41,41	0

6.5 Other polymers [i](#)

There are no such residues in this entry.